

Exam Questions 1Z0-062

Oracle Database 12c: Installation and Administration

<https://www.2passeasy.com/dumps/1Z0-062/>



NEW QUESTION 1

You conned using SQL Plus to the root container of a multitenant container database (CDB) with SYSDBA privilege. The CDB has several pluggable databases (PDBs) open in the read/write mode. There are ongoing transactions in both the CDB and PDBs.

What happens after issuing the SHUTDOWN TRANSACTIONAL statement?

- A. The shutdown proceeds immediately.
- B. The shutdown proceeds as soon as all transactions in the PDBs are either committed or rolled back.
- C. The shutdown proceeds as soon as all transactions in the CDB are either committed or rolled back.
- D. The shutdown proceeds as soon as all transactions in both the CDB and PDBs are either committed or rolled back.
- E. The statement results in an error because there are open PDBs.

Answer: B

Explanation:

* SHUTDOWN [ABORT | IMMEDIATE | NORMAL | TRANSACTIONAL [LOCAL]]

Shuts down a currently running Oracle Database instance, optionally closing and dismounting a database. If the current database is a pluggable database, only the pluggable database is closed. The consolidated instance continues to run. Shutdown commands that wait for current calls to complete or users to disconnect such as SHUTDOWN NORMAL and SHUTDOWN TRANSACTIONAL have a time limit that the SHUTDOWN command will wait. If all events blocking the shutdown have not occurred within the time limit, the shutdown command cancels with the following message: ORA-01013: user requested cancel of current operation

* If logged into a CDB, shutdown closes the CDB instance.

To shutdown a CDB or non CDB, you must be connected to the CDB or non CDB instance that you want to close, and then enter SHUTDOWN

Database closed. Database dismounted. Oracle instance shut down.

To shutdown a PDB, you must log into the PDB to issue the SHUTDOWN command. SHUTDOWN Pluggable Database closed. Note:

* Prerequisites for PDB Shutdown

When the current container is a pluggable database (PDB), the SHUTDOWN command can only be used if: The current user has SYSDBA, SYSOPER, SYSBACKUP, or SYSDG system privilege.

The privilege is either commonly granted or locally granted in the PDB.

The current user exercises the privilege using AS SYSDBA, AS SYSOPER, AS SYSBACKUP, or AS SYSDG at connect time.

To close a PDB, the PDB must be open.

NEW QUESTION 2

The following parameter are set for your Oracle 12c database instance: OPTIMIZER_CAPTURE_SQL_PLAN_BASELINES=FALSE
OPTIMIZER_USE_SQL_PLAN_BASELINES=TRUE

You want to manage the SQL plan evolution task manually. Examine the following steps:


1. Set the evolve task parameters.
2. Create the evolve task by using the DBMS_SPM.CREATE_EVOLVE_TASK function.
3. Implement the recommendations in the task by using the DBMS_SPM.IMPLEMENT_EVOLVE_TASK function.
4. Execute the evolve task by using the DBMS_SPM.EXECUTE_EVOLVE_TASK function.
5. Report the task outcome by using the DBMS_SPM.REPORT_EVOLVE_TASK function. Identify the correct sequence of steps:

- A. 2, 4, 5
- B. 2, 1, 4, 3, 5
- C. 1, 2, 3, 4, 5
- D. 1, 2, 4, 5

Answer: B

Explanation:

* Evolving SQL Plan Baselines



*2. Create the evolve task by using the DBMS_SPM.CREATE_EVOLVE_TASK function.

This function creates an advisor task to prepare the plan evolution of one or more plans for a specified SQL statement. The input parameters can be a SQL handle, plan name or a list of plan names, time limit, task name, and description.

1. Set the evolve task parameters. SET_EVOLVE_TASK_PARAMETER

This function updates the value of an evolve task parameter. In this release, the only valid parameter is TIME_LIMIT.

4. Execute the evolve task by using the DBMS_SPM.EXECUTE_EVOLVE_TASK function.

This function executes an evolution task. The input parameters can be the task name, execution name, and execution description. If not specified, the advisor generates the name, which is returned by the function.

3: IMPLEMENT_EVOLVE_TASK

This function implements all recommendations for an evolve task. Essentially, this function is equivalent to using ACCEPT_SQL_PLAN_BASELINE for all recommended plans. Input parameters include task name, plan name, owner name, and execution name.

5. Report the task outcome by using the DBMS_SPM_EVOLVE_TASK function.

This function displays the results of an evolve task as a CLOB. Input parameters include the task name and section of the report to include.

References:

NEW QUESTION 3

You configure your database Instance to support shared server connections.

Which two memory areas that are part of PGA are stored in SGA instead, for shared server connection? (Choose two.)

- A. User session data
- B. Stack space
- C. Private SQL area
- D. Location of the runtime area for DML and DDL Statements
- E. Location of a part of the runtime area for SELECT statements

Answer: AC

Explanation:

A: PGA itself is subdivided. The UGA (User Global Area) contains session state information, including stuff like package-level variables, cursor state, etc. Note that, with shared server, the UGA is in the SGA. It has to be, because shared server means that the session state needs to be accessible to all server processes, as any one of them could be assigned a particular session. However, with dedicated server (which likely what you're using), the UGA is allocated in the PGA.

C: The Location of a private SQL area depends on the type of connection established for a session. If a session is connected through a dedicated server, private SQL areas are located in the server process' PGA. However, if a session is connected through a shared server, part of the private SQL area is kept in the SGA.

Note:

* System global area (SGA)

The SGA is a group of shared memory structures, known as SGA components, that contain data and control information for one Oracle Database instance. The SGA is shared by all server and background processes. Examples of data stored in the SGA include cached data blocks and shared SQL areas.

* Program global area (PGA)

A PGA is a memory region that contains data and control information for a server process. It is nonshared memory created by Oracle Database when a server process is started. Access to the PGA is exclusive to the server process. There is one PGA for each server process. Background processes also allocate their own PGAs. The total memory used by all individual PGAs is known as the total instance PGA memory, and the collection of individual PGAs is referred to as the total instance PGA, or just instance PGA. You use database initialization parameters to set the size of the instance PGA, not individual PGAs.

References:

NEW QUESTION 4

You execute the following PL/SQL:

```
BEGIN
DBMS_FGA.add_policy(
object_schema => 'JIM',
object_name => 'PRODUCTS',
policy_name => 'PROD_AUDIT',
audit_condition => 'PRICE > 10000',
audit_column => 'PRICE');
END;
/
```

Which two statements are true? (Choose two.)

- A. Fine-Grained Auditing (FGA) is enabled for the PRICE column in the PRODUCTS table for SELECT statements only when a row with PRICE > 10000 is accessed.
- B. FGA is enabled for the PRODUCTS.PRICE column and an audit record is written whenever a row with PRICE > 10000 is accessed.
- C. FGA is enabled for all DML operations by JIM on the PRODUCTS.PRICE column.
- D. FGA is enabled for the PRICE column of the PRODUCTS table and the SQL statements is captured in the FGA audit trial.

Answer: AB

Explanation:

DBMS_FGA.add_policy

* The DBMS_FGA package provides fine-grained security functions.

* ADD_POLICY Procedure

This procedure creates an audit policy using the supplied predicate as the audit condition. Incorrect:

Not C: object_schema

The schema of the object to be audited. (If NULL, the current log-on user schema is assumed.)

NEW QUESTION 5

What are two benefits of installing Grid Infrastructure software for a stand-alone server before installing and creating an Oracle database?

- A. Effectively implements role separation
- B. Enables you to take advantage of Oracle Managed Files.
- C. Automatically registers the database with Oracle Restart.
- D. Helps you to easily upgrade the database from a prior release.
- E. Enables the Installation of Grid Infrastructure files on block or raw devices.

Answer: AC

Explanation:

C: To use Oracle ASM or Oracle Restart, you must first install Oracle Grid Infrastructure for a standalone server before you install and create the database.

Otherwise, you must manually register the database with Oracle Restart.

Desupport of Block and Raw Devices

With the release of Oracle Database 11g release 2 (11.2) and Oracle RAC 11g release 2 (11.2), using Database Configuration Assistant or the installer to store Oracle Clusterware or Oracle Database files directly on block or raw devices is not supported.

If you intend to upgrade an existing Oracle RAC database, or an Oracle RAC database with Oracle ASM instances, then you can use an existing raw or block device partition, and perform a rolling upgrade of your existing installation.

Performing a new installation using block or raw devices is not allowed. References:

NEW QUESTION 6

In your multitenant container database (CDB) containing pluggable database (PDBs), the HR user executes the following commands to create and grant privileges on a procedure:

```
CREATE OR REPLACE PROCEDURE create_test_v (v_emp_id NUMBER, v_ename VARCHAR2, v_SALARY NUMBER, v_dept_id NUMBER)
```

```
BEGIN
```

```
INSERT INTO hr.test VALUES (V_emp_id, V_ename, V_salary, V_dept_id); END;
```

```
/
```

```
GRANT EXECUTE ON CREATE_TEST TO john, jim, smith, king;
```

How can you prevent users having the EXECUTE privilege on the CREATE_TEST procedure from inserting values into tables on which they do not have any privileges?

- A. Create the CREATE_TEST procedure with definer's rights.
- B. Grant the EXECUTE privilege to users with GRANT OPTION on the CREATE_TEST procedure.
- C. Create the CREATE_TEST procedure with invoker's rights.
- D. Create the CREATE_TEST procedure as part of a package and grant users the EXECUTE privilege the package.

Answer: C

Explanation:

If a program unit does not need to be executed with the escalated privileges of the definer, you should specify that the program unit executes with the privileges of the caller, also known as the invoker. Invoker's rights can mitigate the risk of SQL injection.

Incorrect:

Not A: By default, stored procedures and SQL methods execute with the privileges of their owner, not their current user. Such definer-rights subprograms are bound to the schema in which they reside.

not B: Using the GRANT option, a user can grant an Object privilege to another user or to PUBLIC.

NEW QUESTION 7

Which two statements correctly describe the relationship between data files and logical database structures? (Choose two.)

- A. A segment cannot span data files.
- B. A data file can belong to only one tablespace.
- C. An extent cannot span data files.
- D. The size of an Oracle data block in a data file should be the same as the size of an OS block.

Answer: BC

Explanation:

A single extent can never span data files. <https://docs.oracle.com/database/121/CNCPT/logical.htm#CNCPT1095>

NEW QUESTION 8

Which three statements are true PFILES, SPFILES or both? (Choose three.)

- A. SPFILES and PFILES may both be edited with an O/S editing utility
- B. Some SPFILE parameters can be modified successfully with the SCOPE=MEMORY clause
- C. A SPFILE can be created by an idle instance
- D. A PFILE can be created by an idle instance
- E. All SPFILE parameters can be modified successfully with the SCOPE=BOTH clause
- F. All SPFILE parameters can be modified successfully with the SCOPE=MEMORY clause

Answer: BDE

NEW QUESTION 9

Your database supports an online transaction processing (OLTP) application. The application is undergoing some major schema changes, such as addition of new indexes and materialized views. You want to check the impact of these changes on workload performance. What should you use to achieve this?

- A. Database replay
- B. SQL Tuning Advisor
- C. SQL Access Advisor
- D. SQL Performance Analyzer
- E. Automatic Workload Repository compare reports

Answer: D

Explanation:

You can use the SQL Performance Analyzer to analyze the SQL performance impact of any type of system change. Examples of common system changes include:

- Database upgrades
 - Configuration changes to the operating system, hardware, or database
 - Database initialization parameter changes
 - Schema changes, such as adding new indexes or materialized views
 - Gathering optimizer statistics
 - SQL tuning actions, such as creating SQL profiles
- References:
http://docs.oracle.com/cd/B28359_01/server.111/b28318/intro.htm#CNCPT961

NEW QUESTION 10

Examine this command:

```
SQL> ALTER SYSTEM SET ENABLE_DDL_LOGGING=TRUE;
```

Which two statements are true? (Choose two.)

- A. All data definition language (DDL) statements are written to the control file
- B. Some DDL statements are written to an XML file in the ADR home
- C. All DDL statements are logged in to a text file in Automatic Diagnostic Repository (ADR) home
- D. Some data definition language (DDL) statements are written to the control file
- E. Some DDL statements are written to a text file in the ADR home
- F. The Alert Log still contains some DDL statements

Answer: DE

NEW QUESTION 10

You are administering a database and you receive a requirement to apply the following restrictions:

1. A connection must be terminated after four unsuccessful login attempts by user.
2. A user should not be able to create more than four simultaneous sessions.
3. User session must be terminated after 15 minutes of inactivity.
4. Users must be prompted to change their passwords every 15 days. How would you accomplish these requirements?

- A. by granting a secure application role to the users
- B. by creating and assigning a profile to the users and setting the REMOTE_OS_AUTHENT parameter to FALSE
- C. By creating and assigning a profile to the users and setting the SEC_MAX_FAILED_LOGIN_ATTEMPTS parameter to 4
- D. By Implementing Fine-Grained Auditing (FGA) and setting the REMOTE_LOGIN_PASSWORD_FILE parameter to NONE.
- E. By implementing the database resource Manager plan and setting the SEC_MAX_FAILED_LOGIN_ATTEMPTS parameters to 4.

Answer: A

Explanation:

You can design your applications to automatically grant a role to the user who is trying to log in, provided the user meets criteria that you specify. To do so, you create a secure application role, which is a role that is associated with a PL/SQL procedure (or PL/SQL package that contains multiple procedures). The procedure validates the user: if the user fails the validation, then the user cannot log in. If the user passes the validation, then the procedure grants the user a role so that he or she can use the application. The user has this role only as long as he or she is logged in to the application. When the user logs out, the role is revoked.

Incorrect:

Not B: REMOTE_OS_AUTHENT specifies whether remote clients will be authenticated with the value of the OS_AUTHENT_PREFIX parameter.

Not C, not E: SEC_MAX_FAILED_LOGIN_ATTEMPTS specifies the number of authentication attempts that can be made by a client on a connection to the server process. After the specified number of failure attempts, the connection will be automatically dropped by the server process.

Not D: REMOTE_LOGIN_PASSWORDFILE specifies whether Oracle checks for a password file. Values:

shared

One or more databases can use the password file. The password file can contain SYS as well as non-SYS users. exclusive

The password file can be used by only one database. The password file can contain SYS as well as non-SYS users. none

Oracle ignores any password file. Therefore, privileged users must be authenticated by the operating system. Note:

The REMOTE_OS_AUTHENT parameter is deprecated. It is retained for backward compatibility only.

NEW QUESTION 14

Examine the resources consumed by a database instance whose current Resource Manager plan is displayed.

```
SQL> SELECT name, active_sessions, queue_length,
           consumed_cpu_time, cpu_waits, cpu_wait_time
FROM v$rsrc_consumer_group;
```

NAME	ACTIVE_SESSIONS	QUEUE_LENGTH	CONSUMED_CPU_WAITS	CPU_WAITS
CPU_WAIT_TIME				
-----	-----	-----	-----	-----

OLTP__ORDER__ENTRY	1	0	29690	467
6709				
OTHERS__GROUPS	0	0	5982366	4089
60425				
SYS_GROUP	1	0	2420704	914
19540				
DSS_QUERIES	4	2	4594660	3004
55700				

Which two statements are true? (Choose two.)

- A. An attempt to start a new session by a user belonging to DSS_QUERIES fails with an error.
- B. An attempt to start a new session by a user belonging to OTHER_GROUPS fails with an error.
- C. The CPU_WAIT_TIME column indicates the total time that sessions in the consumer group waited for the CPU due to resource management.
- D. The CPU_WAIT_TIME column indicates the total time that sessions in the consumer group waited for the CPU due to I/O waits and latch or enqueue contention.
- E. A user belonging to the DSS QUERIES resource consumer group can create a new session but the session will be queued.

Answer: CE

NEW QUESTION 17

Which four are true about creating and running a remote database scheduler jobs? (Choose four.)

- A. A database destination must exist or be created for the remote database
- B. It must run as a user that is defined on the remote database
- C. Remote database jobs always run as the same user who submits the job on the local database
- D. A credential is optional for a remote database job
- E. A credential must be created to define the remote user
- F. A database destination group must exist or be created for a job to run on multiple remote databases
- G. A destination is optional for a remote database job because DB links can be used instead

Answer: ABDF

NEW QUESTION 20

On your Oracle 12c database, you invoked SQL *Loader to load data into the EMPLOYEES table in the HR schema by issuing the following command:

```
$> sqlldr hr/hr@pdb table=employees
```

Which two statements are true regarding the command? (Choose two.)

- A. It succeeds with default settings if the EMPLOYEES table belonging to HR is already defined in the database.
- B. It fails because no SQL *Loader data file location is specified.
- C. It fails if the HR user does not have the CREATE ANY DIRECTORY privilege.
- D. It fails because no SQL *Loader control file location is specified.

Answer: AC

Explanation:

Note:

* SQL*Loader is invoked when you specify the sqlldr command and, optionally, parameters that establish session characteristics.

NEW QUESTION 25

To implement Automatic Management (AMM), you set the following parameters:

```
MEMORY_MAX_TARGET=600M
SGA_MAX_SIZE=500M
MEMORY_TARGET=600M
OPEN_CURSORS=300
SGA_TARGET=300M
PROCESSES=150
STATISTICS_LEVEL=BASIC
PGA_AGGREGATE_TARGET=0
```

When you try to start the database instance with these parameter settings, you receive the following error message: SQL > startup
ORA-00824: cannot set SGA_TARGET or MEMORY_TARGET due to existing internal settings, see alert log for more information.
Identify the reason the instance failed to start.

- A. The PGA_AGGREGATE_TARGET parameter is set to zero.
- B. The STATISTICS_LEVEL parameter is set to BASIC.
- C. Both the SGA_TARGET and MEMORY_TARGET parameters are set.
- D. The SGA_MAX_SIZE and SGA_TARGET parameter values are not equal.

Answer: B

Explanation:

Example:

SQL> startup force

ORA-00824: cannot set SGA_TARGET or MEMORY_TARGET due to existing internal settings ORA-00848: STATISTICS_LEVEL cannot be set to BASIC with SGA_TARGET or MEMORY_TARGET

NEW QUESTION 29

DAILY_ORDS_LST is created in locally managed tablespace ORDERS_TBS which uses automatic segment space management.

```
CREATE TABLE daily_ords_list
(
  ordno NUMBER,
  ord_date DATE
)
PCTFREE 20;
```

Which two are true? (Choose two.)

- A. 80% of every data block in daily_ords_list is reserved for row inserts
- B. 20% of each data block in the table is reserved for row updates
- C. PCTFREE can help to minimize row chaining during inserts
- D. PCTFREE can help reduce row migration during updates
- E. PCTFREE eliminates row chaining during inserts

Answer: BD

NEW QUESTION 31

Your database is in ARCHIVELOG mode. You want to disable archiving for the database. Examine these steps:

1. Execute the ALTER DATABASE NOARCHIVELOG command
2. Execute SHUTDOWN IMMEDIATE
3. Execute STARTUP MOUNT
4. Set the DB_RECOVERY_FILE_DEST parameter to \$ORACLE_HOME/dbs/
5. Execute STARTUP NOMOUNT
6. Open the database
7. Execute SHUTDOWN TRANSACTIONAL

Identify the required steps in the correct sequence.

- A. 1, 2, 3, 4, 6
- B. 2, 5, 1, 6
- C. 4, 2, 5, 1, 6
- D. 2, 3, 1, 6

Answer: B

Explanation:

Reference:

http://dba-oracle.com/bk_disable_archive_log_mode.htm

NEW QUESTION 36

You notice a performance change in your production Oracle database and you want to know which change has made this performance difference.

You generate the Compare Period Automatic Database Diagnostic Monitor (ADDM) report to further investigation. Which three findings would you get from the

report? (Choose three.)

- A. It detects any configuration change that caused a performance difference in both time periods.
- B. It identifies any workload change that caused a performance difference in both time periods.
- C. It detects the top wait events causing performance degradation.
- D. It shows the resource usage for CPU, memory, and I/O in both time periods.
- E. It shows the difference in the size of memory pools in both time periods.
- F. It gives information about statistics collection in both time periods.

Answer: ABD

Explanation:

Keyword: shows the difference.

* Full ADDM analysis across two AWR snapshot periods Detects causes, measure effects, then correlates them Causes: workload changes, configuration changes Effects: regressed SQL, reach resource limits (CPU, I/O, memory, interconnect) Makes actionable recommendations along with quantified impact

* Identify what changed

/ Configuration changes, workload changes

* Performance degradation of the database occurs when your database was performing optimally in the past, such as 6 months ago, but has gradually degraded to a point where it becomes noticeable to the users. The Automatic Workload Repository (AWR) Compare Periods report enables you to compare database performance between two periods of time. While an AWR report shows AWR data between two snapshots (or two points in time), the AWR Compare Periods report shows the difference (ABE) between two periods (or two AWR reports with a total of four snapshots). Using the AWR Compare Periods report helps you to identify detailed performance attributes and configuration settings that differ between two time periods.

NEW QUESTION 38

Which two tasks can be performed on an external table? (Choose two.)

- A. partitioning the table
- B. creating an invisible index
- C. updating the table by using an UPDATE statement
- D. creating a public synonym
- E. creating a view

Answer: DE

Explanation:

http://docs.oracle.com/cd/B28359_01/server.111/b28310/tables013.htm#ADMIN01507

You can, for example select, join, or sort external table data. You can also create views and synonyms for external tables. However, no DML operations (UPDATE, INSERT, or DELETE) are possible, and no indexes can be created, on external tables.

NEW QUESTION 43

A user establishes a connection to a database instance by using an Oracle Net connection. You want to ensure the following:

1. The user account must be locked after five unsuccessful login attempts.
2. Data read per session must be limited for the user.
3. The user cannot have more than three simultaneous sessions.
4. The user must have a maximum minutes session idle time before being logged off automatically. How would you accomplish this?

- A. by granting a secure application role to the user
- B. by implementing Database Resource Manager
- C. by using Oracle Label Security options
- D. by assigning a profile to the user

Answer: D

NEW QUESTION 47

Which two statements are true concerning dropping a pluggable database (PDB)? (Choose two.)

- A. The PDB must be open in read-only mode.
- B. The PDB must be in mount state.
- C. The PDB must be unplugged.
- D. The PDB data files are always removed from disk.
- E. A dropped PDB can never be plugged back into a multitenant container database (CDB).

Answer: BC

Explanation:

References: http://docs.oracle.com/database/121/ADMIN/cdb_plug.htm#ADMIN13658

NEW QUESTION 50

Examine the following impdp command to import a database over the network from a pre-12c Oracle database (source):

```
$> impdp <user_name> full=Y network_link=hrdb_test transportable=always
transport_datafiles=
        '/u01/app/oracle/oradata/hrdb/sales01.dbf',
        '/u01/app/oracle/oradata/hrdb/cust01.dbf',
        '/u01/app/oracle/oradata/hrdb/emp01.dbf',
version=12 logfile=import.log
```


Which three are prerequisites for successful execution of the command? (Choose three.)

- A. The import operation must be performed by a user on the target database by a user with the DATAPUMP_IMP_FULL_DATABASE role, and the database link must connect to a user with the DATAPUMP_EXP_FULL_DATABASE role on the source database.
- B. All the user-defined tablespaces must be in read-only mode on the source database.
- C. The export dump file must be created before starting the import on the target database.
- D. The source and target database must be running on the same operating system (OS) with the same endianness.
- E. The impdp operation must be performed by the same user that performed the expdp operation.

Answer: ABD

Explanation:

In this case we have run the impdp without performing any conversion if endian format is different then we have to first perform conversion.

NEW QUESTION 55

You have installed two 64G flash devices to support the Database Smart Flash Cache feature on your database server that is running on Oracle Linux. You have set the DB_SMART_FLASH_FILE parameter: DB_FLASH_CACHE_FILE= '/dev/flash_device_1 ','/dev/flash_device_2' How should the DB_FLASH_CACHE_SIZE be configured to use both devices?

- A. Set DB_FLASH_CACHE_SIZE = 64G.
- B. Set DB_FLASH_CACHE_SIZE = 64G, 64G
- C. Set DB_FLASH_CACHE_SIZE = 128G.
- D. DB_FLASH_CACHE_SIZE is automatically configured by the instance at startup.

Answer: B

Explanation:

* Smart Flash Cache concept is not new in Oracle 12C - DB Smart Flash Cache in Oracle 11g.

In this release Oracle has made changes related to both initialization parameters used by DB Smart Flash cache. Now you can define many files|devices and its sizes for "Database Smart Flash Cache" area. In previous releases only one file|device could be defined.

DB_FLASH_CACHE_FILE = /dev/sda, /dev/sdb, /dev/sdc DB_FLASH_CACHE_SIZE = 32G, 32G, 64G

So above settings defines 3 devices which will be in use by "DB Smart Flash Cache"

/dev/sda – size 32G

/dev/sdb – size 32G

/dev/sdc – size 64G

New view V\$FLASHFILESTAT – it's used to determine the cumulative latency and read counts of each file|device and compute the average latency

NEW QUESTION 56

Which three statements are true concerning the multitenant architecture? (Choose three.)

- A. Each pluggable database (PDB) has its own set of background processes.
- B. A PDB can have a private temp tablespace.
- C. PDBs can share the sysaux tablespace.
- D. Log switches occur only at the multitenant container database (CDB) level.
- E. Different PDBs can have different default block sizes.
- F. PDBs share a common system tablespace.
- G. Instance recovery is always performed at the CDB level.

Answer: BDG

Explanation:

B:

* A PDB would have its SYSTEM, SYSAUX, TEMP tablespaces. It can also contains other user created tablespaces in it.

* There is one default temporary tablespace for the entire CDB. However, you can create additional temporary tablespaces in individual PDBs.

D:

* There is a single redo log and a single control file for an entire CDB

* A log switch is the point at which the database stops writing to one redo log file and begins writing to another. Normally, a log switch occurs when the current redo log file is completely filled and writing must continue to the next redo log file.

G: instance recovery

The automatic application of redo log records to uncommitted data blocks when an database instance is restarted after a failure.

Incorrect: Not A:

* There is one set of background processes shared by the root and all PDBs.

* High consolidation density. The many pluggable databases in a single container database share its memory and background processes, letting you operate many more pluggable databases on a particular platform than you can single databases that use the old architecture.

Not C: There is a separate SYSAUX tablespace for the root and for each PDB. Not F: There is a separate SYSTEM tablespace for the root and for each PDB.

NEW QUESTION 59

You support Oracle Database 12c Oracle Database 11g, and Oracle Database log on the same server. All databases of all versions use Automatic Storage Management (ASM).

Which three statements are true about the ASM disk group compatibility attributes that are set for a disk group? (Choose three.)

- A. The ASM compatibility attribute controls the format of the disk group metadata.
- B. RDBMS compatibility together with the database version determines whether a database Instance can mount the ASM disk group.
- C. The RDBMS compatibility setting allows only databases set to the same version as the compatibility value, to mount the ASM disk group.
- D. The ASM compatibility attribute determines some of the ASM features that may be used by the Oracle disk group.
- E. The ADVM compatibility attribute determines the ACFS features that may be used by the Oracle 10 g database.

Answer: ABD

Explanation:

AD: The value for the disk group COMPATIBLE.ASM attribute determines the minimum software version for an Oracle ASM instance that can use the disk group. This setting also affects the format of the data structures for the Oracle ASM metadata on the disk.

B: The value for the disk group COMPATIBLE.RDBMS attribute determines the minimum COMPATIBLE database initialization parameter setting for any database instance that is allowed to use the disk group. Before advancing the COMPATIBLE.RDBMS attribute, ensure that the values for the COMPATIBLE initialization parameter for all of the databases that access the disk group are set to at least the value of the new setting for COMPATIBLE.RDBMS.

For example, if the COMPATIBLE initialization parameters of the databases are set to either 11.1 or 11.2, then COMPATIBLE.RDBMS can be set to any value between 10.1 and 11.1 inclusively.

Not E:

/The value for the disk group COMPATIBLE.ADVM attribute determines whether the disk group can contain Oracle ASM volumes. The value must be set to 11.2 or higher. Before setting this attribute, the COMPATIBLE.ASM value must be 11.2 or higher. Also, the Oracle ADVM volume drivers must be loaded in the supported environment.

/ You can create an Oracle ASM Dynamic Volume Manager (Oracle ADVM) volume in a disk group. The volume device associated with the dynamic volume can then be used to host an Oracle ACFS file system.

The compatibility parameters COMPATIBLE.ASM and COMPATIBLE.ADVM must be set to 11.2 or higher for the disk group.

Note:

* The disk group attributes that determine compatibility are COMPATIBLE.ASM, COMPATIBLE.RDBMS. and COMPATIBLE.ADVM. The COMPATIBLE.ASM and COMPATIBLE.RDBMS attribute settings determine the minimum Oracle Database software version numbers that a system can use for Oracle ASM and the database instance types respectively. For example, if the Oracle ASM compatibility setting is 11.2, and RDBMS compatibility is set to 11.1, then the Oracle ASM software version must be at least 11.2, and the Oracle Database client software version must be at least 11.1. The COMPATIBLE.ADVM attribute determines whether the Oracle ASM Dynamic Volume Manager feature can create an volume in a disk group.

NEW QUESTION 63

You upgrade your Oracle database in a multiprocessor environment. As a recommended you execute the following script: SQL > @utlpr.sql

Which two actions does the script perform? (Choose two.)

- A. Parallel compilation of only the stored PL/SQL code
- B. Sequential recompilation of only the stored PL/SQL code
- C. Parallel recompilation of any stored PL/SQL code
- D. Sequential recompilation of any stored PL/SQL code
- E. Parallel recompilation of Java code
- F. Sequential recompilation of Java code

Answer: CE

Explanation:

utlpr.sql and utlprp.sql

The utlpr.sql and utlprp.sql scripts are provided by Oracle to recompile all invalid objects in the database. They are typically run after major database changes such as upgrades or patches. They are located in the

\$ORACLE_HOME/rdbms/admin directory and provide a wrapper on the UTL_RECOMP package. The utlpr.sql script simply calls the utlprp.sql script with a command line parameter of "0". The utlprp.sql accepts a single integer parameter that indicates the level of parallelism as follows.

0 - The level of parallelism is derived based on the CPU_COUNT parameter. 1 - The recompilation is run serially, one object at a time.

N - The recompilation is run in parallel with "N" number of threads.

Both scripts must be run as the SYS user, or another user with SYSDBA, to work correctly. References:

NEW QUESTION 68

You executed this command to create a password file: \$ orapwd file = orapworcl entries = 10 ignorecase = N Which two statements are true about the password file? (Choose two.)

- A. It will permit the use of uppercase passwords for database users who have been granted the SYSOPER role.
- B. It contains username and passwords of database users who are members of the OSOPER operating system group.
- C. It contains usernames and passwords of database users who are members of the OSDBA operating system group.
- D. It will permit the use of lowercase passwords for database users who have granted the SYSDBA role.
- E. It will not permit the use of mixed case passwords for the database users who have been granted the SYSDBA role.

Answer: AD

Explanation:

* You can create a password file using the password file creation utility, ORAPWD.

* Adding Users to a Password File

When you grant SYSDBA or SYSOPER privileges to a user, that user's name and privilege information are added to the password file. If the server does not have an EXCLUSIVE password file (that is, if the initialization parameter REMOTE_LOGIN_PASSWORDFILE is NONE or SHARED, or the password file is missing), Oracle Database issues an error if you attempt to grant these privileges.

A user's name remains in the password file only as long as that user has at least one of these two privileges. If you revoke both of these privileges, Oracle Database removes the user from the password file.

* The syntax of the ORAPWD command is as follows: ORAPWDFILE=filename [ENTRIES=numusers] [FORCE={Y|N}] [IGNORECASE={Y|N}] [NOSYSDBA={Y|N}]

* IGNORECASE

If this argument is set to y, passwords are case-insensitive. That is, case is ignored when comparing the password that the user supplies during login with the password in the password file.

NEW QUESTION 73

Which two partitioned table maintenance operations support asynchronous Global Index Maintenance in Oracle database 12c? (Choose two.)

- A. ALTER TABLE SPLIT PARTITION
- B. ALTER TABLE MERGE PARTITION
- C. ALTER TABLE TRUNCATE PARTITION
- D. ALTER TABLE ADD PARTITION
- E. ALTER TABLE DROP PARTITION
- F. ALTER TABLE MOVE PARTITION

Answer: CE

Explanation:

Asynchronous Global Index Maintenance for DROP and TRUNCATE PARTITION

This feature enables global index maintenance to be delayed and decoupled from a DROP and TRUNCATE partition without making a global index unusable. Enhancements include faster DROP and TRUNCATE partition operations and the ability to delay index maintenance to off-peak time.

References:

NEW QUESTION 78

Which two statements are true about the logical storage structure of an Oracle database? (Choose two.)

- A. An extent contains data blocks that are always physically contiguous on disk.
- B. An extent can span multiple segments.
- C. Each data block always corresponds to one operating system block.
- D. It is possible to have tablespaces of different block sizes.
- E. A data block is the smallest unit of I/O in data files.

Answer: DE

NEW QUESTION 79

Which two statements are true about Oracle Managed Files (OMF)? (Choose two.)

- A. OMF cannot be used in a database that already has data files created with user-specified directions.
- B. The file system directions that are specified by OMF parameters are created automatically.
- C. OMF can be used with ASM disk groups, as well as with raw devices, for better file management.
- D. OMF automatically creates unique file names for table spaces and control files.
- E. OMF may affect the location of the redo log files and archived log files.

Answer: DE

Explanation:

D: The database internally uses standard file system interfaces to create and delete files as needed for the following database structures:

Tablespaces Redo log files Control files Archived logs

Block change tracking files Flashback logs

RMAN backups Note:

* Using Oracle-managed files simplifies the administration of an Oracle Database. Oracle-managed files eliminate the need for you, the DBA, to directly manage the operating system files that make up an Oracle Database. With Oracle-managed files, you specify file system directories in which the database automatically creates, names, and manages files at the database object level. For example, you need only specify that you want to create a tablespace; you do not need to specify the name and path of the tablespace's datafile with the DATAFILE clause.

<http://www.oracle-base.com/articles/9i/oracle-managed-files.php>

http://docs.oracle.com/cd/B10500_01/server.920/a96521/omf.htm References:

NEW QUESTION 83

You notice a high number of waits for the db file scattered read and db file sequential read events in the recent Automatic Database Diagnostic Monitor (ADDM) report. After further investigation, you find that queries are performing too many full table scans and indexes are not being used even though the filter columns are indexed. Identify three possible reasons for this.

- A. Missing or stale histogram statistics
- B. Undersized shared pool
- C. High clustering factor for the indexes
- D. High value for the DB_FILE_MULTIBLOCK_READ_COUNT parameter
- E. Oversized buffer cache

Answer: ACD

Explanation:

D: DB_FILE_MULTIBLOCK_READ_COUNT is one of the parameters you can use to minimize I/O during table scans. It specifies the maximum number of blocks read in one I/O operation during a sequential scan. The total number of I/Os needed to perform a full table scan depends on such factors as the size of the table, the multiblock read count, and whether parallel execution is being utilized for the operation.

NEW QUESTION 88

You want to capture column group usage and gather extended statistics for better cardinality estimates for the CUSTOMERS table in the SH schema.

Examine the following steps:

1. Issue the SELECT DBMS_STATS.CREATE_EXTENDED_STATS ('SH', 'CUSTOMERS') FROM dual statement.
2. Execute the DBMS_STATS.SEED_COL_USAGE (null, 'SH', 500) procedure.
3. Execute the required queries on the CUSTOMERS table.
4. Issue the SELECT DBMS_STATS.REPORT_COL_USAGE ('SH', 'CUSTOMERS') FROM dual statement.

Identify the correct sequence of steps.

- A. 3, 2, 1, 4
- B. 2, 3, 4, 1
- C. 4, 1, 3, 2
- D. 3, 2, 4, 1

Answer: B

Explanation:

Step 1 (2). Seed column usage

Oracle must observe a representative workload, in order to determine the appropriate column groups. Using the new procedure

DBMS_STATS.SEED_COL_USAGE, you tell Oracle how long it should observe the workload.

Step 2: (3) You don't need to execute all of the queries in your work during this window. You can simply run explain plan for some of your longer running queries to

ensure column group information is recorded for these queries.

Step 3. (1) Create the column groups

At this point you can get Oracle to automatically create the column groups for each of the tables based on the usage information captured during the monitoring window. You simply have to call the DBMS_STATS.CREATE_EXTENDED_STATS function for each table. This function requires just two arguments, the schema name and the table name. From then on, statistics will be maintained for each column group whenever statistics are gathered on the table.

Note:

* DBMS_STATS.REPORT_COL_USAGE reports column usage information and records all the SQL operations the database has processed for a given object.

* The Oracle SQL optimizer has always been ignorant of the implied relationships between data columns within the same table. While the optimizer has traditionally analyzed the distribution of values within a column, he does not collect value-based relationships between columns.

* Creating extended statistics Here are the steps to create extended statistics for related table columns with dbms_stats.create_extended_stats:

1 - The first step is to create column histograms for the related columns. 2 – Next, we run dbms_stats.create_extended_stats to relate the columns together.

Unlike a traditional procedure that is invoked via an execute (“exec”) statement, Oracle extended statistics are created via a select statement.

NEW QUESTION 90

You are about to plug a multi-terabyte non-CDB into an existing multitenant container database (CDB). The characteristics of the non-CDB are as follows:

– Version: Oracle Database 11g Release 2 (11.2.0.2.0) 64-bit

– Character set: AL32UTF8

– National character set: AL16UTF16

– O/S: Oracle Linux 6 64-bit

The characteristics of the CDB are as follows:

– Version: Oracle Database 12c Release 1 64-bit

– Character Set: AL32UTF8

– National character set: AL16UTF16

– O/S: Oracle Linux 6 64-bit

Which technique should you use to minimize down time while plugging this non-CDB into the CDB?

- A. Transportable database
- B. Transportable tablespace
- C. Data Pump full export/import
- D. The DBMS_PDB package
- E. RMAN

Answer: B

Explanation:

* Overview, example:

- Log into ncdb12c as sys
- Get the database in a consistent state by shutting it down cleanly.
- Open the database in read only mode
- Run DBMS_PDB.DESCRIBE to create an XML file describing the database.
- Shut down ncdb12c
- Connect to target CDB (CDB2)
- Check whether non-cdb (NCDB12c) can be plugged into CDB(CDB2)
- Plug-in Non-CDB (NCDB12c) as PDB(NCDB12c) into target CDB(CDB2).
- Access the PDB and run the noncdb_to_pdb.sql script.
- Open the new PDB in read/write mode.

* You can easily plug an Oracle Database 12c non-CDB into a CDB. Just create a PDB manifest file for the non-CDB, and then use the manifest file to create a cloned PDB in the CDB.

* Note that to plug in a non-CDB database into a CDB, the non-CDB database needs to be of version 12c as well. So existing 11g databases will need to be upgraded to 12c before they can be part of a 12c CDB.

NEW QUESTION 95

You create a new pluggable database, HR_PDB, from the seed database. Which three tablespaces are created by default in HR_PDB? (Choose three.)

- A. SYSTEM
- B. SYSAUX
- C. EXAMPLE
- D. UNDO
- E. TEMP
- F. USERS

Answer: ABE

Explanation:

* A PDB would have its SYSTEM, SYSAUX, TEMP tablespaces. It can also contain other user created tablespaces in it.

* Oracle Database creates both the SYSTEM and SYSAUX tablespaces as part of every database.

* tablespace_datafile_clauses

Use these clauses to specify attributes for all data files comprising the SYSTEM and SYSAUX tablespaces in the seed PDB.

Incorrect:

Not D: a PDB can not have an undo tablespace. Instead, it uses the undo tablespace belonging to the CDB. Note:

* Example:

CONN pdb_admin@pdb1

SELECT tablespace_name FROM dba_tablespaces; TABLESPACE_NAME

----- SYSTEM

SYSAUX TEMP USERS SQL>

NEW QUESTION 99

Which four statements are true about database instance behavior? (Choose four.)

- A. An idle instance is created when a STARTUP NOMOUNT is successful

- B. All dynamic performance views (v\$ views) return data when queried from a session connected to an instance in NOMOUNT state
- C. The consistency of redo logs and data files is checked when mounting the database
- D. Redo log files can be renamed in MOUNT state
- E. An SPFILE can be updated when connected to an idle instance
- F. Datafiles can be renamed in MOUNT state

Answer: CDEF

NEW QUESTION 104

Identify three scenarios in which you would recommend the use of SQL Performance Analyzer to analyze impact on the performance of SQL statements.

- A. Change in the Oracle Database version
- B. Change in your network infrastructure
- C. Change in the hardware configuration of the database server
- D. Migration of database storage from non-ASM to ASM storage
- E. Database and operating system upgrade

Answer: ACE

Explanation:

Oracle 11g/12c makes further use of SQL tuning sets with the SQL Performance Analyzer, which compares the performance of the statements in a tuning set before and after a database change. The database change can be as major or minor as you like, such as:

- * (E) Database, operating system, or hardware upgrades.
- * (A, C) Database, operating system, or hardware configuration changes.
- * Database initialization parameter changes.
- * Schema changes, such as adding indexes or materialized views.
- * Refreshing optimizer statistics.
- * Creating or changing SQL profiles.

NEW QUESTION 109

What is the effect of specifying the "ENABLE PLUGGABLE DATABASE" clause in a "CREATE DATABASE" statement?


- A. It will create a multitenant container database (CDB) with only the root opened.
- B. It will create a CDB with root opened and seed read only.
- C. It will create a CDB with root and seed opened and one PDB mounted.
- D. It will create a CDB that must be plugged into an existing CDB.
- E. It will create a CDB with root opened and seed mounted.

Answer: B

Explanation:

* The CREATE DATABASE ... ENABLE PLUGGABLE DATABASE SQL statement creates a new CDB. If you do not specify the ENABLE PLUGGABLE DATABASE clause, then the newly created database is a non-CDB and can never contain PDBs.

Along with the root (CDB\$ROOT), Oracle Database automatically creates a seed PDB (PDB\$SEED). The following graphic shows a newly created CDB:



* Creating a PDB

Rather than constructing the data dictionary tables that define an empty PDB from scratch, and then populating its Obj\$ and Dependency\$ tables, the empty PDB is created when the CDB is created. (Here, we use empty to mean containing no customer-created artifacts.) It is referred to as the seed PDB and has the name PDB\$Seed. Every CDB non-negotiably contains a seed PDB; it is non-negotiably always open in read-only mode. This has no conceptual significance; rather, it is just an optimization device. The create PDB operation is implemented as a special case of the clone PDB operation.

NEW QUESTION 111

Which two statements are true about the Oracle Direct Network File system (DNFS)? (Choose two.)

- A. It utilizes the OS file system cache.
- B. A traditional NFS mount is not required when using Direct NFS.
- C. Oracle Disk Manager can manage NFS on its own, without using the operating kernel NFS driver.
- D. Direct NFS is available only in UNIX platforms.
- E. Direct NFS can load-balance I/O traffic across multiple network adapters.

Answer: CE

Explanation:

E: Performance is improved by load balancing across multiple network interfaces (if available). Note:

* To enable Direct NFS Client, you must replace the standard Oracle Disk Manager (ODM) library with one that supports Direct NFS Client.

Incorrect:

Not A: Direct NFS Client is capable of performing concurrent direct I/O, which bypasses any operating system level caches and eliminates any operating system write-ordering locks

Not B:

* To use Direct NFS Client, the NFS file systems must first be mounted and available over regular NFS mounts.

* Oracle Direct NFS (dNFS) is an optimized NFS (Network File System) client that provides faster and more scalable access to NFS storage located on NAS storage devices (accessible over TCP/IP).

Not D: Direct NFS is provided as part of the database kernel, and is thus available on all supported database platforms - even those that don't support NFS natively, like Windows.

Note:

* Oracle Direct NFS (dNFS) is an optimized NFS (Network File System) client that provides faster and more scalable access to NFS storage located on NAS storage devices (accessible over TCP/IP). Direct NFS is built directly into the database kernel - just like ASM which is mainly used when using DAS or SAN storage.

* Oracle Direct NFS (dNFS) is an internal I/O layer that provides faster access to large NFS files than traditional NFS clients.

NEW QUESTION 113

You install a non-RAC Oracle Database. During Installation, the Oracle Universal Installer (OUI) prompts you to enter the path of the Inventory directory and also to specify an operating system group name.

Which statement is true?

- A. The ORACLE_BASE base parameter is not set.
- B. The installation is being performed by the root user.
- C. The operating system group that is specified should have the root user as its member.
- D. The operating system group that is specified must have permission to write to the inventory directory.

Answer: D

Explanation:

Note:

Providing a UNIX Group Name

If you are installing a product on a UNIX system, the Installer will also prompt you to provide the name of the group which should own the base directory.

You must choose a UNIX group name which will have permissions to update, install, and deinstall Oracle software. Members of this group must have write permissions to the base directory chosen.

Only users who belong to this group are able to install or deinstall software on this machine.

NEW QUESTION 115

Which three statements are true concerning unplugging a pluggable database (PDB)? (Choose three.)

- A. The PDB must be open in read only mode.
- B. The PDB must be closed.
- C. The unplugged PDB becomes a non-CDB.
- D. The unplugged PDB can be plugged into the same multitenant container database (CDB)
- E. The unplugged PDB can be plugged into another CDB.
- F. The PDB data files are automatically removed from disk.

Answer: BDE

Explanation:

B, not A: The PDB must be closed before unplugging it.

D: An unplugged PDB contains data dictionary tables, and some of the columns in these encode information in an endianness-sensitive way. There is no supported way to handle the conversion of such columns automatically. This means, quite simply, that an unplugged PDB cannot be moved across an endianness difference.

E (not F): To exploit the new unplug/plugin paradigm for patching the Oracle version most effectively, the source and destination CDBs should share a filesystem so that the PDB's datafiles can remain in place.

References:

NEW QUESTION 120

Your database supports a DSS workload that involves the execution of complex queries: Currently, the library cache contains the ideal workload for analysis. You want to analyze some of the queries for an application that are cached in the library cache.

What must you do to receive recommendations about the efficient use of indexes and materialized views to improve query performance?

- A. Create a SQL Tuning Set (STS) that contains the queries cached in the library cache and run the SQL Tuning Advisor (STA) on the workload captured in the STS.
- B. Run the Automatic Workload Repository Monitor (AWRM).
- C. Create an STS that contains the queries cached in the library cache and run the SQL Performance Analyzer (SPA) on the workload captured in the STS.
- D. Create an STS that contains the queries cached in the library cache and run the SQL Access Advisor on the workload captured in the STS.

Answer: D

Explanation:

* SQL Access Advisor is primarily responsible for making schema modification recommendations, such as adding or dropping indexes and materialized views. SQL Tuning Advisor makes other types of recommendations, such as creating SQL profiles and restructuring SQL statements.

* The query optimizer can also help you tune SQL statements. By using SQL Tuning Advisor and SQL

Access Advisor, you can invoke the query optimizer in advisory mode to examine a SQL statement or set of statements and determine how to improve their efficiency. SQL Tuning Advisor and SQL Access Advisor can make various recommendations, such as creating SQL profiles, restructuring SQL statements, creating additional indexes or materialized views, and refreshing optimizer statistics.

Note:

* Decision support system (DSS) workload

* The library cache is a shared pool memory structure that stores executable SQL and PL/SQL code. This cache contains the shared SQL and PL/SQL areas and control structures such as locks and library cache handles.

NEW QUESTION 125

You must track all transactions that modify certain tables in the sales schema for at least three years. Automatic undo management is enabled for the database with a retention of one day.

Which two must you do to track the transactions? (Choose two.)

- A. Enable supplemental logging for the database.
- B. Specify undo retention guarantee for the database.
- C. Create a Flashback Data Archive in the tablespace where the tables are stored.
- D. Create a Flashback Data Archive in any suitable tablespace.
- E. Enable Flashback Data Archiving for the tables that require tracking.

Answer: DE

Explanation:

E: By default, flashback archiving is disabled for any table. You can enable flashback archiving for a table if you have the FLASHBACK ARCHIVE object privilege on the Flashback Data Archive that you want to use for that table.

D: Creating a Flashback Data Archive

/ Create a Flashback Data Archive with the CREATEFLASHBACK ARCHIVE statement, specifying the following: Name of the Flashback Data Archive

Name of the first tablespace of the Flashback Data Archive

(Optional) Maximum amount of space that the Flashback Data Archive can use in the first tablespace

/ Create a Flashback Data Archive named fla2 that uses tablespace tbs2, whose data will be retained for two years: CREATEFLASHBACK ARCHIVE fla2
TABLESPACE tbs2 RETENTION 2 YEAR;

NEW QUESTION 128

Which four actions are possible during an Online Data file Move operation? (Choose four.)

- A. Creating and dropping tables in the data file being moved
- B. Performing file shrink of the data file being moved
- C. Querying tables in the data file being moved
- D. Performing Block Media Recovery for a data block in the data file being moved
- E. Flashing back the database
- F. Executing DML statements on objects stored in the data file being moved

Answer: ACEF

Explanation:

- You can now move On line Datafile without have to stop Monoged Recovery and manually copy and rename Files. This can even be used to move Datafiles from or to ASM.

- New in Oracle Database 12c: FROM METAUNK. Physical Standby Database is in Active Data Guard Mode (opened READ ONLY and Managed Recovery is running):

It is now possible to online move a Datafile while Managed Recovery is running, ie. the Physical Standby Database is in Active Data Guard Mode. You can use this Command to move the Datafile

- A flashback operation does not relocate a moved data file to its previous location. If you move a data file online from one location to another and later flash back the database to a point in time before the move, then the Data file remains in the new location, but the contents of the Data file are changed to the contents at the time specified in the flashback. Oracle Database Administrator's Guide 12c Release 1 (12.1)

NEW QUESTION 133

Which three statements are true about Automatic Workload Repository (AWR)? (Choose three.)

- A. All AWR tables belong to the SYSTEM schema.
- B. The AWR data is stored in memory and in the database.
- C. The snapshots collected by AWR are used by the self-tuning components in the database
- D. AWR computes time model statistics based on time usage for activities, which are displayed in the v\$SYS time model and V\$SESS_TIME_MODEL views.
- E. AWR contains system wide tracing and logging information.

Answer: BCD

NEW QUESTION 136

What is the result of executing a TRUNCATE TABLE command on a table that has Flashback Archiving enabled?

- A. It fails with the ORA-665610 Invalid DDL statement on history-tracked message
- B. The rows in the table are truncated without being archived.
- C. The rows in the table are archived, and then truncated.
- D. The rows in both the table and the archive are truncate

Answer: C

NEW QUESTION 137

You want to schedule a job to rebuild a table's indexes after a bulk insert, which must be scheduled as soon as a file containing data arrives on the system. What would you do to accomplish this?

- A. Create a file watcher and an event-based job for bulk insert and then create another job to rebuild indexes on the table.
- B. Create a file watcher for the bulk inserts and then create a job to rebuild indexes.
- C. Create a job array and add a job for bulk insert and a job to rebuild indexes to the job array.
- D. Create an event-based job for the file arrival event, then create a job for bulk insert, and then create a job to rebuild indexes.

Answer: A

NEW QUESTION 140

You plan to install the Oracle Database 12c software on a new server. The database will use Automatic Storage Management (ASM) and Oracle Restart. Oracle Grid Infrastructure for a standalone server is already installed on the server.

You want to configure job role separation. You create the following operating system users and groups:

- The user oracle as the owner of the Oracle database installation
- The user grid as the owner of Oracle Grid Infrastructure
- The group oinstall as an Oracle Inventory group
- The group dba as the OSDBA group for Oracle database
- The group asmdba as the OSDBA group for Oracle ASM
- The group asmadmin as the administration privileges group for Oracle ASM
- The group asmoper as the group for Oracle ASM

Which two additional tasks should you perform with regard to the OS-level owners and groups? (Choose two.)

- A. creating a separate central inventory group for the Oracle Database 12c installation
- B. assigning oinstall as the primary group for the oracle user
- C. assigning asmadmin and asmoper as primary groups for the oracle user
- D. creating OS groups associated with the OSBACKUPDBA, OSDGDBA, and OSKMDBA system privileges
- E. assigning asmdba as the secondary group for the oracle user

Answer: BD

NEW QUESTION 144

You set the following parameters in the parameter file and restart the database instance:

```
MEMORY_TARGET=500M
PGA_AGGREGATE_TARGET=90M
SGA_TARGET=270M
```

Which two statements are true? (Choose two.)

- A. The MEMORY_MAX_TARGET parameter is automatically set to 500 MB.
- B. The PGA_AGGREGATE_TARGET and SGA_TARGET parameters are automatically set to zero.
- C. The value of the MEMORY_MAX_TARGET parameter remains zero for the database instance.
- D. The lower limits of the PGA_AGGREGATE_TARGET and SGA_TARGET parameters are set to 90 MB and 270 MB respectively.
- E. The instance does not start up because Automatic Memory Management (AMM) is enabled but PGA_AGGREGATE_TARGET and SGA_TARGET parameters are set to nonzero values.

Answer: AD

NEW QUESTION 148

You plan to implement the distributed database system in your company. You invoke Database Configuration Assistant (DBCA) to create a database on the server. During the installation, DBCA prompts you to specify the Global Database Name.

What must this name be made up of?

- A. It must be made up of a database name and a domain name.
- B. It must be made up of the value in ORACLE_SID and HOSTNAME.
- C. It must be made up of the value that you plan to assign for INSTANCE_NAME and HOSTNAME.
- D. It must be made up of the value that you plan to assign for ORACLE_SID and SERVICE_NAMES.

Answer: A

Explanation:

Using the DBCA to Create a Database (continued)

3. Database Identification: Enter the Global Database Name in The form database_name.domain_name, and the system identifier (SID). The SID defaults to the database name and uniquely identifies the instance associated with the database.

4. Management Options: Use this page to set up your database so that it can be managed with Oracle Enterprise Manager. Select the default: "Configure the Database with Enterprise Manager." Optionally, this page allows you to configure alert notifications and daily disk backup area settings.

Note: You must configure the listener before you can configure Enterprise Manager (as shown earlier).

NEW QUESTION 152

Which three resources might be prioritized between competing pluggable databases when creating a multitenant container database plan (CDB plan) using Oracle Database Resource Manager? (Choose three.)

- A. Maximum Undo per consumer group
- B. Maximum Idle time
- C. Parallel server limit
- D. CPU
- E. Exadata I/O
- F. Local file system I/O

Answer: CDE

NEW QUESTION 157

Examine the following commands for redefining a table with Virtual Private Database (VPD) policies:


```
BEGIN
  DBMS_RLS.ADD_POLICY (
    object_schema    => 'hr',
    object_name      => 'employees',
    policy_name      => 'employees_policy',
    function_schema  => 'hr',
    policy_function  => 'auth_emp_dep_100',
    statement_types  => 'select, insert, update, delete'
  );
END;

BEGIN
  DBMS_REDEFINITION.START_REDEF_TABLE (
    uname           => 'hr',
    orig_table      => 'employees',
    int_table       => 'int_employees',
    col_mapping     => NULL,
    options_flag    => DBMS_REDEFINITION.CONST_USE_PK,
    orderby_cols    => NULL,
    part_name       => NULL,
    copy_vpd_opt    => DBMS_REDEFINITION.CONST_VPD_AUTO);
END;
```

Which two statements are true about redefining the table? (Choose two.)

- A. All the triggers for the table are disabled without changing any of the column names or column types in the table.
- B. The primary key constraint on the EMPLOYEES table is disabled during redefinition.
- C. VPD policies are copied from the original table to the new table during online redefinition.
- D. You must copy the VPD policies manually from the original table to the new table during online redefinition.

Answer: BC

Explanation:

C (not D): CONS_VPD_AUTO

Used to indicate to copy VPD policies automatically

* DBMS_RLS.ADD_POLICY

/ The DBMS_RLS package contains the fine-grained access control administrative interface, which is used to implement Virtual Private Database (VPD).DBMS_RLS is available with the Enterprise Edition only.

Note:

* CONS_USE_PK and CONS_USE_ROWID are constants used as input to the "options_flag" parameter in both the START_REDEF_TABLE Procedure and CAN_REDEF_TABLE Procedure. CONS_USE_ROWID is used to indicate that the redefinition should be done using rowids while CONS_USE_PK implies that the redefinition should be done using primary keys or pseudo-primary keys (which are unique keys with all component columns having NOT NULL constraints).

* DBMS_REDEFINITION.START_REDEF_TABLE

To achieve online redefinition, incrementally maintainable local materialized views are used. These logs keep track of the changes to the master tables and are used by the materialized views during refresh synchronization.

* START_REDEF_TABLE Procedure

Prior to calling this procedure, you must manually create an empty interim table (in the same schema as the table to be redefined) with the desired attributes of the post-redefinition table, and then call this procedure to initiate the redefinition.

NEW QUESTION 161

Your production database uses file system storage. You want to move storage to Oracle Automatic Storage Management (ASM). How would you achieve this?

- A. by using a transportable database
- B. by using the Database Upgrade Assistant (DBUA)
- C. by using Data Pump
- D. by using RMAN

Answer: D

Explanation:

References:

http://docs.oracle.com/cd/E11882_01/server.112/e18951.pdf (p.184)

NEW QUESTION 166

You find this query being used in your Oracle 12c database:

```
select employee_id, first_name, salary
from hr.employees
order by employee_id
fetch first 20 percent rows only;
```

Which method is used by the optimizer to limit the rows being returned?

- A. A filter is added to the table query dynamically using ROWNUM to limit the rows to 20 percent of the total rows
- B. All the rows are returned to the client or middle tier but only the first 20 percent are returned to the screen or the application.

- C. A view is created during execution and a filter on the view limits the rows to 20 percent of the total rows.
- D. A TOP-N query is created to limit the rows to 20 percent of the total rows

Answer: C

NEW QUESTION 167

You are connected to a pluggable database (PDB) as a common user with DBA privileges. The STATISTICS_LEVEL parameter is PDB_MODIFIABLE. You execute the following: SQL > ALTER SYSTEM SET STATISTICS_LEVEL = ALL SID = '*' SCOPE = SPFILE; Which is true about the result of this command?

- A. The STATISTICS_LEVEL parameter is set to all whenever this PDB is re-opened.
- B. The STATISTICS_LEVEL parameter is set to ALL whenever any PDB is reopened.
- C. The STATISTICS_LEVEL parameter is set to all whenever the multitenant container database (CDB) is restarted.
- D. Nothing happens; because there is no SPFILE for each PDB, the statement is ignore

Answer: A

NEW QUESTION 172

Your multitenant container (CDB) containing three pluggable databases (PDBs) is running in ARCHIVELOG mode. You find that the SYSAUX tablespace is corrupted in the root container.

The steps to recover the tablespace are as follows:

1. Mount the CDB.
2. Close all the PDBs.
3. Open the database.
4. Apply the archive redo logs.
5. Restore the data file.
6. Take the SYSAUX tablespace offline.
7. Place the SYSAUX tablespace online.
8. Open all the PDBs with RESETLOGS.
9. Open the database with RESETLOGS.
10. Execute the command SHUTDOWN ABORT.

Which option identifies the correct sequence to recover the SYSAUX tablespace?

- A. 6, 5, 4, 7
- B. 10, 1, 2, 5, 8
- C. 10, 1, 2, 5, 4, 9, 8
- D. 10, 1, 5, 8, 10

Answer: A

Explanation:

RMAN> ALTER TABLESPACE sysaux OFFLINE IMMEDIATE; RMAN> RESTORE TABLESPACE sysaux;

RMAN> RECOVER TABLESPACE sysaux; RMAN> ALTER TABLESPACE sysaux ONLINE;

* Example:

While evaluating the 12c beta3 I was not able to do the recover while testing "all pdb files lost". Cannot close the pdb as the system datafile was missing...

So only option to recover was: Shutdown cdb (10) startup mount; (1)

restore pluggable database recover pluggable database alter database open; alter pluggable database name open;

Oracle support says: You should be able to close the pdb and restore/recover the system tablespace of PDB.

* Inconsistent backups are usually created by taking online database backups. You can also make an inconsistent backup by backing up data files while a database is closed, either:

/ Immediately after the crash of an Oracle instance (or, in an Oracle RAC configuration, all instances)

/ After shutting down the database using SHUTDOWN ABORT

Inconsistent backups are only useful if the database is in ARCHIVELOG mode and all archived redo logs created since the backup are available.

* Open the database with the RESETLOGS option after finishing recovery: SQL> ALTER DATABASE OPEN RESETLOGS;

NEW QUESTION 177

Which three statements are true when the listener handles connection requests to an Oracle 12c database instance with multithreaded architecture enabled In UNIX? (Choose three.)

- A. Thread creation must be routed through a dispatcher process
- B. The local listener may spawn a new process and have that new process create a thread
- C. Each Oracle process runs an SCM thread.
- D. Each multithreaded Oracle process has an SCM thread.
- E. The local listener may pass the request to an existing process which in turn will create a thread

Answer: ADE

NEW QUESTION 179

You use the segment advisor to help determine objects for which space may be reclaimed. Which three statements are true about the advisor given by the segment advisor? (Choose three.)

- A. It may advise the use of online table redefinition for tables in dictionary managed tablespace.
- B. It may advise the use of segment shrink for tables in dictionary managed tablespaces if there are no chained rows.
- C. It may advise the use of online table redefinition for tables in locally managed tablespaces
- D. It will detect and advise about chained rows.
- E. It may advise the use of segment shrink for free list managed tables.

Answer: ACD

NEW QUESTION 184

You perform RMAN backups for your database and use a recovery catalog for managing the backups. To free space, you execute this command:

RMAN> DELETE OBSOLETE;

Which three statements are true in this scenario? (Choose three.)

- A. The backup sets marked as expired are deleted.
- B. The information related to the backups is removed from the recovery catalog and the control file.
- C. The physical files related to the backup need to be manually deleted.
- D. The physical files related to the backup are deleted automatically.
- E. The backups deleted are based on the backup retention policy.

Answer: BDE

NEW QUESTION 187

A redaction policy was added to the SAL column of the SCOTT.EMP table:

```
BEGIN
  DBMS_REDACT.ADD_POLICY(
    OBJECT_SCHEMA => 'SCOTT',
    OBJECT_NAME   => 'EMP',
    POLICY_NAME   => 'SCOTT_EMP',
    COLUMN_NAME   => 'SAL',
    EXPRESSION    => 'SYS_CONTEXT(''SYS_SESSION_ROLES'', 'MGR') = ''FALSE''');
END;
```

All users have their default set of system privileges.

For which three situations will data not be redacted? (Choose three.)

- A. SYS sessions, regardless of the roles that are set in the session
- B. SYSTEM sessions, regardless of the roles that are set in the session
- C. SCOTT sessions, only if the MGR role is set in the session
- D. SCOTT sessions, only if the MGR role is granted to SCOTT
- E. SCOTT sessions, because he is the owner of the table
- F. SYSTEM session, only if the MGR role is set in the session

Answer: ABD

NEW QUESTION 190

Your multitenant container (CDB) contains two pluggable databases (PDB), HR_PDB and ACCOUNTS_PDB, both of which use the CDB tablespace. The temp file is called temp01.tmp.

A user issues a query on a table on one of the PDBs and receives the following error: ERROR at line 1:

ORA-01565: error in identifying file '/u01/app/oracle/oradata/CDB1/temp01.tmp' ORA-27037: unable to obtain file status

Identify two ways to rectify the error.

- A. Add a new temp file to the temporary tablespace and drop the temp file that produced the error.
- B. Shut down the database instance, restore the temp01.tmp file from the backup, and then restart the database.
- C. Take the temporary tablespace offline, recover the missing temp file by applying redo logs, and then bring the temporary tablespace online.
- D. Shutdown the database instance, restore and recover the temp file from the backup, and then open the database with RESETLOGS.
- E. Shut down the database instance and then restart the CDB and PDBs.

Answer: AE

Explanation:

* Because temp files cannot be backed up and because no redo is ever generated for them, RMAN never restores or recovers temp files. RMAN does track the names of temp files, but only so that it can automatically re-create them when needed.

* If you use RMAN in a Data Guard environment, then RMAN transparently converts primary control files to standby control files and vice versa. RMAN automatically updates file names for data files, online redo logs, standby redo logs, and temp files when you issue RESTORE and RECOVER.

NEW QUESTION 191

You want to prevent a group of users in your database from performing long-running transactions that consume huge amounts of space in the undo tablespace. If the quota for these users is exceeded during execution of a data manipulation language (DML) statement, the operation should abort and return an error.

However, queries should still be allowed, even if users have exceeded the undo space limitation.

How would you achieve this?

- A. Specify the maximum amount of quota a user can be allocated in the undo tablespace.
- B. Decrease the number of Interested Transaction List (ITL) slots for the segments on which these users perform transactions.
- C. Implement a profile for these users.
- D. Implement a Database Resource Manager plan.

Answer: D

NEW QUESTION 193

What should you do to ensure that a job stores minimal job metadata and runtime data on disk, and uses only existing PL/SQL programs?

- A. Create an event-based job.
- B. Create a lightweight job.

- C. Specify the job as a member of a job class.
- D. Use a job array.

Answer: B

Explanation:

References: https://docs.oracle.com/cd/B28359_01/server.111/b28310/schedover004.htm#BGBJGHBH

NEW QUESTION 198

Which two statements are true about Oracle Data Pump export and import operations? (Choose two.)

- A. You can detach from a data pump export job and reattach later.
- B. Data pump uses parallel execution server processes to implement parallel import.
- C. Data pump import requires the import file to be in a directory owned by the oracle owner.
- D. The master table is the last object to be exported by the data pump.
- E. You can detach from a data pump import job and reattach later.

Answer: AB

Explanation:

B: Data Pump can employ multiple worker processes, running in parallel, to increase job performance.

D: For export jobs, the master table records the location of database objects within a dump file set. / Export builds and maintains the master table for the duration of the job. At the end of an export job, the content of the master table is written to a file in the dump file set.

/ For import jobs, the master table is loaded from the dump file set and is used to control the sequence of operations for locating objects that need to be imported into the target database.

NEW QUESTION 203

A warehouse fact table in your Oracle 12c Database is range-partitioned by month and accessed frequently with queries that span multiple partitions

The table has a local prefixed, range partitioned index.

Some of these queries access very few rows in some partitions and all the rows in other partitions, but these queries still perform a full scan for all accessed partitions.

This commonly occurs when the range of dates begins at the end of a month or ends close to the start of a month.

You want an execution plan to be generated that uses indexed access when only a few rows are accessed from a segment, while still allowing full scans for segments where many rows are returned.

Which three methods could transparently help to achieve this result? (Choose three.)

- A. Using a partial local Index on the warehouse fact table month column with indexing disabled to the table partitions that return most of their rows to the queries.
- B. Using a partial local Index on the warehouse fact table month column with indexing disabled for the table partitions that return a few rows to the queries.
- C. Using a partitioned view that does a UNION ALL query on the partitions of the warehouse fact table, which retains the existing local partitioned column.
- D. Converting the partitioned table to a partitioned view that does a UNION ALL query on the monthly tables, which retains the existing local partitioned column.
- E. Using a partial global index on the warehouse fact table month column with indexing disabling for the table partitions that return most of their rows to the queries.
- F. Using a partial global index on the warehouse fact table month column with indexing disabled for the table partitions that return a few rows to the queries.

Answer: ACE

Explanation:

Note:

* Oracle 12c now provides the ability to index a subset of partitions and to exclude the others.

Local and global indexes can now be created on a subset of the partitions of a table. Partial Global indexes provide more flexibility in index creation for partitioned tables. For example, index segments can be omitted for the most recent partitions to ensure maximum data ingest rates without impacting the overall data model and access for the partitioned object.

Partial Global Indexes save space and improve performance during loads and queries. This feature supports global indexes that include or index a certain subset of table partitions or subpartitions, and exclude the others. This operation is supported using a default table indexing property. When a table is created or altered, a default indexing property can be specified for the table or its partitions.

NEW QUESTION 206

The DEFERRED_SEGMENT_CREATION parameter is set to TRUE in your database instance. You execute the following command to create a table:

```
SQL> CREATE TABLE acct1
      (ac_no NUMBER,
       ac_desc varchar2(25),
       amount number(10,2));
```

Which two statements are true? (Choose two.)

- A. The table is created without a segment because the storage clause is missing.
- B. A segment is allocated when the first row is inserted in the table.
- C. A segment is allocated when an index is created for any column in the table.
- D. The table is created and extents are immediately allocated as per the default storage defined for its tablespace.
- E. A segment is allocated for the table if the ALTER TABLE... ALLOCATE EXTENT command is issue

Answer: BE

NEW QUESTION 211

Examine the parameters for a database instance:

NAME	TYPE	VALUE
-----	-----	-----
temp_undo_enabled	boolean	TRUE
undo_management	string	AUTO
undo_retention	integer	900
undo_tablespace	string	UNDOTBS1

Your database has three undo tablespaces and the default undo tablespace is not autoextensible. Resumable space allocation is not enabled for any sessions in the database instance.

What is the effect on new transactions when all undo space in the default undo tablespace is in use by active transactions?

- A. Transactions write their undo in the SYSTEM undo segment.
- B. Transactions fail.
- C. Transactions wait until space becomes available in UNDOTBS1.
- D. Transactions write their undo in a temporary tablespace.

Answer: B

Explanation:

References https://docs.oracle.com/cd/B19306_01/server.102/b14231/undo.htm (undo retention)

NEW QUESTION 215

Which three statements are true about the working of system privileges in a multitenant control database (CDB) that has pluggable databases (PDBs)? (Choose three.)

- A. System privileges apply only to the PDB in which they are used.
- B. Local users cannot use local system privileges on the schema of a common user.
- C. The granter of system privileges must possess the set container privilege.
- D. Common users connected to a PDB can exercise privileges across other PDBs.
- E. System privileges with the with grant option container all clause must be granted to a common user before the common user can grant privileges to other users.

Answer: ACE

Explanation:

A, Not D: In a CDB, PUBLIC is a common role. In a PDB, privileges granted locally to PUBLIC enable all local and common users to exercise these privileges in this PDB only.

C: A user can only perform common operations on a common role, for example, granting privileges commonly to the role, when the following criteria are met:
The user is a common user whose current container is root.

The user has the SET CONTAINER privilege granted commonly, which means that the privilege applies in all containers.

The user has privilege controlling the ability to perform the specified operation, and this privilege has been granted commonly

Incorrect: Note:

* Every privilege and role granted to Oracle-supplied users and roles is granted commonly except for system privileges granted to PUBLIC, which are granted locally.

NEW QUESTION 217

Which two actions does an incremental checkpoint perform? (Choose two.)

- A. It signals CKPT to write the checkpoint position to the data file headers.
- B. It writes the checkpoint position to the data file headers.
- C. It advances the checkpoint position in the checkpoint queue.
- D. It writes the checkpoint position to the control file.

Answer: CD

Explanation:

References:

http://www.dba-oracle.com/t_incremental_checkpoint.htm

NEW QUESTION 221

Your database is configured in ARCHIVELOG mode. Examine the RMAN configuration parameters:

```
CONFIGURE RETENTION POLICY TO REDUNDANCY 1; # default
CONFIGURE BACKUP OPTIMIZATION OFF; # default
CONFIGURE CONTROLFILE AUTOBACKUP OFF; # default
CONFIGURE DEVICE TYPE DISK PARALLELISM 1 BACKUP TYPE TO BACKUPSET;
CONFIGURE ARCHIVELOG BACKUP COPIES FOR DEVICE TYPE DISK TO 1; # default
```

Examine the command:

```
RMAN> BACKUP DATABASE PLUS ARCHIVELOG DELETE INPUT;
```

What is the outcome?

- A. It fails because the DELETE INPUT option can be used only with the BACKUP AS BACKUPSET command.
- B. It executes successfully and creates a backup set of the database along with archived log files and then deletes the original archived log files.
- C. It executes successfully and creates an image copy of the database along with archive log files and then deletes the original archived log files.
- D. It fails because the DELETE INPUT option can be used only with the BACKUP AS COPY command.

Answer: B

Explanation:

References: https://docs.oracle.com/cd/B13789_01/server.101/b10734/rcmbackp.htm

NEW QUESTION 222

You have just completed a manual upgrade of an Oracle 11g Database to Oracle Database 12c.

The Post-Upgrade Status Tool reports an INVALID status for some of the components after the upgrade. What must you do first in this situation to attempt to fix this problem?

- A. Run catuppst.sql to perform revalidation actions
- B. Run utluiobj.sql to filter out objects that were invalidated by the upgrade process.
- C. Run preupgrd.sql and then execute the generated “fix-up” scripts to resolve status issues.
- D. Run utlrp.sql to recompile stored PL/SQL and Java code and check the DBA_REGISTRY view

Answer: D

NEW QUESTION 226

Identify three benefits of Unified Auditing.

- A. Decreased use of storage to store audit trail rows in the database.
- B. It improves overall auditing performance.
- C. It guarantees zero-loss auditing.
- D. The audit trail cannot be easily modified because it is read-only.
- E. It automatically audits Recovery Manager (RMAN) events.

Answer: ABE

Explanation:

A: Starting with 12c, Oracle has unified all of the auditing types into one single unit called Unified auditing. You don't have to turn on or off all of the different auditing types individually and as a matter of fact auditing is enabled by default right out of the box. The AUD\$ and FGA\$ tables have been replaced with one single audit trail table. All of the audit data is now stored in Secure Files table thus improving the overall management aspects of audit data itself.

B: Further the audit data can also be buffered solving most of the common performance related problems seen on busy environments.

E: Unified Auditing is able to collect audit data for Fine Grained Audit, RMAN, Data Pump, Label Security, Database Vault and Real Application Security operations.

Note:

* Benefits of the Unified Audit Trail

The benefits of a unified audit trail are many:

/ (B) Overall auditing performance is greatly improved. The default mode that unified audit works is Queued Write mode. In this mode, the audit records are batched in SGA queue and is persisted in a periodic way. Because the audit records are written to SGA queue, there is a significant performance improvement.

/ The unified auditing functionality is always enabled and does not depend on the initialization parameters that were used in previous releases

/ (A) The audit records, including records from the SYS audit trail, for all the audited components of your Oracle Database installation are placed in one location and in one format, rather than your having to look in different places to find audit trails in varying formats. This consolidated view enables auditors to co-relate audit information from different components. For example, if an error occurred during an INSERT statement, standard auditing can indicate the error number and the SQL that was executed. Oracle Database Vault-specific information can indicate whether this error happened because of a command rule violation or realm violation. Note that there will be two audit records with a distinct AUDIT_TYPE. With this unification in place, SYS audit records appear with AUDIT_TYPE set to Standard Audit.

/ The management and security of the audit trail is also improved by having it in single audit trail.

/ You can create named audit policies that enable you to audit the supported components listed at the beginning of this section, as well as SYS administrative users. Furthermore, you can build conditions and exclusions into your policies.

* Oracle Database 12c Unified Auditing enables selective and effective auditing inside the Oracle database using policies and conditions. The new policy based syntax simplifies management of auditing within the database and provides the ability to accelerate auditing based on conditions.

* The new architecture unifies the existing audit trails into a single audit trail, enabling simplified management and increasing the security of audit data generated by the database.

NEW QUESTION 230

Which two statements are true about the use of the procedures listed in the v\$sysaux_occupants.move_procedure column? (Choose two.)

- A. The procedure may be used for some components to relocate component data to the SYSAUX tablespace from its current tablespace.
- B. The procedure may be used for some components to relocate component data from the SYSAUX tablespace to another tablespace.
- C. All the components may be moved into SYSAUX tablespace.
- D. All the components may be moved from the SYSAUX tablespace

Answer: AB

NEW QUESTION 233

You want to create a role that:

- is protected from unauthorized usage
- does not use a password embedded in the application source code or stored in a table
- is enabled for a user based on security policies defined in a PL/SQL package How would you create this role?

- A. as a secure application role
- B. with definer's rights
- C. with global authentication
- D. with external authentication

Answer: A

Explanation:

References: https://docs.oracle.com/cd/B28359_01/network.111/b28531/authorization.htm#DBSEG97973

NEW QUESTION 238

The user SCOTT owns the CUST table that is placed in the SALES tablespace. The user SCOTT opens a session and executes commands as follows:

SQL> INSERT INTO cust VALUES(101, 'JACK'); 1 row created. SQL> INSERT INTO cust VALUES(102, 'SMITH'); 1 row created.

As a DBA, you execute the following command from another session: ALTER TABLESPACE sales READ ONLY; Which statement is true regarding the effect of this command on the transaction in Scott's session?

- A. The command fails as a transaction is still pending.
- B. The transaction in Scott's session is rolled back and the tablespace becomes readonly.
- C. The command waits and the user SCOTT can execute data manipulation language (DML) statements only as part of the current transaction.
- D. The command hangs until all transactions on the objects in the tablespace commit or rollback, and then the tablespace is placed in readonly mode.

Answer: B

NEW QUESTION 242

In order to exploit some new storage tiers that have been provisioned by a storage administrator, the partitions of a large heap table must be moved to other tablespaces in your Oracle 12c database?

Both local and global partitioned B-tree Indexes are defined on the table.

A high volume of transactions access the table during the day and a medium volume of transactions access it at night and during weekends.

Minimal disruption to availability is required.

Which three statements are true about this requirement? (Choose three.)

- A. The partitions can be moved online to new tablespaces.
- B. Global indexes must be rebuilt manually after moving the partitions.
- C. The partitions can be compressed in the same tablespaces.
- D. The partitions can be compressed in the new tablespaces.
- E. Local indexes must be rebuilt manually after moving the partitions.

Answer: ACD

Explanation:

A: You can create and rebuild indexes online. Therefore, you can update base tables at the same time you are building or rebuilding indexes on that table. You can perform DML operations while the index build is taking place, but DDL operations are not allowed. Parallel execution is not supported when creating or rebuilding an index online.

D: Moving (Rebuilding) Index-Organized Tables

Because index-organized tables are primarily stored in a B-tree index, you can encounter fragmentation as a consequence of incremental updates. However, you can use the ALTER TABLE...MOVE statement to rebuild the index and reduce this fragmentation.

C: If a table can be compressed in the new tablespace, also it can be compressed in the same tablespace. Incorrect:

Not B, not E: Local and Global indexes can be automatically rebuild with UPDATE INDEXES when you move the table.

NEW QUESTION 245

Which two are prerequisites for performing a flashback transaction? (Choose two.)

- A. Flashback Database must be enabled.
- B. Undo retention guarantee for the database must be configured.
- C. EXECUTE privilege on the DBMS_FLASHBACK package must be granted to the user flashing back transaction.
- D. Supplemental logging must be enabled.
- E. Recycle bin must be enabled for the database.
- F. Block change tracking must be enabled for the database.

Answer: BD

Explanation:

References: <http://searchoracle.techtarget.com/tip/How-to-perform-Oracle-Flashback-Transaction-Queries>

https://docs.oracle.com/cd/E11882_01/appdev.112/e41502/adfns_flashback.htm#ADFNS610

NEW QUESTION 247

Examine the following command;

ALTER SYSTEM SET enable_ddl_logging = TRUE; Which statement is true?

- A. Only the data definition language (DDL) commands that resulted in errors are logged in the alert log file.
- B. All DDL commands are logged in the alert log file.
- C. All DDL commands are logged in a different log file that contains DDL statements and their execution dates.
- D. Only DDL commands that resulted in the creation of new segments are logged.
- E. All DDL commands are logged in XML format in the alert directory under the Automatic Diagnostic Repository (ADR) home.

Answer: E

NEW QUESTION 248

You want to reduce fragmentation and reclaim unused space for the SALES table but not its dependent objects. During this operation, you want to ensure the following:

- A. Long-running queries are not affected.i
- B. No extra space is used.ii
- C. Data manipulation language (DML) operations on the table succeed at all times throughout the process.i
- D. Unused space is reclaimed both above and below the high water mark
- E. Which ALTER TABLE option would you recommend?

- F. DEALLOCATE UNUSED
- G. SHRINK SPACE CASCADE
- H. SHRINK SPACE COMPACT
- I. ROW STORE COMPRESS BASIC

Answer: C

Explanation:

References: https://docs.oracle.com/cd/B28359_01/server.111/b28310/schema003.htm

NEW QUESTION 249

Your database instance is started by using a server parameter file (SPFILE). You execute the following command to change the value of the LOG_BUFFER initialization parameter:

```
ALTER SYSTEM SET LOG_BUFFER=32 M;
```

What is the outcome of this command?

- A. The parameter value is changed and it comes into effect as soon as space becomes available in the SGA.
- B. It returns an error because the value of this parameter cannot be changed dynamically.
- C. The parameter value is changed and it comes into effect at the next instance startup.
- D. It returns an error because SCOPE should be set to MEMOR

Answer: B

NEW QUESTION 250

Examine the details of the Top 5 Timed Events in the following Automatic Workloads Repository (AWR) report:

Top 5 Timed Foreground Events					
Event	Waits	Time(s)	Avg wait (ms)	% DB time	Wait Class
DB CPU		67		98.21	
db file sequentialread	8.371	0	0	0.52	User I/O
latch row cache objects	16	0	8	0.19	Concurrency
latch shared pool	956	0	0	0.15	Concurrency
log file sync	25	0	2	0.06	Commit

What are three possible causes for the latch-related wait events?

- A. The size of the shared pool is too small.
- B. Cursors are not being shared.
- C. A large number COMMITS are being performed.
- D. There are frequent logons and logoffs.
- E. The buffers are being read into the buffer cache, but some other session is changing the buffer

Answer: ABD

NEW QUESTION 253

A database is stored in an Automatic Storage Management (ASM) disk group, disk group, DGROUP1 with SQL:

```
SQL> CREATE DISKGROUP dgroup1 NORMAL REDUNDANCY
      FAILGROUP controller1 DISK '/devices/diska1', '/devices/diska2'
      FAILGROUP controller2 DISK '/devices/diskb1', '/devices/diskb2';
```

There is enough free space in the disk group for mirroring to be done.

What happens if the CONTROLLER1 failure group becomes unavailable due to error of for maintenance?

- A. Transactions and queries accessing database objects contained in any tablespace stored in DGROUP1 will fail.
- B. Mirroring of allocation units will be done to ASM disks in the CONTROLLER2 failure group until the CONTROLLER1 for failure group is brought back online.
- C. The data in the CONTROLLER1 failure group is copied to the controller2 failure group and rebalancing is initiated.
- D. ASM does not mirror any data until the controller failure group is brought back online, and newly allocated primary allocation units (AU) are stored in the controller2 failure group, without mirroring.
- E. Transactions accessing database objects contained in any tablespace stored in DGROUP1 will fail but queries will succeed.

Answer: D

NEW QUESTION 254

On your Oracle 12c database, you Issue the following commands to create indexes

```
SQL > CREATE INDEX oe.ord_customer_ix1 ON oe.orders (customers_id, sales_rep_id) INVISIBLE; SQL> CREATE BITMAP INDEX oe.ord_customer_ix2 ON
oe.orders (customers_id, sales_rep_id); Which two statements are correct? (Choose two.)
```

- A. Both the indexes are created; however, only the ORD_COSTOMER index is visible.
- B. The optimizer evaluates index access from both the Indexes before deciding on which index to use for query execution plan.
- C. Only the ORD_CUSTOMER_IX1 index is created.

- D. Only the ORD_CUSTOMER_IX2 index is created.
- E. Both the indexes are updated when a new row is inserted, updated, or deleted In the orders table.

Answer: AE

Explanation:

11G has a new feature called Invisible Indexes. An invisible index is invisible to the optimizer as default. Using this feature, we can test a new index without effecting the execution plans of the existing sql statements or we can test the effect of dropping an index without dropping it.

NEW QUESTION 256

Your multitenant container database (CDB) contains some pluggable databases (PDBs), you execute the following command in the root container:

```
SQL> CREATE USER c##a_admin  
IDENTIFIED BY password  
DEFAULT TABLESPACE data_ts  
QUOTA 100M ON test_ts  
QUOTA 500K ON data_ts  
TEMPORARY TABLESPACE temp_ts  
PROFILE hr_profile;
```

Which two statements are true? (Choose two.)

- A. Schema objects owned by the C# # A_ADMIN common user can be shared across all PDBs.
- B. The C # # A_ADMIN user will be able to use the TEMP_TS temporary tablespace only in root.
- C. The command will, create a common user whose description is contained in the root and each PDB.
- D. The schema for the common user C # # A_ADMIN can be different in each container.
- E. The command will create a user in the root container only because the container clause is not use

Answer: CD

NEW QUESTION 257

Which three statements are true regarding the use of the Database Migration Assistant for Unicode (DMU)? (Choose three.)

- A. ADDBA can check specific tables with the DMU
- B. The database to be migrated must be opened read-only.
- C. The release of the database to be converted can be any release since 9.2.0.8.
- D. The DMU can report columns that are too long in the converted character set.
- E. The DMU can report columns that are not represented in the converted character set.

Answer: ADE

Explanation:

A: In certain situations, you may want to exclude selected columns or tables from scanning or conversion steps of the migration process.

D: Exceed column limit

The cell data will not fit into a column after conversion. E: Need conversion

The cell data needs to be converted, because its binary representation in the target character set is different than the representation in the current character set, but neither length limit issues nor invalid representation issues have been found

* Oracle Database Migration Assistant for Unicode (DMU) is a unique next-generation migration tool providing an end- to-end solution for migrating your databases from legacy encodings to Unicode.

Incorrect:

Not C: The release of Oracle Database must be 10.2.0.4, 10.2.0.5, 11.1.0.7, 11.2.0.1, or later.

NEW QUESTION 262

On your Oracle Database, you issue the following commands to create indexes:

SQL > CREATE INDEX oe.ord_customer_ix1 ON oe.orders (customer_id, sales_rep_id) INVISIBLE; SQL> CREATE BITMAP INDEX oe.ord_customer_ix2 ON oe.orders (customer_id, sales_rep_id); Which two statements are true? (Choose two.)

- A. Only the ORD_CUSTOMER_IX1 index created.
- B. Both the indexes are updated when a row is inserted, updated, or deleted in the ORDERS table.
- C. Both the indexes are created: however, only ORD_CUSTOMERS_IX1 is used by the optimizer for queries on the ORDERS table.
- D. The ORD_CUSTOMER_IX1 index is not used by the optimizer even when the OPTIMIZER_USE_INVISIBLE_INDEXES parameters is set to true.
- E. Both the indexes are created and used by the optimizer for queries on the ORDERS table.
- F. Both the indexes are created: however, only ORD_CUSTOMERS_IX2 is used by the optimizer for queries on the ORDERS table.

Answer: BF

Explanation:

Not A: Both indexes are created fine.

B: The invisible index ORD_CUSTOMERS_IX1 and the bitmap index are both updated by DML operations on the Orders table.

F: Since ORD_CUSTOMERS_IX1 is invisible only ORD_CUSTOMERS_IX2 is used by the query optimizer. Not C, Not D, Not E:

* ord_customer_ix1 is an invisible index and is therefore not used by the optimizer.

* VISIBLE | INVISIBLE Use this clause to specify whether the index is visible or invisible to the optimizer. An invisible index is maintained by DML operations, but it is not be used by the optimizer during queries unless you explicitly set the parameter OPTIMIZER_USE_INVISIBLE_INDEXES to TRUE at the session or system level. Note: Specify BITMAP to indicate that index is to be created with a bitmap for each distinct key, rather than indexing each row separately. Bitmap indexes

store the rowids associated with a key value as a bitmap. Each bit in the bitmap corresponds to a possible rowid. If the bit is set, then it means that the row with the corresponding rowid contains the key value. The internal representation of bitmaps is best suited for applications with low levels of concurrent transactions, such as data warehousing.

NEW QUESTION 263

You Execute the Following command to create a password file in the database server: \$ orapwd file = '+DATA/PROD/orapwprod entries = 5 ignorecase = N format = 12' Which two statements are true about the password file? (Choose two.)

- A. It records the usernames and passwords of users when granted the DBA role.
- B. It contains the usernames and passwords of users for whom auditing is enabled.
- C. Is used by Oracle to authenticate users for remote database administration.
- D. It records the usernames and passwords of all users when they are added to the OSDBA or OSOPER operating system groups.
- E. It supports the SYSBACKUP, SYSDG, and SYSKM system privilege

Answer: CE

NEW QUESTION 267

Examine these two statements:

```
SQL> CREATE BIGFILE TABLESPACE MRKT
      2 DATAFILE '/u01/app/oracle/oradata/orcl/mrkt.dbf' size 10M LOGGING
      3 EXTENT MANAGEMENT LOCAL SEGMENT SPACE MANAGEMENT AUTO;
```

Tablespace created.

```
SQL> ALTER DATABASE DEFAULT TABLESPACE MRKT;
```

Database altered.

Which three are true about the MRKT tablespace? (Choose three.)

- A. The MRKT tablespace is created as a small file tablespace, because the file size is less than the minimum required for big file files.
- B. The MRKT tablespace may be dropped if it has no contents.
- C. Users who were using the old default tablespace will have their default tablespaces changed to the MRKT tablespace.
- D. No more data files can be added to the tablespace.
- E. The relative file number of the tablespace is not stored in rowids for the table rows that are stored in the MRKT tablespace.

Answer: CDE

NEW QUESTION 272

You are connected using SQL* Plus to a multitenant container database (CDB) with SYSDBA privileges and execute the following sequence statements:

```
SQL> CREATE PLUGGABLE DATABASE NEW_PDB ADMIN USER PDB_ADMIN IDENTIFIED BY SECRET ;
Pluggable database created.
```

```
SQL> ALTER PLUGGABLE DATABASE NEW_PDB OPEN;
Pluggable database altered.
```

```
SQL> ALTER SESSION SET CONTAINER = NEW_PDB;
Session altered.
```

```
SQL> GRANT CONNECT TO PDB_ADMIN ;
Grant succeeded.
```

```
SQL CONNECT PDB_ADMIN/SECRET@LOCALHOST/NEW_PDB
Connected.
```

```
SQL> SELECT * FROM SESSION_PRIVS;
```

PRIVILEGE

```
CREATE SESSION
SET CONTAINER
```

```
SQL> ALTER SESSION SET CONTAINER = PDB$SEED;
```

What is the result of the last SET CONTAINER statement and why is it so?

- A. It succeeds because the PDB_ADMIN user has the required privileges.
- B. It fails because common users are unable to use the SET CONTAINER statement.
- C. It fails because local users are unable to use the SET CONTAINER statement.
- D. It fails because the SET CONTAINER statement cannot be used with PDB\$SEED as the target pluggable database (PDB).

Answer: C

NEW QUESTION 276

Which three statements are true about space usage alerts? (Choose three.)

- A. Alerts are issued only when the critical threshold for space available in a tablespace is breached.

- B. The sum of active extents and allocated user quotas is considered to compute space usage for an undo tablespace.
- C. Database alerts can provide warnings about low space availability at both tablespace and segment levels.
- D. Alerts are not issued for locally managed tablespaces that are offline or in read-only mode.
- E. A newly created locally managed tablespace is automatically assigned the default threshold values defined for a database.

Answer: ADE

Explanation:

References: https://docs.oracle.com/cd/B28359_01/server.111/b28310/schema001.htm#ADMIN10120

NEW QUESTION 280

In your multitenant container database (CDB) containing same pluggable databases (PDBs), you execute the following commands in the root container:

```
SQL> CREATE ROLE c##role1;

SQL> GRANT create view, create procedure to c##role1;

SQL> GRANT c##role1 to c##a_admin;
```

Which two statements are true? (Choose two.)

- A. The C # # ROLE1 role is created in the root database and all the PDBs.
- B. The C # # ROLE1 role is created only in the root database because the container clause is not used.
- C. Privileges are granted to the C##A_ADMIN user only in the root database.
- D. Privileges are granted to the C##A_ADMIN user in the root database and all PDBs.
- E. The statement for granting a role to a user fails because the CONTAINER clause is not used.

Answer: AC

Explanation:

* You can include the CONTAINER clause in several SQL statements, such as the CREATE USER, ALTER USER, CREATE ROLE, GRANT, REVOKE, and ALTER SYSTEM statements.

* * CREATE ROLE with CONTAINER (optional) clause

/ CONTAINER = ALL Creates a common role.

/ CONTAINER = CURRENT

Creates a local role in the current PDB.

NEW QUESTION 281

Your multitenant container database has three pluggable databases (PDBs): PDB1, PDB2, and PDB3. Which two RMAN commands may be; used to back up only the PDB1 pluggable database? (Choose two.)

- A. BACKUP PLUGGABLE DATABASE PDB1 while connected to the root container
- B. BACKUP PLUGGABLE DATABASE PDB1 while connected to the PDB1 container
- C. BACKUP DATABASE while connected to the PDB1 container
- D. BACKUP DATABASE while connected to the boot container
- E. BACKUP PLUGGABLE database PDB1 while connected to PDB2

Answer: AC

Explanation:

To perform operations on a single PDB, you can connect as target either to the root or directly to the PDB.

* (A) If you connect to the root, you must use the PLUGGABLE DATABASE syntax in your RMAN commands. For example, to back up a PDB, you use the BACKUP PLUGGABLE DATABASE command.

* (C) If instead you connect directly to a PDB, you can use the same commands that you would use when connecting to a non-CDB. For example, to back up a PDB, you would use the BACKUP DATABASE command.

NEW QUESTION 284

Examine this command executed on a client that is remote from the database server. SQL> CONNECT hr/hr@orcl Which two are required for this command to connect the SQLPLUS client to a database instance? (Choose two.)

- A. An orcl TNS entry must be defined in the client-side and server-side tnsnames.ora files
- B. An orcl TNS entry must be defined in the client-side tnsnames.ora file
- C. A service name must be defined to the listener that matches the service name in the orcl TNS entry
- D. An orcl TNS entry must be defined in the server-side tnsnames.ora file
- E. The service name orcl must be defined to the listener

Answer: DE

NEW QUESTION 288

Which statement is true about a database in ARCHIVELOG mode?

- A. All backups taken prior to switching to ARCHIVELOG mode can be used to perform complete recovery.
- B. Online redo log files have to be multiplexed before putting the database in ARCHIVELOG mode.
- C. A Fast Recovery Area (FRA) must be configured for the database.
- D. Full database backups can be performed when the database is open

Answer: D

NEW QUESTION 291

You have a production Oracle 12c database running on a host.

You want to install and create databases across multiple new machines that do not have any Oracle database software installed. You also want the new databases to have the same directory structure and components as your existing 12c database.

The steps in random order:

1. Create directory structures similar to the production database on all new machines.
2. Create a response file for Oracle Universal Installer (OUI) with the same configurations as the production database.
3. Create a database clone template for the database.
4. Run the Database Configuration Assistant (DBCA) to create the database.
5. Run OUI in graphical mode on each machine.
6. Run OUI in silent mode using the OUI response file.

Identify the required steps in the correct sequence to achieve the requirement with minimal human intervention.

- A. 1, 5, and 4
- B. 3, 1, 5, and 6
- C. 2, 3, 6, and 4
- D. 2, 1, 6, and 4
- E. 2, 3, 1, and 6

Answer: E

NEW QUESTION 296

You want to create a database and you have the following:

- Oracle Grid Infrastructure is installed and configured.
- Oracle Database Vault is installed in ORACLE_HOME to be used for this database.
- Oracle Enterprise Manager Cloud Control is available and an agent is deployed on the database server. Examine the requirements:

1. configuring the database instance to support shared server mode
2. using Automatic Storage Management (ASM) for storing database files.
3. configuring a naming method to help a remote user connect to a database instance
4. configuring the Fast Recovery Area
5. configuring Database Vault
6. configuring Enterprise Manager (EM) Database Express
7. registering with EM Cloud Control
8. configuring remote log archive destinations
9. enabling daily incremental backups
10. configuring a nondefault block size for nondefault block size tablespaces

Which of these requirements can be met while creating a database by using the Database Configuration Assistant (DBCA)?

- A. 1, 2, 4, 5, 7, 8, 9 and 10
- B. 1, 2, 4, 5, 6 and 7
- C. 1, 2, 3, 8, 9 and 10
- D. 1, 2, 3, 4, 6, 8, 9 and 10
- E. 1, 2, 4, 5, 6, 7 and 8

Answer: D

NEW QUESTION 299

Which three functions can be performed by the SQL Tuning Advisor? (Choose three.)

- A. recommending creation of indexes based on SQL workload
- B. recommending restructuring of SQL statements that have suboptimal plans
- C. checking schema objects for missing and state statistics
- D. recommending optimization of materialized views
- E. generating SQL profiles

Answer: BCE

NEW QUESTION 304

In which situations does the Database Writer process (DBWn) write to data files? (choose two).

- A. when the RMAN recovery process starts
- B. when a user process commits a transaction
- C. when a tablespace is made read-only or taken offline
- D. when PMON cleans up dirty buffers in the database buffer cache
- E. when clean buffers for reading new blocks into the database buffer cache are not found easily

Answer: BD

Explanation:

References https://docs.oracle.com/cd/B19306_01/server.102/b14220/process.htm

NEW QUESTION 307

Which statement is true regarding the DEFAULT profile?

- A. The values assigned to the resource limits and password parameters in the default profile can be altered.
- B. A different DEFAULT profile can be created before each user in a database.
- C. It can be dropped and recreated.
- D. it must be explicitly assigned to the use

Answer: A

NEW QUESTION 312

The HR schema exists in two databases, BOSTON and DENVER, and has the same password, HR. You have the CREATE DATABASE LINK and CREATE SESSION privileges on both the database. BOSTON is defined as a service name in the tnsnames.ora of both the databases.

You plan to use the command:

```
CREATE DATABASE LINK hr_link CONNECT to hr IDENTIFIED BY hr USING 'denver';
```

What must be done to ensure only the HR user in the BOSTON database can access the HR schema in the DENVER database?

- A. Execute this command as HR user in the BOSTON database and SYS user in the DENVER database.
- B. Execute this command as SYS user in both the databases.
- C. Execute this command as HR user in the DENVER database.
- D. Execute this command as HR user in the BOSTON databas

Answer: D

NEW QUESTION 314

The HR user owns the BONUSSES table. HR grants privileges to the user TOM by using the command: SQL> GRANT SELECT ON bonuses TO tom WITH GRANT OPTION;

TOM then executes this command to grant privileges to the user JIM: SQL> GRANT SELET ON hr.bonuses TO jim; Which statement is true?

- A. TOM cannot revoke the SELECT ON HR.BONUSSES privilege from JIM.
- B. HR can revoke the SELECT ON HR.BONUSSES privilege from JIM.
- C. JIM can grant the SELECT ON HR.BONUSSES privilege to other users, but cannot revoke the privilege from them.
- D. HR can revoke the SELECT ON HR.BONUSSES privilege from TOM, which will automatically revoke the SELECT ON HR.BONUSSES privilege from JIM.

Answer: D

NEW QUESTION 317

You create an Oracle 12c database and then import schemas that are required by an application which has not yet been developed.

You want to get advice on creation of or modifications to indexes, materialized views and partitioning in these schemas. What must you run to achieve this?

- A. SQL Access Advisor with a SQL tuning set
- B. Automatic Database Diagnostic Monitor (ADDM) report
- C. SQL Tuning Advisor
- D. SQL Access Advisor with a hypothetical workload
- E. SQL Performance Analyzer

Answer: D

NEW QUESTION 322

Which two services may you see on the My Service Dashboard page? (Choose two.)

- A. Network Cloud Service
- B. User Cloud Service
- C. Compute Cloud Service
- D. Database Cloud Service

Answer: CD

NEW QUESTION 325

What is a requirement for creating a remote database scheduler job?

- A. The remote database job must run as a user that is valid on the target remote database.
- B. A private database link must be created from the originating database to the target remote database.
- C. The target remote database on which the job is scheduled must be Oracle Database 11g Release 2 or later.
- D. The target remote database must be on a different host form the originating scheduler database hos

Answer: A

NEW QUESTION 329

Which three database operations can be performed only at MOUNT state? (Choose three.)

- A. performing Flashback Database
- B. renaming control files
- C. enabling or disabling ARCHIVELOG mode
- D. re-creating control files
- E. performing full database recovery

Answer: ACE

NEW QUESTION 331

Which three statements are true about windows? (Choose three.)

- A. Only one window can be open at any given time

- B. Consumer groups are associated with windows
- C. Windows work with job classes to control resource allocation
- D. The database service name must be provided during windows creation
- E. Windows can automatically start job or change resource allocation among jobs for various time periods

Answer: ACE

NEW QUESTION 334

Which three are activities performed by SMON? (Choose three.)

- A. cleaning up the database buffer cache and freeing resources that a client process was using
- B. applying online redo during instance recovery
- C. cleaning up temporary segments that are no longer needed
- D. performing database services registration with the default listener
- E. restarting a server or a dispatcher process that terminated abnormally
- F. recovering failed transactions that were skipped during instance recovery because of file-read or tablespace offline errors

Answer: BCF

NEW QUESTION 336

Which set of statements is true about data dictionary views?

- 1. They are stored in the SYSTEM tablespace.
- 2. They are based on virtual tables.
- 3. They are owned by the SYS user.
- 4. They can be queried by a normal user only if the 07_DICTIONARY_ACCESSIBILITY parameter is set to TRUE.
- 5. The V\$FIXED_TABLE view can be queried to list the names of these views.
- 6. They are owned by the SYSTEM user.

- A. 2, 5, and 6
- B. 1, 2, and 3
- C. 1 and 3
- D. 2, 3, 4, and 5

Answer: C

Explanation:

References: https://docs.oracle.com/cd/E11882_01/server.112/e40540/datadict.htm#CNCPT002

NEW QUESTION 337

Which two statements are true about using SQL*Loader? (Choose two.)

- A. It can load data from external files by using the direct path only.
- B. It can load data into multiple tables using the same load statement.
- C. It can load data into only one table at a time.
- D. It can generate unique sequential key values in specified columns.
- E. It can load data from external files by using the conventional path onl

Answer: AC

NEW QUESTION 338

Which three file types are stored in the Fast Recovery Area by default in a traditional nonOMF file system? (Choose three.)

- A. online redo log files
- B. parameter file
- C. multiplexed copies of the current control file
- D. archived log files
- E. Flashback Data Archive files
- F. Flashback logs

Answer: ADF

NEW QUESTION 340

You want to load data from a large file into your database without causing an overhead on the SGA. Which tool would you use.

- A. external table
- B. Oracle data Pump
- C. SQL*Loader with a direct data path
- D. SQL*Loader with a conventional data path
- E. Enterprise Manager Database Express

Answer: C

Explanation:

References: https://docs.oracle.com/cd/B19306_01/server.102/b14215/ldr_modes.htm#i1007501

NEW QUESTION 342

Which four operations performed after the Oracle Restart installation are automatically added to the Oracle Restart configuration? (Choose four.)

- A. listener configured by using NETCA
- B. database service created by using SRVCTL
- C. database created by using a SQL statement
- D. database created by using DBCA
- E. ASM instance created by using ASMCA
- F. database service created by using DBMS_SERVICE.CREATE_SERVICE
- G. database service created by modifying the SERVICE_NAMES initialization parameter

Answer: ABDE

Explanation:

References https://docs.oracle.com/cd/E18283_01/server.112/e17120/restart002.htm#insertedID3

NEW QUESTION 343

The HR.DEPARTMENTS table is the parent of the HR.EMPLOYEES table. The EMPLOYEES.DEPARTMENT_ID column has a foreign key constraint with the ON DELETE CASCADE option that refers to the DEPARTMENTS.DEPARTMENT_ID column. An index exists on the DEPARTMENTS.DEPARTMENT_ID column. A transaction deletes a primary key in the DEPARTMENTS table, which has child rows in the EMPLOYEES table. Which statement is true?

- A. The transaction acquires a table lock only on the DEPARTMENTS table until the transaction is complete.
- B. The transaction acquires a table lock on the DEPARTMENTS tabl
- C. This lock enables other sessions to query but not update the DEPARTMENTS table until the transaction on the DEPARTMENTS table is complete.
- D. The transaction acquires a table lock on the EMPLOYEES tabl
- E. This lock enables other sessions to query but not update the EMPLOYEES table until the transaction on the DEPARTMENTS table is complete.
- F. Only the rows that are deleted in the DEPARTMENTS and EMPLOYEES tables are locked until the transactions on the DEPARTMENTS table is complete.

Answer: C

NEW QUESTION 348

Which statement is true about using the Export/Import method for migrating data when upgrading to Oracle Database 12c?

- A. It automatically restarts a Data Pump Export or Import job after a failure is connected and the job continues from the point of failure.
- B. It can be used to migrate a database only if the source and target databases are hosted on the same endian format.
- C. It can be used to migrate a database only if the source database does not have any tablespace in read-only mode.
- D. It allows migration of a database directly over network link

Answer: D

NEW QUESTION 351

Which two statements are true about Oracle Data Pump export and import operations? (Choose two.)

- A. You cannot specify how partitioned tables should be handled during an import operation.
- B. Only data can be compressed during an export operation.
- C. Existing dump files can be overwritten during an export operation.
- D. Tables cannot be renamed during an import operation.
- E. Metadata that is exported and imported can be filtered based on objects and object types.

Answer: AE

Explanation:

References https://docs.oracle.com/cd/B28359_01/server.111/b28300/expimp.htm#UPGRD12560

NEW QUESTION 356

What is the benefit of running the catctl.pl script during an upgrade of a pre-12c database to an Oracle 12c database?

- A. It provides a summary of the upgrade results.
- B. It recompiles all invalid PL/SQL and Java code.
- C. It generates a log file containing the fixes that can be made to the source database.
- D. It provides parallel upgrade options to finish the upgrade process with a reduced down time.
- E. It generates fix-up scripts to be run on the source database before upgrade.

Answer: D

Explanation:

References: <https://docs.oracle.com/database/121/UPGRD/upgrade.htm#UPGRD52860>

NEW QUESTION 360

Examine the command:

```
SQL> CREATE TABLESPACE test1
```

```
DATAFILE '/u01/app/oracle/oradata/orc1/test01.dbf' SIZE 5M AUTOEXTEND ON UNIFORM;
```

Which statement is true?

- A. The data file, TEST01.DBF, can be auto extended to a maximum size M.
- B. The tablespace, TEST1, can contain a maximum of one data file.
- C. Allocated and free extents are tracked using bitmaps.
- D. Segment free space is tracked in the data dictionar

Answer: C

NEW QUESTION 365

Your database is running in ARCHIVELOG mode. You want to take a consistent whole database backup. Which two statements are true in this scenario? (Choose two.)

- A. The user-managed backup consists of only formatted data blocks.
- B. The database must be shut down to take a user-managed backup.
- C. The RMAN backup contains only data files.
- D. The RMAN backup can be performed while the database is open.
- E. The database must be in MOUNT state to take RMAN backu

Answer: AB

NEW QUESTION 368

Your database supports a Decision Support System (DSS) workload that involves the execution of complex queries. Currently, the database is running with peak workload. You want to analyze some of the most resource-intensive statements cached in the library cache.

What must you run to receive recommendations on the efficient use of indexes and materialized views to improve query performance?

- A. Automatic Database Diagnostic Monitor (ADDM)
- B. SQL Tuning Advisor
- C. SQL Access Advisor
- D. SQL Performance Analyzer
- E. Automatic Workload Repository (AWR) report

Answer: C

Explanation:

References: https://docs.oracle.com/cd/B28359_01/server.1111/b28314/tdpdw_perform.htm#TDPDW00813

NEW QUESTION 373

You want to create a test database as a replica of your production database with minimum intervention from a DBA. Which method would you use?

- A. Use DBCA to create a template from the existing database to contain the database structure and then manually copy the data by using Oracle Data Pump.
- B. Use Database Configuration Assistant (DBCA) to create a template from the existing database to contain the database structure.
- C. Create the database by using the CREATE DATAEAS
- D. . . command and manually import data by using Data Pump.
- E. Use DBCA to create a template from the existing database to contain the database structure with data files and then use the same template to create the database in the new location.

Answer: A

NEW QUESTION 378

Which three statements are true about checkpointing? (Choose three.)

- A. It prompts the Checkpoint (CKPT) process to write data to the data files and redo information to the online redo log files.
- B. It ensures that all dirty buffers are written to data files during consistent shutdown.
- C. It reduces the time required for recovery in case of an instance failure.
- D. Frequent thread checkpoints can degrade database performance.
- E. It prompts the Database Writer (DBWn) process to write checkpoint information into data file headers and the control file.

Answer: BCD

NEW QUESTION 379

Which component resides in the System Global Area (SGA) of a database instance only in shared server connections?

- A. User Global Area
- B. Program Global Area
- C. SQL Query Result Cache
- D. PL/SQL Function Result Cache

Answer: A

NEW QUESTION 384

Which users are created and can be used for database and host management of your DBaaS database servers?

- A. opc and oracle users
- B. root, oracle and cloud users
- C. root and oracle users
- D. root, opc and oracle users
- E. cloud and oracle users

Answer: A

NEW QUESTION 389

Your database is in ARCHIVELOG mode and you want to automate the backup scheduling for your database. Which two tools or utilities would you use to achieve this? (Choose two.)

- A. Oracle Enterprise Manager Database Express (EM Express)
- B. Oracle Enterprise Manager Cloud Control
- C. Database Configuration Assistant (DBCA)
- D. Recovery Manager (RMAN) script invoked by using scheduler

Answer: BD

NEW QUESTION 392

.....

THANKS FOR TRYING THE DEMO OF OUR PRODUCT

Visit Our Site to Purchase the Full Set of Actual 1Z0-062 Exam Questions With Answers.

We Also Provide Practice Exam Software That Simulates Real Exam Environment And Has Many Self-Assessment Features. Order the 1Z0-062 Product From:

<https://www.2passeasy.com/dumps/1Z0-062/>

Money Back Guarantee

1Z0-062 Practice Exam Features:

- * 1Z0-062 Questions and Answers Updated Frequently
- * 1Z0-062 Practice Questions Verified by Expert Senior Certified Staff
- * 1Z0-062 Most Realistic Questions that Guarantee you a Pass on Your FirstTry
- * 1Z0-062 Practice Test Questions in Multiple Choice Formats and Updatesfor 1 Year