

70-742 Dumps


Identity with Windows Server 2016

<https://www.certleader.com/70-742-dumps.html>



NEW QUESTION 1

You have a server named Server1 that runs Windows Server 2016. Server1 has the Web Application Proxy role service installed. You are publishing an application named App1 that will use Integrated Windows authentication as shown in the following graphic.



Use the drop-down menus to select the answer area choice that completes each statement based on the information presented in the graphic.

Answer Area

Before you can complete the wizard, you must [answer choice]

- ▽
- change the external certificate
- configure the Backend server SPN
- select Enable HTTP to HTTPS redirection

To ensure that users can access App1 externally, you must change the External URL to [answer choice]

- ▽
- https://app1.contoso.com/app1
- http://server02.contoso.com/app1
- https://server02.contoso.com/publish/app1

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Answer Area

Before you can complete the wizard, you must
[answer choice]

▽
change the external certificate
configure the Backend server SPN
select Enable HTTP to HTTPS redirection

To ensure that users can access App1 externally,
you must change the External URL to [answer choice]

▽
https://app1.contoso.com/app1
http://server02.contoso.com/app1
https://server02.contoso.com/publish/app1

NEW QUESTION 2

A technician named Tech1 is assigned the task of joining the laptops to the domain. The computer accounts of each laptop must be in an organizational unit (OU) that is associated to the department of the user who will use that laptop. The laptop names must start with four characters indicating the department followed by a four-digit number

Tech1 is a member of the Domain Users group only. Tech1 has the administrator logon credentials for all the laptops.

You need Tech1 to join the laptops to the domain. The solution must ensure that the laptops are named correctly, and that the computer accounts of the laptops are in the correct OUs.

Solution: You pre-create the computer account of each laptop in Active Directory users and computers. You instruct Tech1 to sign in to each laptop, and then to run djoin.exe.

Does this meet the goal?

- A. Yes
- B. No

Answer: B

NEW QUESTION 3

Your network contains an Active Directory domain named contoso.com. You need to create a central store for Group Policy administrator templates. What should you use?

- A. Server Manager
- B. File Explorer
- C. Dcgpofix.exe
- D. Group Policy Management Console (GPMC)

Answer: B

NEW QUESTION 4

Your network contains an Active Directory forest. The forest contains two domain controllers named DC1 and DC2 that run Windows Server 2016. DC1 holds all of the operations master roles.

DC1 experiences a hardware failure.

You plan to use an automated process that will create 1,000 user accounts. You need to ensure that the automated process can complete successfully.

Which command should you run? To answer, select the appropriate options in the answer area.

Answer Area

▼

Move-ADDirectoryServerOperationMasterRole
ntdsutil

-identity "DC2" -OperationMasterRole

▼

InfrastructureMaster
PDCEmulator
RIDMaster
SchemaMaster

▼

-Force
Seize pdc

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Box 1: Move-ADDirectoryServerOperationMasterRole

Box 2: RIDMaster

Box 3: -Force

NEW QUESTION 5

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

Your network contains an Active Directory domain named contoso.com. A user named User1 is in an organizational unit (OU) named OU1.

You are troubleshooting a folder access issue for User1.

You need a list of groups to which User1 is either a direct member or an indirect member. Solution: You run `dsget user cn=User1, ou=OU1, dc=contoso, dc=com -memberof -expand`. Does this meet the goal?

- A. Yes
- B. No

Answer: A

Explanation:

DSGET displays the properties of a user in the directory. There are two variations of this command. The first variation displays the properties of multiple users. The second variation displays the group membership information of a single user.

To show the list of groups, recursively expanded, to which the user Mike Danseglio belongs, type: `dsget user "CN=Mike Danseglio,CN=users,dc=ms,dc=tld" -memberof -expand`

References:

<https://docs.microsoft.com/en-us/previous-versions/windows/it-pro/windows-server-2008-R2-and-2008/cc73253>

NEW QUESTION 6

Your network contains an Active Directory domain named contoso.com. A Group Policy object (GPO) named GPO1 is linked to contoso.com.

GPO1 has computer configuration policies, user configuration policies and user preferences configured.

You need to ensure that the user preferences in GPO1 apply only to users who sign in to computers that runs Windows 10. All the other settings in GPO1 must be applied, regardless of the computer to which the user sign in.

What should you configure?

- A. Security Settings
- B. WMI filtering
- C. Security Filtering
- D. item-level targeting

Answer: D

NEW QUESTION 7

Your network contains an Active Directory named contoso.com

You have three top-level organizational units (OUs) named OU1, OU2 and OU3. OU1 contains user accounts. OU2 contains the computer accounts for shared public computers. OU3 contains the computer accounts for laptops.

You have two Group Policy objects (GPOs) named GPO1 and GPO2. GPO1 is linked to OU1. GPO2 is linked to OU2.

You need to prevent the user settings in GPO1 from being applied when a user signs in to a shared public computer. If a user signs in to a laptop, the user settings in GPO1 must be applied.

What should you configure?

- A. inheritance blocking

- B. Security Filtering
- C. loopback processing
- D. GPO link enforcement

Answer: C

NEW QUESTION 8

Your network contains an Active Directory domain named contoso.com.

All the accounts of the users in the sales department are in an organizational unit (OU) named SalesOU. An application named App1 is deployed to the user accounts in SalesOU by using a Group Policy object

(GPO) named SalesGPO. You need to set the registry value of

\HKEY_CURRENT_USER\Software\App1\Collaboration to 0.

Solution: You add a user preference that has an Update action. Does this meet the goal?

- A. Yes
- B. No

Answer: A

NEW QUESTION 9

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

Your network contains an Active Directory domain named contoso.com. The domain contains a server named Server1 that runs Windows Server 2016. The computer account for Server1 is in organizational unit (OU) named OU1.

You create a Group Policy object (GPO) named GPO1 and link GPO1 to OU1.

You need to add a domain user named User1 to the local Administrators group on Server1.

Solution: From the Computer Configuration node of GPO1, you configure the Account Policies settings. Does this meet the goal?

- A. Yes
- B. No

Answer: B

NEW QUESTION 10

Your network contains an Active Directory domain named contoso.com.

The user account for a user named User1 is in an organizational unit (OU) named OU1. You need to enable User1 to sign in as user1@adatum.com.

Solution: From Active Directory Domains and Trusts, you configure an alternative UPN suffix, From Active Directory Administrative Center, you configure the User UPN logon property of User1.

Does this meet the goal?

- A. Yes
- B. No

Answer: A

NEW QUESTION 10

Your network contains an Active Directory domain named contoso.com. The domain contains an Active Directory Federation Services (AD FS) server named Server1.

On a standalone server named Server2. You install and configure the Web Application Proxy.

You have an internal web application named WebApp1. AD FS has a replying party trust for WebApp1. You need to provide external users with access to WebApp1. Authentication to WebApp1, must use AD FS preauthentication.

Which tool should you use to publish webapp1?

- A. Remote Access Management on Server2
- B. AD FS Management on Server2
- C. Routing and Remote Access on Server1
- D. Remote Access Management on Server1
- E. AD FS Management on Server1

Answer: E

NEW QUESTION 12

Your network contains an Active Directory domain named contoso.com. The domain contains a username User1, a group named Group1, and an organizational unit (OU) named OU1.

You need to enable User1 to link Group Policies to OU1.

Solution: From Active Directory Administrative Center, you add User1 to Group1. From ADSI Edit, you grant Group1 Full Control permissions to the "CN=Policies, CN=System, DC=Contoso, DC=com" object.

Does this meet the goal?

- A. Yes
- B. NO

Answer: B

NEW QUESTION 13

Your company has an office in Montreal.

The network contains an Active Directory domain named conloso.com.

You have an organizational unit (OU) named Montreal that contains all of the users accounts for the users in the Montreal office. An office manager in the Montreal office knows each user personally.

You need to ensure that the office manager can provide the users with a new password if the users forget their password.

What should you do?

- A. Create a Group Policy object (GPO) and link the GPO to the Montreal O
- B. Assign the office manager the Apply Group Policy permission on the GP
- C. Configure the Password Policy settings on the GPO.
- D. From the Security settings of the Montreal OU, assign the office manager the Reset Password permission.
- E. From the Security settings of each user account in the Montreal OU, assign the office manager the Change Password permission.
- F. Create a Group Policy object (GPO) and link the GPO to the OU of the domai
- G. Filter the GPO to the Montreal user
- H. Assign the office manager the Apply Group Policy permission on the GP
- I. Configure the Password Policy settings of the GPO.

Answer: A

NEW QUESTION 18

Your network contains an Active Directory domain named contoso.com.

You create a domain security group named Group1 and add several users to it.

You need to force all of the users in Group1 to change their password every 35 days. The solution must affect the Group1 users only.

What should you do?

- A. From Windows PowerShell, run the Set-ADDomain cmdlet, and then run the Set-ADAccountPassword cmdlet.
- B. Modify the Password Policy settings in a Group Policy object (GPO) that is linked to the domain, and then filter the GPO to Group1 only.
- C. Create a forms authentication provider, and then set the forms authentication credentials.
- D. From Active Directory Administrative Center, create a Password Setting object (PSO).

Answer: D

NEW QUESTION 21

Your network contains an Active Directory domain named contoso.com.

You have a Group Policy object (GPO) named GPO1. GPO1 is linked to an organizational unit (OU) named OU1.

GPO1 contains several corporate desktop restrictions that apply to all computers. You plan to deploy a printer to the computers in OU1.

You need to ensure that any user who signs in to a computer that runs Windows 10 in OU1 receives the new printer. All of the computers in OU1 must continue to apply the corporate desktop restrictions from GPO1.

What should you configure?

- A. a user preference and a WMI filter on GPO1.
- B. a computer preference that uses item-level targeting
- C. a computer preference and WMI filter on GPO1
- D. a user preference that uses item-level targeting

Answer: D

NEW QUESTION 22

Your network contains an Active Directory domain named contoso.com. The domain contains a read-only domain controller (RODC) named R0DC1.

You need to retrieve a list of accounts that have their password cached on R0DC1. Which command should you run?

- A. netdom.exe
- B. ntdsutil.exe
- C. repadmin.exe
- D. dcdiag.exe

Answer: C

Explanation:

[https://technet.microsoft.com/en-us/library/rodc-guidance-for-administering-the-password-replication-policy\(v=](https://technet.microsoft.com/en-us/library/rodc-guidance-for-administering-the-password-replication-policy(v=)

NEW QUESTION 27

Your network contains an Active Directory domain. The domain contains an Active Directory Rights Management Services (AD RMS) cluster and a certification authority (CA).

You need to ensure that all the documents that are protected by using AD RMS can be decrypted if the account used to encrypt the documents is deleted.

What should you do?

- A. Back up the AD RMS-protected files by using Windows Server Backup.
- B. Configure key archival on the CA.
- C. Manually configure the AD RMS cluster key password.
- D. Configure super users in the AD RMS deployment.

Answer: D

Explanation:

<https://social.technet.microsoft.com/wiki/contents/articles/91111.disaster-recovery-guide-for-active-directory-righ>

NEW QUESTION 29

Your network contains an Active Directory domain named contoso.com.
You need to create a central store for Group Policy administrative templates. What should you use?


- A. Server Manager
- B. File Explorer
- C. Dcgpofix.exe
- D. Group Policy Management Console (GPMC)

Answer: B

NEW QUESTION 32

Your network contains an Active Directory domain named contoso.com. The domain contains a member server named Server1 that runs Windows Server 2016.
Server1 has IP Address Management (IPAM) installed. IPAM uses a Windows Internal Database. You install Microsoft SQL Server on Server1.
You plan to move the IPAM database to SQL Server.
You need to create a SQL Server login for the IPAM service account.
For which user should you create the login? To answer, select the appropriate options in the answer area.

Answer Area



- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

References:

<https://blogs.technet.microsoft.com/yagmurs/2014/07/31/moving-ipam-database-from-windows-internal-databas>

NEW QUESTION 35

Your network contains an Active Directory domain named contoso.com. The domain contains a domain controller named DC1.
You create and link a Group Policy object (GPO) named SalesAppGPO to an organizational unit (OU) named SalesOU. All the computer accounts are in the Computers container. All the user accounts of the users in the sales department are in SalesOU.
You have a line-of-business application named SalesApp that is installed by using a Windows Installer package.
You need to make SalesApp available to only the sales department users.
Which three actions should you perform in sequence? To answer move the appropriate actions from the list of actions to the answer area and arrange them in the correct order.

Actions	Answer Area
On DC1, create a WebDAV folder named SalesApp.	
Copy the Windows Installer package to SalesApp.	
In GPO1, add a package to Computer Configuration\Policies\Software Settings\Software installation.	
On DC1, create a shared folder named SalesApp.	➤
In GPO1, add a package to User Configuration\Policies\Software Settings\Software installation.	⬅
In GPO1, create a software restriction policy in Computer Configuration\Policies\Windows Settings\Security Settings.	
In GPO1, create a software restriction policy in User Configuration\Policies\Windows Settings\Security Settings.	

- A. Mastered
- B. Not Mastered


Answer: A

Explanation:

Actions	Answer Area
On DC1, create a WebDAV folder named SalesApp.	On DC1, create a shared folder named SalesApp.
Copy the Windows Installer package to SalesApp.	Copy the Windows Installer package to SalesApp.
In GPO1, add a package to Computer Configuration\Policies\Software Settings\Software installation.	In GPO1, add a package to Computer Configuration\Policies\Software Settings\Software installation.
On DC1, create a shared folder named SalesApp.	➤
In GPO1, add a package to User Configuration\Policies\Software Settings\Software installation.	⬅
In GPO1, create a software restriction policy in Computer Configuration\Policies\Windows Settings\Security Settings.	
In GPO1, create a software restriction policy in User Configuration\Policies\Windows Settings\Security Settings.	

NEW QUESTION 40

Your network contains an Active Directory domain named contoso.com. The domain contains a member server named Server1 and a domain controller named DC1. Both servers run Windows Server 2016. Server1 is used to perform administrative tasks, including managing Group Policies. After maintenance is performed on DC1, you open a Group Policy object (GPO) from Server1 as shown in the exhibit.



You need to be able to view all of the Administrative Templates settings in GPO1. What should you do?

- A. From File Explorer, copy the administrative templates from \\contoso.com\SYSVOL\contoso.com\Policies to the PolicyDefinitions folder on Server1.
- B. From File Explorer, delete \\contoso.com\SYSVOL\contoso.com\Policies\PolicyDefinitions.
- C. From File Explorer, delete the PolicyDefinitions folder from Server1.
- D. From Group Policy Management, configure WMI Filtering for GPO1.

Answer: B

NEW QUESTION 44

You use Application Request Routing (ARR) to make internal web applications available to the Internet by using NTLM authentication. You need to replace ARR by using the Web Application Proxy. Which server role should you deploy first?

- A. Active Directory Lightweight Directory Services
- B. Active Directory Rights Management Services
- C. Active Directory federation Services
- D. Active Directory Certificate Services

Answer: C

NEW QUESTION 46

Your network contains two Active Directory forests named fabrikam.com and contoso.com. Each forest contains two sites. Each site contains two domain controllers.

You need to configure all the domain controllers in both the forests as global catalog servers. Which snap-in should you use?

- A. Active Directory Users and Computers
- B. Active Directory Sites and Services
- C. Active Directory Domains and Trusts
- D. Active Directory Federation Services

Answer: B

NEW QUESTION 48

Your network contains an Active Directory domain named adatum.com. The domain contains a security group named G_Research and an organizational unit (OU) named OU_Research.

All the users in the research department are members of G_Research and their user accounts are in OU_Research.

You need to ensure that all the research department users change their password every 28 days and enforce a complex password that is characters long. What should you do?

- A. From Group Policy Management, create and link a Group Policy object (GPO) to the domain.
- B. Modify the password policy in the GPO Filter the GPO to apply to G_Research only.
- C. From Active Directory Administrative Center, create a new Password Settings object (PSO).
- D. From Active Directory Users and Computers, modify the properties of the Password Settings Container.
- E. From Group Policy Management, create and link a Group Policy object (GPO) to OU_Research.
- F. Modify the password policy in the GPO.

Answer: C

NEW QUESTION 49

Your network contains an Active Directory domain named contoso.com. You need to create a central store for Group Policy administrator templates. What should you use?

- A. Dcgpofix.exe
- B. Copy-Item
- C. Copy-GPO
- D. Group Policy Management Console (GPMC)

Answer: B

NEW QUESTION 54

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

Your network contains an Active Directory forest named contoso.com. The forest contains an Active Directory Rights Management Services (AD RMS) deployment. Your company establishes a partnership with another company named Fabrikam, Inc. The network of Fabrikam contains an Active Directory forest named fabrikam.com and an AD RMS deployment.

You need to ensure that the users in contoso.com can access rights protected documents sent by the users in fabrikam.com.

Solution: From AD RMS in fabrikam.com, you configure contoso.com as a trusted publisher domain. Does this meet the goal?

- A. Yes
- B. No

Answer: B

Explanation:

Contoso needs to trust Fabrikam.

NEW QUESTION 55

Your network contains an Active Directory forest named contoso.com. The forest contains a member server named Server1. Server1 has several line-of-business applications. Each application runs as a service that uses the Network Service account. You need to configure the line-of-business applications to run by using a virtual account. What should you do?

- A. From the Services console, modify the Log On properties of the services.
- B. From the Microsoft Application Compatibility Toolkit (ACT), create a shim.
- C. From Windows PowerShell, run the Install-ADServiceAccount cmdlet.
- D. From Windows PowerShell, run the New-ADServiceAccount cmdlet.

Answer: A

NEW QUESTION 58

You have a server named Server1 that runs Windows Server 2016. You need to configure Server1 as a Web Application Proxy. Which server role or role service should you install on Server1?

- A. Remote Access
- B. Active Directory Federation Services
- C. Web Server (IIS)
- D. DirectAccess and VPN (RAS)
- E. Network Policy and Access Services

Answer: A

NEW QUESTION 63

Note: This question is part of a series of questions that use the same scenario. For your convenience, the scenario is repeated in each question. Each question presents a different goal and answer choices, but the text of the scenario is exactly the same in each question in this series.

Start of repeated scenario.

You work for a company named Contoso, Ltd.

The network contains an Active Directory forest named contoso.com. A forest trust exists between contoso.com and an Active Directory forest named adatum.com.

The contoso.com forest contains the objects configured as shown in the following table.

Object name	Object type	Group scope	Group type
User1	User	Not applicable	Not applicable
User2	User	Not applicable	Not applicable
Computer1	Computer	Not applicable	Not applicable
Group1	Group	Domain local	Security
Group2	Group	Domain local	Security
Group3	Group	Universal	Security
Group4	Group	Global	Security
Group5	Group	Universal	Security

Group1 and Group2 contain only user accounts.

Contoso hires a new remote user named User3. User3 will work from home and will use a computer named Computer3 that runs Windows 10. Computer3 is currently in a workgroup.

An administrator named Admin1 is a member of the Domain Admins group in the contoso.com domain. From Active Directory Users and Computers, you create an organizational unit (OU) named OU1 in the contoso.com domain, and then you create a contact named Contact1 in OU1.

An administrator of the adatum.com domain runs the Set-ADUser cmdlet to configure a user named User1 to have a user logon name of User1@litwareinc.com. End of repeated scenario.


You need to ensure that User2 can add Group4 as a member of Group5. What should you modify?


- A. the group scope of Group5
- B. the Managed By settings of Group4
- C. the group scope of Group4
- D. the Managed By settings of Group5

Answer: D


NEW QUESTION 68

Your network contains an Active Directory forest named contoso.com. They connect to the forest by using ldp.exe and receive the output as shown in the following exhibit.






Use drop-down menus to select the answer choice that completes each statement based on the information presented in the graphic.
NOTE: Each correct selection is worth one point.



- A. Mastered
- B. Not Mastered

Answer: A

Explanation:



NEW QUESTION 72

Your network contains an Active Directory forest. Some users report experiencing difficulties signing in to domain controllers. You suspect that the service location (SRV) records might be causing the issue. What are two possible commands that you can run to verify the SRV records? Each correct answer presents a complete solution.
NOTE: Each correct selection is worth one point.

- A. dcdiag.exe /test:connectivity
- B. dnscmd /info
- C. dnscmd /DirectoryPartitionInfo
- D. dcdiag.exe /test:dns/DnsRecordRegistration
- E. dcdiag.exe /test:dns
- F. dnscmd /IPValidate

Answer: BD

Explanation:

<https://docs.microsoft.com/en-us/windows-server/identity/ad-ds/manage/troubleshoot/verify-dns-functionality-to>

NEW QUESTION 75

Your network contains an Active Directory domain.

You have a user account that is a member of the Domain Admins group.

You have 100 laptops that have a standard corporate image installed. The laptops are in workgroups and have random names.

A technician named Tech1 is assigned the task of joining the laptops to the domain. The computer accounts of each laptop must be in an organizational unit (OU) that is associated to the department of the user who will use the laptop. The laptop names must start with four characters indicating the department, followed by a four-digit number.

Tech1 is a member of the Domain Users group only. Tech1 has the administrator logon credentials for all the laptops.

You need Tech1 to join the laptops to the domain. The solution must ensure that the laptops are named correctly, and the computer accounts of the laptops are in the correct OUs.

Solution: You pre-create the computer account of each laptop in Active Directory Users and Computers.

You instruct Tech1 to sign in to each laptop, to rename each laptop, and then to join each laptop to the domain by using System in Control Panel.

Does this meet the goal?

- A. Yes
- B. No

Answer: B

NEW QUESTION 77

Your network contains an Active Directory forest named contoso.com. The forest contains 10 domains. The root domain contains a global catalog server named DC1.

You remove the global catalog server role from DC1.

You need to decrease the size of the Active Directory database on DC1.

Solution: You stop the NTDS service on DC1. You run ntdsutil.exe, use the metadata cleanup option, and then start the NTDS

Does this meet the goal?

- A. Yes
- B. No

Answer: B

Explanation:

You need to run ntdsutil.exe with the 'compact to' option. References:

<https://theitbros.com/active-directory-database-compact-defrag/>

NEW QUESTION 82

Your network contains an Active Directory domain named contoso.com. You need to create a central store for Group Policy administrative templates. What should you use?

- A. Dcgpofix.exe
- B. Group Policy Management Console (GPMC)
- C. Gpfixup.exe
- D. Copy-Item

Answer: D

NEW QUESTION 85

Your network contains an active Directory domain. The domain contains 20 domain controllers.

You discover that some Group Policy objects (GPOs) are not being applied by all the domain controllers. You need to verify whether GPOs replicate successfully to all the domain controllers.

What should you do?

- A. Set BurFlags in the registry, and then restart the File Replication Service (FRS). Run dcdiag.exe for each domain controller.
- B. Set BurFlags in the registry, and then restart the File Replication Service (FRS). View the Directory Service event log.
- C. From Group Policy Management, view the Status tab for the domain.
- D. Run repadmin.exe for each GPO.


Answer: D

NEW QUESTION 87


Your network contains an Active Directory domain named contoso.com.

A user named User1 and a computer named Computer1 are in an organizational unit OU1. A user named User2 and a computer named Computer 2 are in an OU named OU2.

A Group Policy object (GPO) named GPO1 is linked to the domain. GPO1 contains a user preference that is configured as shown in the Shortcut1 Properties exhibit. (Click the Exhibit button.)



Item-level targeting for the user preference is configured as shown in the Targeting exhibit. (Click the Exhibit button.)



For each of the following statements, select Yes if the statement is true. Otherwise, select No. NOTE: Each correct selection is worth one point.

Answer Area

Statements	Yes	No
If User1 signs in to Computer1, Shortcut1 will appear on the desktop.	<input type="radio"/>	<input type="radio"/>
If User1 signs in to Computer2, Shortcut1 will appear on the desktop.	<input type="radio"/>	<input type="radio"/>
If User2 signs in to Computer1, Shortcut1 will appear on the desktop.	<input type="radio"/>	<input type="radio"/>

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

References:


<https://docs.microsoft.com/en-us/previous-versions/windows/it-pro/windows-server-2008-R2-and-2008/cc73075>

NEW QUESTION 89

Note: This question is part of a series of questions that use the same scenario. For your convenience, the scenario is repeated in each question. Each question presents a different goal and answer choices, but the text of the scenario is exactly the same in each question in this series.

Start of repeated scenario.

Your network contains an Active Directory domain named contoso.com. The domain contains a single site named Site1. All computers are in Site1. The Group Policy objects (GPOs) for the domain are configured as shown in the exhibit. (Click the Exhibit button.)



The relevant users and client computer in the domain are configured as shown in the following table.

Object name	Object type	Object location
Computer	Computer	OU4
User1	User	OU4
User2	User	OU2

End of repeated scenario.

You are evaluating what will occur when you block inheritance on OU4.

Which GPO or GPOs will apply to User1 when the user signs in to Computer1 after block inheritance is configured?

- A. A1, A5, and A6
- B. A3, A1, A5, and A7
- C. A3 and A7 only
- D. A7 only

Answer: D

NEW QUESTION 94

Your network contains an Active Directory forest named contoso.com. The forest contains a member server named Server1 that runs Windows Server 2016.

Server1 is located in the perimeter network.

You install the Active Directory Federation Services server role on Server1. You create an Active Directory Federation Services (AD FS) farm by using a certificate that has a subject name of sts.contoso.com.

You need to enable certificate authentication from the Internet on Server1.

Which two inbound TCP ports should you open on the firewall? Each correct answer presents part of the solution.

- A. 389
- B. 443
- C. 3389
- D. 8531
- E. 49443

Answer: BE

NEW QUESTION 99

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You have a server named Web1 that runs Windows Server 2016.

You need to list all the SSL certificates on Web1 that will expire during the next 60 days. Solution: You run the following command.

Get-ChildItem Cert:\LocalMachine\My |? { \$_.NotAfter -lt (Get-Date).AddDays(60) } Does this meet the goal?

- A. Yes
- B. No

Answer: B

NEW QUESTION 102

Note: This question is part of a series of questions that use the same or similar answer choices. An answer choice may be correct for more than one question in the series. Each question is independent of the other questions in this series.

Information and details provided in a question apply only to that question.

Your network contains an Active Directory domain named contoso.com. The domain contains 5,000 user accounts.

You have a Group Policy object (GPO) named DomainPolicy that is linked to the domain and a GPO named DCPolicy that is linked to the Domain Controllers organizational unit (OU).

You need to configure the Documents folder of every user to be stored on a server named FileServer1. What should you do?

- A. From the Computer Configuration node of DCPolicy, modify Security Settings.
- B. From the Computer Configuration node of DomainPolicy, modify Security Settings.
- C. From the Computer Configuration node of DomainPolicy, modify Administrative Templates.
- D. From the User Configuration node of DCPolicy, modify Security Settings.
- E. From the User Configuration node of DomainPolicy, modify Folder Redirection.
- F. From user Configuration node of DomainPolicy, modify Administrative Templates.
- G. From Preferences in the User Configuration node of DomainPolicy, modify Windows Settings.
- H. From Preferences in the Computer Configuration node of DomainPolicy, modify Windows Settings.

Answer: E

NEW QUESTION 105

Your network contains an Active Directory forest. The forest contains two domains named litwareinc.com and contoso.com. The contoso.com domain contains two domain controllers named LON-DC01 and LON-DC02. The domain controllers are located in a site named London that is associated to a subnet of 192.168.10.0/24.

You discover that LON-DC02 is not a global catalog server. You need to configure LON-DC02 as a global catalog server.

What should you do?


- A. From Active Directory Sites and Services, modify the NTDS Settings object of the London site.
- B. From Windows Power Shell, run the Enable-ADOptionalFeature cmdlet.
- C. From the properties of the LON-DC02 computer account in Active Directory Users and Computers modify the NTDS settings.
- D. From the properties of the LON-DC02 computer account in Active Directory Users and Computers, modify the City attribute.

Answer: C

NEW QUESTION 107

Your network contains an Active Directory domain named contoso.com.

You open Group Policy Management as shown in the exhibit. (Click the Exhibit button.)



You discover that some of the settings configured in the A1 Group Policy object (GPO) fail to apply to the users in the OU1 organizational unit (OU). You need to ensure that all of the settings in A1 apply to the users in OU1. What should you do?

- A. Enable loopback policy processing in A1.
- B. Block inheritance on OU1.
- C. Modify the policy processing order for OU1.
- D. Modify the GPO Status of A1.

Answer: C

NEW QUESTION 110

Your network contains an Active Directory forest named contoso.com
Your company plans to hire 500 temporary employees for a project that will last 90 days.
You create a new user account for each employee. An organizational unit (OU) named Temp contains the user accounts for the employees.
You need to prevent the new users from accessing any of the resources in the domain after 90 days. What should you do?

- A. Run the Get-ADUser cmdlet and pipe the output to the Set-ADUser cmdlet.
- B. Create a group that contains all of the users in the Temp O
- C. Create a Password Setting object (PSO) for the new group.
- D. Create a Group Policy object (GPO) and link the GPO to the Temp O
- E. Modify the Password Policy settings of the GPO.
- F. Run the GET-ADOrganizationalUnit cmdlet and pipe the output to the Set-Date cmdlet.

Answer: A

NEW QUESTION 113

You network contains an Active Directory domain named contoso.com. The domain contains an Active Directory Federation Services (AD FS) server named ADFS1, a Web Application Proxy server named WAP1, and a web server named Web1.
You need to publish a website on Web1 by using the Web Application Proxy. Users will authenticate by using OAuth2 preauthentication.
What should you do first?

- A. On Web1, add site bindings.
- B. On Web1, add handler mappings.
- C. On ADFS1, enable an endpoint.
- D. On ADFS1, add a claims provider trust.

Answer: D

NEW QUESTION 118

You network contains an Active Directory domain named contoso.com. The domain contains an enterprise certification authority (CA).

A user named Admin1 is a member of the Domain Admins group.

You need to ensure that you can archive keys on the CA. The solution must use Admin1 as a key recovery agent.

Which four actions should you perform in sequence? To answer, move the appropriate actions from the list of actions to the answer area and arrange them in the correct order.

Actions

Answer Area

- From the Certificate Templates console, modify the extensions of a certificate template.
- From Server Manager, install the Online Responder role service.
- From the Certificates Console, request a certificate.
- From the Certification Authority console, add a certificate template to issue.
- From the Certification Authority console, add a Key Recovery Agent certificate.
- From the Certification Authority console, issue a pending request.
- From the Certificate Templates console, modify the security of a certificate template.

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Actions

Answer Area

- From the Certificate Templates console, modify the extensions of a certificate template.
- From Server Manager, install the Online Responder role service.
- From the Certificates Console, request a certificate.
- From the Certification Authority console, add a certificate template to issue.
- From the Certification Authority console, add a Key Recovery Agent certificate.
- From the Certification Authority console, issue a pending request.
- From the Certificate Templates console, modify the security of a certificate template.

From the Certificates Console, request a certificate.

From the Certificate Templates console, modify the security of a certificate template.

From the Certification Authority console, add a Key Recovery Agent certificate.

From the Certification Authority console, issue a pending request.

NEW QUESTION 120

Your network contains an Active Directory domain named contoso.com. The domain contains a user named User1 and an organizational unit (OU) named OU1.

You create a Group Policy object (GPO) named GPO1. You need to ensure that User1 can link GPO1 to OU1. What should you do?

- A. Modify the security setting of User1.
- B. Add User1 to the Group Policy Creator Owner group.
- C. Modify the security setting of OU1.
- D. Modify the security setting of GPO1.

Answer: D

NEW QUESTION 125

Note: This question is part of a series of questions that use the same or similar answer choice. An answer choice may be correct for more than one question in the series. Each question is independent of the other questions in this series. Information and details provided in a question apply only to that question.

Your network contains an Active Directory domain named contoso.com. The domain functional level is Windows Server 2012 R2.

Your company hires 3 new security administrators to manage sensitive user data. You create a user account named Security1 for the security administrator.

You need to ensure that the password for Security1 has at least 12 characters and is modified every 10 days. The solution must apply to Security 1 only.

Which tool should you use?

- A. Dsadd quota
- B. Dsmmod
- C. Active Directory Administrative Center
- D. Dsacis
- E. Dsamain

Answer: C

Explanation:

Using Fine-Grained Password Policies you specify multiple password policies in a single domain and apply different restrictions for password and account lockout policies to different sets of users in a domain. You can apply stricter settings to privileged accounts and less strict settings to the accounts of other users. To enable Fine-Grained Password Policies (FGPP), you need to open the Active Directory Administrative Center (ADAC) <https://blogs.technet.microsoft.com/canitpro/2013/05/29/step-by-step-enabling-and-using-fine-grained->

NEW QUESTION 130

Your network contains an Active Directory domain named contoso.com. The domain contains a web application that uses Kerberos authentication.

You change the domain name of the web application.

You need to ensure that the service principal name (SPN) for the application is registered. Which tool should you use?

- A. Rdsperf
- B. Active Directory Users and Computers
- C. Dnscmd
- D. Ldifde

Answer: B

NEW QUESTION 132

Your network contains two Active Directory forests named fabrikam.com and contoso.com. Each forest contains a single domain.

Contoso.com has a Group Policy object (GPO) named Cont_GPO1.

You need to apply the settings from Cont_GPO1 to the computers in fabrikam.com. Which two actions should you perform? Each correct answer presents part of the solution. NOTE: Each correct selection is worth one point.

- A. Back up Cont_GPO1. In fabrikam.com, create and link a new GPO by using the Group Policy Management Console (GPMC), and then run the Import Setting Wizard.
- B. Back up Cont_GPO1. In fabrikam.com, run the Restore-GPO cmdlet, and then run the New-GPLinkcmdlet.
- C. Back up Cont_GPO1. In fabrikam.com, run the Import-GPO cmdlet, and then run the New-GPLinkcmdlet.
- D. Copy \\contoso.com\SysVol\contoso.com\Policies to \\fabrikam.com\SysVol\fabrikam.com\Policies
- E. In fabrikam.com, run the New-GPLink cmdlet.
- F. Back up Cont_GPO1. In fabrikam.com, create and link a new GPO by using the Group Policy Management Console (GPMC), and then run the Restore Group Policy Object Wizard.

Answer: AC

NEW QUESTION 135

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You deploy a new Active Directory forest.

You need to ensure that you can create a group Managed Service Account (gMSA) for multiple member servers.

Solution: From Windows PowerShell on a domain controller, you run the Add-KdsRootKey cmdlet.

Does this meet the goal?

- A. Yes
- B. No

Answer: A


NEW QUESTION 139

Note: This question is part of a series of questions that use the same scenario. For your convenience, the scenario is repeated in each question. Each question presents a different goal and answer choices, but the text of the scenario is exactly the same in each question in this series.

Start of repeated scenario.

Your network contains an Active Directory domain named contoso.com. The domain contains a single site named Site1. All computers are in Site1.

The Group Policy objects (GPOs) for the domain are configured as shown in the exhibit. (Click the Exhibit button.)



The relevant users and client computer in the domain are configured as shown in the following table.

Object name	Object type	Object location
Computer	Computer	OU4
User1	User	OU4
User2	User	OU2

End of repeated scenario.

You are evaluating what will occur when you remove the Authenticated Users group from the Security Filtering settings of A5. Which GPO or GPOs will apply to User1 when the user signs in to Computer1 after Security Filtering is configured?

- A. A1 and A7 only
- B. A3 and A1 only.
- C. A3, A1, A6 and A7
- D. A7 only

Answer: A

NEW QUESTION 141

Your network contains an Active Directory domain named contoso.com. The domain contains a user named User1, a group named Group1, and an organizational unit (OU) named OU1.

You need to enable User1 to link Group Policies to OU1.

Solution: From Active Directory Administrative Center, you add User1 to Group1 and grant Group1 Full Control permission to OU1.

Does this meet the goal?

- A. Yes
- B. No

Answer: A

NEW QUESTION 143

Your network contains an Active Directory domain named contoso.com, All users are in an organizational unit (OU) named Corp_Users.

You plan to modify the description of all the users who have a string of 514 in their mobile phone number. You need to view a list of the users that will be modified. What should you run?

- A. Get-APUser-Filter "mobilePhone-Like '*514*'"
- B. Get-ADOrganizationalUnit-LDAPFilter "(mobilePhone='*514*')"
- C. Get-ADOrganizationalUnit-Filter "mobilePhone-Like '*514*'"
- D. Get-ADUser-LDAPFilter "(mobilePhone='*514*')"

Answer: A

NEW QUESTION 146

Your network contains an Active Directory domain named contoso.com. The domain contains a user named User1, a group named Group1, and an Organizational unit (OU) named OU1.

You need to enable User1 to link Group Policies to OU1.

Solution: From Active Directory Administrative Center, you add User1 to Group1. From Group Policy Management, you click the Group Policy Objects container. From the Delegation tab, you add Group1.

- A. Yes
- B. No

Answer: B

NEW QUESTION 148

Your network contains an Active Directory domain named contoso.com. You deploy a standalone root certification authority (CA) named CA1. You need to auto enroll domain computers for certificates by using a custom certificate template. What should you do first?

- A. Modify the Policy Module for CA1.
- B. Modify the Exit Module for CA1.
- C. Install a standalone subordinate CA.
- D. Install an enterprise subordinate CA.

Answer: D

Explanation:

You can't create templates or configure auto-enrollment on a standalone CA.

NEW QUESTION 149

Your network contains an Active Directory domain named contoso.com. The domain contains two servers named Server1 and Server2 that run Windows Server 2016.

Server1 has IP Address Management (IPAM) installed. Server2 has Microsoft System Center 2016 Virtual Machine Manager (VMM) installed.

You need to integrate IPAM and VMM.

Which types of objects should you create on each server? To answer, drag the appropriate object types to the correct servers. Each object type may be used once, more than once, or not at all. You may need to drag the split bar between panes or scroll to view content.

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Server 1 (IPAM): Access Policy

VMM must be granted permission to view and modify IP address space in IPAM, and to perform remote management of the IPAM server. VMM uses a "Run As" account to provide these permissions to the IPAM network service plugin. The "Run As" account must be configured with appropriate permission on the IPAM server.

To assign permissions to the VMM user account

In the IPAM server console, in the upper navigation pane, click ACCESS CONTROL, right-click Access Policies in the lower navigation pane, and then click Add AccessPolicy.

Etc.

Server 2 (VMM) #1: Network Service Server 2 (VMM) #2: Run As Account

Perform the following procedure using the System Center VMM console. To configure VMM (see step 1-3, step 6-7)

Etc.

References: [https://technet.microsoft.com/en-us/library/dn783349\(v=ws.11\).aspx](https://technet.microsoft.com/en-us/library/dn783349(v=ws.11).aspx)

NEW QUESTION 154

Your network contains an Active Directory domain named contoso.com.

All the accounts of the users in the sales department are in an organizational unit (OU) named SalesOU. An application named App1 is deployed to the user accounts in SalesOU by using a Group Policy object (GPO) named SalesGPO. You need to set the registry value of \HKEY_CURRENT_USER\Software\App1\Collaboration to 0.

Solution: You add a user preference that has an Replace action. Does this meet the goal?

- A. Yes
- B. No

Answer: A

Explanation:

[https://technet.microsoft.com/en-us/library/cc753092\(v=ws.11\).aspx](https://technet.microsoft.com/en-us/library/cc753092(v=ws.11).aspx)

NEW QUESTION 155

Your network contains an Active Directory domain. The domain contains an organizational unit (OU) named FileServersOU. A Group Policy object (GPO) named GPO1 is linked to FileServersOU. FileServersOU contains all the file servers in the domain.

You make an urgent security edit to GPO1.

You need to ensure that all the file servers receive the updated setting as soon as possible. What should you do?

- A. Right-click FileServersOU and click Group Policy Update...
- B. Right-click the GPO link for GPO1 and click Enforced.
- C. Right-click Group Policy Results and click Group Policy Results Wizard...
- D. Right-click FileServersOU and click Refresh.

Answer: A

NEW QUESTION 159



You have a standalone root certification authority (CA).
You have a new security policy requirement specifying that any changes to the CA configuration must be logged.
You need to ensure that the CA meets the new security requirement.
Which two actions should you perform? Each correct answer presents part of the solution.

- A. From Local Group Policy Editor, configure auditing for policy change.
- B. From Local Group Policy Editor, configure auditing for object access.
- C. From the Certification Authority console, modify the Security settings for the CA.
- D. From the Certification Authority console, modify the Auditing settings for the CA.
- E. From the Certification Authority console, modify the Certificate Managers settings for the CA.

Answer: AE

NEW QUESTION 162


Your network is isolated from the Internet. The network contains computers that are members of a domain and computers that are members of a workgroup. All the computers are configured to use internal DNS servers and WINS servers for name resolution. The domain has a certification authority (CA). You run the Get-CACrIDistributionPoint cmdlet and receive the output as shown in the following exhibit.



- A. Mastered
- B. Not Mastered

Answer: A

Explanation:



NEW QUESTION 166

You have an offline root certification authority (CA) named CA1. CA1 is hosted on a virtual machine. You only turn on CA1 when the CA must be patched or you must generate a key for subordinate CAs. You start CA1, and you discover that the filesystem is corrupted. You resolve the filesystem corruption and discover that you must reload the CA root from a backup. When you attempt to run the Restore-CARoleService cmdlet, you receive the following error message: "The process cannot access the file because it is being used by another process."

- A. Stop the Active Directory Domain Services (AD DS) service.
- B. Run the Restore-CARoleService cmdlet and specify the path to a valid CA key.
- C. Stop the Active Directory Certificate Services (AD CS) service.
- D. Run the Restore-CARoleService cmdlet and specify the Force parameter.

Answer: C

NEW QUESTION 170

Your network contains an Active Directory forest named contoso.com. You need to add a new domain named fabrikam.com to the forest. What command should you run? To answer, select the appropriate options in the answer area.

Answer Area

-DomainType

`-InstallDns:$true -NewDomainName fabrikam.com -ParentDomainName contoso.com`

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

References:
[https://technet.microsoft.com/en-us/library/hh974722\(v=wps.630\).aspx](https://technet.microsoft.com/en-us/library/hh974722(v=wps.630).aspx)

NEW QUESTION 173

Your network contains an Active Directory forest named contoso.com. The forest contains a single domain. The domain contains a server named Server1. An administrator named Admin01 plans to configure Server1 as a standalone certification authority (CA). You need to identify to which group Admin01 must be a member to configure Server1 as a standalone CA. The solution must use the principle of least privilege. To which group should you add Admin01?

- A. Administrators on Server1.
- B. Domain Admins in contoso.com
- C. Cert Publishers on Server1
- D. Key Admins in contoso.com

Answer: A

NEW QUESTION 177

Your network contains an Active Directory domain named contoso.com. The domain contains a server named Server1 that runs Windows Server 2016. Server1 has IP Address Management (IPAM) installed. IPAM is configured to use the Group Policy based provisioning method. The prefix for the IPAM Group Policy objects (GPOs) is IP. From Group Policy Management, you manually rename the IPAM GPOs to have a prefix of IPAM. You need to modify the GPO prefix used by IPAM.

What should you do?

- A. Click Configure server discovery in Server Manager.
- B. Run the Set-IpamConfiguration cmdlet.
- C. Run the Invoke-IpamGpoProvisioning cmdlet.
- D. Click Provision the IPAM server in Server Manager.

Answer: B

Explanation:

The Set-IpamConfiguration cmdlet modifies the configuration for the computer that runs the IPAM server. The -GpoPrefix<String> parameter specifies the unique Group Policy object (GPO) prefix name that IPAM

uses to create the group policy objects. Use this parameter only when the value of the ProvisioningMethod parameter is set to Automatic.

References: <https://technet.microsoft.com/en-us/library/jj590816.aspx>

NEW QUESTION 178

Your network contains an Active Directory forest. The forest contains two domains named contoso.com and fabrikam.com. The functional level of the forest and the domains is Windows Server 2008 R2.

You have a global group named Group1 in the contoso.com domain. Group1 contains the user accounts in contoso.com. You need to ensure that you can add the user accounts in the fabrikam.com domain to Group1. What should you do?

- A. Run the Set-LocalGroup cmdlet.
- B. Assign the Domain Controllers group in fabrikam.com permissions to Group1
- C. Modify the scope of Group1 to Domain local.
- D. Change Group1 to a distribution group.

Answer: C

NEW QUESTION 180

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

Your network contains an Active Directory domain named contoso.com. A user named User1 is in an organizational unit (OU) named OU1.

You are troubleshooting a folder access issue for User1.

You need a list of groups to which User1 is either a direct member or an indirect member. Solution: You instruct User 1 to sign in and run whoami.exe/groups.

Does this meet the goal?

- A. Yes
- B. No

Answer: A

Explanation:

References: <https://www.thewindowsclub.com/whoami-windows>


NEW QUESTION 181

Note: This question is part of a series of questions that use the same scenario. For your convenience, the scenario is repeated in each question. Each question presents a different goal and answer choices, but the text of the scenario is exactly the same in each question in this series.

Start of repeated scenario.

Your network contains an Active Directory domain named contoso.com. The domain contains a single site named Site1. All computers are in Site1.

The Group Policy objects (GPOs) for the domain are configured as shown in the exhibit. (Click the Exhibit button.)



The relevant users and client computer in the domain are configured as shown in the following table.

Object name	Object type	Object location
Computer	Computer	OU4
User1	User	OU4
User2	User	OU2

End of repeated scenario.

Which five GPOs will apply to User1 in sequence when the user signs in to Computer1? To answer, move the appropriate GPOs from the list to the answer area and arrange them in the correct order.

GPOs


Answer Area

- A1
- A3
- A4
- A5
- A6
- A7

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:



NEW QUESTION 185

Your network contains an Active Directory forest named contoso.com.

A partner company has a forest named fabrikam.com. Each forest contains one domain.

You need to provide access for a group named Research in fabrikam.com to resources in contoso.com. The solution must use the principle of least privilege. What should you do?

- A. Create an external trust from fabrikam.com to contoso.co
- B. Enable Active Directory split permissions in fabrikam.com.
- C. Create an external trust from contoso.com to fabrikam.co
- D. Enable Active Directory split permissions in contoso.com.
- E. Create a one-way forest trust from contoso.com to fabrikam.com that uses selective authentication.
- F. Create a one-way forest trust from fabrikam.com to contoso.com that uses selective authentication.

Answer: C

NEW QUESTION 190

You have an enterprise certification authority (CA). You create a global security group named Group1.

You need to provide members of Group1 with the ability to issue and manage certificates. The solution must prevent the Group1 members from managing certificates requested by members of the Domain Admins group.

Which two actions should you perform? Each correct answer presents part of the solution. NOTE: Each correct selection is worth one point.

- A. From the CA properties, modify the Policy Module settings.
- B. From the Certificate Templates console, modify the Security settings of the Administrator certificate template.
- C. From the CA properties, modify the security settings.
- D. From the CA properties, modify the Enrollment Agents settings.
- E. From the CA properties, modify the Certificate Managers Settings.
- F. From the Certificate Templates console, modify the Security settings of the User certificate template.

Answer: AE


NEW QUESTION 195

Your network contains an Active Directory forest named contoso.com. The forest contains an Active Directory Federation Services (AD FS) farm.

You install Windows Server 2016 on a server named Server2.

You need to configure Server2 as a node in the federation server farm.


Which cmdlets should you run? To answer, select the appropriate options in the answer area.



- A. Mastered
- B. Not Mastered

Answer: A

Explanation:



NEW QUESTION 198

You have an Active Directory Rights Management Services (AD RMS) server named RMS1. Multiple documents are protected by using RMS1. RMS1 fails and cannot be recovered.

You install the AD RMS server role on a new server named RMS2. You restore the AD RMS database from RMS1 to RMS2.

Users report that they fail to open the protected documents and to protect new documents. You need to ensure that the users can access the protected content. What should you do?

- A. From Active Directory Rights Management, update the Service Connection Point (SCP) for RMS1.
- B. From DNS, create an alias (CNAME) record for RMS2.
- C. From DNS, modify the service location (SRV) record for RMS1.
- D. From RMS2, register a service principal name (SPN) in Active Directory.

Answer: D

NEW QUESTION 203

Your network contains an Active Directory domain named contoso.com. The domain contains an enterprise certification authority (CA) named CA1.

You duplicate the Computer certificate template, and you name the template Cont_Computers.

You need to ensure that all of the certificates issued based on Cont_Computers have a key size of 4,096 bits. What should you do?

- A. From the properties of CA1, modify the Security settings.
- B. From the properties of CA1, modify the Request Handling settings.
- C. From the properties of the Computer template, modify the Key Attestation settings.
- D. From the properties of Cont_Computers, modify the Cryptography settings.

Answer: C

NEW QUESTION 205

Your company has two offices. The offices are located in Montreal and Seattle. The network contains an Active Directory forest named contoso.com. The forest contains three domain controllers configured as shown in the following table.

Server name	Active Directory site
Server1	Montreal
Server2	Montreal
Server3	Seattle

The company physically relocates Server2 from the Montreal office the Seattle office.

You discover that both Server1 and Server2 authenticate users who sign in to the client computers in the Montreal office. Only Server3 authentications users who sign in to the computers in the Seattle office.

You need to ensure that Server2 authenticates the users in the Seattle office during normal network operations. What should you do?

- A. From Windows Power Shell, run the Move-AD Directory Server cmdlet.
- B. From Active Directory Users and Computers, modify the Location property of Server2.
- C. From Windows PowerShell, run the Set-ADReplicationSite cmdlet.
- D. From Network Connections on Server2, modify the Internet Protocol Version 4 (TCP/IPv4) configuration.

Answer: C

NEW QUESTION 208

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

Your network contains an Active Directory forest named contoso.com. The forest contains a member server named Server1 that runs Windows Server 2016. All domain controllers run Windows Server 2012 R2.

Contoso.com has the following configuration. PS C:\> (Get-ADForest).ForestMode Windows2008R2Forest

PS C:\> (Get-ADDomain).DomainMode Windows2008R2Domain

PS C:\>

You plan to deploy an Active Directory Federation Services (AD FS) farm on Server1 and to configure device registration.

You need to configure Active Directory to support the planned deployment. Solution: You run adprep.exe from the Windows Server 2016 installation media. Does this meet the goal?

- A. Yes
- B. No

Answer: A

Explanation:

Device Registration requires Windows Server 2012 R2 forest schema.

NEW QUESTION 209

.....

Thank You for Trying Our Product

* 100% Pass or Money Back

All our products come with a 90-day Money Back Guarantee.

* One year free update

You can enjoy free update one year. 24x7 online support.

* Trusted by Millions

We currently serve more than 30,000,000 customers.

* Shop Securely

All transactions are protected by VeriSign!

100% Pass Your 70-742 Exam with Our Prep Materials Via below:

<https://www.certleader.com/70-742-dumps.html>