



Oracle

Exam Questions 1z0-083

Oracle Database Administration II

NEW QUESTION 1

Which four are true about duplicating a database using Recovery Manager (RMAN)? (Choose four.)

- A. Duplication can be done by having the auxiliary database instance pull backup sets from the target database instance.
- B. A connection to an auxiliary instance is always required.
- C. A subset of the target database can be duplicated.
- D. A new DBID is always created for the duplicated database.
- E. A connection to the recovery catalog instance is always required.
- F. A backup of the target database is always required.
- G. Duplication can be done by having the target database instance push copies to the auxiliary database instance.
- H. A connection to the target database instance is always required.

Answer: ABCG

Explanation:

A duplicate database is a copy of your target database. With the FOR STANDBY clause, it keeps the same unique database identifier (DBID); If FOR STANDBY not specified it creates a new DBID. The duplicate database can include the same content or only a subset from the source database. It can be in the same host or a separate host. The principal work of the duplication is performed by the auxiliary channels. These channels correspond to a server session on the auxiliary instance on the destination host for backup based duplication. For active database duplication the target channels perform the work of pushing data file copies to the auxiliary instance (if number of allocated target channels is greater than the number of allocated auxiliary channels).

NEW QUESTION 2

A container database (CDB) contains two pluggable databases PDB1 and PDB2.

The LOCAL_UNDO_ENABLED database property is set to FALSE in the CDB. Data file 24 of PDB2 was deleted and you need to restore and recover it.

The only RMAN backup that exists was created with the BACKUP DATABASE command while connected to CDB\$ROOT.

Which three are true? (Choose three.)

- A. Data file 24 can be recovered only while connected to PDB2.
- B. Data file 24 can be restored and recovered while connected to CDB\$ROOT.
- C. Data file 24 can be restored only while connected to CDB\$ROOT.
- D. Data file 24 can be restored only while connected to PDB2.
- E. Data file 24 can be recovered while connected to PDB2.
- F. Data file 24 can be recovered while connected to CDB\$ROOT.

Answer: BCF

NEW QUESTION 3

Which three are true about Database Point-in-Time Recovery? (Choose three.)

- A. The database must have FLASHBACK DATABASE ON to perform Database Point-in-Time Recovery.
- B. The database must be in MOUNT state when performing Database Point-in-Time Recovery.
- C. Database Point-in-Time Recovery is performed by the Managed Recovery Process (MRP)
- D. The Database must be in ARCHIVELOG mode.
- E. The target point for the recovery must be specified as a time or System Change Number (SCN).
- F. The database must be open RESETLOGS after Database Point-in-Time Recovery.

Answer: BDF

Explanation:

[https://docs.oracle.com/cd/B19306_01/backup.102/b14192/flashptr006.htm#:~:text=Database%20point%2Din%](https://docs.oracle.com/cd/B19306_01/backup.102/b14192/flashptr006.htm#:~:text=Database%20point%2Din%20time)

NEW QUESTION 4

Which two are true about data movement between a non-CDB and a PDB using Data Pump? (Choose two.)

- A. Tablespaces are automatically created as needed while importing full exports in either a non-CDB or a PDB.
- B. Oracle attempts to convert conventional database users to local users when moving schemas from a non-CDB to a PDB.
- C. A new PDB is automatically created when importing a non-CDB into a CDB.
- D. Oracle attempts to convert common users to conventional users when moving schemas from a PDB to a non-CDB.
- E. Moving data from a PDB to a non-CDB is only possible by using transportable tablespace export and import.
- F. Moving data from a non-CDB to a PDB is only possible by using conventional export and import.

Answer: DE

NEW QUESTION 5

Examine these actions:

- * 1. Create a new database for a recovery catalog.
- * 2. Create a tablespace with sufficient space in the catalog database for the recovery catalog.
- * 3. Configure ARCHIVELOG mode for the catalog database.
- * 4. Create a user to own the recovery catalog schema with quota on the tablespace that will contain the catalog.
- * 5. Grant the RECOVERY_CATALOG_OWNER role to the recovery catalog schema owner.
- * 6. Grant the SYSBACKUP privilege to the recovery catalog schema owner.

Which are the minimum actions that must be performed before executing the CREATE CATALOG command?

- A. 2, 4, 5, 6
- B. 1, 2, 3, 4, 5, 6
- C. 1, 2, 4, 5
- D. 2, 4, 5

E. 1, 3, 4, 5

Answer: D

NEW QUESTION 6

A container database called CDB1 is OMF-enabled.

PDB_FILE_NAME_CONVERT is not configured in CDB1. PDB1 was unplugged from CDB1 earlier in the week. Examine this command, which will be executed in CDB1:

```
CREATE PLUGGABLE DATABASE pdb1  
USING '/u01/app/oracle/oradata/pdb1.xml' SOURCE_FILE_NAME_CONVERT =  
('/u01/app/oracle/oradata/', '/u02/app/oracle/oradata/');
```

Which two are true? (Choose two.)

- A. PDB1 data files already exist in the correct location.
- B. DBMS_PDB.CHECK_PLUG_COMPATIBILITY must be run in CDB1 before executing the command.
- C. PDB_FILE_NAME_CONVERT must be set before executing the command.
- D. /u01/app/oracle/oradata/pdb1.xml does not contain the current locations of data files for PDB1.
- E. PDB1 must be dropped from CDB1.

Answer: AE

NEW QUESTION 7

Which three are true about Recovery Manager (RMAN) in Oracle Database 19c and later releases? (Choose three.)

- A. It is only possible for RMAN to connect to a pluggable database as a target if an RMAN Virtual Private Catalog is used.
- B. It is always possible for RMAN to connect to a pluggable database as a target if any RMAN Catalog is used.
- C. A Virtual Private Catalog used to register a container database must be created in a pluggable database.
- D. A Virtual Private Catalog used to register a container database can be created in a pluggable database.
- E. It is always possible for RMAN to connect to a pluggable database as a target.
- F. A Virtual Private Catalog used to register a container database can be created in a non-container database.

Answer: DEF

NEW QUESTION 8

Which three are true about Optimizer Statistics Advisor? (Choose three.)

- A. It can be run only manually.
- B. It is part of the DBMS_ADVISOR package.
- C. It can recommend changes to improve the statistics gathering process.
- D. It always analyzes all schemas in the database.
- E. It runs automatically every night by default.
- F. It is part of the DBMS_STATS package.

Answer: ACF

Explanation:

<https://mikedietrichde.com/2017/08/22/oracle-optimizer-statistics-advisor-in-oracle-database-12-2-0-1/> <https://www.oracle.com/technetwork/database/bi-datawarehousing/twp-bp-for-stats-gather-19c-5324205.pdf>

NEW QUESTION 9

A user complains about poor database performance.

You want to verify if the user's session has waited for certain types of I/O activity. Which view displays all waits waited on by a session at least once?

- A. V\$SESSION_EVENT
- B. V\$SESSTAT
- C. V\$SESSION_WAIT
- D. V\$SESSION_WAIT_CLASS
- E. V\$SESSION

Answer: A

NEW QUESTION 10

Which three are true about managing memory components in an Oracle database instance? (Choose three.)

- A. With Automatic Shared Memory Management, the database instance can increase the Large Pool size by reducing the Shared Pool size.
- B. With Automatic Memory Management, the database instance can increase the System Global Area size by reducing the Program Global Area size.
- C. Automatically tuned and resized System Global Area components will always revert to their initial sizes after an instance restart.
- D. Automatic Memory Management must be used together with locking the System Global Area into physical memory.
- E. With Automatic Shared Memory Management, the database instance can increase the Program Global Area size by reducing the System Global Area size.
- F. On-Line Transaction Processing systems often use less Program Global Area than Decision Support Systems.

Answer: AEF

NEW QUESTION 10

Which three are true about opatchauto? (Choose three.)

- A. It performs a shutdown and then a restart of all processes in both Oracle Grid Infrastructure and Oracle Database home during the patching process.
- B. It must be invoked by a user with root user privileges.

- C. Patches are applied via opatchauto.
- D. Users must always input patch plans to opatchauto.
- E. It requires the Oracle Grid Infrastructure and Oracle Database instances to be shut down before being invoked.
- F. It applies patches in nonrolling mode by default.
- G. It is used to apply interim patches to Oracle Grid Infrastructure and Oracle Database home combinations.

Answer: ABC

NEW QUESTION 12

Which two are true about Oracle Database Configuration Assistant (DBCA) templates? (Choose two.)

- A. The General Purpose of Transaction Processing templates are most suitable when concurrency and recoverability are key criteria.
- B. Oracle DBCA templates can store only logical structure and not database files.
- C. New templates can only be created by modifying an existing user-created template.
- D. The Data Warehouse template is most suitable when transaction response time is the key criterion.
- E. Oracle DBCA templates can be used to create new databases and duplicate existing databases.

Answer: AE

NEW QUESTION 15

Examine these queries and their output:

```
SQL> select pdb_name, name, pdb_restore_point, clean_pdb_restore_point
  2 from v$restore_point natural join dba_pdbs;
```

PDB_NAME	NAME	PDB_RESTORE_POINT	CLEAN_PDB_RESTORE_POINT
PDB1	R1	YES	NO

```
SQL> select property_name, property_value
  2 from database_properties where property_name like '%UNDO%';
```

PROPERTY_NAME	PROPERTY_VALUE
LOCAL_UNDO_ENABLED	FALSE

An online RMAN backup of the CDB was taken an hour before Restore Point R1 was created. You want to recover PDB1 to Restore Point R1. How do you achieve this?

- A. Execute FLASHBACK PLUGGABLE DATABASE PDB1 TO RESTORE POINT R1 by using RMAN while connected to PDB1.
- B. Execute FLASHBACK PLUGGABLE DATABASE PDB1 TO RESTORE POINT R1 by using SQL while connected to PDB1.
- C. Execute FLASHBACK PLUGGABLE DATABASE PDB1 TO RESTORE POINT R1 by using SQL while connected to CDB\$ROOT.
- D. Execute FLASHBACK PLUGGABLE DATABASE PDB1 TO RESTORE POINT R1 by using RMAN while connected to CDB\$ROOT.
- E. This cannot be done due to the lack of a clean restore point.

Answer: B

NEW QUESTION 18

Which two are true about Rapid Home Provisioning (RHP), which has been available since Oracle 18c? (Choose two.)

- A. It is an Oracle Database service.
- B. It cannot be used to upgrade Oracle Database homes.
- C. It can be used to provision applications.
- D. It can be used to patch Grid Infrastructure homes containing Oracle Restart.
- E. It can be used to provision middleware.

Answer: DE

NEW QUESTION 23

Which two are true about duplicating pluggable databases (PDBs) with RMAN? (Choose two.)

- A. Two or more PDBs can be duplicated with the same RMAN DUPLICATE command.
- B. All tablespaces belonging to a PDB must be duplicated when duplicating the PDB.
- C. The auxiliary instance is automatically created with ENABLE_PLUGGABLE_DATABASE = TRUE.
- D. A user with SYSDBA or SYSBACKUP must be logged in with RMAN to the PDB to duplicate it.
- E. CDB\$ROOT and PDB\$SEED are automatically duplicated.

Answer: CD

NEW QUESTION 28

How do you configure a CDB for local undo mode?

- A. Open the CDB instance in upgrade mode.
- B. In cdb\$root, execute alter database local undo on, and then restart the CDB instance.
- C. Open the CDB in read-only mode.
- D. In cdb\$root, execute alter database local undo on, and then change the CDB to read/write mode.
- E. Open the CDB instance in restricted mode.
- F. In cdb\$root, execute alter database local undo on.

- G. create an undo tablespace in each PDB, and then restart the CDB instance
- H. Open the CDB instance in restricted mod
- I. In cdb\$root, drop the undo tablespac
- J. Execute alter database local undo on in each PDB, and then restart the CDB instance.
- K. Open the CDB instance in upgrade mod
- L. In each PDB, execute alter database local undo on, create an undo tablespace, and then restart the CDB instance.

Answer: D

NEW QUESTION 30

Which three are true about RMAN persistent configuration settings, administration, and their effects? (Choose three.)

- A. A target database's persistent RMAN configuration settings are always stored in the target's control file
- B. Backup older than the recovery window retention policy are always deleted automatically if the backup location has insufficient space.
- C. Backups written to the fast recovery area (FRA) that are obsolete based on the redundancy retention policy can be deleted automatically to free space.
- D. The RMAN SHOW ALL command displays only settings with nondefault values.
- E. A target database's persistent RMAN configuration settings are always synchronized automatically with the RMAN catalog.
- F. The V\$RMAN_CONFIGURATION view displays only settings with values that have been modified.
- G. A DBA must specify either a redundancy retention policy or a recovery window retention policy.

Answer: ABF

NEW QUESTION 33

Examine this configuration:

- > CDB1 is a container database.
- > COMMON_USER_PREFIX is C##.
- > PDB1 is a pluggable database contained in CDB1.
- > APP1_ROOT is an application container contained in CDB1.
- > APP1_PDB1 is an application PDB contained in APP1_ROOT.

You execute these commands successfully:

```
$ sqlplus sys/oracle_4U@localhost:1521/cdb1 as sysdba

SQL> CREATE USER c##user1 identified by oracle_4U container=all;
User created.

SQL> ALTER SESSION SET CONTAINER=pdb1;
Session altered.

SQL> CREATE USER p1_user1 identified by oracle_4U;
User Created.

SQL> ALTER SESSION SET CONTAINER=app1_root;
Session altered.

SQL> ALTER PLUGGABLE DATABASE APPLICATION app1_cdb1_app BEGIN INSTALL '1.0';
Session altered.

SQL> CREATE USER app1_user1 IDENTIFIED BY oracle_4U;
User Created.

SQL> ALTER PLUGGABLE DATABASE APPLICATION app1_cdb1_app END INSTALL '1.0';
Pluggable database altered.
```

Which two are true? (Choose two.)

- A. APP1_USER1 can be created in PDB1.
- B. APP1_USER1 can be created in CDB1.
- C. APP1_USER1 can have different privileges in each Application PDB contained in APP1_ROOT.
- D. C##_APP_USER1 can be created in CDB1.
- E. P1_USER1 can be created in CDB1.
- F. C##_USER1 will have the same privileges and roles granted in all PDBs in CDB1.

Answer: CF

NEW QUESTION 34

Examine this command:

\$ rhpctl move database -sourcehome Oracle_home_path -destinationhome Oracle_home_path For which two purposes can you use this command? (Choose two.)

- A. to switch an existing Oracle Database home to a newer release of Oracle software on the same server
- B. to switch to a read-only Oracle home
- C. to switch back to the previous Oracle home as part of a rollback operation
- D. to switch the Oracle Database home when using a centralized Rapid Home Provisioning server
- E. to switch to a patched Oracle Database home

Answer: CE

Explanation:

You can use `rhctl move gihome` command with the same syntax to switch from the current Oracle Grid Infrastructure home to a patched home. The `rhctl` command enables you to switch from your current Oracle Grid Infrastructure or Oracle Database home to patched Oracle home so that you can provision the new Oracle home as gold image. You can also use the `rhctl` command to switch back to the old Oracle home, if you want to roll back the operation.

NEW QUESTION 38

Which four are true about RMAN backup sets? (Choose four.)

- A. A backup piece can belong to only one backup set.
- B. A data file can be split into multiple sections stored in different backup sets.
- C. A data file can be split into multiple sections stored in different backup pieces in the same backup set.
- D. Blocks from multiple data files can be contained in one backup piece.
- E. A backup set can contain only one backup piece.
- F. A backup set must be written to media.
- G. A backup set must be written to disk.
- H. Blocks from multiple data files can be contained in one backup set.

Answer: BEFH

NEW QUESTION 42

Which three are true about Automatic Workload Repository (AWR), Automatic Database Diagnostic Monitor (ADDM), and the Manageability Monitor (MMON) background process? (Choose three.)

- A. ADDM can recommend shrinking the buffer cache.
- B. ADDM can recommend extending the buffer cache.
- C. By default, MMON creates an AWR snapshot every 30 minutes.
- D. ADDM performs its analysis only when a DBA requests it.
- E. By default, AWR snapshots are automatically purged after eight days.
- F. AWR snapshots must be deleted when no longer required by ADDM.

Answer: AEF

NEW QUESTION 43

Which two are true about server-generated alerts? (Choose two.)

- A. Stateful alerts must be created by a DBA after resolving the problem.
- B. Stateless alerts can be purged manually from the alert history.
- C. Stateless alerts can be cleared manually.
- D. Stateless alerts are automatically cleared.
- E. Stateful alerts are purged automatically from the alert history.

Answer: BC

Explanation:

Except for the tablespace space usage metric, which is database related, the other metrics are instance related. Threshold alerts are also referred to as stateful alerts which are automatically cleared when an alert condition clears. Stateful alert appears in `DBA_OUTSTANDING_ALERTS` and when cleared go to `DBA_ALERT_HISTORY`. Other server-generated alerts correspond to specific database events such as ORA-* errors, "Snapshot too old" errors, Recovery Area Low on Free Space, Resumable Session Suspended. These are non threshold based alerts, also referred to as stateless alerts. Stateless alerts go directly to the History table. +++ Most alerts (such as "Out of Space") are cleared automatically when the cause of the problem disappears. However, other alerts (such as generic alert log errors) are sent to you for notification and must be acknowledged by you. After taking the corrective measures, you acknowledge an alert by clearing or purging it. Clearing an alert sends the alert to the Alert History which is accessible from Monitoring sub menu. Purging an alert removes it from the Alert History.

NEW QUESTION 44

Which two are true about OS groups and users for OracleGrid Infrastructure and the Oracle Relational Database Management System (RDBMS)? (Choose two.)

- A. By default, members of the OSASM group can access Automatic Storage Management and RDBMS instances.
- B. The primary group for the Oracle Grid Infrastructure and Oracle Database owners must be the Oracle Inventory group.
- C. The Oracle Grid Infrastructure installation must be owned by the grid user.
- D. The Oracle Grid Infrastructure owner owns Oracle Restart and Oracle Automatic Storage Management binaries.
- E. The Oracle Grid Infrastructure owner must have OSOPER, OSBACKUPDBA, and OSKMDBA as secondary groups.
- F. The same OSDBA group must be used for Automatic Storage Management and the Oracle Database.

Answer: EF

NEW QUESTION 47

Examine this configuration:

- * 1. CDB1 is a container database running in archive log mode.
- * 2. Multiple uncommitted transactions are running in CDB1.
- * 3. Redo log groups 1 and 2 are inactive.
- * 4. Redo log group 3 is the current group.

All members of redo log group 3 are lost before it is archived. Examine these possible steps:

- * 1. SHUTDOWN ABORT
- * 2. STARTUP NOMOUNT
- * 3. STARTUP MOUNT
- * 4. ALTER DATABASE MOUNT

- * 5. RESTORE DATABASE
- * 6. RECOVER DATABASE NOREDO
- * 7. RECOVER DATABASE UNTIL AVAILABLE
- * 8. RESTORE ARCHIVELOG ALL
- * 9. ALTER DATABASE OPEN
- * 10. ALTER DATABASE OPEN RESETLOGS

Choose the minimum required steps in the correct order to recover the database.

- A. 1, 3, 5, 6, 10
- B. 1, 3, 5, 8, 6, 10
- C. 1, 3, 5, 6, 9
- D. 1, 3, 5, 6, 10
- E. 1, 2, 5, 7, 4, 10
- F. 1, 3, 5, 7, 10

Answer: D

NEW QUESTION 51

Which two are true about the Oracle dataabsemethodology? (Choose two.)

- A. The Oracle Database time model should be used to find the database and instance areas most in need of tuning.
- B. Tuning activities should stop once the user is satisfied with performance.
- C. Tuning activities should stop once agreed service levels for performance have been met.
- D. The database instance memory should always be tuned before tuning any file systems.
- E. SQL statements should always be tuned before tuning any file systems.
- F. The alert log should be used to find the database and instance areas most in need of tuning.

Answer: CF

NEW QUESTION 56

Which three are true? (Choose three.)

- A. Virtual Private Database (VPD) policies on objects in an application root are automatically synchronized with all application PDBs contained in the application container.
- B. Application-common TSDP policies are always container specific.
- C. Application-common Transparent Security Data Protection (TSDP) policies can be created only within an application install/patch BEGIN-END block.
- D. Application-common Oracle Label Security (OLS) policies cannot be created in an application root outside an install/patch BEGIN-END block.
- E. Fine-grained auditing (FGA) policies in an application root are automatically synchronized to all application PDBs contained in the application container.
- F. Application-common OLS policies can be created in an application root inside an install/patch BEGIN-END block.
- G. Unified auditing can be automatically synchronized to all application PDBs in an application container.

Answer: ADG

NEW QUESTION 61

Which two are true about the Automatic Database Diagnostic Monitor (ADDM)? (Choose two.)

- A. It analyzes a period of time corresponding to the 12 hours of activity.
- B. It runs automatically after each AWR snapshot.
- C. A DBA can run it manually.
- D. Results are written to the alert log.
- E. It analyzes a period of time corresponding to the last day of activity.

Answer: BC

NEW QUESTION 62

Examine this configuration:

- * 1. The ORCL database data files are in Automatic Storage Management (Oracle ASM) disk group +DATA. * 2. ORCL uses disk group +FRA for the Fast Recovery Area.
- * 3. LISTENER is the listener for ORCL.
- * 4. The database, listener, ASM instance, and ASM disk groups are managed by Oracle Restart. 5. All components are currently shut down.

You execute this command:

```
$ srvctl start database -d ORCL
```

What is the outcome?

- A. The ORCL database, the Oracle ASM instances, the +DATA and +FRA disk groups, and the LISTENER are started.
- B. Only the ORCL database instance is started.
- C. Only the ORCL database and the ASM instances are started.
- D. Only the ORCL database instance, the Oracle ASM instance, and the +DATA and +FRA disk groups are started.
- E. Only the ORCL database instance and the +DATA and +FRA disk groups are started.

Answer: D

NEW QUESTION 67

Which two are true about unplugging an application container from a container database and plugging it into a different container database?

- A. It requires local undo mode in both container databases.
- B. It requires only local undo mode in the database where the application container will be unplugged.

- C. Plugging the application root into a different CDB plugs In all its application PDBs.
- D. Application PDBs In the application container must be unplugged before the application root is unplugged.
- E. Unplugging the application root from a CDB unplugs all its application PDBs.
- F. The application root of an application container should be plugged Into the other CDB before its application PDBs are plugged in.

Answer: DE

NEW QUESTION 70

A database is configured in ARCHIVELOG mode.

A full RMAN backup exists but no control file backup to trace has been taken. A media failure has occurred. In which two scenarios is incomplete recovery required? (Choose two.)

- A. after losing a SYSAUX tablespace data file
- B. after losing all members of an INACTIVE online redo log group
- C. after losing all members of the CURRENT online redo log group
- D. after losing all copies of the control file
- E. after losing an UNDO tablespace that is in use

Answer: BD

NEW QUESTION 74

Which three are true about upgrading Oracle Grid Infrastructure? (Choose three.)

- A. A direct upgrade can be performed only from the immediately preceding Oracle Grid Infrastructure version.
- B. The newer version is installed in a separate Oracle Grid Infrastructure home on the same server as the existing version.
- C. An existing Oracle base can be used.
- D. The upgrade process will automatically install all mandatory patches for the current version of Oracle Grid Infrastructure.
- E. Existing Oracle Database instances must be shut down before starting the upgrade.
- F. Only the grid user can perform the upgrade.

Answer: DEF

NEW QUESTION 78

Which three are true about an application seed pluggable database (PDB)? (Choose three.)

- A. It is automatically synchronized with its application root PDB when an application is upgraded.
- B. It cannot be added to an application container after the application container has already been created.
- C. A new application PDB created by cloning an application seed PDB can have an old version of the application installed after cloning completes.
- D. It is automatically synchronized with its application root PDB when an application is installed.
- E. It cannot be dropped from its application container.
- F. A new application PDB created by cloning an application seed PDB can have an up-to-date version of the application installed after cloning completes.
- G. It is not required in an application container.

Answer: DFG

NEW QUESTION 82

Which three are true about the SQL Tuning Advisor? (Choose three.)

- A. It checks each query being analyzed for stale statistics.
- B. It checks each query being analyzed for missing statistics.
- C. It only recommends syntactic changes to SQL statements.
- D. It can recommend semantic changes to SQL statements.
- E. It considers all SQL statements being analyzed by the advisor task as a group.
- F. It builds SQL profiles for each poorly performing SQL statement to prevent regressions.

Answer: ABF

NEW QUESTION 87

Which two are true about automatic block repair? (Choose two.)

- A. Automatic block repair can repair blocks with no standby database if DB_BLOCK_CHECKING = TRUE.
- B. Real-Time Query must be enabled on a physical standby database for automatic block repair to be done on that physical standby database.
- C. Real-Time Query must be enabled on a primary database for automatic block repair to be done on any of its physical standby databases.
- D. It is not possible for media corrupt blocks.
- E. Real-Time Query must be enabled on a physical standby database for automatic block repair to be done on its primary database.

Answer: BC

NEW QUESTION 89

While backing up to an SBT channel, you determine that the read phase of your compressed Recovery Manager (RMAN) incremental level 0 backup is a bottleneck.

FORCE LOGGING is enabled for the database.

Which two could improve read performance? (Choose two.)

- A. Increase the size of tape I/O buffers.
- B. Disable FORCE LOGGING for the database.
- C. Increase the size of the database buffer cache.

- D. Enable asynchronous disk I/O.
- E. Increase the level of RMAN multiplexing.

Answer: DE

NEW QUESTION 90

Which three are true about Oracle Grid Infrastructure for a Standalone Server?

- A. It includes both Oracle Restart and Oracle Automatic Storage Management (ASM) software.
- B. It creates one disk group during installation.
- C. It requires the operating system oracle_base environment variable to be predefined before installation.
- D. It requires Oracle ASM Filter Driver (ASMFD) to manage Automatic Storage Management (ASM) disks
- E. It requires Oracle ASMLib to manage Automatic Storage Management (ASM) disks.
- F. Automatic Storage Management (ASM) requires that O/S groups OSASM and OSDBA be assigned as secondary groups for its installation owner.

Answer: ABD

NEW QUESTION 95

Which two are true about creating RMAN backups for an Oracle container database? (Choose two.)

- A. Tablespaces from different PDBs with identical names must be backed up by connecting RMAN separately to each PDB to back up the tablespaces.
- B. The BACKUP DATABASE command will create a pluggable database (PDB) backup when RMAN is connected to a PDB.
- C. SPFILE backups can be created while connected to an application root PDB.
- D. The BACKUP DATABASE PLUS ARCHIVELOG command will back up archive logs when RMAN is connected to a PDB.
- E. The BACKUP PLUGGABLE DATABASE command can be used to back up CDB\$ROOT.

Answer: AB

NEW QUESTION 99

Which two are true about Oracle Optimizer Statistics, their use, and their collection? (Choose two.)

- A. The number of table rows is considered when evaluating the cost of accessing a table using an index.
- B. Index balanced B*Tree height is considered when evaluating the cost of using an index.
- C. The Statistics Advisor can help recommend the best way to gather statistics.
- D. Statistics collected using DBMS_STATS always yield the best optimizer result.
- E. The Statistics Advisor generates actions for all recommendations.

Answer: CD

NEW QUESTION 104

While backing up to the Oracle Fast Recovery Area (FRA), you determined the backup is taking too long and suspect a performance bottleneck. Which three are true about diagnosing and tuning these problems? (Choose three.)

- A. If an RMAN BACKUP VALIDATE command takes roughly the same time as an actual backup, then both read and write I/O are likely bottlenecks.
- B. Setting DBWR_IO_SLAVES to a non zero value can improve backup performance when using synchronous I/O.
- C. If an RMAN BACKUP VALIDATE command takes noticeably less than an actual backup, then write I/O is a likely bottleneck.
- D. If an RMAN BACKUP VALIDATE command takes roughly the same time as an actual backup, then read I/O is a likely bottleneck.
- E. Data files with a high value in V\$BACKUP_SYNC_IO.DISCRETE_BYTES_PER_SECOND are a potential performance bottleneck when synchronous I/O is used.
- F. Setting DBWR_IO_SLAVES to a non zero value can improve backup performance when using asynchronous I/O.
- G. Data files with a high value in V\$BACKUP_ASYNC_IO.SHORT_WAITS are a potential performance bottleneck when asynchronous I/O is used.

Answer: BCE

NEW QUESTION 106

Which two are true about changing the LOCAL_UNDO_ENABLED property to false in a CDB? (Choose two.)

- A. After the change, only a common user with the required privilege can create an undo tablespace in CDB\$ROOT.
- B. Any new PDB and existing PDBs are automatically configured to use the default undo tablespace in CDB\$ROOT.
- C. After the change, only one undo tablespace can exist in CDB\$ROOT.
- D. After the change, any user with the required privilege can create an undo tablespace in the PDBs.
- E. Undo tablespaces existing in PDBs must be dropped before the change.
- F. After the change, each existing PDB has to be reopened for the new undo mode to take effect.

Answer: BC

Explanation:

You can set a CDB in local UNDO mode either at CDB creation or by altering the CDB property. When the database property LOCAL_UNDO_ENABLE is FALSE, which is the default, there is only one UNDO tablespace that is created in the CDB root, and that is shared by all containers. When LOCAL_UNDO_ENABLE is TRUE, every container in the CDB uses local undo and each PDB must have its own local UNDO tablespace. To maintain ease of management and provisioning, UNDO tablespace creation happens automatically and does not require any action from the user. When a PDB is opened and an UNDO tablespace is not available, it is automatically created.

NEW QUESTION 107

Which three methods can be used for heap table data migration after upgrading a database? (Choose three.)

- A. using Database Replay

- B. using SQL Developer
- C. using Oracle Data Pump
- D. using operating system file copy utilities
- E. using Database Upgrade Assistant
- F. using the CREATE TABLE AS SELECT SQLstatement

Answer: DEF

NEW QUESTION 111

.....

Thank You for Trying Our Product

We offer two products:

1st - We have Practice Tests Software with Actual Exam Questions

2nd - Questons and Answers in PDF Format

1z0-083 Practice Exam Features:

- * 1z0-083 Questions and Answers Updated Frequently
- * 1z0-083 Practice Questions Verified by Expert Senior Certified Staff
- * 1z0-083 Most Realistic Questions that Guarantee you a Pass on Your FirstTry
- * 1z0-083 Practice Test Questions in Multiple Choice Formats and Updatesfor 1 Year

100% Actual & Verified — Instant Download, Please Click
[Order The 1z0-083 Practice Test Here](#)