

Exam Questions 1z0-900

Java EE 7 Application Developer

<https://www.2passeasy.com/dumps/1z0-900/>



NEW QUESTION 1

You have a set up min-max planning at the subinventory level with the following to source item AS12312 for Organization: M1:

- ▶ Source Type: Organization
- ▶ Organization: M1

What type of supply request will be generated?

- A. Movement request
- B. Internal Requisition
- C. Purchase Requisition
- D. None; this is an invalid setup
- E. Intraorganization transfer order

Answer: E

NEW QUESTION 2

You need to load on-hand balances for go live. Which template should be used for this?

- A. InventoryBalanceImportTemplate.xlsm
- B. InventoryReservationImportTemplate.xlsm
- C. InventoryTransactionImportTemplate.xlsm
- D. InventoryOnHandBalanceTemplate.xlsm
- E. InventoryMiscellaneousTrxTemplate.xlsm

Answer: C

NEW QUESTION 3

You set up an item organization and an inventory organization as part of your customer's requirement. Your customer has, by mistake, performed a receipt transaction in the item organization instead of the inventory organization. How will you rectify this error?

- A. Perform a correct receipt transaction and receive the item in the correct organization.
- B. Perform a return of item and receive the item again in the correct organization.
- C. It is not possible to receive item in the item organization.
- D. Perform a new receipt in the correct organization and retain the stock in item organization because it does not affect any other operation.

Answer: C

NEW QUESTION 4

Given an HttpServletRequest request and an EJB SessionContext ctx. Which is a valid way to retrieve the Principal invoking either behavior?

- A. request.getCallerPrincipal() and ctx.getCallerPrincipal()
- B. request.getUserPrincipal() and ctx.getUserPrincipal()
- C. request.getCallerPrincipal() and ctx.getUserPrincipal()
- D. request.getUserPrincipal() and ctx.getCallerPrincipal()

Answer: A

NEW QUESTION 5

A user is performing a material return transaction against access stock in an Inventory organization; however, the user fails to select the Physical Material Return Required check box. What happens?

- A. It is considered as accounting-only return.
- B. Stock is reserved.
- C. A transfer order line remains open.
- D. Shipment lines are created.

Answer: A

NEW QUESTION 6

Your customer has received 50 boxes of item A (priced at \$10 per box) and these items are transferred to the asset Inventory organization. There are no additional quantities in any of the inventory organizations apart from the received 50 boxes. After running all the necessary cost accounting and receipt accounting processes successfully, the item valuation for item A is still zero. What is the reason?

- A. Items are not consigned items but ownership is still with the supplier.
- B. Items are consigned items and ownership lies with the supplier.
- C. Items are consigned and ownership is transferred to "owned".
- D. Items are not consigned items and ownership is with the organization.

Answer: B

NEW QUESTION 7

Which execution document is created by supply chain orchestration when a make request is received?

- A. Transfer Order
- B. Work Order
- C. Routing Create
- D. Movement Request
- E. Purchase Order

Answer: B

NEW QUESTION 8

Your customer wants you to restrict the values of Receivables Transaction Type for their three business units. You created three reference data sets for each business unit. However, the user is still able to see the values in the Transaction Type list of values which are not defined in the business unit data set. What is the reason for this behavior?

- A. The user is seeing the values defined in the common set
- B. The values should be removed from the common set.
- C. Receivables Transaction Types are common across business units.
- D. Reference Data Sets cannot be used uniquely across business unit
- E. They can only be used at the Legal Entity level.
- F. The user has multiple Business Unit Roles and, therefore, is able to see additional values.

Answer: A

NEW QUESTION 9

Given the code fragments:

```
@Stateless
public class HRService {
    @PersistenceContext(unitName="HRApp-PU")
    private Employee findEmployee(String badgeId) {
        return entityManager.find(Employee.class, badgeId);
    }
    public void updateEmployee(Employee emp) {
        // add code here
    }
}

@WebServlet(name="HR", urlPatterns={"/hr"})
public class HRServlet extends HttpServlet {
    @EJB
    private HRService hrService;
    public void doGet(HttpServletRequest req, HttpServletResponse res)
        throws ServletException, IOException {
        String badgeId = req.getParameter("badge");
        String name = req.getParameter("name");
        Employee emp = hrService.findEmployee(badgeId);
        emp.setName(name);
        hrService.updateEmployee(emp);
    }
}
```

What code should you add to the body of the updateEmployee method in order to save pending changes to the database?

- A. entityManager.merge(emp);
- B. Context
- C. Ctx = new InitialContext(); UserTransaction utx = (UserTransaction)ctx.lookup("java:comp/UserTransaction"); utx.begin(); entityManager.merge(emp); utx.commit();
- D. entityManager.getTransaction().begin(); entityManager.merge(emp); entityManager.getTransaction().commit();

Answer: B

NEW QUESTION 10

Given:

```
1:  @Stateless
2:  public class AlarmManager {
3:      @Resource
4:      private TimerService timerService;
5:      public void createAlarm(Date alarmDate) {
6:          Alarm myAlarm = new Alarm();
7:          TimerConfig config = new TimerConfig();
8:          config.setInfo(myAlarm.getId());
9:
10:     }
11:     @Timeout
12:     public void handleTimeout(Timer myTimer) {
13:         int alarmId = (int)myTimer.getInfo();
14:         showAlarmMessage(alarmId);
15:     }
16: }
```

You are creating an Alarm management system. When you create a new alarm, you want it to create an alert that is triggered once at the specified time. Which method should you call on Line 9 to create the timer?

- A. timerService.createCalendarTimer(alarmDate, config);
- B. timerService.createSingleActionTimer(alarmDate, config);
- C. timerService.createIntervalTimer(alarmDate, -1, config);
- D. timerService.createTimer(alarmDate, -1, config);

Answer: D**NEW QUESTION 10**

While creating the consignment agreement, you have set the consumption advice frequency to "monthly" and the billing cycle close date to "31st August, 2020". What will happen when you run the consumption advice process on 31st August, 2020?

- A. No consumption advice is created.
- B. Consumption advice is created and the next closing date is set to 30th October, 2020.
- C. Consumption advice is created and the next closing date is set to 7th September, 2020.
- D. Consumption advice is created and the next closing date is set to 30th September, 2020.

Answer: D**NEW QUESTION 11**

Reorder quantities for an item subinventory are calculated using Fixed Lot Multiple and Round Order Quantity. Assume that the reorder quantity is 24 and you specify 10 for the fixed lot multiple and enable rounding the reorder quantity. What will be the reorder quantity?

- A. 30
- B. 20
- C. 24
- D. 25

Answer: A**NEW QUESTION 13**

You defined an Inventory Organization that is meant to track the contract manufacturing process outsourced to a supplier. Where do you mention that this Inventory Organization is meant for one particular supplier?

- A. Manage Inventory Organization Locations
- B. Manage Subinventories
- C. Manage Inventory Organizations
- D. Manage Contract Manufacturing Relationships
- E. Manage Item Organizations

Answer: C**NEW QUESTION 18**

Your client has just up their chart of accounts. They are now designing the organization hierarchy in the system. Which three structures should the customer use the to do this?

- A. Warehouse, Subinventory, and Locators
- B. Cost Centers, Organizations, and Locations
- C. Cost type, Default Cost Structure, and Item Organization
- D. Divisions, Business Units, and Departments

Answer: D

NEW QUESTION 20

Given:

```
@Singleton
public class MySessionBean {
    // line 1
    public void callMethod() {
        // implementation logic
    }
    //Constructor and other business methods
}
```

Which annotation do you use on line 1 to ensure that clients immediately time out when attempting to concurrently invoke callMethod () while another client is already accessing the bean?

- A. @AccessTimeout (value = 1, unit = TimeUnit.SECONDS)
- B. @AccessTimeout (null)
- C. @AccessTimeout (-1)
- D. @AccessTimeout (0)

Answer: D**NEW QUESTION 21**

Your customer wants to transfer material from facility A to facility B. They are using the interorganization transfer to perform the transaction in the system. Their requirement is "whenever material is transferred from their facility A to facility B, facility B needs to pay 5% additional amount to the current item cost". Which task must be set up to accomplish this requirement?

- A. Manage Interorganization Markup
- B. Manage Transfer Pricing Rules
- C. Manage Cost Plus Pricing
- D. Manage Cost Organization Relationships
- E. Manage Organization Relationships

Answer: D**NEW QUESTION 25**

Which of these can be a JPA entity?

- A. Enum type
- B. Abstract class
- C. Interface type
- D. Final class

Answer: A**NEW QUESTION 29**

Given the code fragment:

```
<servlet-mapping>
  <servlet-name>firstServlet</servlet-name>
  <url-pattern>/*</url-pattern>
</servlet-mapping>

<servlet-mapping>
  <servlet-name>secondServlet</servlet-name>
  <url-pattern>/</url-pattern>
</servlet-mapping>

<servlet-mapping>
  <servlet-name>thirdServlet</servlet-name>
  <url-pattern>/</url-pattern>
</servlet-mapping>
```

When the context root is requested <http://host:port/context>, how does the container resolve this mapping?

- A. thirdServlet handles the request.
- B. firstServlet handles the request.
- C. The container throws an error at startup.
- D. secondServlet handles the request.

Answer: C**NEW QUESTION 32**

Which two approaches would result in the current date being added to the output of a JSP? (Choose two.)

- A. `<%= out.println(new java.util.Date()) %>`
- B. `<% out.println(new java.util.Date()); %>`

- C. <%= new java.util.Date() %>
- D. <% System.out.println(new java.util.Date()); %>

Answer: AC

NEW QUESTION 34

Given the code fragment:

1. JAXBContext jc = JAXBContext.newInstance("com.oracle.foo");
2. Unmarshaller u = jc.createUnmarshaller();
- 3.
4. InputStream in = new FileInputStream("fooStuff.xml");
5. Object o = u.unmarshal (in);

Which method should be used on line 3 to enable default validation mechanism?

- A. u.setProperty(String, Object)
- B. u.setProperty(Schema)
- C. u.setEventHandler(ValidationEventHandler)
- D. u.setAdapter(XmlAdapter)

Answer: D

NEW QUESTION 38

Which statement is false about generating an Internal Material Transfer for expense destination Transfer Order?

- A. Expense destination transfers are expensed upon delivery hitting an expense account instead of an inventory asset account as would be the case for inventory destination transfers.
- B. If the receipt is not required Cost Accounting will pick up both the issue and receipt activity from the single inventory transaction "Transfer Order Issue"
- C. If the receipt is required, the accounting of the receipt delivery transaction will happen only on Receipt Accounting because there will not be a delivery transaction in inventory.
- D. Costs for Lot and serial numbers are tracked at put away time when the items are recorded in a destination inventory location.
- E. Cost Management will pick up the delivery transaction directly from Receiving and process the expense accounting from that transaction.

Answer: D

NEW QUESTION 41

Your customer wants to prevent customer shipments out of a specific subventory. They are setting up a material status to control this. Which transaction do they need to disallow?

- A. Sales Order Pick
- B. Sales Order Issue
- C. Ship Confirm
- D. Miscellaneous Issue
- E. Move Request Putaway.

Answer: B

NEW QUESTION 46

You have been asked to implement internationalization in your JSF web application. Where do you configure the supported locales?

- A. in the <f:view> tag of the Facelet page
- B. in the web.xml file
- C. in the faces-config.xml file
- D. in the src folder

Answer: A

NEW QUESTION 47

Given the code fragment:

```
@Path ("Employees")
public class EmployeesResource (
    @Inject private EmployeeManager em;
    @Get
    @Path("{id:[A-Z] [0-9]+}")
    public Employee getEmployee(@PathParam("id") String id) {
        return em.findEmployee(id);
    }
}
```

Which URL triggers the invocation of the getEmployee () method?

- A. <base url>/Employees/89724
- B. <base url>/Employees/J6349
- C. <base url>/Employees/id:a7280
- D. <base url>/Employees/id/J6349

Answer: B

NEW QUESTION 50

While negotiating the terms of the consignment agreement, the buyer and the supplier mutually agree to set aging onset point as receipt and the aging period as five days. The terms also say that the consumption advice will be generated daily.

In which three scenarios will the goods be transferred from the supplier's ownership to buyer's ownership?

- A. You received the goods today and you decided to issue the goods after days without transferring the ownership.
- B. You received the goods today and for the next one week you do not plan any action on the same.
- C. You received the goods today after six days you decide to transfer the ownership using the "create transfer to consigned transaction" task.
- D. You received the goods today and you transfer the ownership using the "create transfer to owned transaction" task.
- E. You received the goods and after four days you return the material to the supplier.
- F. You received the goods today and after three days you transfer the ownership using the "create transfer to consigned transaction" task.

Answer: ABD

NEW QUESTION 54

Material is transferred between the Subinventories within an organization via transfer order. The setup is complete and the transfer order is created though the FBDI process.

What is the primary interface data that needs to be completed in the template?

- A. CST_I_INCOMING_TXN_COSTS
- B. INV_SUBINVENTORY_TRANSFER
- C. INV_TRANSACTION_LOTS_INTERFACE
- D. INV_SERIAL_NUMBERS_INTERFACE
- E. INV_TRANSACTIONS_INTERFACE

Answer: E

NEW QUESTION 56

A Java EE application that uses an EJB container must communicate with a legacy system developed using non-Java technologies.

Which two Java EE technologies can be used in the integration tier of the application? (Choose two.)

- A. JMS
- B. JSF
- C. JPA
- D. JCA

Answer: AB

NEW QUESTION 58

Given the code fragment:

```
protected void service(HttpServletRequest req, HttpServletResponse res)
    throws ServletException, IOException {
    PrintWriter out = res.getWriter();
    out.print("Service() method called.");

protected void doGet(HttpServletRequest req, HttpServletResponse res)
    throws ServletException, IOException {
    PrintWriter out = res.getWriter();
    out.print("Get() method called.");
```

What output will be returned when this servlet is called a GET request?

- A. Service() method called.
- B. Service() method called.Get() method called.
- C. An HTTP error
- D. GET() method called.

Answer: A

NEW QUESTION 59

Your web application requires logic to remember items that a user placed into a shopping cart. Which two mechanisms should you use to associate that information with the user? (Choose two.)

- A. HttpServletResponse objects
- B. ServletContext objects
- C. HttpSession objects
- D. a database

Answer: BC

NEW QUESTION 60

Your client has not been managing Supply Request Exceptions on a regular basis. What issue does this cause?

- A. No issues would be caused; these are just warnings.

- B. After the errors reach a set threshold in profile options, no new supply requests can be created.
- C. If exceptions are not resolved within a set threshold days, it alerts the manager and continues to escalate up the Supply Request Exception Chain.
- D. The request will be denied automatically if not resolved within two days.

Answer: C

NEW QUESTION 65

Your customer has a requirement across their 10 warehouses, each with different users. They would like that whenever a warehouse user logs in, their warehouse should get populated.

How will you achieve this?

- A. Set up the profile option INV_DEFAULT_WHSE_ID at site level.
- B. Set up the profile option INV_DEFAULT_WHSE_ID at user level for each user.
- C. Set up the profile option INV_DEFAULT_WHSE_ID at role level (different roles for different warehouses).
- D. Set up the profile option INV_DEFAULT_ORG_ID at user level for each user.
- E. Set up the profile option INV_DEFAULT_ORG_ID at role level (different roles for different warehouses).
- F. Set up the profile option INV_DEFAULT_ORG_ID at site level.

Answer: E

NEW QUESTION 70

Your company has multiple inventory organizations where goods are transferred internally. A user has created a new organization but new organization is unavailable when creating an interorganization transfer.

What is the missing setup?

- A. Inventory organization data access for users is not set up.
- B. Interorganization Parameters are not set up between the organizations.
- C. The destination organization transfer type is In Transit.
- D. The source and destination organization doesn't belong to the same legal entity.

Answer: D

NEW QUESTION 73

Given:

```
// line 1
public class MyMapper {
    @PrePassivate
    public void setPinDrop() {}
    @PostActivate
    public void checkLocation() {}
}
```

What code needs to be added to line 1 for MyMapper bean instances to be correctly passivated?

- A. @Stateless @PassivationCapable
- B. @Stateless
- C. @Stateful @PassivationCapable
- D. @Stateful

Answer: D

NEW QUESTION 76

A Persistence application locks entity x with a LockModeType.PESSIMISTIC_READ lock type. Which statement is true?

- A. LockModeType.PESSIMISTIC_READ is the synonym of LockModeType.READ
- B. This operation will force serialization among transactions attempting to read the entity data.
- C. This operation will result in a TransactionRolledbackException if the lock cannot be obtained.
- D. If the application updates the entity later, and the changes are flushed to the database, the lock will be converted to an exclusive lock.

Answer: B

NEW QUESTION 78

You have been assigned to the Widget Editor portion of an application. It contains a Widget Editor Facelet page, the Widget class, and a simple WidgetEditor backing bean, which contains a reference to the current Widget instance.

Given the code fragment from the Widget class:

```
public class Widget implements Serializable {
    private String name;
    private Date createdDate;
    private boolean approved;
}
```

Given the code fragment from the Facelet page:

```
<h:messages id="messages" />
<h:form id="widgetForm">
  <h:outputLabel for="name" value="Name:" />
  <h:inputText id="name" value="#{widgetEditor.widget.name}" />
  <h:outputLabel for="createdDate" value="Created Date:" />
  <h:inputText id="createdDate"
    value="#{widgetEditor.widget.createdDate}" /> <!-- Line 1 -->
  <h:outputLabel for="approved" value="Approved:" />
  <h:selectBooleanCheckbox id="approved"
    value="#{widgetEditor.widget.approved}" />
  <h:commandButton value="Save" action="#{widgetEditor.save}" />
</h:form>
```

The page displays Conversion Error when a user fills out all the form fields and clicks the Save button. Which step do you perform to fix this problem?

- A. Replace Line 1 with: <h:inputText id="createDate" value="#{widgetEditor.widget.createdDate}" converter="java.util.Date" />
- B. Enclose the code fragment within the <f:view/> tag
- C. Insert <f:convertDateTime"/> at Line 1
- D. Replace Line 1 with: <h:inputText id="createDate" value="#{widgetEditor.widget.createdDate}"><f:convertDateTime pattern="dd-mm-yyyy" /></h:inputText>

Answer: D

NEW QUESTION 79

Which three types of jurisdictions should be considered while designing the Enterprise Structure?

- A. Labor Jurisdiction
- B. Obligatory Jurisdiction
- C. Local Jurisdiction
- D. Income Tax Jurisdiction
- E. Transaction Tax Jurisdiction
- F. Identifying Jurisdiction

Answer: DEF

NEW QUESTION 83

You want to allow one set of roles to POST to a resource and another set of roles to GET it. Which two configuration options should you use? (Choose two.)

- A. two separate @HttpMethodConstraints annotations and sets of roles
- B. a single @HttpMethodConstraint annotation and a map of method to roles
- C. two <web-resource-collection> with different <http-method> in the deployment descriptor
- D. a single <web-resource-collection> with two <auth-constraint> with different <http-method> in the deployment descriptor

Answer: BD

NEW QUESTION 84

Which statement is true about JAX-RS resource implementation?

- A. The REST resource implementation class must extend the javax.ws.rs.core.Application class
- B. The REST resource class can be implemented as a stateful Enterprise JavaBean (EJB).
- C. The REST resource class can be implemented as a Plain Old Java Object (POJO).
- D. The REST resource implementation class must not be final.

Answer: A

NEW QUESTION 88

A supply request has been received in supply chain orchestration. Both organizations belong to the same legal entity and they do not have a buy-sell relationship between them.

Which type of execution document can fulfill the supply request?

- A. Transfer Order
- B. Purchase Requisitions
- C. Purchase Order
- D. Sales Order

Answer: A

NEW QUESTION 92

Your company is an automobile spares manufacturing organization, which follows a discrete process. It has its own manufacturing and distribution centers located globally.

It has these business units: US - USA business unit
 CAN - Canadian business unit UK - UK business unit
 MX - Mexican business unit IND - India business unit SPA - Spain business unit FRA - France business unit
 NL - Netherlands business unit GER - Germany business unit
 These are the inventory organizations that exist in each business unit:

Inventory Org - business unit

```
-----  
GM   (Master Org) - US  
US1  (Child Org)  - US  
US2  (Child Org)  - US  
CA1  (Child Org)  - CAN  
MX1  (Child Org)  - MX  
IN1  (Child Org)  - IND  
SP1  (Child Org)  - SPA  
FR1  (Child Org)  - FRA  
NL1  (Child Org)  - NL  
DE1  (Child Org)  - GER
```

Which two statements are true?

- A. All inventory organizations do not need to be in the same business unit to assign items.
- B. Item organizations are also supported to serve as inventory organizations.
- C. Items cannot be assigned to inventory organizations across business units.
- D. Items defined in the GM organization can be assigned to US1, US2, NL1, and MX1 inventory organizations.
- E. Operational Attributes can be controlled only at the Master Level.
- F. You can define an item in the IN1 inventory organization and assign it to the DE1 inventory organization.

Answer: AD

NEW QUESTION 95

Given the code fragments:

```
//line 1  
public class ContactId implements Serializable {  
    private String countryCode;  
    private String phoneNumber;  
    // remaining implementation  
}
```

```
@Entity  
//line 2  
public class Contact implements Serializable {  
    @NotNull  
    @Id  
    protected String countryCode;  
    @NotNull  
    @Id  
    protected String phoneNumber;  
    // remaining implementation  
}
```

Which action completes this composite primary key implementation?

- A. Add @IdClass annotation at line 1.
- B. Add @Embeddable annotation at line 1 and replace both @Id annotations with @EmbeddedId annotations.
- C. Add @IdClass(ContactId.class) annotation at line 2.
- D. Add @Embeddable annotation at line 1 and @EmbeddedId(ContactId.class) at line 2.

Answer: D

NEW QUESTION 98

Given the code fragment:

```
// line 1  
public class DataConverter  
    implements AttributeConverter<LocalDate, Date> {  
    //implementation  
}
```

```
@Entity  
// line 2  
public class Customer {  
    // line 3  
    private localDate birthday;  
    //remaining implementation  
}
```

How can you apply DateConverter to the birthday field?

- A. by adding @Convert(to=Date.class) at line 3
- B. by invoking the setConverter(DateConverter.class) method on the EntityManager object
- C. by adding @Converter(autoApply=true) at line 1
- D. by adding @Convert((DateConverter.class)) at line 2

Answer: A

NEW QUESTION 100

Which statement is true about Java methods that are exposed as Web Service operations by using JAX-WS API?

- A. The @WebResult annotation must exist.
- B. Method parameters and return types must be JAXB compatible.
- C. Method parameters must be declared by using @WebParam.
- D. The @WebMethod annotation must exist.

Answer: D

NEW QUESTION 105

You created two filters for your web application by using the @WebFilter annotation, one for authorization and the other for narrowing results by the provided search criteria. The authorization filter must be invoked first.

How can you specify this?

- A. setting the priority attribute of the @WebFilter annotation for each of the filters
- B. placing the filter mapping elements in the required order in the web.xml deployment descriptor
- C. placing @WebFilterMapping annotations in the required order
- D. specifying the filter precedence order by using the @Priority annotation

Answer: A

NEW QUESTION 106

You are a shop floor manager and you have received an order which is a back-to-back order in nature. You need to reserve 100 pieces of an item in order to finish your order. However, there are only 50 pieces available for reservation.

If you process this request, how many pieces are provided as the fulfillment for the order?

- A. 50 pieces, because full 100 quantities are not available.
- B. 25 pieces, only half of the quantities can be reserved.
- C. 0 pieces, because partial fulfillment of reservation not supported.
- D. 100 pieces, 50 from on-hand and 50 in the form of a purchase order.

Answer: C

NEW QUESTION 110

You need to exchange large binary messages using chunks in a WebSocket application. Identify two ways in which you can receive partial messages. (Choose two.)

- A. Define an @OnMessage method with a single MimePart parameter.
- B. Use a ChunkListener interface implementation.
- C. Use a MessageHandler.Partial<ByteBuffer> interface implementation.
- D. Define an @OnMessage method with byte [] as the first parameter and a boolean as the second parameter.

Answer: CD

NEW QUESTION 112

You are working with JMS publish-subscribe operations.

What happens when a producer publishes a message to a topic for which a durable subscription exists but there are no subscribers available?

- A. The publisher waits for a subscriber, who then consumes it
- B. However, the publisher will time out if no consumer arrives within the given timeout period.
- C. The publisher sends the message
- D. However, it is never consumed because there wasn't anything listening when it arrived, regardless of the message timeout length.
- E. The publisher successfully sends a message, which will be consumed later, once there is a subscriber, assuming the message hasn't timed out.
- F. The message publisher is immediately notified about the lack of subscribers and can decide for itself if, and when, to resend.

Answer: C

NEW QUESTION 117

What are the four steps for the move request process flow?

- A. Create shipment
- B. Create Movement Request
- C. Confirm pick slips
- D. Run the Movement Request Pick Slip Report
- E. Physically move the material
- F. Run pick slip allocation

Answer: BCDE

NEW QUESTION 122

Your client has decided that Discrete Manufacturing will be implemented at a future stage, so any new supply from current manufacturing will be added to current inventory by the Open Transactions Interface. The immediate requirement is to go live with Inventory and Order Management. Which two seeded transaction types can be omitted for material status control?

- A. All Transaction Types Related to Work in Process
- B. Average Cost Update
- C. Backflush Subinventory Transfer
- D. Miscellaneous Issues and Receipts
- E. All Internal Transactions

Answer: AC

NEW QUESTION 124

A third-party service equipment is used for various purposes in a manufacturing facility and needs to be overhauled once a year. This equipment is charged based on its consumption without a project dependency.

At this point, it should be transferred out of the vendor's warehouse for maintenance and then returned back in the future depending upon the requirement.

The material stock transfer should happen with an offline approval and with an account alias as a logical reference.

What is the ideal way to handle this process?

- A. Transfer Order
- B. Requisitions
- C. Move Request
- D. Miscellaneous Transaction
- E. Subinventory Transfer

Answer: D

NEW QUESTION 125

While performing the task "Create Chart of Accounts, Ledger, Legal Entities, and Business Units in Spreadsheet Task", you mentioned that the legal entity country is the United States of America.

What will be the functional currency of the ledger you are defining?

- A. The system will ask the user to provide functional currency at the time of uploading the spreadsheet if it is not provided in the first place.
- B. The system will automatically pick "USD" as functional currency from the legal entity country.
- C. The system will pick the first available currency from the list of Values.
- D. It is mandatory to provide functional currency, because ledger cannot be defined without functional currenc
- E. The system will throw an error upon processing.
- F. It is mandatory to provide functional currency because ledger cannot be defined without functional currenc
- G. The system will throw an error upon upload of the spreadsheet because all required fields are not populated.

Answer: B

NEW QUESTION 130

.....

THANKS FOR TRYING THE DEMO OF OUR PRODUCT

Visit Our Site to Purchase the Full Set of Actual 1z0-900 Exam Questions With Answers.

We Also Provide Practice Exam Software That Simulates Real Exam Environment And Has Many Self-Assessment Features. Order the 1z0-900 Product From:

<https://www.2passeasy.com/dumps/1z0-900/>

Money Back Guarantee

1z0-900 Practice Exam Features:

- * 1z0-900 Questions and Answers Updated Frequently
- * 1z0-900 Practice Questions Verified by Expert Senior Certified Staff
- * 1z0-900 Most Realistic Questions that Guarantee you a Pass on Your FirstTry
- * 1z0-900 Practice Test Questions in Multiple Choice Formats and Updatesfor 1 Year