



Avaya

Exam Questions 75940X

Avaya Converged Platform Integration Exam

About ExamBible

[Your Partner of IT Exam](#)

Found in 1998

ExamBible is a company specialized on providing high quality IT exam practice study materials, especially Cisco CCNA, CCDA, CCNP, CCIE, Checkpoint CCSE, CompTIA A+, Network+ certification practice exams and so on. We guarantee that the candidates will not only pass any IT exam at the first attempt but also get profound understanding about the certificates they have got. There are so many alike companies in this industry, however, ExamBible has its unique advantages that other companies could not achieve.

Our Advances

* 99.9% Uptime

All examinations will be up to date.

* 24/7 Quality Support

We will provide service round the clock.

* 100% Pass Rate

Our guarantee that you will pass the exam.

* Unique Gurantee

If you do not pass the exam at the first time, we will not only arrange FULL REFUND for you, but also provide you another exam of your claim, ABSOLUTELY FREE!

NEW QUESTION 1

With ACP 4200, what is mandatory to ensure Avaya Aura® High Availability across the two Data Centers?

- A. A single vCenter Server that manages both Data Centers.
- B. Network connectivity to and in between the two Data Centers.
- C. Identical compute servers in both Data Centers.
- D. The same VLANs in both Data Centers.

Answer: A

NEW QUESTION 2

When powering up the virtual machines, what is the first virtual machine that needs to be powered on?

- A. vCenter Server
- B. WebLM
- C. System Manager
- D. Communication Manager

Answer: A

NEW QUESTION 3

Which statement about the factory default configuration of the Avaya Session Border Controller for Enterprise (ASBCE) in ACP 4200 is true?

- A. The A1 LAN interface of the SBC is connected to the Application 3 VLAN of the ACP 4200.
- B. The A1 LAN interface of the SBC is connected to the Application 1 VLAN of the ACP 4200.
- C. The B1 LAN interface of the SBC is connected to the Application 2 VLAN of the ACP 4200.
- D. The M1 LAN interface of the SBC is connected to the Application 3 VLAN of the ACP 4200.

Answer: A

NEW QUESTION 4

Why does enabling VMware Enhanced vMotion Compatibility (EVC) prevent vMotion migrations from failing?

- A. Because of incompatible DRS rules across the cluster
- B. Because of incompatible HA rules across the cluster
- C. Because of insufficient memory across the cluster
- D. Because of incompatible CPUs across the cluster

Answer: D

NEW QUESTION 5

The Storage dashlet contains a view of the status of the Host and Services related to the Storage. By default, in which two places can this dashlet be viewed in Avaya Orchestrator? (Choose two.)

- A. The Service Status View
- B. The Home Dashboard
- C. The Host Status View
- D. The Storage Dashboard
- E. The Rack View

Answer: AB

NEW QUESTION 6

Which three examples of hardware equipment redundancy are built into the ACP 4200? (Choose three.)

- A. Redundant iLO connections to each HP server.
- B. Redundant storage processors in the storage arrays.
- C. Redundant hot swap switch CPU modules.
- D. Redundant power supplies in all hardware components.
- E. Redundant pairs of Power Distribution Units.

Answer: ACE

NEW QUESTION 7

Refer to the exhibit.

The CPU performance of Communication Manager (CM) shows a significant difference depending on the call rates. Which statement about making configuration changes is true?

- A. Increasing the number of Virtual CPUs allocated to CM might help to reduce this difference.
- B. Ensuring that a secondary CM is available to allow for load-balancing might help to reduce this difference.
- C. Migrating the CM Virtual Machine to another ESXi host that is less busy might help to reduce this difference.
- D. Reducing this difference is not necessary because this is expected behavior.

Answer:

B

NEW QUESTION 8

Which statement about System Manager (SMGR) and ACP 4200 is true?

- A. SMGR is used to manage licensing, user account, and device credential management for Avaya Orchestrator.
- B. SMGR is a management tool for the VM's within the ACP 4200.
- C. SMGR is a management tool for the Hardware Infrastructure within the ACP 4200.
- D. SMGR is used to manage the Avaya Aura® Applications within the ACP 4200.

Answer: C

NEW QUESTION 9

A customer requires the Avaya Session Border Controller for Enterprise (ASBCE) be part of their ACP 4200 deployment. Which statement regarding an ASBCE High Availability configuration in ACP 4200 is true?

- A. Only the Appliance deployment option is available for the ASBCE High Availability configuration in the ACP 4200.
- B. The High Availability configuration consists of two Session Border Controllers (SBC) either in VM or appliance deployments.
- C. The High Availability configuration consists of two Session Border Controllers (SBC) either In VM or appliance deployments, plus a Element Management System (EMS) VM.
- D. Only the VM deployment option is available for the ASBCE High Availability configuration in the on ACP 4200.

Answer: D

NEW QUESTION 10

An Avaya Orchestrator administrator is asked to check the CPU usage for the last 24 hours of one of the ESXi Hosts, as it has been performing erratically. How can the administrator go about doing this?

- A. By clicking on the Compute Group's Service State line.
- B. By navigating to Quick View – All Host Problems.
- C. By going to the Performance Graphs of the CPU Usage Service for the host.
- D. By selecting the VM Group's Service State line.

Answer: A

NEW QUESTION 10

Which three tasks must be performed by the ACP 4200 implementation team at the customer site? (Choose three.)

- A. Connect the network switches to the customer network.
- B. Assign IP addresses to the existing Virtual Machines.
- C. Connect to the VMware vCenter Server Appliance and power up the virtual machines.
- D. Fill up the IP template.
- E. Install a ground connection for each enclosure.

Answer: ADE

NEW QUESTION 15

Avaya Orchestrator monitors the ACP 4200 components by organizing them into which two groups? (Choose two.)

- A. Power
- B. Virtual Machines
- C. Storage
- D. Applications

Answer: AC

NEW QUESTION 19

What is a benefit of using Virtual Router Redundancy Protocol (VRRP) on the VSP switches in the ACP 4200?

- A. It creates virtual Layer 2 connections for the VMs.
- B. It allows you to connect to the switches for management access.
- C. It ensures the end systems do not need to change their gateway IP address in the event of a fail-over.
- D. It allows the end systems to automatically change their gateway IP address in the event of a fail-over.

Answer: D

NEW QUESTION 23

Refer to the exhibit.

What does the IP address 10.1.1.1 represent?

- A. The IP address of the EMC storage
- B. The SMLT IP address of the two VSP 7200 switches
- C. The Virtual IST IP address of the two VSP 7200 switches
- D. The VRRP IP address of the two VSP 7200 switches

Answer: D

NEW QUESTION 25

What is the role of Avaya Aura® System Manager in an ACP 4200 4.0 system?

- A. It provides a Single-Sign On functionality to Avaya Orchestrator.
- B. It manages the license for Avaya Orchestrator.
- C. It provides the application launch point for Avaya Orchestrator.
- D. It is a component of the Avaya Aura® deployment.

Answer: B

NEW QUESTION 28

Refer to the exhibit.

An Administrator notices that a Service Status Warning is being received by Avaya Orchestrator indicating that port 27 on VSP 4850-1 is down. Based on the contents of the Customer and Network Lifecycle Workbook in the exhibit, which equipment is connected to this port?

- A. VSP4K1, port 27
- B. Server/ACR-2, Interface NO
- C. Server/ACR-1, Interface NO
- D. VSP4K1, Port 26

Answer: A

NEW QUESTION 30

An administrator is adding new equipment to the ACP 4200 in the Avaya Orchestrator Configuration Wizard. How do the IP Address and Protocols fields get populated?

- A. These are optional fields that do not need to be populated.
- B. These are automatically detected by clicking on the Detect Hardware button.
- C. These are manually entered by the administrator.
- D. These are imported from the ACP Configurator Tool Excel spreadsheet.

Answer: B

NEW QUESTION 32

Which two statements about the HP Nimble storage systems used in ACP 4200 are true? (Choose two.)

- A. ACP 4200 may use the HP Nimble 33 Base unit with up to 2 Expansion units.
- B. ACP 4200 may use the HP Nimble 16 Base unit with up to 5 Expansion units.
- C. ACP 4200 may use the HP Nimble 16 Base unit with up to 2 Expansion units.
- D. ACP 4200 may use the HP Nimble 33 Base unit with up to 5 Expansion units.

Answer: AB

NEW QUESTION 33

.....

Relate Links

100% Pass Your 75940X Exam with ExamBible Prep Materials

<https://www.exambible.com/75940X-exam/>

Contact us

We are proud of our high-quality customer service, which serves you around the clock 24/7.

Viste - <https://www.exambible.com/>