



Avaya

Exam Questions 75940X

Avaya Converged Platform Integration Exam

About ExamBible

Your Partner of IT Exam

Found in 1998

ExamBible is a company specialized on providing high quality IT exam practice study materials, especially Cisco CCNA, CCDA, CCNP, CCIE, Checkpoint CCSE, CompTIA A+, Network+ certification practice exams and so on. We guarantee that the candidates will not only pass any IT exam at the first attempt but also get profound understanding about the certificates they have got. There are so many alike companies in this industry, however, ExamBible has its unique advantages that other companies could not achieve.

Our Advances

* 99.9% Uptime

All examinations will be up to date.

* 24/7 Quality Support

We will provide service round the clock.

* 100% Pass Rate

Our guarantee that you will pass the exam.

* Unique Gurantee

If you do not pass the exam at the first time, we will not only arrange FULL REFUND for you, but also provide you another exam of your claim, ABSOLUTELY FREE!

NEW QUESTION 1

With ACP 4200, what is mandatory to ensure Avaya Aura® High Availability across the two Data Centers?

- A. A single vCenter Server that manages both Data Centers.
- B. Network connectivity to and in between the two Data Centers.
- C. Identical compute servers in both Data Centers.
- D. The same VLANs in both Data Centers.

Answer: A

NEW QUESTION 2

What are two examples of Avaya Orchestrator Services? (Choose two.)

- A. Link Status
- B. CPU Utilization
- C. Virtual Machine Uptime
- D. PDUs

Answer: BD

NEW QUESTION 3

When powering up the virtual machines, what is the first virtual machine that needs to be powered on?

- A. vCenter Server
- B. WebLM
- C. System Manager
- D. Communication Manager

Answer: A

NEW QUESTION 4

An administrator needs to access Avaya Orchestrator.

How does an administrator log into the management interface of Avaya Orchestrator?

- A. By using a browser to login to System Manager, then clicking on the Avaya Orchestrator link.
- B. By using a browser to login to Avaya Orchestrator's FQDN or IP address.
- C. By downloading and using the System Manager Administrator client.
- D. By downloading and using the Avaya Orchestrator Administrator client.

Answer: B

NEW QUESTION 5

The Storage dashlet contains a view of the status of the Host and Services related to the Storage. By default, in which two places can this dashlet be viewed in Avaya Orchestrator? (Choose two.)

- A. The Service Status View
- B. The Home Dashboard
- C. The Host Status View
- D. The Storage Dashboard
- E. The Rack View

Answer: AB

NEW QUESTION 6

How can the administrator check the status of all services being monitored by Avaya Orchestrator?

- A. It is not possible.
- B. Services are displayed on a per-Host basis only.
- C. By navigating to Quick View-All Service Problems.
- D. By navigating to Details-Service Status.
- E. By navigating to ACP 4200 Configuration Wizard-Service.

Answer: B

NEW QUESTION 7


Which three examples of hardware equipment redundancy are built into the ACP 4200? (Choose three.)

- A. Redundant iLO connections to each HP server.
- B. Redundant storage processors in the storage arrays.
- C. Redundant hot swap switch CPU modules.
- D. Redundant power supplies in all hardware components.
- E. Redundant pairs of Power Distribution Units.

Answer: ACE

NEW QUESTION 8

Refer to the exhibit.



DRS Rules

Name	Type	Enabled	Conflicts	Defined...
SMRule	Separate Virtual Machines	Yes	0	User
MSCRule	Run VMs on Hosts	Yes	0	User
CMRule	Separate Virtual Machines	Yes	0	User

DRS Rule Details

The listed 2 Virtual Machines must run on different hosts.

Rule Members	Conflicts
SC-Avaya Aura Session Ma...	0
SC-Avaya Aura Session Ma...	0

What is the purpose of the “SMRule” DRS rule that states the two Avaya Aura® Session Managers must run off different ESXi hosts?

- A. To improve the latency of DRS load-balancing
- B. To prevent a single ESXi host from being overloaded with SIP traffic
- C. To preserve seamless failover/recovery across primary and secondary Session Managers
- D. To reduce the memory and CPU load on a single ESXi host

Answer: C

NEW QUESTION 9

What is the purpose of VMware vMotion as used in ACP 4200?

- A. It enables an operational virtual machine to migrate from one ESXi host to another, which includes its running state and storage.
- B. It dynamically allocated and balances computing capacity across the logical resource pools.
- C. It provides monitoring of operating system and hardware failures, and also restarts virtual machines on other hosts within the resource pool.
- D. It creates a pool of virtual disk space that can be shared by multiple virtual machines.

Answer: A

NEW QUESTION 10

An administrator is examining the Hosts monitored by Avaya Orchestrator. Which two are examples of these Hosts? (Choose two.)

- A. Storage Devices
- B. vCenter Server Appliance
- C. Network Switches
- D. System Manager

Answer: AC

NEW QUESTION 10

An ACP 4200 engineering team is considering deploying an Extension Rack. What is the purpose of the Extension Rack?

- A. When the Main rack is not functioning properly the Extension Rack will take over for the main.
- B. When all hardware components cannot fit into the Main ACP Rack, Extension Racks are used for additional physical appliances and servers.
- C. When full redundancy is needed, Extension Racks are used for additional physical appliances and servers.
- D. When the number of telephone extensions on the Avaya Aura® applications exceed the recommended limit, Extension Racks are used to host additional media resources to support a higher limit.

Answer: C

NEW QUESTION 15

Which two are valid levels of VMware performance monitoring? (Choose two.)

- A. Visualization Performance and Fault Manager (VPMF)
- B. Virtual Machine (VM)
- C. Data Center (DC)

D. Host

Answer: BD

NEW QUESTION 16

When new VMs are added the ACP 4200, which action is mandatory?

- A. The new VMs must be configured to send SNMP Traps to Avaya Orchestrator.
- B. CPU and Memory reservations must be manually configured to the application recommendations for the new VMs.
- C. Avaya Orchestrator must be configured to recognize the new VMs.
- D. ACP Configurator Tool must be used to calculate resource availability for the ACP to support the new VMs.

Answer: A

NEW QUESTION 20

What is the purpose of the VMware Distributed Resource Scheduler (DRS) as used in ACP 4200?

- A. It enables a utility that balances computing workloads with available resources in a virtualized environment.
- B. It enables an operational virtual machine to migrate from one ESXi host to another, which includes its running state and storage.
- C. It provides monitoring of operating system and hardware failures, and also restarts virtual machines on other hosts within the resource pool.
- D. It creates a pool of virtual disk space that can be shared by multiple virtual machines.

Answer: A

NEW QUESTION 21

A customer requires the Avaya Session Border Controller for Enterprise (ASBCE) be part of their ACP 4200 deployment. Which statement regarding an ASBCE High Availability configuration in ACP 4200 is true?

- A. Only the Appliance deployment option is available for the ASBCE High Availability configuration in the ACP 4200.
- B. The High Availability configuration consists of two Session Border Controllers (SBC) either in VM or appliance deployments.
- C. The High Availability configuration consists of two Session Border Controllers (SBC) either in VM or appliance deployments, plus a Element Management System (EMS) VM.
- D. Only the VM deployment option is available for the ASBCE High Availability configuration in the on ACP 4200.

Answer: D

NEW QUESTION 24

Which three tasks must be completed in preparation of a site for an ACP 4200 installation? (Choose three.)

- A. Determine the list of Customer Administrators who will require login access to the ACP 4200.
- B. Install power connections for the ACP 4200.
- C. Plan the path from the delivery location to the permanent site.
- D. Determine a permanent location for the ACP 4200.
- E. Enable SNMP management on the network devices that will be connected to the ACP 4200.

Answer: ABC

NEW QUESTION 27

The customer's networking team is considering connectivity options to the ACP 4200. When would the ACP 4200 use Fabric Connect for network connectivity to the customer network?

- A. When the customer network uses stackable switches.
- B. When the customer network uses routers or switches that have an integrated switch fabric.
- C. When the customer network uses Extreme Networks VSP switches.
- D. When the customer network uses Cisco routers with VRRP.

Answer: C

NEW QUESTION 28

An Avaya Orchestrator administrator is asked to check the CPU usage for the last 24 hours of one of the ESXi Hosts, as it has been performing erratically. How can the administrator go about doing this?

- A. By clicking on the Compute Group's Service State line.
- B. By navigating to Quick View – All Host Problems.
- C. By going to the Performance Graphs of the CPU Usage Service for the host.
- D. By selecting the VM Group's Service State line.

Answer: A

NEW QUESTION 29

Which three tasks must be performed by the ACP 4200 implementation team at the customer site? (Choose three.)

- A. Connect the network switches to the customer network.
- B. Assign IP addresses to the existing Virtual Machines.
- C. Connect to the VMware vCenter Server Appliance and power up the virtual machines.

- D. Fill up the IP template.
- E. Install a ground connection for each enclosure.

Answer: ADE

NEW QUESTION 32

When a Layer 2-only networking topology is deployed, what is the behavior of the ACP 4200?

- A. It will support only a single management VLAN.
- B. It will extend VLANs out to the Data Center routers which will provide Layer 3 routing.
- C. It will support only a single application VLAN.
- D. It will have 802.1Q tagging enabled on all ports of the VSP switches.

Answer: B

NEW QUESTION 36


Avaya Orchestrator monitors the ACP 4200 components by organizing them into which two groups? (Choose two.)

- A. Power
- B. Virtual Machines
- C. Storage
- D. Applications

Answer: AC

NEW QUESTION 37

Refer to the exhibit.



An administrator navigates to the Avaya Orchestrator page shown in the exhibit. The 4850GTS switches and the PIPS Pro1 PDUs are displaying an Orange status icon.


What does this indicate?

- A. These devices have not been configured with correct credentials.
- B. These devices have power supply issues.
- C. These devices have services with status of warning.
- D. These devices have reachability issues.

Answer: C

NEW QUESTION 38

Refer to the exhibit.



What does the IP address 10.1.1.1 represent?

- A. The IP address of the EMC storage
- B. The SMLT IP address of the two VSP 7200 switches
- C. The Virtual IST IP address of the two VSP 7200 switches
- D. The VRRP IP address of the two VSP 7200 switches

Answer: D

NEW QUESTION 42

When planning to add additional VMs to an ACP 4200, to determine if an additional host server would be required, which tool can be used?

- A. The Server resource calculator from the VMware vCenter client.
- B. The Server Calc worksheet in the Lifecycle workbook.
- C. The Server resource calculator tool in the Lifecycle workbook.
- D. The Server calculator tool from Avaya Orchestrator.

Answer: D

NEW QUESTION 47

What is the role of Avaya Aura® System Manager in an ACP 4200 4.0 system?

- A. It provides a Single-Sign On functionality to Avaya Orchestrator.
- B. It manages the license for Avaya Orchestrator.
- C. It provides the application launch point for Avaya Orchestrator.
- D. It is a component of the Avaya Aura® deployment.

Answer: B

NEW QUESTION 49

In which two situations does the Customer and Network Lifecycle workbook need to be updated? (Choose two.)

- A. On the 31st of January every year, even if no changes have been made to the ACP 4200.
- B. When an ACP 4200 component password is changed.
- C. When a new Administrator is given access to the ACP 4200.
- D. When a new host server is added to the ACP 4200.

Answer: BD

NEW QUESTION 54

Which Extreme Networks switch model is used in a new ACP 4200 release 4.0?

- A. VSP 4850
- B. VSP 7254
- C. VSP 8400
- D. VSP 7024

Answer: B

NEW QUESTION 57

Which three are found in the E:\ACP_SW_4.0 folder of the Management Server Console (MSC)? (Choose three.)

- A. Firmware for Extreme Networks VSP Switches
- B. Software and Patches for Avaya Orchestrator and Avaya Aura® applications
- C. Installation files for the vCenter client application
- D. Software and Patches for VMware ESXi and vCenter
- E. A copy of the Lifecycle workbook

Answer: ABD

NEW QUESTION 60

Which two statements about the HP Nimble storage systems used in ACP 4200 are true? (Choose two.)

- A. ACP 4200 may use the HP Nimble 33 Base unit with up to 2 Expansion units.
- B. ACP 4200 may use the HP Nimble 16 Base unit with up to 5 Expansion units.
- C. ACP 4200 may use the HP Nimble 16 Base unit with up to 2 Expansion units.
- D. ACP 4200 may use the HP Nimble 33 Base unit with up to 5 Expansion units.

Answer: AB

NEW QUESTION 65

The customer's networking team is considering connectivity options to the ACP 4200.

For which customers would an ACP 4200 Layer 2-only networking topology be deployed, and why?

- A. Customers who have a Layer 2 Data Center
- B. The ACP will provide Layer 3 routing for the customer.
- C. Customers who wish to retain existing VLANs, subnets, and IP subnet
- D. The ACP will extend VLANs out to the Data Center routers which will provide Layer 3 routing.
- E. Customers who do not use Dynamic routing protocol
- F. The ACP will use static routes for connectivity to the Data Center.
- G. Customers who wish to upgrade their Data Center to Fabric Connect
- H. The ACP will use Fabric Extend to integrate with the customer's Data Center switches.

Answer: D

NEW QUESTION 70

When used for an ACP 4200, which two features of the 48 inch Avaya branded enclosures are different from the 42 inch models? (Choose two.)

- A. More space for PDUs (up to 15000 Watts)
- B. More space for additional servers
- C. Higher operating temperature (up to 45 degrees Celsius)
- D. More space for fans and better cooling capacity (51,200 BTU)
- E. Use of vertical PDUs instead of horizontal

Answer: AC

NEW QUESTION 71

Which two circumstances would require the Avaya Orchestrator ACP Configuration Wizard to be run in the field? (Choose two.)

- A. When a new G450 Gateway is added to the ACP.
- B. When a new configuration file for the ACP's VSP Switches is deployed.
- C. When a new Virtual Machine is added to the ACP.
- D. When a new ESXi Host is added to the ACP.

Answer: BD

NEW QUESTION 73

.....

Relate Links

100% Pass Your 75940X Exam with Exam Bible Prep Materials

<https://www.exambible.com/75940X-exam/>

Contact us

We are proud of our high-quality customer service, which serves you around the clock 24/7.

Viste - <https://www.exambible.com/>