

## Exam Questions 2V0-41.20

Professional VMware NSX-T Data Center

<https://www.2passeasy.com/dumps/2V0-41.20/>



#### NEW QUESTION 1

Which CLI command on NSX Manager and NSX Edge is used to change NTP settings?

- A. set time-server
- B. get timezone
- C. set ntp-server
- D. set timezone

**Answer:** C

#### NEW QUESTION 2

An NSX administrator is creating a Tier-1 Gateway configured in Active-Standby High Availability Mode. In the event of node failure, the failover policy should not allow the original failed node to become the Active node upon recovery. Which failover policy meets this requirement?

- A. Non-Preemptive
- B. Preemptive
- C. Enable Preemptive
- D. Disable Preemptive

**Answer:** A

#### NEW QUESTION 3

An NSX administrator has configured a load balancer virtual server on a Tier-1 Gateway.

In order to advertise the load balancer virtual IP to the Tier-0 Gateway, which route advertisement configuration has to be done on the Tier-1 Gateway? (Choose two.)

- A. Advertise All LB SNAT IP Routes
- B. All Static Routes
- C. Information
- D. Advertise All LB VIP Routes
- E. Advertise All NAT Routes

**Answer:** AD

#### Explanation:

<https://docs.vmware.com/en/VMware-NSX-T-Data-Center/3.0/administration/GUID-EEBA627A-0860-477A-9>

#### NEW QUESTION 4

Which two ports are used by a transport node to communicate with the management and control planes in NSX-T Data Center 3.0? (Choose two.)

- A. 5685
- B. 1235
- C. 5671
- D. 5678
- E. 1234

**Answer:** BE

#### Explanation:

The NSX Manager management plane communicates with the transport nodes by using APH Server over NSX-RPC/TCP through port 1234. CCP communicates with the transport nodes by using APH Server over NSX-RPC/TCP through port 1235. Taken from NSX-T ICM 3.0 Lecture manual

#### NEW QUESTION 5

A user is assigned these two roles in NSX Manager:

- LB Admin
- Network Engineer

What privileges does this user have in the system?

- A. read permissions on all networking services and full access permissions on load balancing features
- B. full access permissions on all networking services and full access permissions on load balancing features
- C. full access permissions on all networking services and read permissions on load balancing features
- D. read permissions on all networking services and read permissions on load balancing features

**Answer:** B

#### NEW QUESTION 6

Which three services are compatible with VRF Lite? (Choose three.)

- A. VPN
- B. Intrusion Detection
- C. NAT
- D. Load Balancer
- E. DHCP

**Answer:**

BCE

**Explanation:**

VRF Lite is not compatible with the following services:

- VPN
- Load Balancer

Taken from NSX-T ICM 3.0 Lecture Manual.

**NEW QUESTION 7**

A security administrator needs to configure a firewall rule based on the domain name of a specific application. Which field in a distributed firewall rule does the administrator configure?

- A. Profile
- B. Source
- C. Service
- D. Policy

**Answer: A**

**NEW QUESTION 8**

Which CLI command is used to disable SSH timeout on NSX Manger and NSX Edge nodes?

- A. set cli ssh timeout 0
- B. set esxcli ssh session off
- C. set cli-timeout 0
- D. nsxcli ssh session on

**Answer: C**

**NEW QUESTION 9**

Which TraceFlow traffic type should an NSX administrator use for validating connectivity between App and DB virtual machines that reside on different segments?

- A. Multicast
- B. Anycast
- C. Unicast
- D. Broadcast

**Answer: C**

**NEW QUESTION 10**

Which command is used to change the NSX CU administrator password?

- A. set user admin password <password> old-password <old-password>
- B. set user admin password <old-password> <new-password>
- C. set user administrator password <old-password> <new-password>
- D. set user administrator password <password> old-password <old-password>

**Answer: A**

**Explanation:**

To change the password of an account run: set user admin password my-new-pwd old-password my-old-pwd

**NEW QUESTION 10**

An NSX administrator has been tasked with deploying a NSX Edge Virtual machine through an ISO image. Which virtual network interface card (vNIC) type must be selected while creating the NSX Edge VM allow participation in overlay and VLAN transport zones?

- A. e1000
- B. VMXNET2
- C. VMXNET3
- D. Flexible

**Answer: C**

**NEW QUESTION 14**

Which two statements describe the characteristics of an Edge Cluster in NSX-T 3.0 Data Center? (Choose two.)

- A. can have a maximum of 8 edge nodes
- B. must have only active-active edge nodes
- C. can have a maximum of 10 edge nodes
- D. can contain multiple types of edge nodes (VM or bare metal)
- E. must contain only one type of edge nodes (VM or bare metal)

**Answer: CD**

**Explanation:**

<https://docs.vmware.com/en/VMware-NSX-T-Data-Center/3.0/installation/GUID-14183A62-8E8D-43CC-92E0>

#### NEW QUESTION 19

Which network tool could an administrator use on an ESXi 7 host to capture packets when troubleshooting connectivity issues?

- A. Wireshark
- B. pktcap-uw
- C. net-stats
- D. tcpdump

**Answer: B**

#### Explanation:

If you do when troubleshooting connectivity issues on your Virtualization environment. This post will help you to capture Network traffic on ESXi host using pktcap-uw tool.

#### NEW QUESTION 20

Which two statements are true about the implementation of multicast in NSX-T Data Center? (Choose two.)

- A. Multicast routing is implemented with PIM Sparse-Mode.
- B. IGMP Snooping is used to populate multicast forwarding tables.
- C. Tier-0 gateways can be the Rendezvous Point.
- D. Multicast is supported in ESXi and KVM transport nodes.
- E. An Edge can be the Rendezvous Point.

**Answer: AB**

#### Explanation:

[https://docs.vmware.com/en/VMware-NSX-T-Data-Center/3.0/nsxt\\_30\\_admin.pdf](https://docs.vmware.com/en/VMware-NSX-T-Data-Center/3.0/nsxt_30_admin.pdf)

#### NEW QUESTION 25

Which network virtualization technologies can be used with an Ethernet VPN (EVPN) deployment in NSX-T Data Center? (Choose two.)

- A. Virtual Extensible Local Area Network (VXLAN)
- B. Multiprotocol Border Gateway Protocol (MP-BGP)
- C. Open Shortest Path First (OSPF)
- D. Multiprotocol Label Switching (MPLS)
- E. Virtual Routing and Forwarding (VRF)

**Answer: AE**

#### NEW QUESTION 27

Which tool could be used to configure BGP on a Tier-0 Gateway?

- A. PowerShell
- B. API
- C. ESX CLI
- D. NSX CLI

**Answer: D**

#### NEW QUESTION 30

Which command is used to display the network configuration of the Tunnel Endpoint (TEP) IP on a bare metal transport node?

- A. ifconfig
- B. tcpdump
- C. debug
- D. ipconfig

**Answer: A**

#### Explanation:

<https://docs.vmware.com/en/VMware-NSX-T-Data-Center/3.0/installation/GUID-B7E7371E-A9F6-4880-B184>

#### NEW QUESTION 34

An NSX administrator noticed that the nsxcli command times out after 600 secs of idle time. Which CLI command disables the nsxcli time out value on NSX Manager?

- A. set cli-timeout 0
- B. set cli-timeout enabled
- C. set cli-timeout disabled
- D. set cli-timeout 1

**Answer: A**

#### Explanation:

"<https://vdc-download.vmware.com/vmwb-repository/dcr-public/cc42e3c1-eb34-4567-a916-147e79798957/8264>  
<https://www.virtten.net/2020/06/quick-tip-remove-nsx-t-ssh-and-http-session-timeout/>

#### NEW QUESTION 35

An NSX administrator has observed connectivity issues between the NSX Manager and the KVM Transport Node. Which two log files could be used to troubleshoot the issue on the KVM Transport Node? (Choose two.)

- A. /var/log/vmware/nsx-syslog
- B. /usr/vmware/log/syslog
- C. /var/log/nsx/syslog
- D. /usr/vmware/nsx-syslog
- E. /var/log/syslog

**Answer:** AE

#### NEW QUESTION 40

An NSX administrator is reviewing syslog and notices that Distributed Firewall Rules hit counts are not being logged. What could cause this issue?

- A. Syslog is not configured on the NSX Manager
- B. Distributed Firewall Rule logging is not enabled
- C. Zero Trust Security is not enabled
- D. Syslog is not configured on the ESXi transport node

**Answer:** B

#### NEW QUESTION 45

Which tool could be used to inspect the path of a packet in the data plane?

- A. Port Connection
- B. Port Mirroring Session
- C. Netflow
- D. Traceflow

**Answer:** D

#### NEW QUESTION 50

Which two BGP configuration parameters can be configured in the VRF Lite gateways? (Choose two.)

- A. Route Aggregation
- B. Route Distribution
- C. Graceful Restart
- D. BGP Neighbors
- E. Local AS

**Answer:** AD

#### Explanation:

The following parameters are inherited from the default Tier-0 gateway and cannot be modified at the VRF level:

- Local AS
- Graceful restart
- Graceful restart timer
- Graceful restart stale timer
- Multipath relax

Inter-SR iBGP is not supported in VRF gateways. BGP can be enabled or disabled per VRF gateway.

Route aggregation and BGP neighbors are local configurations per VRF.

#### NEW QUESTION 52

An NSX administrator is creating a NAT rule on a Tier-0 Gateway configured in active-standby high availability mode. Which two NAT rule types are supported for this configuration? (Choose two.)

- A. Port NAT
- B. Source NAT
- C. Destination NAT
- D. 1:1 NAT
- E. Reflexive NAT

**Answer:** BC

#### NEW QUESTION 56

What are the advantages of using a Tier-0 Gateway in ECMP mode? (Choose two.)

- A. stateful services leveraged
- B. Failover of services
- C. traffic predictability
- D. traffic load balancing
- E. increased north/south bandwidth

**Answer:** DE

#### Explanation:

From ICM manual:

Equal-cost multipath (ECMP) routing has several features and functions:

- ECMP routing increases the north-south communication bandwidth by combining multiple uplinks.
- ECMP routing performs traffic load balancing.
- ECMP routing provides fault tolerance for failed paths.
- A maximum of eight ECMP paths are supported.
- Hashing is based on 2-tuple IP source and destination addresses.
- ECMP routing is only available on Tier-0 gateways.

#### NEW QUESTION 59

An NSX administrator is planning to deploy a multi-tier routing topology in their NSX-T Data Center environment to provide north-south connectivity for the VMs. Which routing component must be deployed?

- A. Tier-1 Gateway
- B. Edge Services Gateway
- C. Tier-0 Gateway
- D. Layer 2 Gateway

**Answer: C**

#### NEW QUESTION 60

An administrator has a requirement to have consistent policy configuration and enforcement across NSXT instances. What feature of NSX-T Data Center fulfills this requirement?

- A. Load balancer
- B. Policy-driven configuration
- C. Multi-hypervisor support
- D. Federation

**Answer: B**

#### NEW QUESTION 63

Which two steps must an NSX administrator take to integrate VMware Identity Manager in NSX-T to support role-based access control? (Choose two.)

- A. Create a SAML authentication in VMware Identity Manager using the NSX Manager FQDN.
- B. Add NSX Manager as a Service Provider (SP) in VMware Identity Manager.
- C. Create an OAuth 2.0 client in VMware Identity Manager.
- D. Enter the Identity Provider (IdP) metadata URL in NSX Manager.
- E. Enter the service URL, Client Secret, and SSL thumbprint in NSX Manager.

**Answer: CE**

#### NEW QUESTION 66

Which two commands are used to query the arp-table of a logical switch? (Choose two.)

- A. `get logical-switch arp-table <logical-switch-uuid>`
- B. `get logical-switch arp-table <vni>`
- C. `get logical-switch arp-table`
- D. `get logical-switch <logical-switch-uuid> arp-table`
- E. `get logical-switch <vni> arp-table`

**Answer: DE**

#### NEW QUESTION 70

What are two supported N-VDS modes? (Choose two.)

- A. DPDK Datapath
- B. Overlay Datapath
- C. Secure Datapath
- D. Enhanced Datapath
- E. Standard Datapath

**Answer: DE**

#### Explanation:

<https://docs.vmware.com/en/VMware-NSX-T-Data-Center/3.0/installation/GUID-37BC3CEF-DCC1-4C6F-960>

#### NEW QUESTION 72

An NSX administrator would like to export syslog events that capture messages related to NSX host preparation events. Which message ID (msgid) should be used in the syslog export configuration command as a filter?

- A. SYSTEM
- B. FABRIC
- C. GROUPING
- D. MONITORING

**Answer: B**

**Explanation:**

[https://docs.vmware.com/en/VMware-NSX-T-Data-Center/3.0/nsxt\\_30\\_admin.pdf](https://docs.vmware.com/en/VMware-NSX-T-Data-Center/3.0/nsxt_30_admin.pdf)

**NEW QUESTION 76**

Which two statements are true for a Tier-1 Gateway? (Choose two.)

- A. owned and configured by the Tenant
- B. connects to physical networks
- C. owned and configured by Service Provider
- D. always configured in active-standby mode
- E. supports ECMP

**Answer:** BD

**NEW QUESTION 80**

An NSX administrator would like to configure syslog for a KVM transport node. Which host log files could be exported to a remote syslog server?

- A. /var/log/vmware/nsx-syslog
- B. /var/log/cfgAgent.log
- C. /var/log/nsx-audit.log
- D. /var/log/cloudnet/nsx-ccp.log

**Answer:** A

**NEW QUESTION 81**

Which is correct when deploying a NSX Edge in a KVM only environment?

- A. deploy NSX Edge VM with QCOW2 image
- B. deploy NSX Edge VM with ISO image
- C. deploy NSX Edge on a bare-metal server
- D. deploy NSX Edge VM with OVF template

**Answer:** C

**NEW QUESTION 84**

How does Traceflow tool identify issues in a network?

- A. Compares intended network state in the control plane with Tunnel End Point (TEP) keepalives in the data plane.
- B. Compares the management plane configuration states containing control plane traffic and error reporting from transport node agents.
- C. Injects synthetic traffic into the data plane and observes the results in the control plane.
- D. Injects ICMP traffic into the data plane and observes the results in the control plane.

**Answer:** C

**NEW QUESTION 85**

Which discovery protocol is supported for hypervisor transport nodes?

- A. Adobe Real-time CDP
- B. Neighbor Discovery Protocol
- C. Cisco Discovery Protocol
- D. Link Layer Discovery Protocol

**Answer:** D

**NEW QUESTION 86**

When a stateful service is enabled for the first time on a Tier-0 Gateway, what happens on the NSX Edge node?

- A. SR and DR doesn't need to be connected to provide any stateful services.
- B. DR is instantiated and automatically connected with SR.
- C. SR is instantiated and automatically connected with DR.
- D. SR and DR is instantiated but requires manual connection.

**Answer:** C

**NEW QUESTION 89**

A customer has a network where BGP has been enabled and the BGP neighbor is configured on the Tier-0 Gateway. A NSX-T Data Center administrator used the get logical-routers command to retrieve this information:

Which two commands must be executed to check BGP neighbor status? (Choose two.)

- A. vrf 3
- B. vrf 1
- C. vrf 4
- D. sa-nsxedge-01(tier1\_sr)> get bgp neighbor
- E. sa-nsxedge-01(tier0\_sr)> get bgp neighbor

F. sa-nxedge-01(tier0\_dr)> get bgp neighbor

**Answer:** AE

#### NEW QUESTION 92

Which two choices are use cases for Distributed Intrusion Detection? (Choose two.)

- A. Identify security vulnerabilities in the workloads.
- B. Use agentless antivirus with Guest Introspection.
- C. Quarantine workloads based on vulnerabilities.
- D. Identify risk and reputation of accessed websites.
- E. Gain insight about micro-segmentation traffic flows.

**Answer:** AC

#### NEW QUESTION 94

A customer is preparing to deploy VMware Kubernetes on an NSX-T Data Center. What is the minimum MTU size for the UPLINK profile?

- A. 1500
- B. 1650
- C. 1550
- D. 1600

**Answer:** D

#### NEW QUESTION 99

Which CLI command does an NSX administrator run on the NSX Manager to generate support bundle logs if the NSX UI is inaccessible?

- A. get support-bundle file vcpnv.tgz
- B. set support-bundle file vcpnv.tgz
- C. vm-support
- D. esxcli system syslog config logger set --id=nsxmanager

**Answer:** A

#### Explanation:

<https://vdc-download.vmware.com/vmwb-repository/dcr-public/cc42e3c1-eb34-4567-a916-147e79798957/8264>

#### NEW QUESTION 102

What are three characteristics of a transport zone? (Choose three.)

- A. defines the potential reach of transport nodes
- B. configured with a Single N-VDS
- C. defines the scope and reachability of a Segment
- D. configured with multiple N-VDS
- E. optional for creating a segment

**Answer:** ABC

#### NEW QUESTION 103

Which CLI command would an administrator use to allow syslog on an ESXi transport node when using the esxcli utility?

- A. esxcli network firewall ruleset -e syslog
- B. esxcli network firewall ruleset set -a -e false
- C. esxcli network firewall ruleset set -r syslog -e true
- D. esxcli network firewall ruleset set -r sysloq -e false

**Answer:** C

#### NEW QUESTION 108

Which three steps are required to create an IPsec VPN tunnel? (Choose three.)

- A. Create an IPsec service.
- B. Add a local endpoint.
- C. Configure an IPsec session.
- D. Configure a distributed firewall policy.
- E. Add a logical switch.

**Answer:** ABC

#### NEW QUESTION 113

Which CLI command is used to start the NSX Manager virtual machine in the KVM environment?

- A. virsh start <NSX-Manager-ID>
- B. virsh poweron <nsx-manager-ID>

- C. virsh start <NSX-Manager-Name>
- D. virsh poweron <nsx-manager-name>

**Answer:** C

**NEW QUESTION 118**

Which NSX CLI command is used to check the GENEVE tunnel status on ESXi transport node?

- A. get host-switch <Host-Switch-Name> tunnels
- B. get transport-node tunnel status
- C. get host-switch <Host-Switch-Name> tunnel status
- D. get transport-node tunnel state

**Answer:** A

**Explanation:**

<https://vdc-download.vmware.com/vmwb-repository/dcr-public/cc42e3c1-eb34-4567-a916-147e79798957/8264>

**NEW QUESTION 122**

.....

## THANKS FOR TRYING THE DEMO OF OUR PRODUCT

Visit Our Site to Purchase the Full Set of Actual 2V0-41.20 Exam Questions With Answers.

We Also Provide Practice Exam Software That Simulates Real Exam Environment And Has Many Self-Assessment Features. Order the 2V0-41.20 Product From:

<https://www.2passeasy.com/dumps/2V0-41.20/>

## Money Back Guarantee

### **2V0-41.20 Practice Exam Features:**

- \* 2V0-41.20 Questions and Answers Updated Frequently
- \* 2V0-41.20 Practice Questions Verified by Expert Senior Certified Staff
- \* 2V0-41.20 Most Realistic Questions that Guarantee you a Pass on Your FirstTry
- \* 2V0-41.20 Practice Test Questions in Multiple Choice Formats and Updatesfor 1 Year