



VMware

Exam Questions 2V0-41.20

Professional VMware NSX-T Data Center

NEW QUESTION 1

An NSX administrator has deployed an NSX Edge on a bare-metal server. Which command registers the NSX Edge with the NSX Manager?

- A. join management-cluster <nsx-cluster-IP> username admin password <admin- password> thumbprint <nsx-manager-thumbprint>
- B. join cluster <nsx-cluster-IP> username root password <root-password> thumbprint<nsx-manager—thumbprint>
- C. join policy-manager <nsx-manager-ip> username root password <root-password> thumbprint<nsx-manager-thumbprint>
- D. join management-plane <nsx-nanager-ip> username admin password <admin-password> thumbprint<nsx-manager-thumbprint>

Answer: D

NEW QUESTION 2

Which two ports are used by a transport node to communicate with the management and control planes in NSX-T Data Center 3.0? (Choose two.)

- A. 5685
- B. 1235
- C. 5671
- D. 5678
- E. 1234

Answer: BE

Explanation:

The NSX Manager management plane communicates with the transport nodes by using APH Server over NSX-RPC/TCP through port 1234. CCP communicates with the transport nodes by using APH Server over NSX-RPC/TCP through port 1235. Taken from NSX-T ICM 3.0 Lecture manual

NEW QUESTION 3

Which three services are compatible with VRF Lite? (Choose three.)

- A. VPN
- B. Intrusion Detection
- C. NAT
- D. Load Balancer
- E. DHCP

Answer: BCE

Explanation:

VRF Lite is not compatible with the following services:

- VPN
- Load Balancer

Taken from NSX-T ICM 3.0 Lecture Manual.

NEW QUESTION 4

Which CLI command should be executed on a KVM hypervisor to retrieve the VM interface UUID?

- A. virsh dumpxml <VM Name> | grep interfaceid
- B. virsh get-interface <VM Name>
- C. virsh show <VM Name> | grep interfaceid
- D. virsh list-interface <VM Name>

Answer: A

Explanation:

https://docs.vmware.com/en/VMware-NSX-T-Data-Center/3.0/nsxt_30_admin.pdf

NEW QUESTION 5

Which CLI command is used to disable SSH timeout on NSX Manger and NSX Edge nodes?

- A. set cli ssh timeout 0
- B. set esxcli ssh session off
- C. set cli-timeout 0
- D. nsxcli ssh session on

Answer: C

NEW QUESTION 6

Which TraceFlow traffic type should an NSX administrator use for validating connectivity between App and DB virtual machines that reside on different segments?

- A. Multicast
- B. Anycast
- C. Unicast
- D. Broadcast

Answer: C

NEW QUESTION 7

Which network virtualization technologies can be used with an Ethernet VPN (EVPN) deployment in NSX-T Data Center? (Choose two.)

- A. Virtual Extensible Local Area Network (VXLAN)
- B. Multiprotocol Border Gateway Protocol (MP-BGP)
- C. Open Shortest Path First (OSPF)
- D. Multiprotocol Label Switching (MPLS)
- E. Virtual Routing and Forwarding (VRF)

Answer: AE

NEW QUESTION 8

Which command is used to display the network configuration of the Tunnel Endpoint (TEP) IP on a bare metal transport node?

- A. ifconfig
- B. tcpdump
- C. debug
- D. ipconfig

Answer: A

Explanation:

<https://docs.vmware.com/en/VMware-NSX-T-Data-Center/3.0/installation/GUID-B7E7371E-A9F6-4880-B184>

NEW QUESTION 9

Which three steps must be carried out to configure North-South / East-West Network Inspection? (Choose three.)

- A. Service Deployment
- B. Service Insertion
- C. Service Consumption
- D. Service Registration
- E. Service Introspection

Answer: ABE

NEW QUESTION 10

Which two tools are used to configure centralized logging in NSX-T Data Center? (Choose two.)

- A. vRealize Network Insight
- B. vRealize Automation
- C. vRealize Log Insight
- D. Syslog Server
- E. vRealize Operations

Answer: CD

NEW QUESTION 10

Which log is used to see a failed NSX-T installation of a VIB package on ESXi transport nodes?

- A. /var/log/host
- B. log
- C. /var/log/vmware/eam/eam.log
- D. /var/log/esxupdate.log
- E. /var/log/syslog.log

Answer: D

NEW QUESTION 14

An NSX administrator is planning to deploy a multi-tier routing topology in their NSX-T Data Center environment to provide north-south connectivity for the VMs. Which routing component must be deployed?

- A. Tier-1 Gateway
- B. Edge Services Gateway
- C. Tier-0 Gateway
- D. Layer 2 Gateway

Answer: C

NEW QUESTION 16

When deploying east-west network introspection, which Service Virtual Machine (SVM) deployment method achieves the least amount of traffic hair pinning?

- A. Create a secondary vNIC on each guest VM for SVM communication.
- B. Place a partner SVM on each compute cluster node.
- C. Centralize partner SVMs in a service cluster.
- D. Add partner SVMs to an edge cluster.

Answer: B

Explanation:

"For SVMs deployed on compute hosts, an SVM does not need to be installed on every host. Some customers prefer to deploy the partner SVM on each host to achieve the least amount of traffic hairpinning. When the partner SVM is deployed in a service cluster, traffic is sent from the compute hosts across the overlay to the hosts in the service cluster."

NEW QUESTION 18

An NSX administrator is troubleshooting a connectivity issue with virtual machines running on an ESXi transport node. Which feature in the NSX UI shows the mapping between the virtual NIC and the host's physical adapter?

- A. Switch Visualization
- B. Port Mirroring
- C. Activity Monitoring
- D. IPFIX

Answer: A

NEW QUESTION 20

An NSX administrator is using ping to check connectivity between VM1 running on ESXi1 to VM2 running on ESXi2. The ping tests fails. The administrator knows the maximum transmission unit size on the physical switch is 1600.

Which command does the administrator use to check the VMware kernel ports for tunnel end point communication?

- A. esxcli network diag ping -H <destination IP address>
- B. vmkping ++netstack=geneve -d -s 1572 <destination IP address>
- C. vmkping ++netstack=vxlan-d -s 1572 <destination IP address>
- D. esxcli network diag ping -l vmk0 -H <destination IP address>

Answer: C

Explanation:

<https://kb.vmware.com/s/article/1003728>

NEW QUESTION 24

How is the intra-tier transit link connection created between SR and DR for a Tier-0 Gateway?

- A. Manually create a gateway interface and mark it as transit.
- B. Automatically created when DR is created.
- C. Automatically created when SR is initialized.
- D. Manually create external uplink interface and mark it as transit.

Answer: C

NEW QUESTION 25

Which two statements are true for a Tier-1 Gateway? (Choose two.)

- A. owned and configured by the Tenant
- B. connects to physical networks
- C. owned and configured by Service Provider
- D. always configured in active-standby mode
- E. supports ECMP

Answer: BD

NEW QUESTION 28

A company is deploying a NSX-T Data Center micro-segmentation in their vSphere environment to secure a simple application composed of web, app, and database tiers.

The naming convention will be:

- WKS-WEB-SRV-XXX
- WKY-APP-SRR-XXX
- WKI-DB-SRR-XXX

What is the optimal way to group them in order to enforce security policies from NSX-T Data Center?

- A. Create an Ethernet based security policy.
- B. Group all by means of tags membership.
- C. Use Edge as a firewall between tiers.
- D. Do a service insertion to accomplish the task.

Answer: B

NEW QUESTION 32

Which is correct when deploying a NSX Edge in a KVM only environment?

- A. deploy NSX Edge VM with QCOW2 image
- B. deploy NSX Edge VM with ISO image
- C. deploy NSX Edge on a bare-metal server

D. deploy NSX Edge VM with OVF template

Answer: C

NEW QUESTION 37

Which component does the hyperbus interface (vmk50) provide network connectivity to?

- A. containers running on ESXi/KVM transport nodes
- B. virtual machines and containers running across transport nodes
- C. virtual machines running on the same hypervisor
- D. virtual machines running in the same segment

Answer: A

NEW QUESTION 39

Which two choices are solutions of the NSX portfolio (Choose two.)?

- A. vRealize Automation
- B. NSX Distributed IDS/IPS
- C. vRealize Network Insight
- D. Tanzu Kubernetes Grid
- E. NSX Service Mesh

Answer: BE

NEW QUESTION 40

An NSX administrator has configured a KVM hypervisor as a transport node. Which kernel module on KVM implements a N-VDS?

- A. openvswitch
- B. etherswitch
- C. nsx-vswitch
- D. dyswitch

Answer: A

NEW QUESTION 44

In a NSX-T Data Center environment, an administrator is observing low throughput and congestion between the Tier-0 Gateway and the upstream physical routers.

Which two actions could address low throughput and congestion? (Choose two.)

- A. Deploy Large size Edge node/s.
- B. Configure ECMP on the Tier-0 gateway.
- C. Configure NAT on the Tier-0 gateway.
- D. Add an additional vNIC to the NSX Edge node.
- E. Configure a Tier-1 gateway and connect it directly to the physical routers.

Answer: AB

NEW QUESTION 46

When running nsxcli on an ESXi host, which command will show the Replication mode?

- A. get logical-switch <Local-Switch-UUID> status
- B. get logical-switch <Logical-Switch-UUID>
- C. get logical-switches
- D. get logical-switch status

Answer: B

Explanation:

<https://vdc-download.vmware.com/vmwb-repository/dcr-public/cc42e3c1-eb34-4567-a916-147e79798957/8264>

NEW QUESTION 51

Which two choices are use cases for Distributed Intrusion Detection? (Choose two.)

- A. Identify security vulnerabilities in the workloads.
- B. Use agentless antivirus with Guest Introspection.
- C. Quarantine workloads based on vulnerabilities.
- D. Identify risk and reputation of accessed websites.
- E. Gain insight about micro-segmentation traffic flows.

Answer: AC

NEW QUESTION 55

Which CLI command would an administrator use to allow syslog on an ESXi transport node when using the esxcli utility?

- A. esxcli network firewall ruleset -e syslog
- B. esxcli network firewall ruleset set -a -e false
- C. esxcli network firewall ruleset set -r syslog -e true
- D. esxcli network firewall ruleset set -r sysloq -e false

Answer: C

NEW QUESTION 58

Which tool injects packets and provides various observation points along the packet's path between two NSX-T managed objects?

- A. SPAN mirrors
- B. Port Mirroring
- C. Traceflow
- D. IPFIX

Answer: C

NEW QUESTION 60

An NSX administrator is configuring the KVM hypervisor host as a transport node and wants to apply the Failover Order as a NIC teaming policy. Which profile allows the administrator to configure the NIC Teaming policy as Failover Order?

- A. N-VDS/VDS Profile
- B. Transport Node Profile
- C. Host Switch Profile
- D. Uplink Profile

Answer: D

NEW QUESTION 62

.....

Thank You for Trying Our Product

We offer two products:

1st - We have Practice Tests Software with Actual Exam Questions

2nd - Questions and Answers in PDF Format

2V0-41.20 Practice Exam Features:

- * 2V0-41.20 Questions and Answers Updated Frequently
- * 2V0-41.20 Practice Questions Verified by Expert Senior Certified Staff
- * 2V0-41.20 Most Realistic Questions that Guarantee you a Pass on Your FirstTry
- * 2V0-41.20 Practice Test Questions in Multiple Choice Formats and Updatesfor 1 Year

100% Actual & Verified — Instant Download, Please Click
[Order The 2V0-41.20 Practice Test Here](#)