


CTFL-Foundation Dumps

Certified Tester Foundation Level

<https://www.certleader.com/CTFL-Foundation-dumps.html>



NEW QUESTION 1

Since the system is in the medical domain and therefore in the safety critical area, testing needs to be rigorous and evidence is required that the system has been adequately tested. Identify THREE measures that would typically be part of the test approach in this domain and which are not always applicable in other domains! 1 credit

- A. High level of documentation
- B. Failure Mode and Effect Analysis (FMEA) sessions
- C. Traceability to requirements
- D. Non-functional testing
- E. Master test planning
- F. Test design techniques
- G. Reviews

Answer: ABC

NEW QUESTION 2

Considerable attention will be given in this project to defining exit criteria and on reporting back on their status. Which combination of TWO exit criteria from the list would be best to use? 1 credit

- A. Total number of defects foundI
- B. Percentage of test cases executedII
- C. Total test effort planned versus total actual test effort spentI
- D. Defect trend (number of defects found per test run over time
- E. (i) and (ii)
- F. (i) and (iv)
- G. (ii) and (iii)
- H. (ii) and (iv)

Answer: D

NEW QUESTION 3

Explain how the above mentioned report may differ from a report that you produce for the project manager, who is a test specialist Select TWO items from the following options that can be used to report to the project manager and would not be included in a report to senior management. 1 credit

- A. Show details on effort spent
- B. List of all outstanding defects with their priority and severity
- C. Give product risk status
- D. Show trend analysis
- E. State recommendations for release

Answer: AB

NEW QUESTION 4

Which of the following would you least expect to form part of the analysis of initial tool costs? 1 credit

- A. Integration with other tools
- B. Learning time required to use the new tool
- C. Tool portability
- D. Evaluation of suitable tools

Answer: C

NEW QUESTION 5

Which of the following are valid reasons for adopting a different life cycle (from the V model), for increments after the first year? 2 credits

- A. We do not have a clear understanding of the requirements from a customer perspective.i
- B. We see the risk of delivering requested functionality late as being higher than the risk of delivering a lower quality product.ii
- C. We do not have a budget for additional regression testing which is needed to ensure that existing functionality is not compromised by future iterations.i
- D. The company test strategy does not fit well within the V life cycle model.
- E. (i) and (ii)
- F. (i) and (iv)
- G. (ii) and (iii)
- H. (ii) and (iv)

Answer: A

NEW QUESTION 6

Which of the following is a characteristic of good testing in any life cycle model? 1 credit

- A. Analysis and design of tests begins as soon as development is completed.
- B. Some, but not all, development activities have corresponding test activities.
- C. Each test level has test objectives specific to that level.
- D. All document reviews involve the development tea

Answer: C

NEW QUESTION 7

Which of the following is a project risk mitigation step you might take as test manager? 1 credit

- A. Testing for performance problems
- B. Hiring a contractor after a test analyst leaves the company
- C. Arranging a back-up test environment in case the existing one fails during testing
- D. Performing a project retrospective meeting using the test results after each increment

Answer: C

NEW QUESTION 8

Part of the testing strategy indicates that you are going to be using systematic test design techniques. Your manager has asked that you present the main advantages of using these techniques at the next board meeting. Identify THREE main benefits of using systematic test design techniques within this company. 2 credits (for 2 out correct 1 credit)

- A. Easier to quickly adapt testing to changing requirements compared to experienced-based testing
- B. Targets certain types of faults
- C. Will guide experienced testers to find defects
- D. Provides a way to differentiate depth of testing based on product risks by using different techniques
- E. More enhanced documentation and therefore higher repeatability and reproducibility
- F. Will make non-systematic testing redundant
- G. Will reduce the need for early reviews

Answer: BDE

NEW QUESTION 9

What would be a test approach regarding the test design techniques to be applied that would fit an item with the highest risk? 2 credits

- A. Component testing: decision testing; System testing: exploratory testing
- B. Component testing: decision testing; System testing: decision table testing
- C. Component testing: statement testing; System testing: equivalence partitioning
- D. Component testing: statement testing; System testing: decision table partitioning

Answer: B

NEW QUESTION 10

Based on the information given in the scenario, identify how the team could be improved most effectively? 2 credits

- A. By providing training in the payroll domain
- B. By providing a workshop on test design techniques
- C. By providing specific training on the systems being tested
- D. By providing training on reviewing requirements

Answer: B

NEW QUESTION 10

You are considering involving users during test execution. In general, what is the main reason for involving users during test execution? 1 credit

- A. They are a cheap resource
- B. They have good testing skills
- C. This can serve as a way to build their confidence in the system
- D. They have the ability to also focus on invalid test cases

Answer: C

NEW QUESTION 13

You have investigated different possibilities and selected four of them to present to IT management. Which of the proposals will you most likely give your highest recommendations? 3 credits

- A. Insourcing of test automation based on an offer from a local company ABC that has people who are specialists in system level capture-replay automation tools and they also do regular training courses in test automation methods and tool
- B. They can then work closely with Vicki.
- C. Outsourcing of test automation based on an offer from an Asian company, AsiaAutoTest, which has people who are specialists in system level capture-replay automation tool
- D. They also offer training and besides they offer to run and maintain the regression tests in the future.
- E. Internal offer from the development department of XYZ to create the regression package using CppUnit as test automation too
- F. One of the development groups have very good experiences in automating unit tests, and they are willing to do training as well.
- G. Solution from a tool vendor offering to educate two test team members in the use of their easy-to-use test automation capture replay tool over the first 3 month and based on that build the regression test suit
- H. In addition to Vicki, Steve is the only one that has time available to be educated.

Answer: A

NEW QUESTION 15

Which aspect in the test estimate is the main risk in this project? 1 credit

- A. Quality of the specification

- B. Availability of end-users
- C. The costs of hardware and tools
- D. Unknown input quality due to third party development

Answer: D

NEW QUESTION 18

Comparing TMMi and TPI, which is not a valid reason for choosing either TPI or TMMi? 2 credits

- A. If the scope of test performance improvement covers all test levels, TMMi is preferred since TPI focusses mainly on black-box testing.
- B. If the organization is already applying CMMI, TMMi may be preferred since it has the same structure and uses the same terminolog
- C. TMMi addresses management commitment very strongly and is therefore more suitable to support a top-down improvement process.
- D. TPI is much more a bottom-up model that is suitable for addressing test topics for a specific (test) project.
- E. TMMi can only be used with the traditional V model, whereas TPI can be used with all types of software life cycle

Answer: D

NEW QUESTION 22

Within the projects, a master test plan and phase test plan will be used. Following is a list of characteristics applicable for test plans:

- A. Any deviation from the procedures described in the test
- B. strategy document
- C. The overall estimated costs, timescales and resource
- D. requirements
- E. A detailed schedule of testing activities
- F. The development deliverables to be tested
- G. Which test staff members (names) will be involved and when
- H. Level of requirements coverage achievedWhich TWO of the above mentioned characteristics relate to the phase test plan? 1 credit
- I. a
- J. b
- K. c
- L. d
- M. e
- N. f

Answer: CE

NEW QUESTION 23

Within the projects, a master test plan and phase test plan will be used. Following is a list of characteristics applicable for test plans:

- A. Any deviation from the procedures described in the test strategy document
- B. The overall estimated costs, timescales and resource requirements
- C. A detailed schedule of testing activities
- D. The development deliverables to be tested
- E. Which test staff members (names) will be involved and when
- F. Level of requirements coverage achievedWhich THREE of the above mentioned characteristics relate to the master test plan? 1 credit
- G. a
- H. b
- I. c
- J. d
- K. e
- L. f

Answer: ABD

NEW QUESTION 27

Why might a RAD approach be a better option for the test manager rather than a sequential development? 2 credits

- A. It will extend the development team's abilities and enhance future delivery capabilities.
- B. It will allow the marketing, clerical and testing staff to validate and verify the early screen prototypes.
- C. Time-box constraints will guarantee code releases are delivered on schedule.
- D. More time can be spent on test execution as less formal documentation is require

Answer: B

NEW QUESTION 29

Regarding the process described above, what is the most important recommendation you would make using IEEE 1044 as a guide? 2 credits

- A. No priority or severity assigned
- B. Incident numbering is manual rather than automated
- C. No mentioning of reproduceability
- D. No classification on type of incident

Answer: A

NEW QUESTION 34

Relying only on the information provided in the scenario, select the TWO items and/or features for which sufficient information is available to proceed with test

design. 2 credits

- A. All supported credit cards
- B. Language localization
- C. Valid and invalid advances
- D. Usability
- E. Response time

Answer: AC

NEW QUESTION 38

Which of the following statements describes a key principle of software testing?

- A. Automated tests allow better statements of confidence about the quality of software products.
- B. For a software system, it is normally impossible to test all the input and output combinations.
- C. Exhaustive software testing is, with enough effort and tool support, feasible for all software.
- D. The purpose of software testing is demonstrating the absence of defects in software product

Answer: B

NEW QUESTION 43

What is the main purpose of use case testing?

- A. To identify defects in process flows related to typical use of the system.
- B. To identify defects in the connections between components.
- C. To identify defects in the system related to extreme scenarios.
- D. To identify defects in the system related to the use of unapproved programming practice

Answer: A

Explanation:

Answer (B) relates to integration testing; answer (C) could relate to boundary value analysis or performance testing, but use cases exercise typical process flows rather than extreme examples; answer (D) relates to static analysis.

NEW QUESTION 46

The cost of fixing a fault:

- A. Is not important
- B. Increases as we move the product towards live use
- C. Decreases as we move the product towards live use
- D. Is more expensive if found in requirements than functional design
- E. Can never be determined

Answer: B

NEW QUESTION 48

Test Implementation and execution has which of the following major tasks?

- A. Developing and prioritizing test cases, creating test data, writing test procedures and optionally preparing the test harnesses and writing automated test scripts.i
- B. Creating the test suite from the test cases for efficient test execution.ii
- C. Verifying that the test environment has been set up correctly.i
- D. Determining the exit criteria.
- E. i, ii, iii are true and iv is false
- F. i, iv are true and ii is false
- G. i, ii are true and iii, iv are false
- H. ii, iii, iv are true and i is false

Answer: A

NEW QUESTION 52

Code Coverage is used as a measure of what?

- A. Defects
- B. Trends analysis
- C. Test Effectiveness
- D. Time Spent Testing

Answer: C

NEW QUESTION 55

Non-functional system testing includes:

- A. Testing to see where the system does not function properly
- B. Testing quality attributes of the system including performance and usability
- C. Testing a system feature using only the software required for that action
- D. Testing a system feature using only the software required for that function
- E. Testing for functions that should not exist

Answer: B

NEW QUESTION 59

Which of the following is the odd one out..?

- A. White box
- B. Glass box
- C. Structural
- D. Functional

Answer: D

NEW QUESTION 63

A tool that supports traceability, recording of incidents or scheduling of tests is called..?

- A. A dynamic analysis tool
- B. A test execution tool
- C. A debugging tool
- D. A test management tool
- E. A configuration management tool

Answer: D

NEW QUESTION 66

How many test cases are necessary to cover all the possible sequences of statements (paths) for the following program fragment?

Assume that the two conditions are independent of each other : -if (Condition 1)then statement 1else statement 2if (Condition 2)then statement 3

- A. 2 Test Cases
- B. 3 Test Cases
- C. 4 Test Cases
- D. Not achievable

Answer: A

NEW QUESTION 68

Tools like change Man, Clear case are used as..?

- A. functional automation tools
- B. performance testing tools
- C. configuration management tools
- D. none of the above

Answer: C

NEW QUESTION 72

What is the benefit of independent testing?

- A. More work gets done because testers do not disturb the developers all the time.
- B. Independent testers tend to be unbiased and find different defects than the developers
- C. Independent testers do not need extra education and training.
- D. Independent testers reduce the bottleneck in the incident management proces

Answer: B

NEW QUESTION 74

Which of the following defects is most likely to be found by a test harness?

- A. Variance from programming standards.
- B. A defect in middleware.
- C. Memory leaks.
- D. Regression defects.

Answer: B

Explanation:

Variance from programming standards defects (option (A)) are found during the review or static testing process.

Therefore a test harness is unlikely to find a defect in programming standards.

Memory leak defects (option (C)) could potentially be found by a test harness designed to run many test cases. Regression defects (option (D)) could be found using many types of test tool.

Defects in middleware (option (B)) are generally more likely to be found by a test harness or a dynamic analysis tool than by any other type of tool.

NEW QUESTION 75

Which of the following terms is used to describe the management of software components comprising an integrated system?

- A. Configuration management

- B. Incident management
- C. Test monitoring
- D. Risk management

Answer: A

Explanation:

Incident management is the collection and processing of incidents raised when errors and defects are discovered. Test monitoring identifies the status of the testing activity on a continuous basis. Risk management identifies, analyses and mitigates risks to the project and the product. Configuration management is concerned with the management of changes to software components and their associated documentation and testware.

NEW QUESTION 77

A washing machine has three temperature bands for different kinds of fabrics: fragile fabrics are washed at temperatures between 15 and 30 degrees Celsius; normal fabrics are washed at temperatures between 31 and 60 degrees Celsius; heavily soiled and tough fabrics are washed at temperatures between 61 and 100 degrees Celsius.

Which of the following contains only values that are in different equivalence partitions? A. 15, 30, 60

- A. 20, 35, 60
- B. 25, 45, 75
- C. 12, 35, 55

Answer: C

Explanation:

Answer (A) includes two values from the lower partition, answer (B) contains two values from the second partition, answer (D) contains one value that is invalid (out of range).

NEW QUESTION 79

Which of the following statements are true?

- (i) Defects are likely to be found earlier in the development process by using reviews rather than static analysis.
- (ii) Walkthroughs require code but static analysis does not require code.
- (iii) Informal reviews can be performed on code and specifications.
- (iv) Dynamic techniques are generally used before static techniques.
- (v) Dynamic techniques can only be used after code is ready to be executed.

- A. (i), (ii), (vi).
- B. (ii), (iii), (v).
- C. (i), (iv), (v).
- D. (i), (iii), (v).

Answer: D

Explanation:

The other answers are incorrect because:

- (ii) Walkthroughs do not require code and static analysis does require code.
- (iv) Static techniques do not execute the code and therefore can be run before and after the code is ready for execution.

NEW QUESTION 84

The five parts of the fundamental test process have a broad chronological order. Which of the options gives three different parts in the correct order?

- A. Implementation and execution, planning and control, analysis and design.
- B. Analysis and design, evaluating exit criteria and reporting, test closure activities.
- C. Evaluating exit criteria and reporting, implementation and execution, analysis and design.
- D. Evaluating exit criteria and reporting, test closure activities, analysis and design.

Answer: B

Explanation:

All other answers have at least one stage of the fundamental test process in the wrong sequence.

NEW QUESTION 89

Faults found by users are due to..?

- A. Poor quality software
- B. Poor software and poor testing
- C. Bad luck
- D. Insufficient time for testing

Answer: B

NEW QUESTION 93

What is the purpose of exit criteria?

- A. To identify how many tests to design.
- B. To identify when to start testing.
- C. To identify when to stop testing.
- D. To identify who will carry out the test executio

Answer: C

NEW QUESTION 97

When what is visible to end-users is a deviation from the specific or expected behavior, this is called..?

- A. An error
- B. A fault
- C. A failure
- D. A defect
- E. A mistake

Answer: C

NEW QUESTION 100

Which of the following are most likely to be used when developing a test strategy or test approach?

(i) Failure-based approach (ii) Test specification approach (iii) Model-based approach (iv) Finance-based approach

- A. (iii) and (ii)
- B. (i) and (iv)
- C. (ii) and (i)
- D. (i) and (iii)

Answer: C

NEW QUESTION 101

Which of the following is the task of a Tester?

- A. Interaction with the Test Tool Vendor to identify best ways to leverage test tool on the project.i
- B. Prepare and acquire Test Dataii
- C. Implement Tests on all test levels, execute and log the tests.i
- D. Create the Test Specifications
- E. i, ii, iii is true and iv is false
- F. ii, iii, iv is true and i is false
- G. i is true and ii, iii, iv are false
- H. iii and iv is correct and i and ii are Incorrect

Answer: B

NEW QUESTION 102

Which of the following is the main purpose of the component build and integration strategy?

- A. to ensure that all of the small components are tested
- B. to ensure that the system interfaces to other systems and networks
- C. to ensure that the integration testing can be performed by a small team
- D. to specify how the software should be divided into components
- E. to specify which components to combine when, and how many at once

Answer: E

NEW QUESTION 107

Reporting Discrepancies as incidents is a part of which phase:

- A. Test Analysis and Design
- B. Test Implementation and execution
- C. Test Closure Activities
- D. Evaluating exit criteria and reporting

Answer: B

NEW QUESTION 112

The selection of test cases for regression testing..?

- A. Requires knowledge on the bug fixes and how it affect the system
- B. Includes the area of frequent defects
- C. Includes the area which has undergone many/recent code changes
- D. All of the above

Answer: D

NEW QUESTION 115

What if the project isn't big enough to justify extensive testing..?

- A. Use automation tool for testing
- B. Use risk based analysis to find out which areas need to be tested
- C. Both a and b

D. None of the above

Answer: B

NEW QUESTION 116

Which of the following is MOST important in the selection of a test approach?

- A. Availability of tools to support the proposed techniques.
- B. The budget allowed for training in proposed techniques.
- C. Available skills and experience in the proposed techniques.
- D. The willingness of the test team to learn new technique

Answer: C

NEW QUESTION 117

What are the key features to be concentrated upon when doing a testing for world wide web sites ..?

- A. Interaction between html pages
- B. Performance on the client side
- C. Security aspects
- D. All of the above

Answer: D

NEW QUESTION 118

The purpose of exit criteria is:

- A. Define when to stop testing
- B. End of test level
- C. When a set of tests has achieved a specific pre condition
- D. All of the above

Answer: D

NEW QUESTION 120

When assembling a test team to work on an enhancement to an existing system, which of the following has the highest level of test independence?

- A. A business analyst who wrote the original requirements for the system.
- B. A permanent programmer who reviewed some of the new code, but has not written any of it.
- C. A permanent tester who found most defects in the original system.
- D. A contract tester who has never worked for the organization before.

Answer: D

Explanation:

In this scenario, the contract tester who has never worked for the organization before has the highest level of test independence. The three others are less independent as they are likely to make assumptions based on their previous knowledge of the requirements, code and general functionality of the original system. Note that independence does not necessarily equate to most useful. In practice most test or project managers would recruit a permanent tester who has worked on the original system in preference to a contract tester with no knowledge of the system. However, when assembling a team it would be useful to have staff with varying levels of test independence and system knowledge.

NEW QUESTION 122

Which of the following is not a part of the Test Implementation and Execution Phase?

- A. Creating test suites from the test cases
- B. Executing test cases either manually or by using test execution tools
- C. Comparing actual results
- D. Designing the Tests

Answer: D

NEW QUESTION 123

What can a risk-based approach to testing provide?

- A. The types of test techniques to be employed.
- B. The total tests needed to provide 100 per cent coverage.
- C. An estimation of the total cost of testing.
- D. Only that test execution is effective at reducing risk

Answer: A

NEW QUESTION 128

Which is not in sequence in 11 Step Software Testing process..?

- A. Assess development plan and status

- B. Develop the test plan
- C. Test software design
- D. Test software requirement

Answer: C

NEW QUESTION 132

One of the roles in a review is that of moderator, which of the following best describes this role?

- A. Plans the review, runs the review meeting and ensures that follow-up activities are completed.
- B. Allocates time in the plan, decides which reviews will take place and that the benefits are delivered.
- C. Writes the document to be reviewed, agrees that the document can be reviewed, and updates the document with any changes.
- D. Documents all issues raised in the review meeting, records problems and open point

Answer: A

NEW QUESTION 137

Which of the following is true of iterative development?

- A. It uses fully defined specifications from the start.
- B. It involves the users in the testing throughout.
- C. Changes to the system do not need to be formally recorded.
- D. It is not suitable for developing website

Answer: B

NEW QUESTION 141

The following statements relate to activities that are part of the fundamental test process.

- A. Evaluating the testability of requirements.i
- B. Repeating testing activities after changes.ii
- C. Designing the test environment set-up.i
- D. Developing and prioritizing test cases.
- E. Verifying the environment is set up correctl
- F. Which statement below is TRUE?
- G. (i) and (ii) are part of analysis and design, (iii), (iv) and (v) are part of test implementation and execution.
- H. (i) and (iii) are part of analysis and design, (ii), (iv) and (v) are part of test implementation and execution.
- I. (i) and (v) are part of analysis and design, (ii), (iii) and (iv) are part of test implementation and execution.
- J. (i) and (iv) are part of analysis and design, (ii), (iii) and (v) are part of test implementation and execution.

Answer: B

Explanation:

All other answers contain an activity identified as analysis and design that is part of implementation and test execution.

NEW QUESTION 143

What is the purpose of test completion criteria in a test plan:

- A. To know when a specific test has finished its execution
- B. To ensure that the test case specification is complete
- C. To set the criteria used in generating test inputs
- D. To know when test planning is complete
- E. To plan when to stop testing

Answer: E

NEW QUESTION 145

Independent Verification & Validation is:

- A. Done by the Developer
- B. Done by the Test Engineers
- C. Done By Management
- D. Done by an Entity Outside the Project's sphere of influence

Answer: D

NEW QUESTION 146

A bug or defect is:

- A. A mistake made by a person;
- B. A run-time problem experienced by a user;
- C. The result of an error or mistake;
- D. The result of a failure, which may lead to an error?

Answer: C

NEW QUESTION 149

Which of the following characteristics of good testing apply to any software development life cycle model?

- A. Acceptance testing is always the final test level to be applied.
- B. All test levels are planned and completed for each developed feature.
- C. Testers are involved as soon as the first piece of code can be executed.
- D. For every development activity there is a corresponding testing activity

Answer: D

NEW QUESTION 152

What is important to do when working with software development models?

- A. To adapt the models to the context of project and product characteristics.
- B. To choose the waterfall model because it is the first and best proven model.
- C. To start with the V-model and then move to either iterative or incremental models.
- D. To only change the organization to fit the model and not vice versa

Answer: A

NEW QUESTION 154

Which of the following is not a quality characteristic listed in ISO 9126 Standard?

- A. Functionality
- B. Usability
- C. Supportability
- D. Maintainability

Answer: C

NEW QUESTION 157

“How much testing is enough?”

- A. This question is impossible to answer
- B. This question is easy to answer
- C. The answer depends on the risk for your industry, contract and special requirements
- D. This answer depends on the maturity of your developers

Answer: C

NEW QUESTION 158

Pick the best definition of quality:

- A. Quality is job one
- B. Zero defects
- C. Conformance to requirements
- D. Work as designed

Answer: C

NEW QUESTION 161

Which statement below BEST describes non-functional testing?

- A. The process of testing an integrated system to verify that it meets specified requirements.
- B. The process of testing to determine the compliance of a system to coding standards.
- C. Testing without reference to the internal structure of a system.
- D. Testing system attributes, such as usability, reliability or maintainability

Answer: A

NEW QUESTION 165

Which of the following has the typical formal review activities in the correct sequence?

- A. Kick-off, review meeting, planning, follow-up.
- B. Kick-off, planning, review meeting, re-work.
- C. Planning, kick-off, individual preparation, review meeting.
- D. Planning, individual preparation, follow-up, re-work.

Answer: C

Explanation:

The correct sequence is: planning, kick-off, individual preparation, review meeting, re-work, follow-up. All of the other options have either the activities in the wrong order or activities missing from the strict flow.

NEW QUESTION 166

Which of the following, if observed in reviews and tests, would lead to problems (or conflict) within teams?

- A. Testers and reviewers are not curious enough to find defects.
- B. Testers and reviewers are not qualified enough to find failures and faults.
- C. Testers and reviewers communicate defects as criticism against persons and not against the software product.
- D. Testers and reviewers expect that defects in the software product have already been found and fixed by the developer

Answer: C

NEW QUESTION 169

What do static analysis tools analyze?

- A. Design
- B. Test cases
- C. Requirements
- D. Program code

Answer: D

NEW QUESTION 172

Which of the following describes structure-based (white-box) test case design techniques?

- A. Test cases are derived systematically from models of the system.
- B. Test cases are derived systematically from the tester's experience.
- C. Test cases are derived systematically from the delivered code.
- D. Test cases are derived from the developers' experience.

Answer: C

Explanation:

Answer (A) relates to specification-based testing, answer (B) relates to experience-based testing and answer (D) could relate either to debugging or to experience-based techniques.

NEW QUESTION 176

The purpose of requirement phase is:

- A. To freeze requirements
- B. To understand user needs
- C. To define the scope of testing
- D. All of the above

Answer: D

NEW QUESTION 177

Which of the following statements are correct for walkthroughs?

- (i) Often led by the author.
- (ii) Documented and defined results.
- (iii) All participants have defined roles.
- (iv) Used to aid learning.
- (v) Main purpose is to find defects.

- A. (i) and (v) are correct.
- B. (ii) and (iii) are correct.
- C. (i) and (iv) are correct.
- D. (iii) and (iv) are correct

Answer: C

NEW QUESTION 180

Testing should be stopped when:

- A. All the planned tests have been run
- B. Time has run out
- C. All faults have been fixed correctly
- D. Both A and C
- E. It depends on the risks for the system being tested

Answer: E

NEW QUESTION 184

Which of the following statements about risks is most accurate?

- A. Project risks rarely affect product risk.
- B. Product risks rarely affect project risk.
- C. A risk-based approach is more likely to be used to mitigate product rather than project risks.
- D. A risk-based approach is more likely to be used to mitigate project rather than product risks.

Answer: C

Explanation:

In general, project risk and product risk can be hard to differentiate. Anything that impacts on the quality of the delivered system is likely to lead to delays or increased costs as the problem is tackled. Anything causing delays to the project is likely to threaten the delivered system's quality. The risk-based approach is an approach to managing product risk through testing, so it impacts most directly on product risk.

NEW QUESTION 185

Which of the following statements best characterises maintenance testing? [K2]

- A. Maintenance testing is triggered by changes to delivered software and uses impact analysis to minimise the amount of regression testing needed
- B. Maintenance testing is triggered by changes to software under development before initial delivery and uses the test plan to determine how much regression testing to do
- C. Maintenance testing is triggered by changes to the test environment and uses testing tools to perform regression testing
- D. Maintenance testing is triggered by changes to the software environment and uses structural testing to ensure the changes function correctly

Answer: A

NEW QUESTION 186

Which of the following are 'Exit Criteria?'

- A. Acceptance criteria, completion criteria, pass/fail criteria.
- B. Coverage of code, schedule, estimates of defect density.
- C. The last executable statement within a component.
- D. Cost overrun

Answer: B

NEW QUESTION 191

Which of the following correctly states a limitation in the use of static analysis tools? [K1]

- A. Static analysis tools can be applied to new code but cannot be applied to existing code
- B. Static analysis tools can be used to enforce coding standards
- C. Static analysis tools always generate large numbers of warning messages when applied to new code, even if the code meets coding standards
- D. Static analysis tools do not generate warning messages when applied to existing code

Answer: B

NEW QUESTION 194

A system calculates the amount of customs duty to be paid:

- _ No duty is paid on goods value up to, and including, \$2,000. _ The next \$8,000 is taxed at 10%.
- _ The next \$20,000 after that is taxed at 12%.
- _ Any further amount after that is taxed at 17%.

To the nearest \$, which of these groups of numbers fall into three DIFFERENT equivalence classes?

- A. \$20,000 \$20,001 \$30,001
- B. \$2,000 \$2,001 \$10,000
- C. \$2,000 \$8,000 \$20,000
- D. \$1,500 \$2,000 \$10,000

Answer: C

NEW QUESTION 198

Before an invoice can be created, an account is required. Before an account can be set up, an account user is required (in order to set up the account). The software is delivered with a master user only, who can only create other types of users. The following test cases have been written to test the high-level structure of the software

- A. Create an invoice
 - B. Amend an invoice
 - C. Process an invoice (send to customer)
 - D. Delete an invoice
 - E. Create an account
 - F. Create an account user
 - G. Amend an account user
 - H. Delete an account user
 - I. Amend an account
 - J. Delete an account
- Which of the following test procedures would enable all tests to be run? [K3]
- K. f, g, a, c, b, d, e, i, j, h
 - L. e, i, a, c, b, d, f, g, h, j
 - M. e, i, f, g, a, c, b, d, h, j
 - N. f, g, e, i, a, b, c, d, j, h

Answer: D

NEW QUESTION 203

Which of the following factors will MOST affect the testing effort required to test a software product? [K1]

- A. The number of staff available to execute tests
- B. The level of detail in the test plan
- C. The requirements for reliability and security in the product
- D. The test estimation method used

Answer: C

NEW QUESTION 204

Which of the following test design techniques is classified as a structure-based (white box) technique? [K1]

- A. Exploratory testing
- B. Decision table testing
- C. State transition testing
- D. Statement testing

Answer: D

NEW QUESTION 209

Which of the following metrics could be used to monitor progress along with test preparation and execution? [K1]

- A. The total number of tests planned
- B. The total number of requirements to be tested
- C. The failure rate in testing already completed
- D. The number of testers used for test execution so far

Answer: C

NEW QUESTION 213

Which of the following is a consideration when deploying test execution tools? [K1]

- A. Data-driven testing cannot be used with test execution tools
- B. Recorded manual tests may become unstable in use
- C. Keyword-driven testing cannot be used with test execution tools
- D. Expected results for tests are not required because the tool generates expected results

Answer: B

NEW QUESTION 217

What factors should be considered to determine whether enough testing has been performed? (i)The exit criteria. (ii)The budget. (iii)How big the test team is. (iv)The product's risk profile. (v)How good the testing tools are. (vi)Sufficient details of the system status to allow decisions

- A. i and ii and iv and vi
- B. i and ii and iii and vi
- C. ii and iii and iv and v
- D. i and ii and v and vi

Answer: A

NEW QUESTION 218

What can testing demonstrate?

- A. Testing can demonstrate that there are no defects
- B. Testing can demonstrate that there are defects
- C. Testing can demonstrate that the software is correct
- D. Testing can demonstrate that there are no hidden defects in the software

Answer: B

NEW QUESTION 223

What is the main reason for using a pilot project to introduce a testing tool into an organization? [K1]

- A. To identify the requirements for using a tool
- B. To make a selection between alternative tools
- C. To assess whether the tool will be cost- effective
- D. To ensure the tools fits existing processes without change

Answer: C

NEW QUESTION 228

Testers are often seen as the bearer of unwanted news regarding defects. What are effective ways to improve the communication and relationship between testers and others?

- a) Communicate factual information in a constructive way.
- b) Try to understand how the other person feels and why they react the way they do.
- c) Always outsource testing activities.
- d) Never record information that could be used to apportion blame to an individual or team.

- A. a and b
- B. a, b and c
- C. a, b and d
- D. a and c

Answer: A

NEW QUESTION 230

Test script TransVal 3.1 tests transaction validation via screen TRN 003B. According to the specification (PID ver 1.3 10b iv) the validation screen should not accept future dated transactions. Test script TransVal 3.1 passes. Test script eod 1.4 tests end of day processing and is run after the execution of TransVal 3.1 using data entered during that test Which of the following is the BEST detail on an incident report? [K3]

- A. Titl
- B. End of Day failure.. Reproducibl
- C. Ye
- D. Descriptio
- E. Script eod 1.4 fails when the first transaction of the day is a future dated transactio
- F. Screen shot of the failure attached.
- G. Titl
- H. Transaction input screen validation..Reproducibl
- I. Ye
- J. Descriptio
- K. Script eod 1..4 fails . Screen shot of the failure attache
- L. Validation of transaction entryon screen TRN-003B should not allow future dated transactions – see PID ver 1.3 para 10b iv.
- M. Titl
- N. Screen TRN-003B validation of transaction date.. Reproducibl
- O. N
- P. Descriptio
- Q. When a future dated transaction is processed by the end of day process, a failure can occu
- R. This does not always happe
- S. Screen shot of thefailure attached.
- T. Titl
- . Screen TRN-003B validation of transaction dat
- . Reproducibl
- . Ye
- . Descriptio
- . Script eod 1.4 fails when the first transaction of the day is a future dated transactio
- . Screen shot of the failure attache
- . Validation of transaction entry on screen TRN-003B should not allow future dated transactions– see PID ver 1.3 para 10b i

Answer: D

NEW QUESTION 233

What type of test design technique is the most effective in testing screen-dialog flows?

- A. Use case testing
- B. Boundary value testing
- C. Statement testing and coverage
- D. State transition testing

Answer: D

NEW QUESTION 237

What is the value of static code analysis?

- A. Detection of failures not easily found by other types of testing
- B. Early defect detection
- C. Detection of suspicious operations caused by deviations from regulations
- D. Detect deviations in standards by executing the source code

Answer: B

NEW QUESTION 240

When an organization considers the use of testing tools, they should:

- A. Use a tool in order to help define a good test process because the tool will force process repeatability and therefore enforce good test process.
- B. Always start by bringing in automated test execution tools as these tools have the greatest return on investment and therefore should be introduced first.
- C. Perform analysis of the test process and then assess whether it can be supported through the introduction of tool support.
- D. Allow the developers to select the testing tools because tools are technical and developers have the appropriate skills to advise on test tool selection and configuration.

Answer: C

NEW QUESTION 242

What are metrics NOT used for?

- A. To identify the percentage of work done in test environment preparation.

- B. To identify the percentage of work done in test case preparation.
- C. To apply to the RAD development model.
- D. To measure whether dates of test milestones were met

Answer: C

NEW QUESTION 246

Which of the following type of defect would NOT be typically found by using a static analysis tool?

- A. A variable is defined but is then not used
- B. A variable is used in a calculation before it is defined
- C. A variable has the wrong numeric value passed into it
- D. A variable is used but not declared

Answer: C

NEW QUESTION 251

Which of the following activities is appropriate to the test planning stage?

- A. Analysing the test basis
- B. Assigning resources for the planned activities
- C. Designing the test environments
- D. Writing a test execution schedule

Answer: B

NEW QUESTION 252

Which of the following is NOT a valid objective of testing?

- A. Preventing defects from being introduced into the code
- B. Investigating and fixing defects in the software under test
- C. Gaining confidence that the system is fit-for-purpose
- D. Providing information for stakeholders' decision making

Answer: D

NEW QUESTION 254

During which stage of the fundamental test process is the testability of requirements evaluated?

- A. Test Implementation and Execution
- B. Test Planning and Control
- C. Evaluating Exit Criteria and Reporting
- D. Test Analysis and Design

Answer: D

NEW QUESTION 258

Which of the following would achieve the HIGHEST level of testing independence for a project's test level?

- A. Training developers to design good tests for the test team to execute
- B. Outsourcing test design and execution to a different company
- C. Having the company's independent test team design and execute the tests
- D. Minimising contact between testers and developers during test design to avoid bias

Answer: A

NEW QUESTION 259

Why is measurement of code coverage important?

- A. Because 100% code coverage implies 100% coverage of requirements
- B. Because 100% code coverage guarantees that there are no coding errors
- C. Because code coverage can be used to ensure that all code is exercised by tests
- D. Because code coverage can ensure that all decisions are correctly implemented in the code

Answer: A

NEW QUESTION 262

Which of the following would you NOT expect to see on an incident report from test execution?

- A. The version(s) of the software under test
- B. The test execution schedule
- C. Expected results and actual results
- D. Precise steps to reproduce the problem

Answer: D

NEW QUESTION 266

Which of the following is a white-box test technique?

- A. Decision table testing
- B. Exploratory testing
- C. Statement testing
- D. Error guessing

Answer: C

NEW QUESTION 270

You have been asked to improve the way test automation tools are being used in your company. Which one of the following is the BEST approach?

- A. Selecting and automating scripts that test new functionality to find the most defects
- B. Using a keyword-driven testing approach to separate the actions and data from the tool's script
- C. Ensuring that all data, inputs and actions are stored in the tool's script for ease of maintenance
- D. Keeping expected results separate from the automation tool to allow the testers to check the results

Answer: A

NEW QUESTION 275

.....

Thank You for Trying Our Product

* 100% Pass or Money Back

All our products come with a 90-day Money Back Guarantee.

* One year free update

You can enjoy free update one year. 24x7 online support.

* Trusted by Millions

We currently serve more than 30,000,000 customers.

* Shop Securely

All transactions are protected by VeriSign!

100% Pass Your CTFL-Foundation Exam with Our Prep Materials Via below:

<https://www.certleader.com/CTFL-Foundation-dumps.html>