

Exam Questions MLS-C01

AWS Certified Machine Learning - Specialty

<https://www.2passeasy.com/dumps/MLS-C01/>



NEW QUESTION 1

A Machine Learning Specialist is implementing a full Bayesian network on a dataset that describes public transit in New York City. One of the random variables is discrete, and represents the number of minutes New Yorkers wait for a bus given that the buses cycle every 10 minutes, with a mean of 3 minutes. Which prior probability distribution should the ML Specialist use for this variable?

- A. Poisson distribution ,
- B. Uniform distribution
- C. Normal distribution
- D. Binomial distribution

Answer: D

NEW QUESTION 2

A Machine Learning Specialist is required to build a supervised image-recognition model to identify a cat. The ML Specialist performs some tests and records the following results for a neural network-based image classifier:

Total number of images available = 1,000 Test set images = 100 (constant test set)

The ML Specialist notices that, in over 75% of the misclassified images, the cats were held upside down by their owners.

Which techniques can be used by the ML Specialist to improve this specific test error?

- A. Increase the training data by adding variation in rotation for training images.
- B. Increase the number of epochs for model training.
- C. Increase the number of layers for the neural network.
- D. Increase the dropout rate for the second-to-last layer.

Answer: B

NEW QUESTION 3

Example Corp has an annual sale event from October to December. The company has sequential sales data from the past 15 years and wants to use Amazon ML to predict the sales for this year's upcoming event. Which method should Example Corp use to split the data into a training dataset and evaluation dataset?

- A. Pre-split the data before uploading to Amazon S3
- B. Have Amazon ML split the data randomly.
- C. Have Amazon ML split the data sequentially.
- D. Perform custom cross-validation on the data

Answer: C

NEW QUESTION 4

A Machine Learning Specialist is preparing data for training on Amazon SageMaker The Specialist is transformed into a numpy .array, which appears to be negatively affecting the speed of the training

What should the Specialist do to optimize the data for training on SageMaker'?

- A. Use the SageMaker batch transform feature to transform the training data into a DataFrame
- B. Use AWS Glue to compress the data into the Apache Parquet format
- C. Transform the dataset into the Recordio protobuf format
- D. Use the SageMaker hyperparameter optimization feature to automatically optimize the data

Answer: C

NEW QUESTION 5

A Machine Learning Specialist deployed a model that provides product recommendations on a company's website Initially, the model was performing very well and resulted in customers buying more products on average However within the past few months the Specialist has noticed that the effect of product recommendations has diminished and customers are starting to return to their original habits of spending less The Specialist is unsure of what happened, as the model has not changed from its initial deployment over a year ago

Which method should the Specialist try to improve model performance?

- A. The model needs to be completely re-engineered because it is unable to handle product inventory changes
- B. The model's hyperparameters should be periodically updated to prevent drift
- C. The model should be periodically retrained from scratch using the original data while adding a regularization term to handle product inventory changes
- D. The model should be periodically retrained using the original training data plus new data as product inventory changes

Answer: D

NEW QUESTION 6

A Machine Learning Specialist is creating a new natural language processing application that processes a dataset comprised of 1 million sentences The aim is to then run Word2Vec to generate embeddings of the sentences and enable different types of predictions

Here is an example from the dataset

"The quck BROWN FOX jumps over the lazy dog "

Which of the following are the operations the Specialist needs to perform to correctly sanitize and prepare the data in a repeatable manner? (Select THREE)

- A. Perform part-of-speech tagging and keep the action verb and the nouns only
- B. Normalize all words by making the sentence lowercase
- C. Remove stop words using an English stopword dictionary.
- D. Correct the typography on "quck" to "quick."
- E. One-hot encode all words in the sentence
- F. Tokenize the sentence into words.

Answer: ABD

NEW QUESTION 7

A Machine Learning Specialist working for an online fashion company wants to build a data ingestion solution for the company's Amazon S3-based data lake. The Specialist wants to create a set of ingestion mechanisms that will enable future capabilities comprised of:

- Real-time analytics
- Interactive analytics of historical data
- Clickstream analytics
- Product recommendations

Which services should the Specialist use?

- A. AWS Glue as the data catalog; Amazon Kinesis Data Streams and Amazon Kinesis Data Analytics for real-time data insights; Amazon Kinesis Data Firehose for delivery to Amazon ES for clickstream analytics; Amazon EMR to generate personalized product recommendations
- B. Amazon Athena as the data catalog; Amazon Kinesis Data Streams and Amazon Kinesis Data Analytics for near-realtime data insights; Amazon Kinesis Data Firehose for clickstream analytics; AWS Glue to generate personalized product recommendations
- C. AWS Glue as the data catalog; Amazon Kinesis Data Streams and Amazon Kinesis Data Analytics for historical data insights; Amazon Kinesis Data Firehose for delivery to Amazon ES for clickstream analytics; Amazon EMR to generate personalized product recommendations
- D. Amazon Athena as the data catalog; Amazon Kinesis Data Streams and Amazon Kinesis Data Analytics for historical data insights; Amazon DynamoDB streams for clickstream analytics; AWS Glue to generate personalized product recommendations

Answer: A

NEW QUESTION 8

A Machine Learning Specialist is working with a large company to leverage machine learning within its products. The company wants to group its customers into categories based on which customers will and will not churn within the next 6 months. The company has labeled the data available to the Specialist.

Which machine learning model type should the Specialist use to accomplish this task?

- A. Linear regression
- B. Classification
- C. Clustering
- D. Reinforcement learning

Answer: B

Explanation:

The goal of classification is to determine to which class or category a data point (customer in our case) belongs to. For classification problems, data scientists would use historical data with predefined target variables AKA labels (churner/non-churner) – answers that need to be predicted – to train an algorithm. With classification,

businesses can answer the following questions:

- Will this customer churn or not?
- Will a customer renew their subscription?
- Will a user downgrade a pricing plan?
- Are there any signs of unusual customer behavior?

NEW QUESTION 9

An insurance company is developing a new device for vehicles that uses a camera to observe drivers' behavior and alert them when they appear distracted. The company created approximately 10,000 training images in a controlled environment that a Machine Learning Specialist will use to train and evaluate machine learning models.

During the model evaluation, the Specialist notices that the training error rate diminishes faster as the number of epochs increases and the model is not accurately inferring on the unseen test images.

Which of the following should be used to resolve this issue? (Select TWO)

- A. Add vanishing gradient to the model
- B. Perform data augmentation on the training data
- C. Make the neural network architecture complex.
- D. Use gradient checking in the model
- E. Add L2 regularization to the model

Answer: BD

NEW QUESTION 10

A company is running a machine learning prediction service that generates 100 TB of predictions every day. A Machine Learning Specialist must generate a visualization of the daily precision-recall curve from the predictions, and forward a read-only version to the Business team.

Which solution requires the LEAST coding effort?

- A. Run a daily Amazon EMR workflow to generate precision-recall data, and save the results in Amazon S3. Give the Business team read-only access to S3.
- B. Generate daily precision-recall data in Amazon QuickSight, and publish the results in a dashboard shared with the Business team.
- C. Run a daily Amazon EMR workflow to generate precision-recall data, and save the results in Amazon S3. Visualize the arrays in Amazon QuickSight, and publish them in a dashboard shared with the Business team.
- D. Generate daily precision-recall data in Amazon ES, and publish the results in a dashboard shared with the Business team.

Answer: C

NEW QUESTION 10

A company is setting up an Amazon SageMaker environment. The corporate data security policy does not allow communication over the internet. How can the company enable the Amazon SageMaker service without enabling direct internet access to Amazon SageMaker notebook instances?

- A. Create a NAT gateway within the corporate VPC.
- B. Route Amazon SageMaker traffic through an on-premises network.
- C. Create Amazon SageMaker VPC interface endpoints within the corporate VPC.
- D. Create VPC peering with Amazon VPC hosting Amazon SageMaker.

Answer: A

NEW QUESTION 13

A monitoring service generates 1 TB of scale metrics record data every minute. A Research team performs queries on this data using Amazon Athena. The queries run slowly due to the large volume of data, and the team requires better performance. How should the records be stored in Amazon S3 to improve query performance?

- A. CSV files
- B. Parquet files
- C. Compressed JSON
- D. RecordIO

Answer: B

NEW QUESTION 17

A Machine Learning Specialist is building a logistic regression model that will predict whether or not a person will order a pizza. The Specialist is trying to build the optimal model with an ideal classification threshold.

What model evaluation technique should the Specialist use to understand how different classification thresholds will impact the model's performance?

- A. Receiver operating characteristic (ROC) curve
- B. Misclassification rate
- C. Root Mean Square Error (RMSE)
- D. L1 norm

Answer: A

NEW QUESTION 22

A Data Scientist wants to gain real-time insights into a data stream of GZIP files. Which solution would allow the use of SQL to query the stream with the LEAST latency?

- A. Amazon Kinesis Data Analytics with an AWS Lambda function to transform the data.
- B. AWS Glue with a custom ETL script to transform the data.
- C. An Amazon Kinesis Client Library to transform the data and save it to an Amazon ES cluster.
- D. Amazon Kinesis Data Firehose to transform the data and put it into an Amazon S3 bucket.

Answer: A

NEW QUESTION 25

A Machine Learning Specialist is building a model that will perform time series forecasting using Amazon SageMaker. The Specialist has finished training the model and is now planning to perform load testing on the endpoint so they can configure Auto Scaling for the model variant.

Which approach will allow the Specialist to review the latency, memory utilization, and CPU utilization during the load test?

- A. Review SageMaker logs that have been written to Amazon S3 by leveraging Amazon Athena and Amazon QuickSight to visualize logs as they are being produced.
- B. Generate an Amazon CloudWatch dashboard to create a single view for the latency, memory utilization, and CPU utilization metrics that are outputted by Amazon SageMaker.
- C. Build custom Amazon CloudWatch Logs and then leverage Amazon ES and Kibana to query and visualize the data as it is generated by Amazon SageMaker.
- D. Send Amazon CloudWatch Logs that were generated by Amazon SageMaker to Amazon ES and use Kibana to query and visualize the log data.

Answer: B

NEW QUESTION 27

A Machine Learning Specialist works for a credit card processing company and needs to predict which transactions may be fraudulent in near-real time.

Specifically, the Specialist must train a model that returns the probability that a given transaction may be fraudulent.

How should the Specialist frame this business problem?

- A. Streaming classification
- B. Binary classification
- C. Multi-category classification
- D. Regression classification

Answer: A

NEW QUESTION 32

An e-commerce company needs a customized training model to classify images of its shirts and pants products. The company needs a proof of concept in 2 to 3 days with good accuracy. Which compute choice should the Machine Learning Specialist select to train and achieve good accuracy on the model quickly?

- A. . m5 4xlarge (general purpose)
- B. r5.2xlarge (memory optimized)

- C. p3.2xlarge (GPU accelerated computing)
- D. p3.8xlarge (GPU accelerated computing)

Answer: C

NEW QUESTION 37

A Machine Learning Specialist kicks off a hyperparameter tuning job for a tree-based ensemble model using Amazon SageMaker with Area Under the ROC Curve (AUC) as the objective metric. This workflow will eventually be deployed in a pipeline that retrains and tunes hyperparameters each night to model click-through on data that goes stale every 24 hours.

With the goal of decreasing the amount of time it takes to train these models, and ultimately to decrease costs, the Specialist wants to reconfigure the input hyperparameter range(s).

Which visualization will accomplish this?

- A. A histogram showing whether the most important input feature is Gaussian.
- B. A scatter plot with points colored by target variable that uses t-Distributed Stochastic Neighbor Embedding (t-SNE) to visualize the large number of input variables in an easier-to-read dimension.
- C. A scatter plot showing the performance of the objective metric over each training iteration.
- D. A scatter plot showing the correlation between maximum tree depth and the objective metric.

Answer: B

NEW QUESTION 41

This graph shows the training and validation loss against the epochs for a neural network. The network being trained is as follows:

- Two dense layers, one output neuron
- 100 neurons in each layer
- 100 epochs
- Random initialization of weights

Which technique can be used to improve model performance in terms of accuracy in the validation set?

- A. Early stopping
- B. Random initialization of weights with appropriate seed
- C. Increasing the number of epochs
- D. Adding another layer with the 100 neurons

Answer: D

NEW QUESTION 44

A Machine Learning Specialist is using an Amazon SageMaker notebook instance in a private subnet of a corporate VPC. The ML Specialist has important data stored on the Amazon SageMaker notebook instance's Amazon EBS volume, and needs to take a snapshot of that EBS volume. However, the ML Specialist cannot find the Amazon SageMaker notebook instance's EBS volume or Amazon EC2 instance within the VPC.

Why is the ML Specialist not seeing the instance visible in the VPC?

- A. Amazon SageMaker notebook instances are based on the EC2 instances within the customer account, but they run outside of VPCs.
- B. Amazon SageMaker notebook instances are based on the Amazon ECS service within customer accounts.
- C. Amazon SageMaker notebook instances are based on EC2 instances running within AWS service accounts.
- D. Amazon SageMaker notebook instances are based on AWS ECS instances running within AWS service accounts.

Answer: C

NEW QUESTION 49

A Machine Learning Specialist is working with a large cybersecurity company that manages security events in real time for companies around the world. The cybersecurity company wants to design a solution that will allow it to use machine learning to score malicious events as anomalies on the data as it is being ingested. The company also wants to be able to save the results in its data lake for later processing and analysis.

What is the MOST efficient way to accomplish these tasks?

- A. Ingest the data using Amazon Kinesis Data Firehose, and use Amazon Kinesis Data Analytics Random Cut Forest (RCF) for anomaly detection. Then use Kinesis Data Firehose to stream the results to Amazon S3.
- B. Ingest the data into Apache Spark Streaming using Amazon EMR.
- C. Use Spark MLlib with k-means to perform anomaly detection. Then store the results in an Apache Hadoop Distributed File System (HDFS) using Amazon EMR with a replication factor of three as the data lake.
- D. Ingest the data and store it in Amazon S3. Use AWS Batch along with the AWS Deep Learning AMIs to train a k-means model using TensorFlow on the data in Amazon S3.
- E. Ingest the data and store it in Amazon S3. Have an AWS Glue job that is triggered on demand transform the new data. Then use the built-in Random Cut Forest (RCF) model within Amazon SageMaker to detect anomalies in the data.

Answer: B

NEW QUESTION 52

A manufacturer of car engines collects data from cars as they are being driven. The data collected includes timestamp, engine temperature, rotations per minute (RPM), and other sensor readings. The company wants to predict when an engine is going to have a problem so it can notify drivers in advance to get engine maintenance. The engine data is loaded into a data lake for training. Which is the MOST suitable predictive model that can be deployed into production'?

- A. Add labels over time to indicate which engine faults occur at what time in the future to turn this into a supervised learning problem. Use a recurrent neural network (RNN) to train the model to recognize when an engine might need maintenance for a certain fault.
- B. This data requires an unsupervised learning algorithm. Use Amazon SageMaker k-means to cluster the data.
- C. Add labels over time to indicate which engine faults occur at what time in the future to turn this into a supervised learning problem. Use a convolutional neural network (CNN) to train the model to recognize when an engine might need maintenance for a certain fault.
- D. This data is already formulated as a time series. Use Amazon SageMaker seq2seq to model the time series.

Answer: B

NEW QUESTION 57

A Machine Learning Specialist is training a model to identify the make and model of vehicles in images. The Specialist wants to use transfer learning and an existing model trained on images of general objects. The Specialist collated a large custom dataset of pictures containing different vehicle makes and models.

- A. Initialize the model with random weights in all layers including the last fully connected layer.
- B. Initialize the model with pre-trained weights in all layers and replace the last fully connected layer.
- C. Initialize the model with random weights in all layers and replace the last fully connected layer.
- D. Initialize the model with pre-trained weights in all layers including the last fully connected layer.

Answer: B

NEW QUESTION 59

For the given confusion matrix, what is the recall and precision of the model?

- A. Recall = 0.92 Precision = 0.84
- B. Recall = 0.84 Precision = 0.8
- C. Recall = 0.92 Precision = 0.8
- D. Recall = 0.8 Precision = 0.92

Answer: A

NEW QUESTION 64

.....

THANKS FOR TRYING THE DEMO OF OUR PRODUCT

Visit Our Site to Purchase the Full Set of Actual MLS-C01 Exam Questions With Answers.

We Also Provide Practice Exam Software That Simulates Real Exam Environment And Has Many Self-Assessment Features. Order the MLS-C01 Product From:

<https://www.2passeasy.com/dumps/MLS-C01/>

Money Back Guarantee

MLS-C01 Practice Exam Features:

- * MLS-C01 Questions and Answers Updated Frequently
- * MLS-C01 Practice Questions Verified by Expert Senior Certified Staff
- * MLS-C01 Most Realistic Questions that Guarantee you a Pass on Your FirstTry
- * MLS-C01 Practice Test Questions in Multiple Choice Formats and Updatesfor 1 Year