

## Exam Questions 1z0-900

Java EE 7 Application Developer

<https://www.2passeasy.com/dumps/1z0-900/>



#### NEW QUESTION 1

You have a set up min-max planning at the subinventory level with the following to source item AS12312 for Organization: M1:

- ▶ Source Type: Organization
- ▶ Organization: M1

What type of supply request will be generated?

- A. Movement request
- B. Internal Requisition
- C. Purchase Requisition
- D. None; this is an invalid setup
- E. Intraorganization transfer order

**Answer: E**

#### NEW QUESTION 2

Identify two statements that are true about the cost-organization relationship.

- A. Costing Item Validation Organization can only be Item Master Organization of the underlying inventory organizations.
- B. Only Inventory organizations belonging to different Item Master Organizations can be part of a cost organization.
- C. Costing Item Validation Organization is used to default the Unit of Measure for costing calculations.
- D. The inventory organizations that are assigned to a cost organization must all belong to the same legal entity.

**Answer: CD**

#### NEW QUESTION 3

Given an HttpServletRequest request and an EJB SessionContext ctx. Which is a valid way to retrieve the Principal invoking either behavior?

- A. request.getCallerPrincipal() and ctx.getCallerPrincipal()
- B. request.getUserPrincipal() and ctx.getUserPrincipal()
- C. request.getCallerPrincipal() and ctx.getUserPrincipal()
- D. request.getUserPrincipal() and ctx.getCallerPrincipal()

**Answer: A**

#### NEW QUESTION 4

A user is performing a material return transaction against access stock in an Inventory organization; however, the user fails to select the Physical Material Return Required check box.

What happens?

- A. It is considered as accounting-only return.
- B. Stock is reserved.
- C. A transfer order line remains open.
- D. Shipment lines are created.

**Answer: A**

#### NEW QUESTION 5

Which code snippet indicates that the page you are designing is capable of handling errors?

- A. `<%@page errorPage="errorHandler.jsp"%>`
- B. `<%= requestScope['javax.servlet.error'] !=null %>`
- C. `<%@page isErrorPage="true"%>`
- D. `<c:set var="errorHandler" value="true"/>`

**Answer: C**

#### NEW QUESTION 6

Which two options constitute the rights and responsibilities of a legal Entity?

- A. Account for themselves to regulations, taxation authorities, and owners according to rules specified in the relevant legislation
- B. Facilitate resource allocation
- C. Manage warehouses
- D. Create opportunities for new business
- E. Own property

**Answer: AE**

#### NEW QUESTION 7

Your customer wants you to restrict the values of Receivables Transaction Type for their three business units. You created three reference data sets for each business unit. However, the user is still able to see the values in the Transaction Type list of values which are not defined in the business unit data set.

What is the reason for this behavior?

- A. The user is seeing the values defined in the common se

- B. The values should be removed from the common set.
- C. Receivables Transaction Types are common across business units.
- D. Reference Data Sets cannot be used uniquely across business unit
- E. They can only be used at the Legal Entity level.
- F. The user has multiple Business Unit Roles and, therefore, is able to see additional values.

**Answer:** A

#### NEW QUESTION 8

What does the system do if you have not entered a count for a tag during physical inventory process?

- A. It will adjust your on-hand balances down to zero quantity.
- B. You will not be able to post without a quantity for every tag.
- C. Any adjustment will be rejected.
- D. It will consider the current system quantity.
- E. A warehouse person will be notified.

**Answer:** A

#### NEW QUESTION 9

The physical inventory process is carried out for a particular inventory organization with the following parameters:

- Negative quantity Tolerance Percentage is set to 10%
- Approval Type = 'Always'

The system says that there are 100 on band, but you only counted 95. What will happen?

- A. The setup is invalid; it will give an error message.
- B. Because the 95 is within the 10% tolerance, it will post without approval.
- C. The system will ask a user to recount before posting.
- D. An approval will be required before posting.

**Answer:** B

#### NEW QUESTION 10

How can you inject a target web service into an EJB?

- A. Define service as an injectable resource by using the <resource-ref> declaration.
- B. Use a HandlerChain.
- C. Use a java.xml.ws.WebServiceRef annotation.
- D. Use a java.xml.ws.WebServiceContext annotation.

**Answer:** A

#### NEW QUESTION 10

An inventory transaction is important to the system through an FBDI template.

Which transaction state denotes that an inventory transaction is created in the Oracle Inventory Management application?

- A. Created
- B. Validated
- C. Deferred
- D. New
- E. Staged

**Answer:** B

#### NEW QUESTION 15

You defined an Inventory Organization that is meant to track the contract manufacturing process outsourced to a supplier.

Where do you mention that this Inventory Organization is meant for one particular supplier?

- A. Manage Inventory Organization Locations
- B. Manage Subinventories
- C. Manage Inventory Organizations
- D. Manage Contract Manufacturing Relationships
- E. Manage Item Organizations

**Answer:** C

#### NEW QUESTION 16

Your organization performs a restock via a transfer order between inventory organizations, using the following parameters for processing:

Transfer Type: In-transit transfer type Receipt Routing: Standard

Transfer Order Required: Yes

During the process, the receiving organization wants to make a change to the transfer order line. After which fulfillment stage will they no longer be able to change the transfer order?

- A. Awaiting Receiving
- B. Awaiting Billing
- C. Closed

- D. Ship Confirm
- E. Awaiting Fulfillment

**Answer: C**

#### NEW QUESTION 17

You have a high value item that you want to audit on an unscheduled basis to deter pilfering. Which method would you use to do this?

- A. ABC Count
- B. Physical Inventory Count
- C. Automated Cycle Count
- D. Manual Cycle Count
- E. Blind Inventory Count

**Answer: D**

#### NEW QUESTION 19

On the Supply Lines Overview page, the deviations in supply type chart show a supply line status of exception. What action must you take?

- A. This indicates that supply line quantities are available but the quality is not up to the mark, so the quality issue must be resolved.
- B. The indicates that supply line has an exception in manufacturing goods, so the supply line must be changed.
- C. This indicates that supply line quantities are less than required, so additional quantities must be procured to meet the requirement.
- D. This indicates that supply line quantities are not available, so inventory must be procured.

**Answer: C**

#### NEW QUESTION 22

Your customer wants to transfer material from facility A to facility B. They are using the interorganization transfer to perform the transaction in the system. Their requirement is "whenever material is transferred from their facility A to facility B, facility B needs to pay 5% additional amount to the current item cost". Which task must be set up to accomplish this requirement?

- A. Manage Interorganization Markup
- B. Manage Transfer Pricing Rules
- C. Manage Cost Plus Pricing
- D. Manage Cost Organization Relationships
- E. Manage Organization Relationships

**Answer: D**

#### NEW QUESTION 24

Given the code fragment:

```
@Resource(lookup = "java:comp/DefaultJMSConnectionFactory")
private ConnectionFactory cf;
@Resource(lookup = "jms/MyTopic")
private Topic topic;
public void action() {
    try (JMSContext ctx =
        cf.createContext(JMSContext.SESSION_TRANSACTED);) {
        JMSConsumer c1 = ctx.createConsumer(topic, "(grade > 50)");
        JMSConsumer c2 = ctx.createConsumer(topic, "(grade <= 50)");
    }
}
```

How are transactions managed?

- A. through a single shared transaction across the connection factory
- B. through a separate transaction per JMS Consumer
- C. through a single transaction for the entire JMS Topic
- D. through a single shared transaction in the JMS Context

**Answer: D**

#### NEW QUESTION 26

Given the code fragment:

```
<servlet-mapping>
  <servlet-name>firstServlet</servlet-name>
  <url-pattern>/*</url-pattern>
</servlet-mapping>

<servlet-mapping>
  <servlet-name>secondServlet</servlet-name>
  <url-pattern>/</url-pattern>
</servlet-mapping>

<servlet-mapping>
  <servlet-name>thirdServlet</servlet-name>
  <url-pattern>/</url-pattern>
</servlet-mapping>
```

When the context root is requested `http://host:port/context`, how does the container resolve this mapping?

- A. thirdServlet handles the request.
- B. firstServlet handles the request.
- C. The container throws an error at startup.
- D. secondServlet handles the request.

**Answer: C**

**NEW QUESTION 30**

Your customer is a very large organization spanning across multiple countries. Their legal requirements, Human Resource Policies, and Functional Currencies for Ledger are different for each country. Your customer wants to maintain 10 different companies in the system. Which combination meets this requirement?

- A. 1 Enterprise, 10 Divisions, where each division has its own ledger with common legal entity across all divisions
- B. 10 Enterprises, 10 Divisions, where each division has its own legal entity and ledger
- C. 1 Enterprise, 10 Divisions, where each division has its own legal entity and ledger
- D. 10 Enterprises, 1 Division, where each division has 10 legal entities and 1 ledger

**Answer: C**

**NEW QUESTION 31**

Given the code sample:

```
public interface GenericMessenger (
    public void handleMessage(Message msg) {}
)
```

And:

```
@Default
public class MsgHandler implements GenericMessenger (
    public void handleMessage(Message msg) {}
)
```

And:

```
@Alternative
public class SmsHandler implements GenericMessenger (
    public void handleMessage(Message msg) {}
)
```

And the next fragment from beans.xml:

```
<alternatives>
  <class>com.acme.SmsHandler</class>
</alternatives>
```

And this injection point:

`@Inject GenericMessenger messageHandler;`  
 Which type would be injected at run time and referenced by the `messageHandler` variable?

- A. SmsHandler
- B. MsgHandler
- C. None of the above
- D. An exception would be thrown due to ambiguous bean references.
- E. GenericMessenger

**Answer: D**

**NEW QUESTION 34**

Given a JSL document describing a batch job:

```
<job id="ProductLoadJob"
xmlns=http://xmlns.jcp.org/xml/ns/javaee version="1.0">
<step id="ProcessProduct">
  <chunk item-count="10">
    <reader ref="ProductReader"/>
    <processor ref="ProductProcessor"/>
    <writer ref="ProductWriter"/>
  </chunk>
</step>
</job>
```

How do you initiate a batch job?

- A. Get the JobExecution object from BatchRuntime and call its start() method.
- B. Get the JobExecution object from BatchRuntime and set its status to JobStatus.INITIATED.
- C. Get the JobOperator object from BatchRuntime and call its start() method.
- D. Call BatchRunTime.initialize("ProductLoadJob");

**Answer:** A

#### NEW QUESTION 35

Which URL represents an invalid approach to pass a parameter to a REST resource?

- A. <base-url>/Employees?value=1
- B. <base-url>/Employees&value=1
- C. <base-url>/Employees/1
- D. <base-url>/Employees;value=1

**Answer:** D

#### NEW QUESTION 38

You have been asked to implement internationalization in your JSF web application. Where do you configure the supported locales?

- A. in the <f:view> tag of the Facelet page
- B. in the web.xml file
- C. in the faces-config.xml file
- D. in the src folder

**Answer:** A

#### NEW QUESTION 41

While negotiating the terms of the consignment agreement, the buyer and the supplier mutually agree to set aging onset point as receipt and the aging period as five days. The terms also say that the consumption advice will be generated daily.

In which three scenarios will the goods be transferred from the supplier's ownership to buyer's ownership?

- A. You received the goods today and you decided to issue the goods after days without transferring the ownership.
- B. You received the goods today and for the next one week you do not plan any action on the same.
- C. You received the goods today after six days you decide to transfer the ownership using the "create transfer to consigned transaction" task.
- D. You received the goods today and you transfer the ownership using the "create transfer to owned transaction" task.
- E. You received the goods and after four days you return the material to the supplier.
- F. You received the goods today and after three days you transfer the ownership using the "create transfer to consigned transaction" task.

**Answer:** ABD

#### NEW QUESTION 45

A shipment has not yet been created for a pick that you are running. How is the due date calculated?

- A. request date from the order line
- B. schedule ship date from the order line
- C. promise date from the order line
- D. system date
- E. earliest acceptable date from the order line

**Answer:** B

#### NEW QUESTION 49

Which interface should you implement if you want to be alerted to the lifecycle events surrounding your task being executed by a ManagedExecutorService?

- A. the Runnable Interface
- B. the ManagedExecutorTask interface
- C. the TaskEventListener interface
- D. the ManagedTaskListener interface

**Answer:** D

**NEW QUESTION 52**

Given the set of navigation rules:

```
<navigation-rule>
  <from-view-id>list-widgets</from-view-id>
  <navigation-case>
    <from-outcome>add</from-outcome>
    <to-view-id>add-widget</to-view-id>
  </navigation-case>
</navigation-rule>
<navigation-rule>
  <from-view-id>*</from-view-id>
  <navigation-case>
    <from-outcome>home</from-outcome>
    <to-view-id>home</to-view-id>
  </navigation-case>
  <navigation-case>
    <from-outcome>logout</from-outcome>
    <to-view-id>goodbye</to-view-id>
  </navigation-case>
</navigation-rule>
<navigation-rule>
  <from-view-id>home</from-view-id>
  <navigation-case>
    <from-outcome>dashboard</from-outcome>
    <to-view-id>dashboard</to-view-id>
  </navigation-case>
  <navigation-case>
    <from-outcome>list</from-outcome>
    <to-view-id>list-widgets</to-view-id>
  </navigation-case>
</navigation-rule>
```

Which two define a valid flow of view IDs through the application? (Choose two.)

- A. home > goodbye > list-widgets
- B. dashboard > home > add-widget > list-widgets
- C. list-widgets > add-widget > home > dashboard > home
- D. home > list-widgets > add-widget > goodbye

**Answer:** CD

**NEW QUESTION 55**

On your JSF page, you have a form in which you have a command button:

```
<h:commandButton value="Click Me!"
  actionListener="#{someBean.listenCarefully}"
  action="#{someBean.actNow}"/>
```

A user submits the form by clicking the button, and no errors occur while processing the request. Which statement is true?

- A. The actNow() and ListenCarefully() methods are executed in parallel.
- B. The listenCarefully() method is executed followed by the actNow() method.
- C. The actNow() method controls the condition upon which the listenCarefully() method is allowed to be executed.
- D. The actNow method is executed followed by the listenCarefully() method.

**Answer:** B

**NEW QUESTION 58**

A Java EE application that uses an EJB container must communicate with a legacy system developed using non-Java technologies. Which two Java EE technologies can be used in the integration tier of the application? (Choose two.)

- A. JMS
- B. JSF
- C. JPA
- D. JCA

**Answer:** AB

**NEW QUESTION 59**

Your customer has a complex financial reporting structure. Which three elements should you define first in order to form a basis for this reporting?

- A. Tax, Legal, and Industry
- B. Managerial, Operational, and Industry
- C. Legal, Managerial, and Functional

D. Legal, Autonomy, and Operational

**Answer: C**

#### NEW QUESTION 64

Which action invokes supply chain orchestration and transfer of data to supply chain orchestration Interface tables?

- A. creating Purchase Order Receipt
- B. running a scheduled process called "Create Transactions"
- C. running Min-Max Planning
- D. creating a new Inventory Organization for execution of supply chain orchestration

**Answer: C**

#### NEW QUESTION 69

Given:

```
public class SomeClass {
    @Resource (name="java:comp/env/concurrent/TaskExecutor")
    ManagedExecutorService mes;
    public void createTask() {
        Future<Integer> result=
            mes.submit(new MyCallable<Integer>());
    }
}
```

How often does the submitted task run?

- A. need more details to determine
- B. once
- C. as many times as you like
- D. based on a schedule

**Answer: A**

#### NEW QUESTION 70

Identify three statements that are true about reservations in back-to-back processing.

- A. Partial fulfillment of reservations is supported.
- B. Changes to reservation in Oracle Logistics Cloud leads to exceptions, which are displayed in the Supply Chain Orchestration work area.
- C. Reservations cannot be created for back-to-back On Hand supply orders.
- D. One reservation is created for a demand and supply.
- E. Reservation supplies that can be reserved are Purchase Orders, Transfer Orders, Work Orders, and On Hand inventory.

**Answer: BDE**

#### NEW QUESTION 74

Your web application requires logic to remember items that a user placed into a shopping cart. Which two mechanisms should you use to associate that information with the user? (Choose two.)

- A. HttpServletResponse objects
- B. ServletContext objects
- C. HttpSession objects
- D. a database

**Answer: BC**

#### NEW QUESTION 78

A Persistence application locks entity x with a LockModeType.PESSIMISTIC\_READ lock type. Which statement is true?

- A. LockModeType.PESSIMISTIC\_READ is the synonym of LockModeType.READ
- B. This operation will force serialization among transactions attempting to read the entity data.
- C. This operation will result in a TransactionRolledbackException if the lock cannot be obtained.
- D. If the application updates the entity later, and the changes are flushed to the database, the lock will be converted to an exclusive lock.

**Answer: B**

#### NEW QUESTION 81

You have been assigned to the Widget Editor portion of an application. It contains a Widget Editor Facelet page, the Widget class, and a simple WidgetEditor backing bean, which contains a reference to the current Widget instance.

Given the code fragment from the Widget class:

```
public class Widget implements Serializable {
    private String name;
    private Date createdDate;
    private boolean approved;
}
```

Given the code fragment from the Facelet page:

```
<h:messages id="messages" />
<h:form id="widgetForm">
    <h:outputLabel for="name" value="Name:" />
    <h:inputText id="name" value="#{widgetEditor.widget.name}" />
    <h:outputLabel for="createdDate" value="Created Date:" />
    <h:inputText id="createdDate"
        value="#{widgetEditor.widget.createdDate}" /> <!-- Line 1 -->
    <h:outputLabel for="approved" value="Approved:" />
    <h:selectBooleanCheckbox id="approved"
        value="#{widgetEditor.widget.approved}" />
    <h:commandButton value="Save" action="#{widgetEditor.save}" />
</h:form>
```

The page displays Conversion Error when a user fills out all the form fields and clicks the Save button. Which step do you perform to fix this problem?

- A. Replace Line 1 with: <h:inputText id="createDate" value="#{widgetEditor.widget.createdDate}" converter="java.util.Date" />
- B. Enclose the code fragment within the <f:view/> tag
- C. Insert <f:convertDateTime"/> at Line 1
- D. Replace Line 1 with: <h:inputText id="createDate" value="#{widgetEditor.widget.createdDate}"><f:convertDateTime pattern="dd-mm-yyyy"/></h:inputText>

Answer: D

**NEW QUESTION 82**

Identify two valid WebSocket message types for which you can register handlers. (Choose two.)

- A. Error Message
- B. Binary Message
- C. Pong Message
- D. Ping Message

Answer: BC

**NEW QUESTION 85**

Given:

```
public class AppException extends Exception {}

@Stateless
public class CustomerService {
    @TransactionAttribute(TransactionAttributeType.REQUIRED)
    public boolean addCustomer(int id, String name throws AppException {
        // assume database insert operation succeeds
        Customer c = insertIntoDB(id, name);
        if(id < 20) {
            throw new AppException();
        }
    }
}
```

If an exception is thrown inside the if block, what effect will it have on the transaction?

- A. The transaction will be committed.
- B. The transaction will be suspended.
- C. The transaction will be rolled back.

Answer: C

**NEW QUESTION 86**

Your organization has lot controlled and nonlot controlled material and stores all defective material in a subinventory called "Defect". The organization does not want defective material to be available for reservations or for subsequent shipping to customers. Which option satisfies this requirement?

- A. Tag the lot as defective product.
- B. Disallow all inventory transactions for the subinventory "Defect".
- C. Put a hold on the lot.
- D. Assign the subinventory a material status that disallows reservations and allows subinventory transfers and issues to scrap.
- E. Assign the lot a material status that disallows reservations and allows subinventory transfers and issues to scrap.

Answer: D

**NEW QUESTION 87**

Which three types of jurisdictions should be considered while designing the Enterprise Structure?

- A. Labor Jurisdiction
- B. Obligatory Jurisdiction
- C. Local Jurisdiction
- D. Income Tax Jurisdiction
- E. Transaction Tax Jurisdiction
- F. Identifying Jurisdiction

Answer: DEF

**NEW QUESTION 88**

You want to allow one set of roles to POST to a resource and another set of roles to GET it. Which two configuration options should you use? (Choose two.)

- A. two separate @HttpMethodConstraints annotations and sets of roles
- B. a single @HttpMethodConstraint annotation and a map of method to roles
- C. two <web-resource-collection> with different <http-method> in the deployment descriptor
- D. a single <web-resource-collection> with two <auth-constraint> with different <http-method> in the deployment descriptor

Answer: BD

**NEW QUESTION 91**

Which code snippet prints the exception error message as part of the page output?

- A. <%= exception.message %>
- B. <c:out value="{requestScope['javax.servlet.error.exception']}" />
- C. <% exception.getMessage(); %>
- D. <% System.out.println(e.getMessage()) %>

Answer: D

**NEW QUESTION 92**

In Supply Chain Orchestration, Automated Change Management performs which two functions?

- A. change to need by dates of a purchase order
- B. splitting of a sales order
- C. changing the ship method on a sales order
- D. change to item attributes
- E. changing the supplier on a purchase order

Answer: AB

**NEW QUESTION 96**

Given the code fragment:

```
// line 1
public class DataConverter
    implements AttributeConverter<LocalDate, Date> {
//implementation
}

@Entity
// line 2
public class Customer {
// line 3
    private localDate birthday;
//remaining implementation
}
```

How can you apply DateConverter to the birthday field?

- A. by adding @Convert(to=Date.class) at line 3
- B. by invoking the setConverter(DateConverter.class) method on the EntityManager object
- C. by adding @Converter(autoApply=true) at line 1
- D. by adding @Convert((DateConverter.class)) at line 2

Answer: A

**NEW QUESTION 98**

Which statement is true about Java methods that are exposed as Web Service operations by using JAX-WS API?

- A. The @WebResult annotation must exist.

- B. Method parameters and return types must be JAXB compatible.
- C. Method parameters must be declared by using @WebParam.
- D. The @WebMethod annotation must exist.

**Answer:** D

#### NEW QUESTION 103

Given the code fragment:

```
public void onMessage(Message msg) {  
    try {  
        // get property names  
    } catch (Exception e) {  
    }  
}
```

How can you get all property names of a JMS message in the JMS consumer onMessage operation?

- A. String [] props = msg.getPropertyNames();
- B. Enumeration props = msg.getPropertyNames();. Iterator props = msg.getPropertyNames();
- C. List<String> props = msg.getProperties();

**Answer:** A

#### NEW QUESTION 108

You are building the User Preferences page of an application. A user can change values, such as his or her name, password, address, company, and so on. These values are sent to a CDI backing bean via AJAX when the user tabs out of each field. However, the values must be retained in the CDI bean and stored in the database only when the user clicks the Save button.

Which two scopes will allow your CDI bean to retain its state while the user is interacting with the User Preferences page? (Choose two.)

- A. Dependent
- B. View
- C. Session
- D. Request
- E. Application

**Answer:** CD

#### NEW QUESTION 112

You need to exchange large binary messages using chunks in a WebSocket application. Identify two ways in which you can receive partial messages. (Choose two.)

- A. Define an @OnMessage method with a single MimePart parameter.
- B. Use a ChunkListener interface implementation.
- C. Use a MessageHandler.Partial<ByteBuffer> interface implementation.
- D. Define an @OnMessage method with byte [] as the first parameter and a boolean as the second parameter.

**Answer:** CD

#### NEW QUESTION 117

Which annotation allows a request to be executed with another Principal's identity?

- A. It is not possible to execute a request with another Principal's identity.
- B. @UseIdentity
- C. @RolesAllowed
- D. @Runs

**Answer:** C

#### NEW QUESTION 118

A third-party service equipment is used for various purposes in a manufacturing facility and needs to be overhauled once a year. This equipment is charged based on its consumption without a project dependency.

At this point, it should be transferred out of the vendor's warehouse for maintenance and then returned back in the future depending upon the requirement.

The material stock transfer should happen with an offline approval and with an account alias as a logical reference.

What is the ideal way to handle this process?

- A. Transfer Order
- B. Requisitions
- C. Move Request
- D. Miscellaneous Transaction
- E. Subinventory Transfer

**Answer:** D

#### NEW QUESTION 121

Your customer decides to implement Cloud Procurement and Inventory. While discussing with your customer, you come to know that they have a business that spans across multiple locations and they have warehouse situated across USA and Canada.

- ▶ All their procurement, payables, and distribution activities take place from USA.
  - ▶ They have a central warehouse in USA and after the goods are delivered to this warehouse, they are distributed across multiple additional warehouses. The warehouses are managed separately from the requisitioning units.
  - ▶ For requesting material they have two units. One located in USA that monitors the current stock. They are responsible for creating requisition for any material shortage in USA. They have another location in Canada for requesting material.
- Which setup fulfills this scenario?

- A. BU1: USA - as procurement and requisitioning Business Unit (BU)BU2: Canada - as requisitioning Business UnitDefine Service provider relationship where Canada procurement business unit serves as procurement and payables service provider for Canada Requisitioning Business Unit.
- B. BU1: USA - as procurement business unit (BU)BU2: Canada - as requisitioning business unitBU3: USA- as requisitioning business unitDefine Service provider relationship where USA procurement business unit serves as procurement and payables service provider for Canada Requisitioning Business Unit.
- C. BU1: USA - as procurement business unit (BU)BU2: Canada - as requisitioning business unitBU3: USA- as requisitioning business unitDefine Service provider relationship where Canada procurement business unit serves as procurement and payables service provider for Canada Requisitioning Business Unit.
- D. BU1: USA - as procurement business unit (BU)BU2: Canada - as requisitioning business unitBU3: USA- as requisitioning business unitDefine Service provider relationship where USA procurement business unit serves as procurement and payables service provider for both Canada and USA requisitioning Business Units.

**Answer:** A

#### NEW QUESTION 126

.....

## THANKS FOR TRYING THE DEMO OF OUR PRODUCT

Visit Our Site to Purchase the Full Set of Actual 1z0-900 Exam Questions With Answers.

We Also Provide Practice Exam Software That Simulates Real Exam Environment And Has Many Self-Assessment Features. Order the 1z0-900 Product From:

<https://www.2passeasy.com/dumps/1z0-900/>

### Money Back Guarantee

#### **1z0-900 Practice Exam Features:**

- \* 1z0-900 Questions and Answers Updated Frequently
- \* 1z0-900 Practice Questions Verified by Expert Senior Certified Staff
- \* 1z0-900 Most Realistic Questions that Guarantee you a Pass on Your FirstTry
- \* 1z0-900 Practice Test Questions in Multiple Choice Formats and Updatesfor 1 Year