

SC-300 Dumps

Microsoft Identity and Access Administrator

<https://www.certleader.com/SC-300-dumps.html>



NEW QUESTION 1

- (Exam Topic 2)

You need to locate licenses to the A. Datum users. The solution must need the technical requirements. Which type of object should you create?

- A. A Dynamo User security group
- B. An OU
- C. A distribution group
- D. An administrative unit

Answer: A

NEW QUESTION 2

- (Exam Topic 2)

You need to meet the technical requirements for the probability that user identifies were compromised. What should the users do first, and what should you configure? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Answer Area

The users must first:	<input type="checkbox"/> Provide consent for any app to access the data of Contoso. <input type="checkbox"/> Register for multi-factor authentication (MFA). <input type="checkbox"/> Register for self-service password reset (SSPR).
You must configure:	<input type="checkbox"/> A sign-in risk policy. <input type="checkbox"/> A user risk policy. <input type="checkbox"/> An Azure AD Password Protection policy.

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Answer Area

The users must first:	<input type="checkbox"/> Provide consent for any app to access the data of Contoso. <input type="checkbox"/> Register for multi-factor authentication (MFA). <input type="checkbox"/> Register for self-service password reset (SSPR).
You must configure:	<input type="checkbox"/> A sign-in risk policy. <input type="checkbox"/> A user risk policy. <input type="checkbox"/> An Azure AD Password Protection policy.

NEW QUESTION 3

- (Exam Topic 2)

You need to meet the technical requirements for license management by the helpdesk administrators.

What should you create first, and which tool should you use? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Answer Area

Object to create for each branch office:	<input type="checkbox"/> An administrative unit <input type="checkbox"/> A custom role <input type="checkbox"/> A Dynamic User security group <input type="checkbox"/> An OU
Tool to use:	<input type="checkbox"/> Azure Active Directory admin center <input type="checkbox"/> Active Directory Administrative Center <input type="checkbox"/> Active Directory module for Windows PowerShell <input type="checkbox"/> Microsoft 365 admin center

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Answer Area

Object to create for each branch office:	<input type="checkbox"/> An administrative unit <input type="checkbox"/> A custom role <input type="checkbox"/> A Dynamic User security group <input checked="" type="checkbox"/> An OU
Tool to use:	<input type="checkbox"/> Azure Active Directory admin center <input type="checkbox"/> Active Directory Administrative Center <input checked="" type="checkbox"/> Active Directory module for Windows PowerShell <input type="checkbox"/> Microsoft 365 admin center

NEW QUESTION 4

- (Exam Topic 3)

You have an Azure Active Directory (Azure AD) tenant that contains the objects shown in the following table.

Name	Type	Directly assigned license
User1	User	None
User2	User	Microsoft Office 365 Enterprise E5
Group1	Security group	Microsoft Office 365 Enterprise E5
Group2	Microsoft 365 group	None
Group3	Mail-enabled security group	None

Which objects can you add as members to Group3?

- A. User2 and Group2 only
- B. User2, Group1, and Group2 only
- C. User1, User2, Group1 and Group2
- D. User1 and User2 only
- E. User2 only

Answer: E

Explanation:

Reference:

<https://bitsizedbytes.wordpress.com/2018/12/10/distribution-security-and-office-365-groups-nesting/>

NEW QUESTION 5

- (Exam Topic 3)

You have a Microsoft 365 tenant.

The Azure Active Directory (Azure AD) tenant syncs to an on-premises Active Directory domain.

You plan to create an emergency-access administrative account named Emergency1. Emergency1 will be assigned the Global administrator role in Azure AD.

Emergency1 will be used in the event of Azure AD functionality failures and on-premises infrastructure failures.

You need to reduce the likelihood that Emergency1 will be prevented from signing in during an emergency. What should you do?

- A. Configure Azure Monitor to generate an alert if Emergency1 is modified or signs in.
- B. Require Azure AD Privileged Identity Management (PIM) activation of the Global administrator role for Emergency1.
- C. Configure a conditional access policy to restrict sign-in locations for Emergency1 to only the corporatenetwork.
- D. Configure a conditional access policy to require multi-factor authentication (MFA) for Emergency1.

Answer: A

NEW QUESTION 6

- (Exam Topic 3)

You have an Azure Active Directory (Azure AD) tenant.

You create an enterprise application collection named HR Apps that has the following settings:

- Applications: Appl. App?, App3
- Owners: Admin 1
- Users and groups: HRUsers

AH three apps have the following Properties settings:

- Enabled for users to sign in: Yes
- User assignment required: Yes
- Visible to users: Yes

Users report that when they go to the My Apps portal, they only see App1 and App2-You need to ensure that the users can also see App3. What should you do from App3?

What should you do from App3?

- A. From Users and groups, add HRUsers.
- B. From Properties, change User assignment required to No.
- C. From Permissions, review the User consent permissions.
- D. From Single sign on, configure a sign-on method.

Answer: A

Explanation:

Reference:

<https://docs.microsoft.com/en-us/azure/active-directory/manage-apps/assign-user-or-group-access-portal> <https://docs.microsoft.com/en-us/azure/active-directory/user-help/my-applications-portal-workspaces>

NEW QUESTION 7

- (Exam Topic 3)

You have an Azure Active Directory (Azure AD) tenant named conto.so.com that has Azure AD Identity Protection enabled. You need to Implement a sign-in risk remediation policy without blocking access.

What should you do first?

- A. Configure access reviews in Azure AD.
- B. Enforce Azure AD Password Protection.
- C. implement multi-factor authentication (MFA) for all users.
- D. Configure self-service password reset (SSPR) for all users.

Answer: D

NEW QUESTION 8

- (Exam Topic 3)

You have an Azure Active Directory (Azure AD) tenant that syncs to an Active Directory forest. The tenant-uses through authentication.

A corporate security policy states the following:

- Domain controllers must never communicate directly to the internet.
- Only required software must be- installed on servers.

The Active Directory domain contains the on-premises servers shown in the following table.

Name	Description
Server1	Domain controller (PDC emulator)
Server2	Domain controller (infrastructure master)
Server3	Azure AD Connect server
Server4	Unassigned member server

You need to ensure that users can authenticate to Azure AD if a server fails.

On which server should you install an additional pass-through authentication agent?

- A. Server2
- B. Server4
- C. Server1
- D. Server3

Answer: C

NEW QUESTION 9

- (Exam Topic 3)

You have a Microsoft 365 tenant.

All users have mobile phones and laptops.

The users frequently work from remote locations that do not have Wi-Fi access or mobile phone connectivity. While working from the remote locations, the users connect their laptop to a wired network that has internet access.

You plan to implement multi-factor authentication (MFA).

Which MFA authentication method can the users use from the remote location?

- A. a verification code from the Microsoft Authenticator app
- B. security questions
- C. voice
- D. SMS

Answer: B

NEW QUESTION 10

- (Exam Topic 3)

You have an Azure Active Directory (Azure AD) tenant named contoso.com.

All users who run applications registered in Azure AD are subject to conditional access policies. You need to prevent the users from using legacy authentication.

What should you include in the conditional access policies to filter out legacy authentication attempts?

- A. a cloud apps or actions condition
- B. a user risk condition
- C. a client apps condition
- D. a sign-in risk condition

Answer: C

Explanation:

Reference:

<https://docs.microsoft.com/en-us/azure/active-directory/conditional-access/block-legacy-authentication>

NEW QUESTION 10

- (Exam Topic 3)

You have a Microsoft 365 tenant.

You create a named location named HighRiskCountries that contains a list of high-risk countries.

You need to limit the amount of time a user can stay authenticated when connecting from a high-risk country. What should you configure in a conditional access policy? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Answer Area

Configure HighRiskCountries by using:

A cloud app or action
A condition
A grant control
A session control

Configure Sign-in frequency by using:

A cloud app or action
A condition
A grant control
A session control

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Answer Area

Configure HighRiskCountries by using:

- A cloud app or action
- A condition
- A grant control
- A session control

Configure Sign-in frequency by using:

- A cloud app or action
- A condition
- A grant control
- A session control

NEW QUESTION 14

- (Exam Topic 3)

You have an Azure Active Directory (Azure AD) tenant that has multi-factor authentication (MFA) enabled. The account lockout settings are configured as shown in the following exhibit.

Account lockout

Temporarily lock accounts in the multi-factor authentication service if there are too many denied authentication attempts in a row. This feature only applies to users who enter a PIN to authenticate.

Number of MFA denials to trigger account lockout *

3

Minutes until account lockout counter is reset *

60

Minutes until account is automatically unblocked *

30

Use the drop-down menus to select the answer choice that completes each statement based on the information presented in the graphic.

NOTE: Each correct selection is worth one point.

Answer Area

A user account will be locked out if the user enters the wrong [answer choice] three times.

email address
Microsoft Authenticator app code
password

If a user account is locked, the user can sign in again successfully after [answer choice] minutes.

30
60
90

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Answer Area

A user account will be locked out if the user enters the wrong [answer choice] three times.

email address
Microsoft Authenticator app code
password

If a user account is locked, the user can sign in again successfully after [answer choice] minutes.

30
60
90

NEW QUESTION 16

- (Exam Topic 3)

You have a Microsoft 365 tenant.

The Azure Active Directory (Azure AD) tenant syncs to an on-premises Active Directory domain. The domain contains the servers shown in the following table.

Name	Operating system	Configuration
Server1	Windows Server 2019	Domain controller
Server2	Windows Server 2019	Domain controller
Server3	Windows Server 2019	Azure AD Connect

The domain controllers are prevented from communicating to the internet. You implement Azure AD Password Protection on Server1 and Server2. You deploy a new server named Server4 that runs Windows Server 2019.

You need to ensure that Azure AD Password Protection will continue to work if a single server fails. What should you implement on Server4?

- A. Azure AD Connect

- B. Azure AD Application Proxy
- C. Password Change Notification Service (PCNS)
- D. the Azure AD Password Protection proxy service

Answer: D

Explanation:

Reference:

<https://docs.microsoft.com/en-us/azure/active-directory/authentication/howto-password-ban-bad-on-premisesdep>

NEW QUESTION 19

- (Exam Topic 3)

You have an Azure Active Directory (Azure AD) tenant that contains a user named SecAdmin1. SecAdmin1 is assigned the Security administrator role. SecAdmin1 reports that she cannot reset passwords from the Azure AD Identity Protection portal. You need to ensure that SecAdmin1 can manage passwords and invalidate sessions on behalf of nonadministrative users. The solution must use the principle of least privilege. Which role should you assign to SecAdmin1?

- A. Authentication administrator
- B. Helpdesk administrator
- C. Privileged authentication administrator
- D. Security operator

Answer: C

Explanation:

Reference:

<https://docs.microsoft.com/en-us/azure/active-directory/roles/permissions-reference>

NEW QUESTION 23

- (Exam Topic 3)

Your network contains an on-premises Active Directory domain that syncs to an Azure Active Directory (Azure AD) tenant. Users sign in to computers that run Windows 10 and are joined to the domain. You plan to implement Azure AD Seamless Single Sign-On (Azure AD Seamless SSO). You need to configure the computers for Azure AD Seamless SSO. What should you do?

- A. Enable Enterprise State Roaming.
- B. Configure Sign-in options.
- C. Install the Azure AD Connect Authentication Agent.
- D. Modify the Intranet Zone settings.

Answer: D

Explanation:

Reference:

<https://docs.microsoft.com/en-us/azure/active-directory/hybrid/how-to-connect-sso-quick-start>

NEW QUESTION 24

- (Exam Topic 3)

You have a Microsoft 365 tenant. All users have computers that run Windows 10. Most computers are company-owned and joined to Azure Active Directory (Azure AD). Some computers are user-owned and are only registered in Azure AD. You need to prevent users who connect to Microsoft SharePoint Online on their user-owned computer from downloading or syncing files. Other users must NOT be restricted. Which policy type should you create?

- A. a Microsoft Cloud App Security activity policy that has Microsoft Office 365 governance actions configured
- B. an Azure AD conditional access policy that has session controls configured
- C. an Azure AD conditional access policy that has client apps conditions configured
- D. a Microsoft Cloud App Security app discovery policy that has governance actions configured

Answer: B

Explanation:

Reference:

<https://docs.microsoft.com/en-us/cloud-app-security/proxy-intro-aad>

NEW QUESTION 27

- (Exam Topic 3)

You have a Microsoft 365 tenant. The Sign-ins activity report shows that an external contractor signed in to the Exchange admin center. You need to review access to the Exchange admin center at the end of each month and block sign-ins if required. What should you create?

- A. an access package that targets users outside your directory
- B. an access package that targets users in your directory
- C. a group-based access review that targets guest users
- D. an application-based access review that targets guest users

Answer: C

Explanation:

Reference:

<https://docs.microsoft.com/en-us/azure/active-directory/governance/access-reviews-overview>

NEW QUESTION 31

- (Exam Topic 3)

You have an Azure Active Directory (Azure AD) tenant that contains the users shown in the following table.

Name	Type	Member of
User1	Member	Group1
User2	Member	Group1
User3	Guest	Group1

User1 is the owner of Group1.

You create an access review that has the following settings:

- Users to review: Members of a group
- Scope: Everyone
- Group: Group1
- Reviewers: Members (self)

Which users can perform access reviews for User3?


- A. User1, User2, and User3
- B. User3 only
- C. User1 only
- D. User1 and User2 only

Answer: B

NEW QUESTION 34

- (Exam Topic 3)

Your company has two divisions named Contoso East and Contoso West. The Microsoft 365 identity architecture for both divisions is shown in the following exhibit.



You need to assign users from the Contoso East division access to Microsoft SharePoint Online sites in the Contoso West tenant. The solution must not require additional Microsoft 365 licenses.

What should you do?

- A. Configure The exiting Azure AD Connect server in Contoso East to sync the Contoso East Active Directory forest to the Contoso West tenant.
- B. Configure Azure AD Application Proxy in the Contoso West tenant.
- C. Deploy a second Azure AD Connect server to Contoso East and configure the server to sync the Contoso East Active Directory forest to the Contoso West tenant.
- D. Create guest accounts for all the Contoso East users in the West tenant.

Answer: D

NEW QUESTION 37

- (Exam Topic 3)

You have a Microsoft 365 tenant.

All users must use the Microsoft Authenticator app for multi-factor authentication (MFA) when accessing Microsoft 365 services.

Some users report that they received an MFA prompt on their Microsoft Authenticator app without initiating a sign-in request.

You need to block the users automatically when they report an MFA request that they did not initiate. Solution: From the Azure portal, you configure the Fraud alert settings for multi-factor authentication (MFA). Does this meet the goal?

- A. Yes
- B. No

Answer: B

NEW QUESTION 40

- (Exam Topic 3)

You have a Microsoft 365 tenant.

You currently allow email clients that use Basic authentication to conned to Microsoft Exchange Online.

You need to ensure that users can connect t to Exchange only run email clients that use Modern authentication protocols.

What should you implement?

You need to ensure that use Modern authentication

- A. a compliance policy in Microsoft Endpoint Manager
- B. a conditional access policy in Azure Active Directory (Azure AD)
- C. an application control profile in Microsoft Endpoint Manager
- D. an OAuth policy in Microsoft Cloud App Security

Answer: C

NEW QUESTION 43

- (Exam Topic 3)

Your company has an Azure Active Directory (Azure AD) tenant named contoso.com. The company is developing a web service named App1.

You need to ensure that App1 can use Microsoft Graph to read directory data in contoso.com.

Which three actions should yon perform in sequence? To answer, move the appropriate actions from the list of actions to the answer area and arrange them In the correct order.

The screenshot shows the 'Actions' list on the left and the 'Answer Area' on the right. The 'Actions' list contains five items: 'Create an app registration.', 'Add a group claim.', 'Add app permissions.', 'Grant admin consent.', and 'Add delegated permissions.'. The 'Answer Area' is currently empty. There are navigation arrows between the two panels.

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

The screenshot shows the 'Actions' list on the left and the 'Answer Area' on the right. The 'Actions' list contains five items: 'Create an app registration.', 'Add a group claim.', 'Add app permissions.', 'Grant admin consent.', and 'Add delegated permissions.'. The 'Answer Area' contains three items in sequence: 'Create an app registration.', 'Add app permissions.', and 'Grant admin consent.'. There are navigation arrows between the two panels.

NEW QUESTION 46

- (Exam Topic 3)

You configure Azure Active Directory (Azure AD) Password Protection as shown in the exhibit. (Click theExhibittab.)

Custom smart lockout

Lockout threshold ⓘ ✓

Lockout duration in seconds ⓘ ✓

Custom banned passwords

Enforce custom list ⓘ ☒ Yes ☐ No

Custom banned password list ⓘ

Contoso ✓
Litware
Tailwind
project
Zettabyte
MainStreet

Password protection for Windows Server Active Directory

Enable password protection on Windows Server Active Directory ⓘ ☒ Yes ☐ No

Mode ⓘ ☒ Enforced ☐ Audit

You are evaluating the following passwords:

- > Pr0jectlitw@re
- > T@ilw1nd
- > C0nt0s0

Which passwords will be blocked?

- A. Pr0jectlitw@re and T@ilw1nd only
- B. C0nt0s0 only
- C. C0nt0s0, Pr0jectlitw@re, and T@ilw1nd
- D. C0nt0s0 and T@ilw1nd only
- E. C0nt0s0 and Pr0jectlitw@re only

Answer: C

Explanation:

Reference:
<https://blog.enablingtechcorp.com/azure-ad-password-protection-password-evaluation>

NEW QUESTION 48

- (Exam Topic 3)

Your company has an Azure Active Directory (Azure AD) tenant named contosri.com. The company has the business partners shown in the following table.

Name	Description
Fabrikam, Inc.	An Azure AD tenant that has two verified domains named fabrikam.com and adatum.com
Litware, Inc.	A third-party identity provider that uses the domain names of litwareinc.com and contoso.com

users can request access by using package 1.

Users at Fabrikam and Litware use ail then respective domain names for email addresses.

You plan to create an access package named packaqel that will be accessible only to the Fabrikam and Litware users.

You need to configure connected organizations for Fabrikam and litware so that any of their users can request access by using package1.

What is the minimum of connected organization that you should create.

- A. 1
- B. 2
- C. 3
- D. 4

Answer: C

NEW QUESTION 53

.....

Thank You for Trying Our Product

* 100% Pass or Money Back

All our products come with a 90-day Money Back Guarantee.

* One year free update

You can enjoy free update one year. 24x7 online support.

* Trusted by Millions

We currently serve more than 30,000,000 customers.

* Shop Securely

All transactions are protected by VeriSign!

100% Pass Your SC-300 Exam with Our Prep Materials Via below:

<https://www.certleader.com/SC-300-dumps.html>