

AZ-204 Dumps

Developing Solutions for Microsoft Azure (beta)

<https://www.certleader.com/AZ-204-dumps.html>



NEW QUESTION 1

- (Exam Topic 1)

You need to migrate on-premises shipping data to Azure. What should you use?

- A. Azure Migrate
- B. Azure Cosmos DB Data Migration tool (dt.exe)
- C. AzCopy
- D. Azure Database Migration service

Answer: D

Explanation:

Migrate from on-premises or cloud implementations of MongoDB to Azure Cosmos DB with minimal downtime by using Azure Database Migration Service.

Perform resilient migrations of MongoDB data at scale and with high reliability.

Scenario: Data migration from on-premises to Azure must minimize costs and downtime.

The application uses MongoDB JSON document storage database for all container and transport information. References:

<https://azure.microsoft.com/en-us/updates/mongodb-to-azure-cosmos-db-online-and-offline-migrations-are-now>

NEW QUESTION 2

- (Exam Topic 1)

You need to support the message processing for the ocean transport workflow.

Which four actions should you perform in sequence? To answer, move the appropriate actions from the list of actions to the answer area and arrange them in the correct order.

Actions

Answer Area

Create an integration account in the Azure portal.

Link the custom connector to the Logic App.

Update the Logic App to use the partners, schemas, certificates, maps, and agreements.

Create a custom connector for the Logic App.

Add partners, schemas, certificates, maps, and agreements.

Link the Logic App to the integration account.



- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Step 1: Create an integration account in the Azure portal

You can define custom metadata for artifacts in integration accounts and get that metadata during runtime for your logic app to use. For example, you can provide metadata for artifacts, such as partners, agreements, schemas, and maps - all store metadata using key-value pairs.

Step 2: Link the Logic App to the integration account

A logic app that's linked to the integration account and artifact metadata you want to use. Step 3: Add partners, schemas, certificates, maps, and agreements

Step 4: Create a custom connector for the Logic App. References:

<https://docs.microsoft.com/bs-latn-ba/azure/logic-apps/logic-apps-enterprise-integration-metadata>

NEW QUESTION 3

- (Exam Topic 1)

You need to configure Azure App Service to support the REST API requirements.

Which values should you use? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Setting	Value
Plan	<div>Basic</div> <div>Standard</div> <div>Premium</div> <div>Isolated</div>
Instance Count	<div>1</div> <div>10</div> <div>20</div> <div>100</div>

- A. Mastered
B. Not Mastered

Answer: A

Explanation:

Plan: Standard

Standard support auto-scaling Instance Count: 10

Max instances for standard is 10. Scenario:

The REST API's that support the solution must meet the following requirements:

- > Allow deployment to a testing location within Azure while not incurring additional costs.
- > Automatically scale to double capacity during peak shipping times while not causing application downtime.
- > Minimize costs when selecting an Azure payment model. References:

<https://azure.microsoft.com/en-us/pricing/details/app-service/plans/>

NEW QUESTION 4

- (Exam Topic 3)

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You are developing an Azure solution to collect point-of-sale (POS) device data from 2,000 stores located throughout the world. A single device can produce 2 megabytes (MB) of data every 24 hours. Each store location has one to five devices that send data.

You must store the device data in Azure Blob storage. Device data must be correlated based on a device identifier. Additional stores are expected to open in the future.

You need to implement a solution to receive the device data.

Solution: Provision an Azure Service Bus. Configure a topic to receive the device data by using a correlation filter.

Does the solution meet the goal?

- A. Yes
B. No

Answer: A

Explanation:

A message is raw data produced by a service to be consumed or stored elsewhere. The Service Bus is for high-value enterprise messaging, and is used for order processing and financial transactions.

Reference:

<https://docs.microsoft.com/en-us/azure/event-grid/compare-messaging-services>

NEW QUESTION 5

- (Exam Topic 3)

Your company is migrating applications to Azure. The IT department must allow internal developers to communicate with Microsoft support.

The service agents of the IT department must only have view resources and create support ticket permissions to all subscriptions. A new custom role must be created by reusing a default role definition and changing the permissions.

You need to create the custom role.

To answer, select the appropriate options in the answer area. NOTE: Each correct selection is worth one point.

Item	Value
Powershell command	<div><div></div><div>Get-AzureRmRoleDefinition-Name"Reader" ConvertTo-Json Out-File C:\SupportRole.json Get-AzureRmRoleDefinition-Name"Operator" ConvertTo-Json Out-File C:\SupportRole.json Set-AzureRmRoleDefinition-Name"Reader" Input-File C:\SupportRole.json Set-AzureRmRoleDefinition Input-File C:\SupportRole.json</div></div>
Actions section	<div><div></div><div>"*/read*", "Microsoft.Support/*" "*/read" "*/read*", "Microsoft.Support/*" "*/read"</div></div>

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Box 1: Set-AzureRmRoleDefinition Input-File C:\SupportRole.json

The Set-AzureRmRoleDefinition cmdlet updates an existing custom role in Azure Role-Based Access Control. Provide the updated role definition as an input to the command as a JSON file or a PSRoleDefinition object.

The role definition for the updated custom role MUST contain the Id and all other required properties of the role even if they are not updated: DisplayName, Description, Actions, AssignableScope

Box 2: "*/read*", "Microsoft.Support/*" Microsoft.Support/* Create and manage support tickets "Microsoft.Support" role definition azure

NEW QUESTION 6

- (Exam Topic 3)

You are developing an Azure Cosmos DB solution by using the Azure Cosmos DB SQL API. The data includes millions of documents. Each document may contain hundreds of properties.

The properties of the documents do not contain distinct values for partitioning. Azure Cosmos DB must scale individual containers in the database to meet the performance needs of the application by spreading the workload evenly across all partitions over time.

You need to select a partition key.

Which two partition keys can you use? Each correct answer presents a complete solution. NOTE: Each correct selection is worth one point.

- A. a concatenation of multiple property values with a random suffix appended
- B. a single property value that does not appear frequently in the documents
- C. a hash suffix appended to a property value
- D. a value containing the collection name
- E. a single property value that appears frequently in the documents

Answer: AC

Explanation:

You can form a partition key by concatenating multiple property values into a single artificial partitionKey property. These keys are referred to as synthetic keys. Another possible strategy to distribute the workload more evenly is to append a random number at the end of the partition key value. When you distribute items in this way, you can perform parallel write operations across partitions.

Note: It's the best practice to have a partition key with many distinct values, such as hundreds or thousands. The goal is to distribute your data and workload evenly across the items associated with these partition key values. If such a property doesn't exist in your data, you can construct a synthetic partition key.

References:

<https://docs.microsoft.com/en-us/azure/cosmos-db/synthetic-partition-keys>

NEW QUESTION 7

- (Exam Topic 3)

You are implementing a software as a service (SaaS) ASP.NET Core web service that will run as an Azure Web App. The web service will use an on-premises SQL Server database for storage. The web service also includes a WebJob that processes data updates. Four customers will use the web service.

- Each instance of the WebJob processes data for a single customer and must run as a singleton instance.
- Each deployment must be tested by using deployment slots prior to serving production data.
- Azure costs must be minimized.
- Azure resources must be located in an isolated network. You need to configure the App Service plan for the Web App.

How should you configure the App Service plan? To answer, select the appropriate settings in the answer area.

NOTE: Each correct selection is worth one point.

Answer Area

App service plan setting

Value

Number of VM instances

	▼
2	
4	
8	
16	

Pricing tier

	▼
Isolated	
Standard	
Premium	
Consumption	

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Number of VM instances: 4

You are not charged extra for deployment slots. Pricing tier: Isolated

The App Service Environment (ASE) is a powerful feature offering of the Azure App Service that gives network isolation and improved scale capabilities. It is essentially a deployment of the Azure App Service into a subnet of a customer's Azure Virtual Network (VNet).

References:

<https://azure.microsoft.com/sv-se/blog/announcing-app-service-isolated-more-power-scale-and-ease-of-use/>

NEW QUESTION 8

- (Exam Topic 3)

You are a developer for a software as a service (SaaS) company that uses an Azure Function to process orders. The Azure Function currently runs on an Azure Function app that is triggered by an Azure Storage queue.

You are preparing to migrate the Azure Function to Kubernetes using Kubernetes-based Event Driven Autoscaling (KEDA).

You need to configure Kubernetes Custom Resource Definitions (CRD) for the Azure Function.

Which CRDs should you configure? To answer, drag the appropriate CRD types to the correct locations. Each CRD type may be used once, more than once, or not at all. You may need to drag the split bar between panes or scroll to view content.

NOTE: Each correct selection is worth one point.

Answer Area

CRD types

Setting

CRD type

Secret

Deployment

ScaledObject

TriggerAuthentication

Azure Function code

Polling interval

Azure Storage connection string

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Box 1: Deployment

To deploy Azure Functions to Kubernetes use the func kubernetes deploy command has several attributes that directly control how our app scales, once it is deployed to Kubernetes.

Box 2: ScaledObject

With --polling-interval, we can control the interval used by KEDA to check Azure Service Bus Queue for messages.

Example of ScaledObject with polling interval apiVersion: keda.k8s.io/v1alpha1
kind: ScaledObject metadata:
name: transformer-fn namespace: tt
labels:
deploymentName: transformer-fn spec:
scaleTargetRef: deploymentName: transformer-fn pollingInterval: 5
minReplicaCount: 0
maxReplicaCount: 100

Box 3: Secret

Store connection strings in Kubernetes Secrets. Example: to create the Secret in our demo Namespace:

```
# create the k8s demo namespace
kubectl create namespace tt
# grab connection string from Azure Service Bus
KEDA_SCALER_CONNECTION_STRING=$(az servicebus queue authorization-rule keys list \
-g $RG_NAME \
--namespace-name $SBN_NAME \
--queue-name inbound \
-n keda-scaler \
--query "primaryConnectionString" \
-o tsv)
```

create the kubernetes secret

```
kubectl create secret generic tt-keda-auth \
--from-literal KedaScaler=$KEDA_SCALER_CONNECTION_STRING \
--namespace tt
```

Reference:
<https://www.thinktecture.com/en/kubernetes/serverless-workloads-with-keda/>

NEW QUESTION 9

- (Exam Topic 3)

You have an Azure Batch project that processes and converts files and stores the files in Azure storage. You are developing a function to start the batch job.

You add the following parameters to the function.

Parameter name	Description
fileTasks	a list of tasks to be run
jobId	the identifier that must be assigned to the job
outputContainerSasUrl	a storage SAS URL to store successfully converted files
failedContainerSasUrl	a storage SAS URL to store copies of files that failed to convert.

You must ensure that converted files are placed in the container referenced by the outputContainerSasUrl parameter. Files which fail to convert are places in the container referenced by the failedContainerSasUrl parameter.

You need to ensure the files are correctly processed.

How should you complete the code segment? To answer, select the appropriate options in the answer area. NOTE: Each correct selection is worth one point.

Answer Area

```
public List<CloudTasks> StartTasks(List<FileTask> fileTasks, string jobId,
    string outputContainerSasUrl, string failedContainerSasUrl)
{
    BatchSharedKeyCredentials sharedKeyCredentials =
        new BatchSharedKeyCredentials(batchAccountUrl, batchAccountName,
batchAccountKey);
    List<CloudTask> tasks = new List<CloudTask>();
    using (BatchClient batchClient = BatchClient.Open(sharedKeyCredentials))
    {
        CloudJob = batchClient.JobOperations. ▼ ();
        GetJob
        GetTask
        EnableJob
        CreateJob

        job.Id = jobId,
        job.PoolInformation = new PoolInformation { PoolId = poolId };
        job.Commit();
        fileTasks.ForEach((fileTask) =>
        {
            string taskId = $"Task{DateTime.Now.ToFileTimeUtc().ToString()}";
            CloudTask task = new CloudTask(taskId, fileTask.Command);
            List<OutputFile> outputFileList = new List<OutputFile>();
            OutputFileBlobContainerDestination outputContainer =
                new OutputFileBlobContainerDestination(outputContainerSasUrl);
            OutputFileBlobContainerDestination failedContainer =
                new OutputFileBlobContainerDestination(failedContainerSasUrl);
            outputFileList.Add(new OutputFile(fileTask.Output,
                new OutputFileDestination(outputContainer),
                new OutputFileUploadOptions(OutputFileUploadCondition. ▼ ))) );
            TaskSuccess
            TaskFailure
            TaskCompletion

            outputFileList.Add(new OutputFile(fileTask.Output,
                new OutputFileDestination(failedContainer),
                new OutputFileUploadOptions(OutputFileUploadCondition, ▼ ))) );
            TaskSuccess
            TaskFailure
            TaskCompletion

            task ▼ =outputFileList;
            OutputFiles
            FilesToStage
            ResourceFiles
            StageFiles

            task.Add(task);
        });
    }
    return tasks,
}
```

- A. Mastered
B. Not Mastered

Answer: A

Explanation:

Box 1: CreateJob

Box 2: TaskSuccess

TaskSuccess: Upload the file(s) only after the task process exits with an exit code of 0.

Incorrect: TaskCompletion: Upload the file(s) after the task process exits, no matter what the exit code was. Box 3: TaskFailure

TaskFailure: Upload the file(s) only after the task process exits with a nonzero exit code. Box 4: OutputFiles

To specify output files for a task, create a collection of OutputFile objects and assign it to the CloudTask.OutputFiles property when you create the task.

References:

<https://docs.microsoft.com/en-us/dotnet/api/microsoft.azure.batch.protocol.models.outputfileuploadcondition> <https://docs.microsoft.com/en-us/azure/batch/batch-task-output-files>

NEW QUESTION 10

- (Exam Topic 3)

You have an app that stores player scores for an online game. The app stores data in Azure tables using a class named PlayerScore as the table entity. The table is populated with 100,000 records.

You are reviewing the following section of code that is intended to retrieve 20 records where the player score exceeds 15,000. (Line numbers are included for reference only.)

```
1 public void GetScore(string playerId, int score, string gameName)
2 {
3     TableQuery<DynamicTableEntity> query = new TableQuery<DynamicTableEntity>().Select(new string[] { "Score" })
        .Where(TableQuery.GenerateFilterConditionForInt("Score", QueryComparisons.GreaterThanOrEqual, 15000)).Take
(20);
4     EntityResolver<KeyValuePair<string, int?>> resolver =
        (partitionKey, rowKey, ts, props, etag) => new KeyValuePair<string, int?>(rowKey, props["Score"].Int32Value);
5     foreach (var scoreItem in scoreTable.ExecuteQuery(query, resolver, null, null))
6     {
7         Console.WriteLine($"{scoreItem.Key} {scoreItem.Value}");
8     }

9     public class PlayerScore : TableEntity
10 {
11     public PlayerScore(string gameId, string playerId, int score, long timePlayed)
12     {
13         PartitionKey = gameId;
14         RowKey = playerId;
15         Score = score;
16         TimePlayed = timePlayed;
17     }
18     public int Score { get; set; }
19     public long TimePlayed { get; set; }
20 }
```

You have the following code. (Line numbers are included for reference only.)

You store customer information in an Azure Cosmos database. The following data already exists in the database:

```
01 CloudTableClient tableClient = account.CreateCloudTableClient();
02 CloudTable table = tableClient.GetTableReference("people");
03 TableQuery<CustomerEntity> query = new TableQuery<CustomerEntity>()
04     .Where(TableQuery.CombineFilters(
05         TableQuery.GenerateAnd, TableQuery.GenerateFilterCondition(Email, QueryComparisons.Equal, "Smith")
06         TableOperator.And, TableQuery.GenerateFilterCondition(Email, QueryComparisons.Equal,
"ssmith@contoso.com")
07     ));
08 await table.ExecuteQuerySegmentedAsync<CustomerEntity>(query, null);
```

For each of the following statements, select Yes if the statement is true. Otherwise, select No. NOTE: Each correct selection is worth one point.

	Yes	No
The code queries the Azure table and retrieves the TimePlayed property from the table	<input type="radio"/>	<input type="radio"/>
The code will display a maximum of twenty records.	<input type="radio"/>	<input type="radio"/>
All records will be sent to the client. The client will display records for scores greater than or equal to 15,000.	<input type="radio"/>	<input type="radio"/>
The scoreItem.Key property of the KeyValuePairs that ExecuteQuery returns will contain a value for PlayerID.	<input type="radio"/>	<input type="radio"/>

- A. Mastered
B. Not Mastered

Answer: A

Explanation:

Box 1: No

Box 2: Yes

The TableQuery.Take method defines the upper bound for the number of entities the query returns. Example:

query.Take(10); Box 3: Yes

Box 4: Yes References:

<https://www.vkinfotek.com/azureqa/how-do-i-query-azure-table-storage-using-tablequery-class.html>

NEW QUESTION 10

- (Exam Topic 3)

You are preparing to deploy an ASP.NET Core website to an Azure Web App from a GitHub repository. The website includes static content generated by a script.

You plan to use the Azure Web App continuous deployment feature.

You need to run the static generation script before the website starts serving traffic.

What are two possible ways to achieve this goal? Each correct answer presents a complete solution. NOTE: Each correct selection is worth one point.

A. Create a file named .deployment in the root of the repository that calls a script which generates the static content and deploys the website.

B. Add a PreBuild target in the websites csproj project file that runs the static content generation script.

C. Create a file named run.cmd in the folder /run that calls a script which generates the static content and deploys the website.

D. Add the path to the static content generation tool to WEBSITE_RUN_FROM_PACKAGE setting in the host.json file.

Answer: AD

Explanation:

A: To customize your deployment, include a .deployment file in the repository root.

You just need to add a file to the root of your repository with the name .deployment and the content: [config]

command = YOUR COMMAND TO RUN FOR DEPLOYMENT

this command can be just running a script (batch file) that has all that is required for your deployment, like copying files from the repository to the web root directory for example.

D: In Azure, you can run your functions directly from a deployment package file in your function app. The other option is to deploy your files in the d:\home\site\wwwroot directory of your function app (see A above).

To enable your function app to run from a package, you just add a WEBSITE_RUN_FROM_PACKAGE setting to your function app settings.

Note: The host.json metadata file contains global configuration options that affect all functions for a function app.

References:

<https://github.com/projectkudu/kudu/wiki/Custom-Deployment-Script>

<https://docs.microsoft.com/bs-latn-ba/azure/azure-functions/run-functions-from-deployment-package>

NEW QUESTION 14

- (Exam Topic 3)

A company develops a series of mobile games. All games use a single leaderboard service. You have the following requirements:

- Code should be scalable and allow for growth.

- Each record must consist of a playerId, gameId, score, and time played.

- When users reach a new high score, the system will save the new score using the SaveScore function below.

- Each game is assigned an Id based on the series title.

You have the following code. (Line numbers are included for reference only.)

You store customer information in an Azure Cosmos database. The following data already exists in the database:

```
01 CloudTableClient tableClient = account.CreateCloudTableClient();
02 CloudTable table = tableClient.GetTableReference("people");
03 TableQuery<CustomerEntity> query = new TableQuery<CustomerEntity>()
04     .Where(TableQuery.CombineFilters(
05         TableQuery.Generate.And, TableQuery.GenerateFilterCondition(Email, QueryComparisons.Equal, "Smith")
06         TableOperator.And, TableQuery.GenerateFilterCondition(Email, QueryComparisons.Equal,
07         "ssmith@contoso.com")
08     ));
08 await table.ExecuteQuerySegmentedAsync<CustomerEntity>(query, null);
```

For each of the following statements, select Yes if the statement is true. Otherwise, select No. NOTE: Each correct selection is worth one point.

	Yes	No
The code will work with Cosmos DB.	<input type="radio"/>	<input type="radio"/>
The save score function will update and replace a record if one already exists with the same playerId and gameId.	<input type="radio"/>	<input type="radio"/>
The data for the game will be automatically partitioned.	<input type="radio"/>	<input type="radio"/>
This code will store the values for the gameId and playerId parameters in the database.	<input type="radio"/>	<input type="radio"/>

A. Mastered

B. Not Mastered

Answer: A

Explanation:

Box 1: Yes

Code for CosmosDB, example:

```
// Parse the connection string and return a reference to the storage account. CloudStorageAccount storageAccount = CloudStorageAccount.Parse(
CloudConfigurationManager.GetSetting("StorageConnectionString"));
```

```
// Create the table client.
```

```
CloudTableClient tableClient = storageAccount.CreateCloudTableClient();
```

```
// Retrieve a reference to the table.
```

```
CloudTable table = tableClient.GetTableReference("people");
```

```
// Create the TableOperation object that inserts the customer entity. TableOperation insertOperation = TableOperation.Insert(customer1);
```

Box 2: No
A new record will always be added as TableOperation.Insert is used, instead of TableOperation.InsertOrReplace.

Box 3: No
No partition key is used. Box 4: Yes
References:
<https://docs.microsoft.com/en-us/azure/cosmos-db/table-storage-how-to-use-dotnet>

NEW QUESTION 19

- (Exam Topic 3)

You develop a gateway solution for a public facing news API. The news API back end is implemented as a RESTful service and uses an OpenAPI specification. You need to ensure that you can access the news API by using an Azure API Management service instance. Which Azure PowerShell command should you run?

- A. Import-AzureRmApiManagementApi –Context \$ApiMgmtContext –SpecificationFormat "Swagger" -SpecificationPath \$SwaggerPath –Path \$Path
- B. New-AzureRmApiManagementBackend -Context \$ApiMgmtContext -Url \$Url -Protocol http
- C. New-AzureRmApiManagement –ResourceGroupName \$ResourceGroup –Name \$Name – Location \$Location –Organization \$Org –AdminEmail \$AdminEmail
- D. New-AzureRmApiManagementBackendProxy –Url \$ApiUrl

Answer: D

Explanation:

New-AzureRmApiManagementBackendProxy creates a new Backend Proxy Object which can be piped when creating a new Backend entity.

Example: Create a Backend Proxy In-Memory Object

```
PS C:\>$secpassword = ConvertTo-SecureString "PlainTextPassword" -AsPlainText -Force
```

```
PS C:\>$proxyCreds = New-Object System.Management.Automation.PSCredential ("foo", $secpassword) PS C:\>$credential = New-
```

```
AzureRmApiManagementBackendProxy -Url "http://12.168.1.1:8080"
```

```
-ProxyCredential $proxyCreds
```

```
PS C:\>$apimContext = New-AzureRmApiManagementContext -ResourceGroupName "Api-Default-WestUS" -ServiceName "contoso"
```

```
PS C:\>$backend = New-AzureRmApiManagementBackend -Context $apimContext -BackendId 123 -Url 'https://contoso.com/awesomeapi' -Protocol http -Title
```

```
"first backend" -SkipCertificateChainValidation $true
```

```
-Proxy $credential -Description "backend with proxy server"
```

Creates a Backend Proxy Object and sets up Backend

NEW QUESTION 24

- (Exam Topic 3)

Fourth Coffee has an ASP.NET Core web app that runs in Docker. The app is mapped to the www.fourthcoffee.com domain.

Fourth Coffee is migrating this application to Azure.

You need to provision an App Service Web App to host this docker image and map the custom domain to the App Service web app.

A resource group named FourthCoffeePublicWebResourceGroup has been created in the WestUS region that contains an App Service Plan named AppServiceLinuxDockerPlan.

Which order should the CLI commands be used to develop the solution? To answer, move all of the Azure CLI command from the list of commands to the answer area and arrange them in the correct order.

Azure CLI commands

```
az webapp config hostname add  
--webapp-name $appName  
--resource-group fourthCoffeePublicWebResourceGroup\  
--hostname $fqdn
```

```
#!/bin/bash  
appName="FourthCoffeePublicWeb$random".  
location "WestUS"  
dockerHubContainerPath="FourthCoffee/publicweb:v1"  
fqdn=http://www.fourthcoffee.com>www.fourthcoffee.com
```

```
az webapp create  
--name $appName  
--plan AppServiceLinuxDockerPlan  
--resource-group fourthCoffeePublicWebResourceGroup
```

```
az webapp config container set  
--docker-custom-image-name $dockerHibContainerPath  
--name $appName  
--resource-group fourthCoffeePublicWebResourceGroup
```

Answer area



- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Step 1: #bin/bash

The appName is used when the webapp-name is created in step 2. Step 2: az webapp config hostname add

The webapp-name is used when the webapp is created in step 3. Step 3: az webapp create

Create a web app. In the Cloud Shell, create a web app in the myAppServicePlan App Service plan with the az webapp create command.

Step : az webapp config container set

In Create a web app, you specified an image on Docker Hub in the az webapp create command. This is good enough for a public image. To use a private image, you need to configure your Docker account ID and password in your Azure web app.

In the Cloud Shell, follow the az webapp create command with az webapp config container set.

References:

<https://docs.microsoft.com/en-us/azure/app-service/containers/tutorial-custom-docker-image>

NEW QUESTION 25

- (Exam Topic 3)

You are developing a back-end Azure App Service that scales based on the number of messages contained in a Service Bus queue.

A rule already exists to scale up the App Service when the average queue length of unprocessed and valid queue messages is greater than 1000.

You need to add a new rule that will continuously scale down the App Service as long as the scale up condition is not met.

How should you configure the Scale rule? To answer, select the appropriate options in the answer area. NOTE: Each correct selection is worth one point.

Answer Area

Scale rule

Metric source

Storage queue

Service Bus queue

Current resource

Storage queue (classic)

Resource type

Service Bus Namespaces

Resource

MessageQueue1103

Queues

itemqueue

Criteria

Metric name

Message Count

Active Message Count

Time grain statistic

1 minute time grain

Total

Maximum

Average

Count

Greater than

Greater than or equal to

Less than

Less than or equal to

Threshold

1000

Action

Operation

Increase count by

Increase count to

Decrease count by

Decrease count to

Instance count

1

Cool down (minutes)

5

- A. Mastered
B. Not Mastered

Answer: A

Explanation:

Box 1: Service bus queue

You are developing a back-end Azure App Service that scales based on the number of messages contained in a Service Bus queue.

Box 2: ActiveMessage Count

ActiveMessageCount: Messages in the queue or subscription that are in the active state and ready for delivery. Box 3: Count

Box 4: Less than or equal to

You need to add a new rule that will continuously scale down the App Service as long as the scale up condition is not met.

Box 5: Decrease count by

NEW QUESTION 29

- (Exam Topic 3)

You are developing a .NET Core MVC application for customers to research hotels. The application will use Azure Search. The application will search the index by using various criteria to locate documents related to hotels. The index will include search fields for rate, a list of amenities, and distance to the nearest airport.

The application must support the following scenarios for specifying search criteria and organizing results:

- Search the index by using regular expressions.
- Organize results by counts for name-value pairs.
- List hotels within a specified distance to an airport and that fall within a specific price range. You need to configure the SearchParameters class.

Which properties should you configure? To answer, select the appropriate options in the answer area. NOTE Each correct selection is worth one point.

Scenario	Property
Search the index by using regular expressions.	<input type="checkbox"/> QueryType <input type="checkbox"/> OrderBy <input type="checkbox"/> SearchMode
Organize results by counts for name-value pairs.	<input type="checkbox"/> Facets <input type="checkbox"/> Filter <input type="checkbox"/> SearchMode
List hotels within a specified distance to an airport and that fall within a specific price range.	<input type="checkbox"/> Order by <input type="checkbox"/> Top <input type="checkbox"/> Filter

A. Mastered

B. Not Mastered

Answer: A

Explanation:

Box 1: QueryType

The SearchParameters.QueryType Property gets or sets a value that specifies the syntax of the search query. The default is 'simple'. Use 'full' if your query uses the Lucene query syntax.

You can write queries against Azure Search based on the rich Lucene Query Parser syntax for specialized query forms: wildcard, fuzzy search, proximity search, regular expressions are a few examples.

Box 2: Facets

The facets property gets or sets the list of facet expressions to apply to the search query. Each facet expression contains a field name, optionally followed by a comma-separated list of name:value pairs.

Box 3: Filter

The Filter property gets or sets the OData \$filter expression to apply to the search query. References:

<https://docs.microsoft.com/en-us/dotnet/api/microsoft.azure.search.models.searchparameters> <https://docs.microsoft.com/en-us/azure/search/query-lucene-syntax>

<https://docs.microsoft.com/en-us/dotnet/api/microsoft.azure.search.models.searchparameters.querytype>

NEW QUESTION 30

- (Exam Topic 3)

A company is developing a mobile app for field service employees using Azure App Service Mobile Apps as the backend.

The company's network connectivity varies throughout the day. The solution must support offline use and synchronize changes in the background when the app is online app.

You need to implement the solution.

How should you complete the code segment? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

```
var client = new MobileServiceClient("MOBILE_APP_URL");
var store = new MobileServiceSQLiteStore
(Constants.OfflineDbPath);
store.DefineTable<TodoItem>();
await client.SyncContext.InitializeAsync(store);
```

	▼
var todoTable = client.GetSyncTable<TodoItem>();	
var todoTable = client.GetTable<TodoItem>();	
var todoTable = client.SyncTable;	
var todoTable = client.Table;	
await client.SyncContext.PushAsync();	

	▼
await todoTable.PullAsync("allTodoItems",todoTable.CreateQuery());	
await todoTable.UpdateAsync();	
todoTable.PullAsync("allTodoItems", todoTable.CreateQuery());	
todoTable.UpdateAsync();	

- A. Mastered
B. Not Mastered

Answer: A

Explanation:

Box 1: `var todoTable = client GetSyncTable<TodoItem>()`

To setup offline access, when connecting to your mobile service, use the method `GetSyncTable` instead of `GetTable` (example):

`IMobileServiceSyncTable todoTable = App.MobileService.GetSyncTable();` / Box 2: `await todoTable.PullAsync("allTodoItems",todo.Table.CreateQuery());`

Your app should now use `IMobileServiceSyncTable` (instead of `IMobileServiceTable`) for CRUD operations. This will save changes to the local database and also keep a log of the changes. When the app is ready to synchronize its changes with the Mobile Service, use the methods `PushAsync` and `PullAsync` (example):

`await App.MobileService.SyncContext.PushAsync();` `await todoTable.PullAsync();`

References:

<https://azure.microsoft.com/es-es/blog/offline-sync-for-mobile-services/>

NEW QUESTION 35

- (Exam Topic 3)

You are building a traffic monitoring system that monitors traffic along six highways. The system produces time series analysis-based reports for each highway.

Data from traffic sensors are stored in Azure Event Hub.

Traffic data is consumed by four departments. Each department has an Azure Web App that displays the time-series-based reports and contains a WebJob that processes the incoming data from Event Hub. All Web Apps run on App Service Plans with three instances.

Data throughout must be maximized. Latency must be minimized. You need to implement the Azure Event Hub.

Which settings should you use? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Setting	Value
Number of partitions	<div><div></div><div>▼</div><div>3</div><div>4</div><div>6</div><div>12</div></div>
Partition Key	<div><div></div><div>▼</div><div>Highway</div><div>Department</div><div>Timestamp</div><div>VM name</div></div>

- A. Mastered
B. Not Mastered

Answer: A

Explanation:

Box 1: 6

The number of partitions is specified at creation and must be between 2 and 32. There are 6 highways.

Box 2: Highway References:

<https://docs.microsoft.com/en-us/azure/event-hubs/event-hubs-features>

NEW QUESTION 40

- (Exam Topic 3)

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You are developing an Azure Service application that processes queue data when it receives a message from a mobile application. Messages may not be sent to the service consistently.

You have the following requirements:

- Queue size must not grow larger than 80 gigabytes (GB).
- Use first-in-first-out (FIFO) ordering of messages.
- Minimize Azure costs.

You need to implement the messaging solution.

Solution: Use the .Net API to add a message to an Azure Service Bus Queue from the mobile application. Create an Azure Function App that uses an Azure Service Bus Queue trigger.

Does the solution meet the goal?

- A. Yes
- B. No

Answer: A

Explanation:

You can create a function that is triggered when messages are submitted to an Azure Storage queue.

Reference:

<https://docs.microsoft.com/en-us/azure/azure-functions/functions-create-storage-queue-triggered-function>

NEW QUESTION 44

- (Exam Topic 3)

You plan to create a Docker image that runs as ASP.NET Core application named ContosoApp. You have a setup script named setupScript.ps1 and a series of application files including ContosoApp.dll.

You need to create a Dockerfile document that meets the following requirements:

- Call setupScript.ps1 when the container is built.
- Run ContosoApp.dll when the container starts.

The Docker document must be created in the same folder where ContosoApp.dll and setupScript.ps1 are stored.

Which four commands should you use to develop the solution? To answer, move the appropriate commands from the list of commands to the answer area and arrange them in the correct order.

Commands

RUN powershell ./setupScript.ps1
CMD ["dotnet", "ContosoApp.dll"]

EXPOSE ./ContosoApp/ /apps/ContosoApp

COPY ./

FROM microsoft/aspnetcore:2.0

WORKDIR /apps/ContosoApp

CMD powershell ./setupScript.ps1
ENTRYPOINT ["dotnet", "ContosoApp.dll"]

Answer Area

<

>

↑

↓

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Step 1: WORKDIR /apps/ContosoApp Step 2: COPY ./The Docker document must be created in the same folder where ContosoApp.dll and setupScript.ps1 are stored.

Step 3: EXPOSE ./ContosApp/ /app/ContosoApp Step 4: CMD powershell ./setupScript.ps1 ENTRYPOINT ["dotnet", "ContosoApp.dll"]

You need to create a Dockerfile document that meets the following requirements:

> Call setupScript.ps1 when the container is built.

> Run ContosoApp.dll when the container starts. References:

<https://docs.microsoft.com/en-us/azure/app-service/containers/tutorial-custom-docker-image>

NEW QUESTION 45

- (Exam Topic 3)

You plan to deploy a new application to a Linux virtual machine (VM) that is hosted in Azure.


The entire VM must be secured at rest by using industry-standard encryption technology to address organizational security and compliance requirements.

You need to configure Azure Disk Encryption for the VM.

How should you complete the Azure Cli commands? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Answer Area



- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Box 1: keyvault

Create an Azure Key Vault with az keyvault create and enable the Key Vault for use with disk encryption. Specify a unique Key Vault name for keyvault_name as follows:

keyvault_name=myvaultname\$RANDOM az keyvault create \

--name \$keyvault_name \

--resource-group \$resourcegroup \

--location eastus \

--enabled-for-disk-encryption True Box 2: keyvault key

The Azure platform needs to be granted access to request the cryptographic keys when the VM boots to decrypt the virtual disks. Create a cryptographic key in your Key Vault with az keyvault key create. The following example creates a key named myKey:

az keyvault key create \

--vault-name \$keyvault_name \

--name myKey \

--protection software Box 3: vm

Create a VM with az vm create. Only certain marketplace images support disk encryption. The following example creates a VM named myVM using an Ubuntu 16.04 LTS image:

az vm create \

--resource-group \$resourcegroup \

--name myVM \

--image Canonical:UbuntuServer:16.04-LTS:latest \

--admin-username azureuser \

--generate-ssh-keys \ Box 4: vm encryption

Encrypt your VM with az vm encryption enable: az vm encryption enable \

--resource-group \$resourcegroup \

--name myVM \

--disk-encryption-keyvault \$keyvault_name \

--key-encryption-key myKey \

--volume-type all

Note: seems to an error in the question. Should have enable instead of create. Box 5: all

Encrypt both data and operating system.

References:

<https://docs.microsoft.com/bs-latn-ba/azure/virtual-machines/linux/encrypt-disks>

NEW QUESTION 50

- (Exam Topic 3)

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution. Determine whether the solution meets the stated goals.

You are developing and deploying several ASP.Net web applications to Azure App Service. You plan to save session state information and HTML output. You must use a storage mechanism with the following requirements:

- Share session state across all ASP.NET web applications
- Support controlled, concurrent access to the same session state data for multiple readers and a single writer
- Save full HTTP responses for concurrent requests You need to store the information.

Proposed Solution: Deploy and configure Azure Cache for Redis. Update the web applications.

Does the solution meet the goal?

- A. Yes

B. No

Answer: B

NEW QUESTION 54

- (Exam Topic 3)

You are deploying an Azure Kubernetes Services (AKS) cluster that will use multiple containers.

You need to create the cluster and verify that the services for the containers are configured correctly and available.

Which four commands should you use to develop the solution? To answer, move the appropriate command segments from the list of command segments to the answer area and arrange them in the correct order.

Command segments

Answer Area

az aks get-credentials

az appservice plan create

az aks create

az group create

kubectl apply



A. Mastered

B. Not Mastered

Answer: A

Explanation:

Step 1: az group create

Create a resource group with the az group create command. An Azure resource group is a logical group in which Azure resources are deployed and managed.

Example: The following example creates a resource group named myAKSCluster in the eastus location. az group create --name myAKSCluster --location eastus

Step 2 : az aks create

Use the az aks create command to create an AKS cluster. Step 3: kubectl apply

To deploy your application, use the kubectl apply command. This command parses the manifest file and creates the defined Kubernetes objects.

Step 4: az aks get-credentials

Configure it with the credentials for the new AKS cluster. Example:

az aks get-credentials --name aks-cluster --resource-group aks-resource-group References:

<https://docs.bitnami.com/azure/get-started-aks/>

NEW QUESTION 57

- (Exam Topic 3)

ASP.NET Core API app by using C#. The API app will allow users to authenticate by using Twitter and Azure Active Directory (Azure AD).

Users must be authenticated before calling API methods. You must log the user's name for each method call. You need to configure the API method calls.

Which values should you use? To answer, select the appropriate options in the answer area. NOTE: Each correct selection is worth one point.

Code segment

Value

Attribute

	▼
Authorize	
AllowAnonymous	
AutoValidateAntiforgeryToken	

Request Header

	▼
X-MS-CLIENT-PRINCIPAL-NAME	
Proxy-Authorization	
X-Forwarded-For	
X-MS-CLIENT-PRINCIPAL-ID	

- A. Mastered
B. Not Mastered

Answer: A

Explanation:

Box 1: Authorize

Box 2: X-MS-CLIENT-PRINCIPAL-NAME

App Service passes user claims to your application by using special headers. External requests aren't allowed to set these headers, so they are present only if set by App Service. Some example headers include:

X-MS-CLIENT-PRINCIPAL-NAME X-MS-CLIENT-PRINCIPAL-ID

Here's the set of headers you get from Easy Auth for a Twitter authenticated user:

```
{  
  "cookie": "AppServiceAuthSession=Lx43...xHDTA==", "x-ms-client-principal-name": "evilSnobu",  
  "x-ms-client-principal-id": "35....", "x-ms-client-principal-idp": "twitter",  
  "x-ms-token-twitter-access-token": "35...Dj",  
  "x-ms-token-twitter-access-token-secret": "OK3...Jx",  
}
```

References:

<https://docs.microsoft.com/en-us/azure/app-service/app-service-authentication-how-to>

NEW QUESTION 58

- (Exam Topic 3)

You develop Azure solutions.

You must connect to a No-SQL globally-distributed database by using the .NET API. You need to create an object to configure and execute requests in the database. Which code segment should you use?

- A. new Container(EndpointUri, PrimaryKey);
B. new Database(Endpoint, PrimaryKey);
C. new CosmosClient(EndpointUri, PrimaryKey);

Answer: C

Explanation:

Example:

```
// Create a new instance of the Cosmos Client
```

```
this.cosmosClient = new CosmosClient(EndpointUri, PrimaryKey)
```

```
//ADD THIS PART TO YOUR CODE
```

```
await this.CreateDatabaseAsync();
```

 Reference:

<https://docs.microsoft.com/en-us/azure/cosmos-db/sql-api-get-started>

NEW QUESTION 63

- (Exam Topic 3)

You are developing an internal website for employees to view sensitive data. The website uses Azure Active Directory (AAD) for authentication. You need to implement multifactor authentication for the website.

What should you do? Each correct answer presents part of the solution. NOTE; Each correct selection is worth one point.

- A. In Azure AD, create a new conditional access policy.
B. In Azure AD, enable application proxy.
C. Configure the website to use Azure AD B2C.
D. In Azure AD conditional access, enable the baseline policy.
E. Upgrade to Azure AD Premium.

Answer: AE

Explanation:

References:

<https://docs.microsoft.com/en-us/azure/active-directory/authentication/howto-mfa-getstarted>

NEW QUESTION 64

.....

Thank You for Trying Our Product

* 100% Pass or Money Back

All our products come with a 90-day Money Back Guarantee.

* One year free update

You can enjoy free update one year. 24x7 online support.

* Trusted by Millions

We currently serve more than 30,000,000 customers.

* Shop Securely

All transactions are protected by VeriSign!

100% Pass Your AZ-204 Exam with Our Prep Materials Via below:

<https://www.certleader.com/AZ-204-dumps.html>