

## 300-715 Dumps

# Implementing and Configuring Cisco Identity Services Engine (SISE)

<https://www.certleader.com/300-715-dumps.html>



**NEW QUESTION 1**

Which personas can a Cisco ISE node assume?

- A. policy service, gatekeeping, and monitoring
- B. administration, monitoring, and gatekeeping
- C. administration, policy service, and monitoring
- D. administration, policy service, gatekeeping

**Answer:** C


**Explanation:**

Reference: [https://www.cisco.com/en/US/docs/security/ise/1.0/user\\_guide/ise10\\_dis\\_deploy.html](https://www.cisco.com/en/US/docs/security/ise/1.0/user_guide/ise10_dis_deploy.html)

**NEW QUESTION 2**

DRAG DROP

Drag the steps to configure a Cisco ISE node as a primary administration node from the left into the correct order on the right.



- A. Mastered
- B. Not Mastered

**Answer:** A

**Explanation:**

Reference: [https://www.cisco.com/en/US/docs/security/ise/1.0/user\\_guide/ise10\\_dis\\_deploy.html](https://www.cisco.com/en/US/docs/security/ise/1.0/user_guide/ise10_dis_deploy.html)

**NEW QUESTION 3**

Which two features are available when the primary admin node is down and the secondary admin node has not been promoted? (Choose two.)

- A. new AD user 802.1X authentication
- B. hotspot
- C. posture
- D. guest AUP
- E. BYOD

**Answer:** BD

**NEW QUESTION 4**

Which supplicant(s) and server(s) are capable of supporting EAP-CHAINING?

- A. Cisco Secure Services Client and Cisco Access Control Server
- B. Cisco AnyConnect NAM and Cisco Identity Service Engine
- C. Cisco AnyConnect NAM and Cisco Access Control Server
- D. Windows Native Supplicant and Cisco Identity Service Engine

**Answer:** B

**Explanation:**

Reference: <https://www.cisco.com/c/en/us/support/docs/wireless-mobility/eap-fast/200322-Understanding-EAP-FAST-and-Chaining-imp.html>

**NEW QUESTION 5**

Which two fields are available when creating an endpoint on the context visibility page of Cisco ISE? (Choose two.)

- A. Security Group Tag
- B. Endpoint Family
- C. Policy Assignment
- D. Identity Group Assignment
- E. IP Address

**Answer:** CD

**Explanation:**

Reference: [https://www.cisco.com/c/en/us/td/docs/security/ise/2-2/admin\\_guide/b\\_ise\\_admin\\_guide\\_22/b\\_ise\\_admin\\_guide\\_22\\_chapter\\_010101.html](https://www.cisco.com/c/en/us/td/docs/security/ise/2-2/admin_guide/b_ise_admin_guide_22/b_ise_admin_guide_22_chapter_010101.html)

**NEW QUESTION 6**

In which two ways can users and endpoints be classified for TrustSec? (Choose two.)

- A. VLAN
- B. dynamic
- C. QoS
- D. SGACL
- E. SXP

**Answer:** AD

**NEW QUESTION 7**

When configuring Active Directory groups, what does the Cisco ISE use to resolve ambiguous group names?

- A. MIB
- B. SID
- C. MAB
- D. TGT

**Answer:** B

**Explanation:**

Reference: [https://www.cisco.com/c/en/us/td/docs/security/ise/2-0/ise\\_active\\_directory\\_integration/b\\_ISE\\_AD\\_integration\\_2x.html](https://www.cisco.com/c/en/us/td/docs/security/ise/2-0/ise_active_directory_integration/b_ISE_AD_integration_2x.html)

**NEW QUESTION 8**

Which interface-level command is needed to turn on 802.1X authentication?

- A. dot1x system-auth-control
- B. dot1x pae authenticator
- C. aaa server radius dynamic-author
- D. authentication host-mode single- host

**Answer:** B

**Explanation:**

Reference: <https://www.cisco.com/c/en/us/td/docs/switches/lan/catalyst4500/12-2/31sg/configuration/guide/conf/dot1x.html>

**NEW QUESTION 9**

Which RADIUS attribute is used to dynamically assign the Inactivity active timer for MAB users from the Cisco ISE node?

- A. session-timeout
- B. termination-action
- C. radius-server timeout
- D. idle-timeout

**Answer:** D

**NEW QUESTION 10**

Which command displays all 802.1X/MAB sessions that are active on the switch ports of a Cisco Catalyst switch?

- A. show authentication sessions interface Gi1/0/x output
- B. show authentication sessions
- C. show authentication sessions output
- D. show authentication sessions interface Gi 1/0/x

**Answer:** D

**Explanation:**

Reference: [https://www.cisco.com/c/en/us/td/docs/ios-xml/ios/security/s1/sec-s1-xe-3se-3850-cr-book/sec-s1-xe-3se-3850-cr-book\\_chapter\\_01.html#wp3404908137](https://www.cisco.com/c/en/us/td/docs/ios-xml/ios/security/s1/sec-s1-xe-3se-3850-cr-book/sec-s1-xe-3se-3850-cr-book_chapter_01.html#wp3404908137)

**NEW QUESTION 10**

What are two requirements of generating a single certificate in Cisco ISE by using a certificate provisioning portal, without generating a certificate signing request? (Choose two.)

- A. Enter the IP address of the device.
- B. Enter the common name.
- C. Choose the hashing method.
- D. Locate the CSV file for the device MAC.
- E. Select the certificate template.


**Answer:** BE

**Explanation:**

Reference: <https://www.cisco.com/c/en/us/support/docs/security/identity-services-engine/200534-ISE-2-0-Certificate-Provisioning-Portal.html>

**NEW QUESTION 12**

Refer to the exhibit.



Which command is typed within the CLI of a switch to view the troubleshooting output?

- A. show authentication sessions mac 000e.84af.59af details
- B. show authentication registrations
- C. show authentication interface gigabitethernet2/0/36
- D. show authentication sessions method

**Answer:** A

**NEW QUESTION 15**

What gives Cisco ISE an option to scan endpoints for vulnerabilities?

- A. authentication policy
- B. authorization profile
- C. authentication profile
- D. authorization policy

**Answer:** B

**Explanation:**

Reference: [https://www.cisco.com/c/en/us/td/docs/security/ise/2-2/admin\\_guide/b\\_ise\\_admin\\_guide\\_22/b\\_ise\\_admin\\_guide\\_22\\_chapter\\_010100.html](https://www.cisco.com/c/en/us/td/docs/security/ise/2-2/admin_guide/b_ise_admin_guide_22/b_ise_admin_guide_22_chapter_010100.html)

**NEW QUESTION 20**

Which two values are compared by the binary comparison function in authentication that is based on Active Directory?

- A. user-presented certificate and a certificate stored in Active Directory
- B. MS-CHAPv2 provided machine credentials and credentials stored in Active Directory
- C. user-presented password hash and a hash stored in Active Directory
- D. subject alternative name and the common name

**Answer:** D

**Explanation:**

Reference: [https://www.cisco.com/c/en/us/td/docs/security/ise/1-3/ISE-ADIntegrationDoc/b\\_ISE-ADIntegration.html](https://www.cisco.com/c/en/us/td/docs/security/ise/1-3/ISE-ADIntegrationDoc/b_ISE-ADIntegration.html)

**NEW QUESTION 21**

Which two methods should a sponsor select to create bulk guest accounts from the sponsor portal? (Choose two.)

- A. Known
- B. Monthly
- C. Daily
- D. Imported
- E. Random

**Answer:** AE

**Explanation:**

Reference: [https://www.cisco.com/c/en/us/td/docs/security/ise/1-3/sponsor\\_guide/b\\_spons\\_SponsorPortalUserGuide\\_13/b\\_spons\\_SponsorPortalUserGuide\\_13\\_chapter\\_01.html](https://www.cisco.com/c/en/us/td/docs/security/ise/1-3/sponsor_guide/b_spons_SponsorPortalUserGuide_13/b_spons_SponsorPortalUserGuide_13_chapter_01.html)

**NEW QUESTION 23**

What is the minimum certainty factor when creating a profiler policy?

- A. the minimum number that a predefined condition provides
- B. the maximum number that a predefined condition provides
- C. the minimum number that a device certainty factor must reach to become a member of the profile
- D. the maximum number that a device certainty factor must reach to become a member of the profile

**Answer:** C

#### NEW QUESTION 25

What sends the redirect ACL that is configured in the authorization profile back to the Cisco WLC?

- A. State attribute
- B. Class attribute
- C. Event
- D. Cisco-av-pair

**Answer:** D

#### Explanation:

Reference: <https://community.cisco.com/t5/network-access-control/ise-airespace-acl-wlc-problem/td-p/2110491>

#### NEW QUESTION 30

Which profiling probe collects the user-agent string?

- A. DHCP
- B. HTTP
- C. NMAP
- D. AD

**Answer:** B

#### NEW QUESTION 34

Which use case validates a change of authorization?

- A. An endpoint that is disconnected from the network is discovered.
- B. Endpoints are created through device registration for the guests.
- C. An endpoint profiling policy is changed for authorization policy.
- D. An authenticated, wired EAP-capable endpoint is discovered.

**Answer:** C

#### Explanation:

Reference: [https://www.cisco.com/c/en/us/td/docs/security/ise/1-2/user\\_guide/ise\\_user\\_guide/ise\\_prof\\_pol.html](https://www.cisco.com/c/en/us/td/docs/security/ise/1-2/user_guide/ise_user_guide/ise_prof_pol.html)

#### NEW QUESTION 36

Which default endpoint identity group does an endpoint that does not match any profile in Cisco ISE become a member of?

- A. blacklist
- B. unknown
- C. whitelist
- D. profiled
- E. endpoint

**Answer:** B

#### Explanation:

Reference: [https://www.cisco.com/en/US/docs/security/ise/1.0/user\\_guide/ise10\\_man\\_identities.html](https://www.cisco.com/en/US/docs/security/ise/1.0/user_guide/ise10_man_identities.html)

#### NEW QUESTION 40

What service can be enabled on the Cisco ISE node to identify the types of devices connecting to a network?

- A. profiling
- B. central web authentication
- C. MAB
- D. posture

**Answer:** A

#### Explanation:

Reference: [https://www.cisco.com/c/en/us/td/docs/security/ise/2-1/admin\\_guide/b\\_ise\\_admin\\_guide\\_21/b\\_ise\\_admin\\_guide\\_20\\_chapter\\_010100.html](https://www.cisco.com/c/en/us/td/docs/security/ise/2-1/admin_guide/b_ise_admin_guide_21/b_ise_admin_guide_20_chapter_010100.html)

#### NEW QUESTION 42

Which two events trigger a CoA for an endpoint when CoA is enabled globally for ReAuth? (Choose two.)

- A. addition of endpoint to My Devices Portal
- B. endpoint marked as lost in My Devices Portal
- C. updating of endpoint dACL
- D. endpoint profile transition from Apple-device to Apple-iPhone
- E. endpoint profile transition from Unknown to Windows10-Workstation

**Answer:** DE

#### NEW QUESTION 43

Which statement about configuring certificates for BYOD is true?



- A. The SAN field is populated with the end user name.
- B. The CN field is populated with the endpoint host name.
- C. An endpoint certificate is mandatory for the Cisco ISE BYOD.
- D. An Android endpoint uses EST, whereas other operating systems use SCEP for enrollment.

**Answer:** C

#### NEW QUESTION 48

What allows an endpoint to obtain a digital certificate from Cisco ISE during a BYOD flow?

- A. Application Visibility and Control
- B. Supplicant Provisioning Wizard
- C. My Devices Portal
- D. Network Access Control

**Answer:** C

#### NEW QUESTION 52

Which two components are required for creating a Native Supplicant Profile within a BYOD flow? (Choose two.)

- A. Redirect ACL
- B. Connection Type
- C. Operating System
- D. Windows Settings
- E. iOS Settings

**Answer:** CE

#### NEW QUESTION 54

Which Cisco ISE service allows an engineer to check the compliance of endpoints before connecting to the network?

- A. qualys
- B. posture
- C. personas
- D. nexpose

**Answer:** B

#### NEW QUESTION 57

What are two components of the posture requirement when configuring Cisco ISE posture? (Choose two.)

- A. Client Provisioning portal
- B. remediation actions
- C. updates
- D. access policy
- E. conditions

**Answer:** BE

#### NEW QUESTION 61

Which term refers to an endpoint agent that tries to join an 802.1X- enabled network?

- A. EAP server
- B. authenticator
- C. supplicant
- D. client

**Answer:** C

#### NEW QUESTION 62

What must match between Cisco ISE and the network access device to successfully authenticate endpoints?

- A. shared secret
- B. profile
- C. certificate
- D. SNMP version

**Answer:** A

#### Explanation:

Reference: [https://www.cisco.com/en/US/docs/security/ise/1.0/user\\_guide/ise10\\_man\\_network\\_devices.html](https://www.cisco.com/en/US/docs/security/ise/1.0/user_guide/ise10_man_network_devices.html)

#### NEW QUESTION 64

A user reports that the RADIUS accounting packets are not being seen on the Cisco ISE server. Which command is the user missing in the switch's configuration?

- A. aaa accounting resource default start-stop group radius
- B. radius-server vsa send accounting
- C. aaa accounting network default start-stop group radius
- D. aaa accounting exec default start-stop group radius

**Answer:** B

**Explanation:**

Reference: [https://www.cisco.com/en/US/docs/security/ise/1.0/user\\_guide/ise10\\_sw\\_cnfg.pdf](https://www.cisco.com/en/US/docs/security/ise/1.0/user_guide/ise10_sw_cnfg.pdf)

**NEW QUESTION 68**

.....

## Thank You for Trying Our Product

\* 100% Pass or Money Back

All our products come with a 90-day Money Back Guarantee.

\* One year free update

You can enjoy free update one year. 24x7 online support.

\* Trusted by Millions

We currently serve more than 30,000,000 customers.

\* Shop Securely

All transactions are protected by VeriSign!

**100% Pass Your 300-715 Exam with Our Prep Materials Via below:**

<https://www.certleader.com/300-715-dumps.html>