

# Google

## Exam Questions Professional-Data-Engineer

Google Professional Data Engineer Exam



#### NEW QUESTION 1

- (Exam Topic 1)

Your company is migrating their 30-node Apache Hadoop cluster to the cloud. They want to re-use Hadoop jobs they have already created and minimize the management of the cluster as much as possible. They also want to be able to persist data beyond the life of the cluster. What should you do?

- A. Create a Google Cloud Dataflow job to process the data.
- B. Create a Google Cloud Dataproc cluster that uses persistent disks for HDFS.
- C. Create a Hadoop cluster on Google Compute Engine that uses persistent disks.
- D. Create a Cloud Dataproc cluster that uses the Google Cloud Storage connector.
- E. Create a Hadoop cluster on Google Compute Engine that uses Local SSD disks.

**Answer:** A

#### NEW QUESTION 2

- (Exam Topic 1)

Your software uses a simple JSON format for all messages. These messages are published to Google Cloud Pub/Sub, then processed with Google Cloud Dataflow to create a real-time dashboard for the CFO. During testing, you notice that some messages are missing in the dashboard. You check the logs, and all messages are being published to Cloud Pub/Sub successfully. What should you do next?

- A. Check the dashboard application to see if it is not displaying correctly.
- B. Run a fixed dataset through the Cloud Dataflow pipeline and analyze the output.
- C. Use Google Stackdriver Monitoring on Cloud Pub/Sub to find the missing messages.
- D. Switch Cloud Dataflow to pull messages from Cloud Pub/Sub instead of Cloud Pub/Sub pushing messages to Cloud Dataflow.

**Answer:** B

#### NEW QUESTION 3

- (Exam Topic 1)

You want to use a database of information about tissue samples to classify future tissue samples as either normal or mutated. You are evaluating an unsupervised anomaly detection method for classifying the tissue samples. Which two characteristics support this method? (Choose two.)

- A. There are very few occurrences of mutations relative to normal samples.
- B. There are roughly equal occurrences of both normal and mutated samples in the database.
- C. You expect future mutations to have different features from the mutated samples in the database.
- D. You expect future mutations to have similar features to the mutated samples in the database.
- E. You already have labels for which samples are mutated and which are normal in the database.

**Answer:** BC

#### NEW QUESTION 4

- (Exam Topic 1)

You want to process payment transactions in a point-of-sale application that will run on Google Cloud Platform. Your user base could grow exponentially, but you do not want to manage infrastructure scaling. Which Google database service should you use?

- A. Cloud SQL
- B. BigQuery
- C. Cloud Bigtable
- D. Cloud Datastore

**Answer:** A

#### NEW QUESTION 5

- (Exam Topic 1)

You are deploying 10,000 new Internet of Things devices to collect temperature data in your warehouses globally. You need to process, store and analyze these very large datasets in real time. What should you do?

- A. Send the data to Google Cloud Datastore and then export to BigQuery.
- B. Send the data to Google Cloud Pub/Sub, stream Cloud Pub/Sub to Google Cloud Dataflow, and store the data in Google BigQuery.
- C. Send the data to Cloud Storage and then spin up an Apache Hadoop cluster as needed in Google Cloud Dataproc whenever analysis is required.
- D. Export logs in batch to Google Cloud Storage and then spin up a Google Cloud SQL instance, import the data from Cloud Storage, and run an analysis as needed.

**Answer:** B

#### NEW QUESTION 6

- (Exam Topic 1)

Business owners at your company have given you a database of bank transactions. Each row contains the user ID, transaction type, transaction location, and transaction amount. They ask you to investigate what type of machine learning can be applied to the data. Which three machine learning applications can you use? (Choose three.)

- A. Supervised learning to determine which transactions are most likely to be fraudulent.
- B. Unsupervised learning to determine which transactions are most likely to be fraudulent.
- C. Clustering to divide the transactions into N categories based on feature similarity.
- D. Supervised learning to predict the location of a transaction.
- E. Reinforcement learning to predict the location of a transaction.

F. Unsupervised learning to predict the location of a transaction.

**Answer:** BCE

#### NEW QUESTION 7

- (Exam Topic 1)

You work for a car manufacturer and have set up a data pipeline using Google Cloud Pub/Sub to capture anomalous sensor events. You are using a push subscription in Cloud Pub/Sub that calls a custom HTTPS endpoint that you have created to take action of these anomalous events as they occur. Your custom HTTPS endpoint keeps getting an inordinate amount of duplicate messages. What is the most likely cause of these duplicate messages?

- A. The message body for the sensor event is too large.
- B. Your custom endpoint has an out-of-date SSL certificate.
- C. The Cloud Pub/Sub topic has too many messages published to it.
- D. Your custom endpoint is not acknowledging messages within the acknowledgement deadline.

**Answer:** B

#### NEW QUESTION 8

- (Exam Topic 1)

Your company is in a highly regulated industry. One of your requirements is to ensure individual users have access only to the minimum amount of information required to do their jobs. You want to enforce this requirement with Google BigQuery. Which three approaches can you take? (Choose three.)

- A. Disable writes to certain tables.
- B. Restrict access to tables by role.
- C. Ensure that the data is encrypted at all times.
- D. Restrict BigQuery API access to approved users.
- E. Segregate data across multiple tables or databases.
- F. Use Google Stackdriver Audit Logging to determine policy violations.

**Answer:** BDF

#### NEW QUESTION 9

- (Exam Topic 1)

You are building a model to make clothing recommendations. You know a user's fashion preference is likely to change over time, so you build a data pipeline to stream new data back to the model as it becomes available. How should you use this data to train the model?

- A. Continuously retrain the model on just the new data.
- B. Continuously retrain the model on a combination of existing data and the new data.
- C. Train on the existing data while using the new data as your test set.
- D. Train on the new data while using the existing data as your test set.

**Answer:** D

#### NEW QUESTION 10

- (Exam Topic 1)

You have Google Cloud Dataflow streaming pipeline running with a Google Cloud Pub/Sub subscription as the source. You need to make an update to the code that will make the new Cloud Dataflow pipeline incompatible with the current version. You do not want to lose any data when making this update. What should you do?

- A. Update the current pipeline and use the drain flag.
- B. Update the current pipeline and provide the transform mapping JSON object.
- C. Create a new pipeline that has the same Cloud Pub/Sub subscription and cancel the old pipeline.
- D. Create a new pipeline that has a new Cloud Pub/Sub subscription and cancel the old pipeline.

**Answer:** D

#### NEW QUESTION 10

- (Exam Topic 1)

Your company is running their first dynamic campaign, serving different offers by analyzing real-time data during the holiday season. The data scientists are collecting terabytes of data that rapidly grows every hour during their 30-day campaign. They are using Google Cloud Dataflow to preprocess the data and collect the feature (signals) data that is needed for the machine learning model in Google Cloud Bigtable. The team is observing suboptimal performance with reads and writes of their initial load of 10 TB of data. They want to improve this performance while minimizing cost. What should they do?

- A. Redefine the schema by evenly distributing reads and writes across the row space of the table.
- B. The performance issue should be resolved over time as the size of the Bigtable cluster is increased.
- C. Redesign the schema to use a single row key to identify values that need to be updated frequently in the cluster.
- D. Redesign the schema to use row keys based on numeric IDs that increase sequentially per user viewing the offers.

**Answer:** A

#### NEW QUESTION 12

- (Exam Topic 1)

Your company's on-premises Apache Hadoop servers are approaching end-of-life, and IT has decided to migrate the cluster to Google Cloud Dataproc. A like-for-like migration of the cluster would require 50 TB of Google Persistent Disk per node. The CIO is concerned about the cost of using that much block storage. You want to minimize the storage cost of the migration. What should you do?

- A. Put the data into Google Cloud Storage.
- B. Use preemptible virtual machines (VMs) for the Cloud Dataproc cluster.
- C. Tune the Cloud Dataproc cluster so that there is just enough disk for all data.
- D. Migrate some of the cold data into Google Cloud Storage, and keep only the hot data in Persistent Disk.

**Answer: B**

#### NEW QUESTION 14

- (Exam Topic 1)

An external customer provides you with a daily dump of data from their database. The data flows into Google Cloud Storage GCS as comma-separated values (CSV) files. You want to analyze this data in Google BigQuery, but the data could have rows that are formatted incorrectly or corrupted. How should you build this pipeline?

- A. Use federated data sources, and check data in the SQL query.
- B. Enable BigQuery monitoring in Google Stackdriver and create an alert.
- C. Import the data into BigQuery using the gcloud CLI and set max\_bad\_records to 0.
- D. Run a Google Cloud Dataflow batch pipeline to import the data into BigQuery, and push errors to another dead-letter table for analysis.

**Answer: D**

#### NEW QUESTION 15

- (Exam Topic 1)

You are creating a model to predict housing prices. Due to budget constraints, you must run it on a single resource-constrained virtual machine. Which learning algorithm should you use?

- A. Linear regression
- B. Logistic classification
- C. Recurrent neural network
- D. Feedforward neural network

**Answer: A**

#### NEW QUESTION 19

- (Exam Topic 1)

You are building a model to predict whether or not it will rain on a given day. You have thousands of input features and want to see if you can improve training speed by removing some features while having a minimum effect on model accuracy. What can you do?

- A. Eliminate features that are highly correlated to the output labels.
- B. Combine highly co-dependent features into one representative feature.
- C. Instead of feeding in each feature individually, average their values in batches of 3.
- D. Remove the features that have null values for more than 50% of the training records.

**Answer: B**

#### NEW QUESTION 23

- (Exam Topic 2)

Flowlogistic is rolling out their real-time inventory tracking system. The tracking devices will all send package-tracking messages, which will now go to a single Google Cloud Pub/Sub topic instead of the Apache Kafka cluster. A subscriber application will then process the messages for real-time reporting and store them in Google BigQuery for historical analysis. You want to ensure the package data can be analyzed over time. Which approach should you take?

- A. Attach the timestamp on each message in the Cloud Pub/Sub subscriber application as they are received.
- B. Attach the timestamp and Package ID on the outbound message from each publisher device as they are sent to Cloud Pub/Sub.
- C. Use the NOW () function in BigQuery to record the event's time.
- D. Use the automatically generated timestamp from Cloud Pub/Sub to order the data.

**Answer: B**

#### NEW QUESTION 28

- (Exam Topic 2)

Flowlogistic's management has determined that the current Apache Kafka servers cannot handle the data volume for their real-time inventory tracking system. You need to build a new system on Google Cloud Platform (GCP) that will feed the proprietary tracking software. The system must be able to ingest data from a variety of global sources, process and query in real-time, and store the data reliably. Which combination of GCP products should you choose?

- A. Cloud Pub/Sub, Cloud Dataflow, and Cloud Storage
- B. Cloud Pub/Sub, Cloud Dataflow, and Local SSD
- C. Cloud Pub/Sub, Cloud SQL, and Cloud Storage
- D. Cloud Load Balancing, Cloud Dataflow, and Cloud Storage

**Answer: C**

#### NEW QUESTION 33

- (Exam Topic 2)

Flowlogistic wants to use Google BigQuery as their primary analysis system, but they still have Apache Hadoop and Spark workloads that they cannot move to BigQuery. Flowlogistic does not know how to store the data that is common to both workloads. What should they do?

- A. Store the common data in BigQuery as partitioned tables.

- B. Store the common data in BigQuery and expose authorized views.
- C. Store the common data encoded as Avro in Google Cloud Storage.
- D. Store the common data in the HDFS storage for a Google Cloud Dataproc cluster.

**Answer:** B

#### NEW QUESTION 37

- (Exam Topic 4)

Your company produces 20,000 files every hour. Each data file is formatted as a comma separated values (CSV) file that is less than 4 KB. All files must be ingested on Google Cloud Platform before they can be processed. Your company site has a 200 ms latency to Google Cloud, and your Internet connection bandwidth is limited as 50 Mbps. You currently deploy a secure FTP (SFTP) server on a virtual machine in Google Compute Engine as the data ingestion point. A local SFTP client runs on a dedicated machine to transmit the CSV files as is. The goal is to make reports with data from the previous day available to the executives by 10:00 a.m. each day. This design is barely able to keep up with the current volume, even though the bandwidth utilization is rather low. You are told that due to seasonality, your company expects the number of files to double for the next three months. Which two actions should you take? (choose two.)

- A. Introduce data compression for each file to increase the rate of file transfer.
- B. Contact your internet service provider (ISP) to increase your maximum bandwidth to at least 100 Mbps.
- C. Redesign the data ingestion process to use gsutil tool to send the CSV files to a storage bucket in parallel.
- D. Assemble 1,000 files into a tape archive (TAR) file.
- E. Transmit the TAR files instead, and disassemble the CSV files in the cloud upon receiving them.
- F. Create an S3-compatible storage endpoint in your network, and use Google Cloud Storage Transfer Service to transfer on-premises data to the designated storage bucket.

**Answer:** CE

#### NEW QUESTION 38

- (Exam Topic 4)

You work for an economic consulting firm that helps companies identify economic trends as they happen. As part of your analysis, you use Google BigQuery to correlate customer data with the average prices of the 100 most common goods sold, including bread, gasoline, milk, and others. The average prices of these goods are updated every 30 minutes. You want to make sure this data stays up to date so you can combine it with other data in BigQuery as cheaply as possible. What should you do?

- A. Load the data every 30 minutes into a new partitioned table in BigQuery.
- B. Store and update the data in a regional Google Cloud Storage bucket and create a federated data source in BigQuery.
- C. Store the data in Google Cloud Datastore.
- D. Use Google Cloud Dataflow to query BigQuery and combine the data programmatically with the data stored in Cloud Datastore.
- E. Store the data in a file in a regional Google Cloud Storage bucket.
- F. Use Cloud Dataflow to query BigQuery and combine the data programmatically with the data stored in Google Cloud Storage.

**Answer:** A

#### NEW QUESTION 41

- (Exam Topic 4)

You work for a manufacturing plant that batches application log files together into a single log file once a day at 2:00 AM. You have written a Google Cloud Dataflow job to process that log file. You need to make sure the log file is processed once per day as inexpensively as possible. What should you do?

- A. Change the processing job to use Google Cloud Dataproc instead.
- B. Manually start the Cloud Dataflow job each morning when you get into the office.
- C. Create a cron job with Google App Engine Cron Service to run the Cloud Dataflow job.
- D. Configure the Cloud Dataflow job as a streaming job so that it processes the log data immediately.

**Answer:** C

#### NEW QUESTION 43

- (Exam Topic 5)

What are all of the BigQuery operations that Google charges for?

- A. Storage, queries, and streaming inserts
- B. Storage, queries, and loading data from a file
- C. Storage, queries, and exporting data
- D. Queries and streaming inserts

**Answer:** A

#### Explanation:

Google charges for storage, queries, and streaming inserts. Loading data from a file and exporting data are free operations.  
Reference: <https://cloud.google.com/bigquery/pricing>

#### NEW QUESTION 48

- (Exam Topic 5)

What is the HBase Shell for Cloud Bigtable?

- A. The HBase shell is a GUI based interface that performs administrative tasks, such as creating and deleting tables.
- B. The HBase shell is a command-line tool that performs administrative tasks, such as creating and deleting tables.
- C. The HBase shell is a hypervisor based shell that performs administrative tasks, such as creating and deleting new virtualized instances.
- D. The HBase shell is a command-line tool that performs only user account management functions to grant access to Cloud Bigtable instances.

**Answer:** B

**Explanation:**

The HBase shell is a command-line tool that performs administrative tasks, such as creating and deleting tables. The Cloud Bigtable HBase client for Java makes it possible to use the HBase shell to connect to Cloud Bigtable.

Reference: <https://cloud.google.com/bigtable/docs/installing-hbase-shell>

**NEW QUESTION 51**

- (Exam Topic 5)

When you design a Google Cloud Bigtable schema it is recommended that you .

- A. Avoid schema designs that are based on NoSQL concepts
- B. Create schema designs that are based on a relational database design
- C. Avoid schema designs that require atomicity across rows
- D. Create schema designs that require atomicity across rows

**Answer:** C

**Explanation:**

All operations are atomic at the row level. For example, if you update two rows in a table, it's possible that one row will be updated successfully and the other update will fail. Avoid schema designs that require atomicity across rows.

Reference: <https://cloud.google.com/bigtable/docs/schema-design#row-keys>

**NEW QUESTION 53**

- (Exam Topic 5)

Which of these is NOT a way to customize the software on Dataproc cluster instances?

- A. Set initialization actions
- B. Modify configuration files using cluster properties
- C. Configure the cluster using Cloud Deployment Manager
- D. Log into the master node and make changes from there

**Answer:** C

**Explanation:**

You can access the master node of the cluster by clicking the SSH button next to it in the Cloud Console.

You can easily use the --properties option of the dataproc command in the Google Cloud SDK to modify many common configuration files when creating a cluster.

When creating a Cloud Dataproc cluster, you can specify initialization actions in executables and/or scripts that Cloud Dataproc will run on all nodes in your Cloud Dataproc cluster immediately after the cluster is set up. [<https://cloud.google.com/dataproc/docs/concepts/configuring-clusters/init-actions>]

Reference: <https://cloud.google.com/dataproc/docs/concepts/configuring-clusters/cluster-properties>

**NEW QUESTION 56**

- (Exam Topic 5)

What is the recommended action to do in order to switch between SSD and HDD storage for your Google Cloud Bigtable instance?

- A. create a third instance and sync the data from the two storage types via batch jobs
- B. export the data from the existing instance and import the data into a new instance
- C. run parallel instances where one is HDD and the other is SDD
- D. the selection is final and you must resume using the same storage type

**Answer:** B

**Explanation:**

When you create a Cloud Bigtable instance and cluster, your choice of SSD or HDD storage for the cluster is permanent. You cannot use the Google Cloud Platform Console to change the type of storage that is used for the cluster.

If you need to convert an existing HDD cluster to SSD, or vice-versa, you can export the data from the existing instance and import the data into a new instance.

Alternatively, you can write

a Cloud Dataflow or Hadoop MapReduce job that copies the data from one instance to another. Reference: <https://cloud.google.com/bigtable/docs/choosing-ssd-hdd->

**NEW QUESTION 58**

- (Exam Topic 5)

When running a pipeline that has a BigQuery source, on your local machine, you continue to get permission denied errors. What could be the reason for that?

- A. Your gcloud does not have access to the BigQuery resources
- B. BigQuery cannot be accessed from local machines
- C. You are missing gcloud on your machine
- D. Pipelines cannot be run locally

**Answer:** A

**Explanation:**

When reading from a Dataflow source or writing to a Dataflow sink using DirectPipelineRunner, the Cloud Platform account that you configured with the gcloud executable will need access to the corresponding source/sink

Reference:

<https://cloud.google.com/dataflow/java-sdk/JavaDoc/com/google/cloud/dataflow/sdk/runners/DirectPipelineRun>

#### NEW QUESTION 59

- (Exam Topic 5)

Which of the following is NOT one of the three main types of triggers that Dataflow supports?

- A. Trigger based on element size in bytes
- B. Trigger that is a combination of other triggers
- C. Trigger based on element count
- D. Trigger based on time

**Answer:** A

#### Explanation:

There are three major kinds of triggers that Dataflow supports: 1. Time-based triggers 2. Data-driven triggers. You can set a trigger to emit results from a window when that window has received a certain number of data elements. 3. Composite triggers. These triggers combine multiple time-based or data-driven triggers in some logical way

Reference: <https://cloud.google.com/dataflow/model/triggers>

#### NEW QUESTION 62

- (Exam Topic 5)

Which Google Cloud Platform service is an alternative to Hadoop with Hive?

- A. Cloud Dataflow
- B. Cloud Bigtable
- C. BigQuery
- D. Cloud Datastore

**Answer:** C

#### Explanation:

Apache Hive is a data warehouse software project built on top of Apache Hadoop for providing data summarization, query, and analysis.

Google BigQuery is an enterprise data warehouse. Reference: [https://en.wikipedia.org/wiki/Apache\\_Hive](https://en.wikipedia.org/wiki/Apache_Hive)

#### NEW QUESTION 64

- (Exam Topic 5)

To run a TensorFlow training job on your own computer using Cloud Machine Learning Engine, what would your command start with?

- A. `gcloud ml-engine local train`
- B. `gcloud ml-engine jobs submit training`
- C. `gcloud ml-engine jobs submit training local`
- D. You can't run a TensorFlow program on your own computer using Cloud ML Engine .

**Answer:** A

#### Explanation:

`gcloud ml-engine local train` - run a Cloud ML Engine training job locally

This command runs the specified module in an environment similar to that of a live Cloud ML Engine Training Job.

This is especially useful in the case of testing distributed models, as it allows you to validate that you are

properly interacting with the Cloud ML Engine cluster configuration. Reference: <https://cloud.google.com/sdk/gcloud/reference/ml-engine/local/train>

#### NEW QUESTION 66

- (Exam Topic 5)

Which of these statements about exporting data from BigQuery is false?

- A. To export more than 1 GB of data, you need to put a wildcard in the destination filename.
- B. The only supported export destination is Google Cloud Storage.
- C. Data can only be exported in JSON or Avro format.
- D. The only compression option available is GZIP.

**Answer:** C

#### Explanation:

Data can be exported in CSV, JSON, or Avro format. If you are exporting nested or repeated data, then CSV format is not supported.

Reference: <https://cloud.google.com/bigquery/docs/exporting-data>

#### NEW QUESTION 69

- (Exam Topic 5)

Which of the following statements is NOT true regarding Bigtable access roles?

- A. Using IAM roles, you cannot give a user access to only one table in a project, rather than all tables in a project.
- B. To give a user access to only one table in a project, grant the user the Bigtable Editor role for that table.
- C. You can configure access control only at the project level.
- D. To give a user access to only one table in a project, you must configure access through your application.

**Answer:** B

#### Explanation:

For Cloud Bigtable, you can configure access control at the project level. For example, you can grant the ability to:

Read from, but not write to, any table within the project.

Read from and write to any table within the project, but not manage instances. Read from and write to any table within the project, and manage instances.  
Reference: <https://cloud.google.com/bigtable/docs/access-control>

#### NEW QUESTION 72

- (Exam Topic 5)

Which of these statements about BigQuery caching is true?

- A. By default, a query's results are not cached.
- B. BigQuery caches query results for 48 hours.
- C. Query results are cached even if you specify a destination table.
- D. There is no charge for a query that retrieves its results from cache.

**Answer:** D

#### Explanation:

When query results are retrieved from a cached results table, you are not charged for the query. BigQuery caches query results for 24 hours, not 48 hours. Query results are not cached if you specify a destination table.

A query's results are always cached except under certain conditions, such as if you specify a destination table. Reference: <https://cloud.google.com/bigquery/querying-data#query-caching>

#### NEW QUESTION 73

- (Exam Topic 5)

Which Java SDK class can you use to run your Dataflow programs locally?

- A. LocalRunner
- B. DirectPipelineRunner
- C. MachineRunner
- D. LocalPipelineRunner

**Answer:** B

#### Explanation:

DirectPipelineRunner allows you to execute operations in the pipeline directly, without any optimization. Useful for small local execution and tests  
Reference:

<https://cloud.google.com/dataflow/java-sdk/JavaDoc/com/google/cloud/dataflow/sdk/runners/DirectPipelineRun>

#### NEW QUESTION 77

- (Exam Topic 5)

How would you query specific partitions in a BigQuery table?

- A. Use the DAY column in the WHERE clause
- B. Use the EXTRACT(DAY) clause
- C. Use the PARTITIONTIME pseudo-column in the WHERE clause
- D. Use DATE BETWEEN in the WHERE clause

**Answer:** C

#### Explanation:

Partitioned tables include a pseudo column named `_PARTITIONTIME` that contains a date-based timestamp for data loaded into the table. To limit a query to particular partitions (such as Jan 1st and 2nd of 2017), use a clause similar to this:

```
WHERE _PARTITIONTIME BETWEEN TIMESTAMP('2017-01-01') AND TIMESTAMP('2017-01-02')
```

Reference: [https://cloud.google.com/bigquery/docs/partitioned-tables#the\\_partitiontime\\_pseudo\\_column](https://cloud.google.com/bigquery/docs/partitioned-tables#the_partitiontime_pseudo_column)

#### NEW QUESTION 81

- (Exam Topic 5)

Scaling a Cloud Dataproc cluster typically involves .

- A. increasing or decreasing the number of worker nodes
- B. increasing or decreasing the number of master nodes
- C. moving memory to run more applications on a single node
- D. deleting applications from unused nodes periodically

**Answer:** A

#### Explanation:

After creating a Cloud Dataproc cluster, you can scale the cluster by increasing or decreasing the number of worker nodes in the cluster at any time, even when jobs are running on the cluster. Cloud Dataproc clusters are typically scaled to:

- 1) increase the number of workers to make a job run faster
- 2) decrease the number of workers to save money
- 3) increase the number of nodes to expand available Hadoop Distributed Filesystem (HDFS) storage Reference: <https://cloud.google.com/dataproc/docs/concepts/scaling-clusters>

#### NEW QUESTION 83

- (Exam Topic 5)

To give a user read permission for only the first three columns of a table, which access control method would you use?

- A. Primitive role
- B. Predefined role

- C. Authorized view
- D. It's not possible to give access to only the first three columns of a table.

**Answer:** C

**Explanation:**

An authorized view allows you to share query results with particular users and groups without giving them read access to the underlying tables. Authorized views can only be created in a dataset that does not contain the tables queried by the view. When you create an authorized view, you use the view's SQL query to restrict access to only the rows and columns you want the users to see. Reference: <https://cloud.google.com/bigquery/docs/views#authorized-views>

**NEW QUESTION 87**

- (Exam Topic 5)

Which of the following are feature engineering techniques? (Select 2 answers)

- A. Hidden feature layers
- B. Feature prioritization
- C. Crossed feature columns
- D. Bucketization of a continuous feature

**Answer:** CD

**Explanation:**

Selecting and crafting the right set of feature columns is key to learning an effective model. Bucketization is a process of dividing the entire range of a continuous feature into a set of consecutive bins/buckets, and then converting the original numerical feature into a bucket ID (as a categorical feature) depending on which bucket that value falls into. Using each base feature column separately may not be enough to explain the data. To learn the differences between different feature combinations, we can add crossed feature columns to the model. Reference: [https://www.tensorflow.org/tutorials/wide#selecting\\_and\\_engineering\\_features\\_for\\_the\\_model](https://www.tensorflow.org/tutorials/wide#selecting_and_engineering_features_for_the_model)

**NEW QUESTION 91**

- (Exam Topic 5)

You want to use a BigQuery table as a data sink. In which writing mode(s) can you use BigQuery as a sink?

- A. Both batch and streaming
- B. BigQuery cannot be used as a sink
- C. Only batch
- D. Only streaming

**Answer:** A

**Explanation:**

When you apply a BigQueryIO.Write transform in batch mode to write to a single table, Dataflow invokes a BigQuery load job. When you apply a BigQueryIO.Write transform in streaming mode or in batch mode using a function to specify the destination table, Dataflow uses BigQuery's streaming inserts. Reference: <https://cloud.google.com/dataflow/model/bigquery-io>

**NEW QUESTION 93**

- (Exam Topic 5)

Which of the following are examples of hyperparameters? (Select 2 answers.)

- A. Number of hidden layers
- B. Number of nodes in each hidden layer
- C. Biases
- D. Weights

**Answer:** AB

**Explanation:**

If model parameters are variables that get adjusted by training with existing data, your hyperparameters are the variables about the training process itself. For example, part of setting up a deep neural network is deciding how many "hidden" layers of nodes to use between the input layer and the output layer, as well as how many nodes each layer should use. These variables are not directly related to the training data at all. They are configuration variables. Another difference is that parameters change during a training job, while the hyperparameters are usually constant during a job. Weights and biases are variables that get adjusted during the training process, so they are not hyperparameters. Reference: <https://cloud.google.com/ml-engine/docs/hyperparameter-tuning-overview>

**NEW QUESTION 96**

- (Exam Topic 5)

Which of the following is NOT a valid use case to select HDD (hard disk drives) as the storage for Google Cloud Bigtable?

- A. You expect to store at least 10 TB of data.
- B. You will mostly run batch workloads with scans and writes, rather than frequently executing random reads of a small number of rows.
- C. You need to integrate with Google BigQuery.
- D. You will not use the data to back a user-facing or latency-sensitive application.

**Answer:** C

**Explanation:**

For example, if you plan to store extensive historical data for a large number of remote-sensing devices and then use the data to generate daily reports, the cost

savings for HDD storage may justify the performance tradeoff. On the other hand, if you plan to use the data to display a real-time dashboard, it probably would not make sense to use HDD storage—reads would be much more frequent in this case, and reads are much slower with HDD storage.  
Reference: <https://cloud.google.com/bigtable/docs/choosing-ssd-hdd>

#### NEW QUESTION 101

- (Exam Topic 5)

The YARN ResourceManager and the HDFS NameNode interfaces are available on a Cloud Dataproc cluster .

- A. application node
- B. conditional node
- C. master node
- D. worker node

**Answer: C**

#### Explanation:

The YARN ResourceManager and the HDFS NameNode interfaces are available on a Cloud Dataproc cluster master node. The cluster master-host-name is the name of your Cloud Dataproc cluster followed by an -m suffix—for example, if your cluster is named "my-cluster", the master-host-name would be "my-cluster-m".  
Reference: <https://cloud.google.com/dataproc/docs/concepts/cluster-web-interfaces#interfaces>

#### NEW QUESTION 104

- (Exam Topic 5)

Which of these is not a supported method of putting data into a partitioned table?

- A. If you have existing data in a separate file for each day, then create a partitioned table and upload each file into the appropriate partition.
- B. Run a query to get the records for a specific day from an existing table and for the destination table, specify a partitioned table ending with the day in the format "\$YYYYMMDD".
- C. Create a partitioned table and stream new records to it every day.
- D. Use ORDER BY to put a table's rows into chronological order and then change the table's type to "Partitioned".

**Answer: D**

#### Explanation:

You cannot change an existing table into a partitioned table. You must create a partitioned table from scratch. Then you can either stream data into it every day and the data will automatically be put in the right partition, or you can load data into a specific partition by using "\$YYYYMMDD" at the end of the table name.  
Reference: <https://cloud.google.com/bigquery/docs/partitioned-tables>

#### NEW QUESTION 105

- (Exam Topic 5)

The for Cloud Bigtable makes it possible to use Cloud Bigtable in a Cloud Dataflow pipeline.

- A. Cloud Dataflow connector
- B. DataFlow SDK
- C. BigQuery API
- D. BigQuery Data Transfer Service

**Answer: A**

#### Explanation:

The Cloud Dataflow connector for Cloud Bigtable makes it possible to use Cloud Bigtable in a Cloud Dataflow pipeline. You can use the connector for both batch and streaming operations.  
Reference: <https://cloud.google.com/bigtable/docs/dataflow-hbase>

#### NEW QUESTION 110

- (Exam Topic 5)

Which action can a Cloud Dataproc Viewer perform?

- A. Submit a job.
- B. Create a cluster.
- C. Delete a cluster.
- D. List the jobs.

**Answer: D**

#### Explanation:

A Cloud Dataproc Viewer is limited in its actions based on its role. A viewer can only list clusters, get cluster details, list jobs, get job details, list operations, and get operation details.  
Reference: [https://cloud.google.com/dataproc/docs/concepts/iam#iam\\_roles\\_and\\_cloud\\_dataproc\\_operations\\_summary](https://cloud.google.com/dataproc/docs/concepts/iam#iam_roles_and_cloud_dataproc_operations_summary)

#### NEW QUESTION 112

- (Exam Topic 5)

Which Cloud Dataflow / Beam feature should you use to aggregate data in an unbounded data source every hour based on the time when the data entered the pipeline?

- A. An hourly watermark
- B. An event time trigger
- C. The with Allowed Lateness method
- D. A processing time trigger

**Answer:** D

**Explanation:**

When collecting and grouping data into windows, Beam uses triggers to determine when to emit the aggregated results of each window. Processing time triggers. These triggers operate on the processing time – the time when the data element is processed at any given stage in the pipeline. Event time triggers. These triggers operate on the event time, as indicated by the timestamp on each data element. Beam's default trigger is event time-based.  
Reference: <https://beam.apache.org/documentation/programming-guide/#triggers>

**NEW QUESTION 117**

- (Exam Topic 5)

Which is the preferred method to use to avoid hotspotting in time series data in Bigtable?

- A. Field promotion
- B. Randomization
- C. Salting
- D. Hashing

**Answer:** A

**Explanation:**

By default, prefer field promotion. Field promotion avoids hotspotting in almost all cases, and it tends to make it easier to design a row key that facilitates queries.  
Reference:  
[https://cloud.google.com/bigtable/docs/schema-design-time-series#ensure\\_that\\_your\\_row\\_key\\_avoids\\_hotspotti](https://cloud.google.com/bigtable/docs/schema-design-time-series#ensure_that_your_row_key_avoids_hotspotti)

**NEW QUESTION 119**

- (Exam Topic 5)

Which software libraries are supported by Cloud Machine Learning Engine?

- A. Theano and TensorFlow
- B. Theano and Torch
- C. TensorFlow
- D. TensorFlow and Torch

**Answer:** C

**Explanation:**

Cloud ML Engine mainly does two things:  
Enables you to train machine learning models at scale by running TensorFlow training applications in the cloud.  
Hosts those trained models for you in the cloud so that you can use them to get predictions about new data.  
Reference: [https://cloud.google.com/ml-engine/docs/technical-overview#what\\_it\\_does](https://cloud.google.com/ml-engine/docs/technical-overview#what_it_does)

**NEW QUESTION 122**

- (Exam Topic 5)

Which of these numbers are adjusted by a neural network as it learns from a training dataset (select 2 answers)?

- A. Weights
- B. Biases
- C. Continuous features
- D. Input values

**Answer:** AB

**Explanation:**

A neural network is a simple mechanism that's implemented with basic math. The only difference between the traditional programming model and a neural network is that you let the computer determine the parameters (weights and bias) by learning from training datasets.  
Reference:  
<https://cloud.google.com/blog/big-data/2016/07/understanding-neural-networks-with-tensorflow-playground>

**NEW QUESTION 123**

- (Exam Topic 5)

Cloud Bigtable is a recommended option for storing very large amounts of \_\_\_\_\_ ?

- A. multi-keyed data with very high latency
- B. multi-keyed data with very low latency
- C. single-keyed data with very low latency
- D. single-keyed data with very high latency

**Answer:** C

**Explanation:**

Cloud Bigtable is a sparsely populated table that can scale to billions of rows and thousands of columns, allowing you to store terabytes or even petabytes of data. A single value in each row is indexed; this value is known as the row key. Cloud Bigtable is ideal for storing very large amounts of single-keyed data with very low latency. It supports high read and write throughput at low latency, and it is an ideal data source for MapReduce operations.  
Reference: <https://cloud.google.com/bigtable/docs/overview>

**NEW QUESTION 125**

- (Exam Topic 6)

You have enabled the free integration between Firebase Analytics and Google BigQuery. Firebase now automatically creates a new table daily in BigQuery in the format `app_events_YYYYMMDD`. You want to query all of the tables for the past 30 days in legacy SQL. What should you do?

- A. Use the `TABLE_DATE_RANGE` function
- B. Use the `WHERE_PARTITIONTIME` pseudo column
- C. Use `WHERE date BETWEEN YYYY-MM-DD AND YYYY-MM-DD`
- D. Use `SELECT IF.(date >= YYYY-MM-DD AND date <= YYYY-MM-DD)`

**Answer:** A

**Explanation:**

Reference:

<https://cloud.google.com/blog/products/gcp/using-bigquery-and-firebase-analytics-to-understandyour-mobile-ap>

#### NEW QUESTION 130

- (Exam Topic 6)

You have a data pipeline with a Cloud Dataflow job that aggregates and writes time series metrics to Cloud Bigtable. This data feeds a dashboard used by thousands of users across the organization. You need to support additional concurrent users and reduce the amount of time required to write the data. Which two actions should you take? (Choose two.)

- A. Configure your Cloud Dataflow pipeline to use local execution
- B. Increase the maximum number of Cloud Dataflow workers by setting `maxNumWorkers` in `PipelineOptions`
- C. Increase the number of nodes in the Cloud Bigtable cluster
- D. Modify your Cloud Dataflow pipeline to use the `Flatten` transform before writing to Cloud Bigtable
- E. Modify your Cloud Dataflow pipeline to use the `CoGroupByKey` transform before writing to Cloud Bigtable

**Answer:** DE

#### NEW QUESTION 135

- (Exam Topic 6)

Your team is responsible for developing and maintaining ETLs in your company. One of your Dataflow jobs is failing because of some errors in the input data, and you need to improve reliability of the pipeline (incl. being able to reprocess all failing data). What should you do?

- A. Add a filtering step to skip these types of errors in the future, extract erroneous rows from logs.
- B. Add a `try... catch` block to your `DoFn` that transforms the data, extract erroneous rows from logs.
- C. Add a `try... catch` block to your `DoFn` that transforms the data, write erroneous rows to PubSub directly from the `DoFn`.
- D. Add a `try... catch` block to your `DoFn` that transforms the data, use a `sideOutput` to create a `PCollection` that can be stored to PubSub later.

**Answer:** C

#### NEW QUESTION 136

- (Exam Topic 6)

You currently have a single on-premises Kafka cluster in a data center in the us-east region that is responsible for ingesting messages from IoT devices globally. Because large parts of globe have poor internet connectivity, messages sometimes batch at the edge, come in all at once, and cause a spike in load on your Kafka cluster. This is becoming difficult to manage and prohibitively expensive. What is the Google-recommended cloud native architecture for this scenario?

- A. Edge TPUs as sensor devices for storing and transmitting the messages.
- B. Cloud Dataflow connected to the Kafka cluster to scale the processing of incoming messages.
- C. An IoT gateway connected to Cloud Pub/Sub, with Cloud Dataflow to read and process the messages from Cloud Pub/Sub.
- D. A Kafka cluster virtualized on Compute Engine in us-east with Cloud Load Balancing to connect to the devices around the world.

**Answer:** C

#### NEW QUESTION 139

- (Exam Topic 6)

You work for a mid-sized enterprise that needs to move its operational system transaction data from an on-premises database to GCP. The database is about 20 TB in size. Which database should you choose?

- A. Cloud SQL
- B. Cloud Bigtable
- C. Cloud Spanner
- D. Cloud Datastore

**Answer:** A

#### NEW QUESTION 144

- (Exam Topic 6)

A shipping company has live package-tracking data that is sent to an Apache Kafka stream in real time. This is then loaded into BigQuery. Analysts in your company want to query the tracking data in BigQuery to analyze geospatial trends in the lifecycle of a package. The table was originally created with `ingest-date` partitioning. Over time, the query processing time has increased. You need to implement a change that would improve query performance in BigQuery. What should you do?

- A. Implement clustering in BigQuery on the `ingest date` column.
- B. Implement clustering in BigQuery on the package-tracking ID column.
- C. Tier older data onto Cloud Storage files, and leverage extended tables.
- D. Re-create the table using data partitioning on the package delivery date.

Answer: A

#### NEW QUESTION 145

- (Exam Topic 6)

You have a requirement to insert minute-resolution data from 50,000 sensors into a BigQuery table. You expect significant growth in data volume and need the data to be available within 1 minute of ingestion for real-time analysis of aggregated trends. What should you do?

- A. Use bq load to load a batch of sensor data every 60 seconds.
- B. Use a Cloud Dataflow pipeline to stream data into the BigQuery table.
- C. Use the INSERT statement to insert a batch of data every 60 seconds.
- D. Use the MERGE statement to apply updates in batch every 60 seconds.

Answer: C

#### NEW QUESTION 149

- (Exam Topic 6)

You receive data files in CSV format monthly from a third party. You need to cleanse this data, but every third month the schema of the files changes. Your requirements for implementing these transformations include:

- Executing the transformations on a schedule
- Enabling non-developer analysts to modify transformations
- Providing a graphical tool for designing transformations

What should you do?

- A. Use Cloud Dataprep to build and maintain the transformation recipes, and execute them on a scheduled basis
- B. Load each month's CSV data into BigQuery, and write a SQL query to transform the data to a standard schema
- C. Merge the transformed tables together with a SQL query
- D. Help the analysts write a Cloud Dataflow pipeline in Python to perform the transformation
- E. The Python code should be stored in a revision control system and modified as the incoming data's schema changes
- F. Use Apache Spark on Cloud Dataproc to infer the schema of the CSV file before creating a Dataframe. Then implement the transformations in Spark SQL before writing the data out to Cloud Storage and loading into BigQuery

Answer: D

#### NEW QUESTION 152

- (Exam Topic 6)

You are building an application to share financial market data with consumers, who will receive data feeds. Data is collected from the markets in real time. Consumers will receive the data in the following ways:

- Real-time event stream
- ANSI SQL access to real-time stream and historical data
- Batch historical exports

Which solution should you use?

- A. Cloud Dataflow, Cloud SQL, Cloud Spanner
- B. Cloud Pub/Sub, Cloud Storage, BigQuery
- C. Cloud Dataproc, Cloud Dataflow, BigQuery
- D. Cloud Pub/Sub, Cloud Dataproc, Cloud SQL

Answer: A

#### NEW QUESTION 156

- (Exam Topic 6)

Your company needs to upload their historic data to Cloud Storage. The security rules don't allow access from external IPs to their on-premises resources. After an initial upload, they will add new data from existing on-premises applications every day. What should they do?

- A. Execute gsutil rsync from the on-premises servers.
- B. Use Cloud Dataflow and write the data to Cloud Storage.
- C. Write a job template in Cloud Dataproc to perform the data transfer.
- D. Install an FTP server on a Compute Engine VM to receive the files and move them to Cloud Storage.

Answer: B

#### NEW QUESTION 160

- (Exam Topic 6)

You are a retailer that wants to integrate your online sales capabilities with different in-home assistants, such as Google Home. You need to interpret customer voice commands and issue an order to the backend systems. Which solutions should you choose?

- A. Cloud Speech-to-Text API
- B. Cloud Natural Language API
- C. Dialogflow Enterprise Edition
- D. Cloud AutoML Natural Language

Answer: D

#### NEW QUESTION 165

- (Exam Topic 6)

Your financial services company is moving to cloud technology and wants to store 50 TB of financial timeseries data in the cloud. This data is updated frequently and new data will be streaming in all the time. Your company also wants to move their existing Apache Hadoop jobs to the cloud to get insights into this data. Which product should they use to store the data?

- A. Cloud Bigtable
- B. Google BigQuery
- C. Google Cloud Storage
- D. Google Cloud Datastore

**Answer: A**

**Explanation:**

Reference: <https://cloud.google.com/bigtable/docs/schema-design-time-series>

#### NEW QUESTION 167

- (Exam Topic 6)

You are developing an application on Google Cloud that will automatically generate subject labels for users' blog posts. You are under competitive pressure to add this feature quickly, and you have no additional developer resources. No one on your team has experience with machine learning. What should you do?

- A. Call the Cloud Natural Language API from your applicatio
- B. Process the generated Entity Analysis as labels.
- C. Call the Cloud Natural Language API from your applicatio
- D. Process the generated Sentiment Analysis as labels.
- E. Build and train a text classification model using TensorFlo
- F. Deploy the model using Cloud Machine Learning Engin
- G. Call the model from your application and process the results as labels.
- H. Build and train a text classification model using TensorFlo
- I. Deploy the model using a KubernetesEngine cluste
- J. Call the model from your application and process the results as labels.

**Answer: B**

#### NEW QUESTION 171

- (Exam Topic 6)

You operate an IoT pipeline built around Apache Kafka that normally receives around 5000 messages per second. You want to use Google Cloud Platform to create an alert as soon as the moving average over 1 hour drops below 4000 messages per second. What should you do?

- A. Consume the stream of data in Cloud Dataflow using Kafka I
- B. Set a sliding time window of 1 hour every 5 minute
- C. Compute the average when the window closes, and send an alert if the average is less than 4000 messages.
- D. Consume the stream of data in Cloud Dataflow using Kafka I
- E. Set a fixed time window of 1 hour. Compute the average when the window closes, and send an alert if the average is less than 4000 messages.
- F. Use Kafka Connect to link your Kafka message queue to Cloud Pub/Su
- G. Use a Cloud Dataflow template to write your messages from Cloud Pub/Sub to Cloud Bigtabl
- H. Use Cloud Scheduler to run a script every hour that counts the number of rows created in Cloud Bigtable in the last hou
- I. If that number falls below 4000, send an alert.
- J. Use Kafka Connect to link your Kafka message queue to Cloud Pub/Su
- K. Use a Cloud Dataflow template to write your messages from Cloud Pub/Sub to BigQuer
- L. Use Cloud Scheduler to run a script every five minutes that counts the number of rows created in BigQuery in the last hou
- M. If that number falls below 4000, send an alert.

**Answer: C**

#### NEW QUESTION 172

- (Exam Topic 6)

You need to move 2 PB of historical data from an on-premises storage appliance to Cloud Storage within six months, and your outbound network capacity is constrained to 20 Mb/sec. How should you migrate this data to Cloud Storage?

- A. Use Transfer Appliance to copy the data to Cloud Storage
- B. Use gsutil cp -J to compress the content being uploaded to Cloud Storage
- C. Create a private URL for the historical data, and then use Storage Transfer Service to copy the data to Cloud Storage
- D. Use trickle or ionice along with gsutil cp to limit the amount of bandwidth gsutil utilizes to less than 20 Mb/sec so it does not interfere with the production traffic

**Answer: A**

#### NEW QUESTION 177

- (Exam Topic 6)

You are a head of BI at a large enterprise company with multiple business units that each have different priorities and budgets. You use on-demand pricing for BigQuery with a quota of 2K concurrent on-demand slots per project. Users at your organization sometimes don't get slots to execute their query and you need to correct this. You'd like to avoid introducing new projects to your account. What should you do?

- A. Convert your batch BQ queries into interactive BQ queries.
- B. Create an additional project to overcome the 2K on-demand per-project quota.
- C. Switch to flat-rate pricing and establish a hierarchical priority model for your projects.
- D. Increase the amount of concurrent slots per project at the Quotas page at the Cloud Console.

**Answer: C**

**Explanation:**

Reference <https://cloud.google.com/blog/products/gcp/busting-12-myths-about-bigquery>

**NEW QUESTION 178**

- (Exam Topic 6)

You need to choose a database for a new project that has the following requirements:

- Fully managed
- Able to automatically scale up
- Transactionally consistent
- Able to scale up to 6 TB
- Able to be queried using SQL Which database do you choose?

- A. Cloud SQL
- B. Cloud Bigtable
- C. Cloud Spanner
- D. Cloud Datastore

**Answer: C**

**NEW QUESTION 179**

- (Exam Topic 6)

You decided to use Cloud Datastore to ingest vehicle telemetry data in real time. You want to build a storage system that will account for the long-term data growth, while keeping the costs low. You also want to create snapshots of the data periodically, so that you can make a point-in-time (PIT) recovery, or clone a copy of the data for Cloud Datastore in a different environment. You want to archive these snapshots for a long time. Which two methods can accomplish this? Choose 2 answers.

- A. Use managed export, and store the data in a Cloud Storage bucket using Nearline or Coldline class.
- B. Use managed export, and then import to Cloud Datastore in a separate project under a unique namespace reserved for that export.
- C. Use managed export, and then import the data into a BigQuery table created just for that export, and delete temporary export files.
- D. Write an application that uses Cloud Datastore client libraries to read all the entities
- E. Treat each entity as a BigQuery table row via BigQuery streaming insert
- F. Assign an export timestamp for each export, and attach it as an extra column for each row
- G. Make sure that the BigQuery table is partitioned using the export timestamp column.
- H. Write an application that uses Cloud Datastore client libraries to read all the entities
- I. Format the exported data into a JSON file
- J. Apply compression before storing the data in Cloud Source Repositories.

**Answer: CE**

**NEW QUESTION 180**

- (Exam Topic 6)

Your company has a hybrid cloud initiative. You have a complex data pipeline that moves data between cloud provider services and leverages services from each of the cloud providers. Which cloud-native service should you use to orchestrate the entire pipeline?

- A. Cloud Dataflow
- B. Cloud Composer
- C. Cloud Dataprep
- D. Cloud Dataproc

**Answer: D**

**NEW QUESTION 183**

- (Exam Topic 6)

You have developed three data processing jobs. One executes a Cloud Dataflow pipeline that transforms data uploaded to Cloud Storage and writes results to BigQuery. The second ingests data from on-premises servers and uploads it to Cloud Storage. The third is a Cloud Dataflow pipeline that gets information from third-party data providers and uploads the information to Cloud Storage. You need to be able to schedule and monitor the execution of these three workflows and manually execute them when needed. What should you do?

- A. Create a Direct Acyclic Graph in Cloud Composer to schedule and monitor the jobs.
- B. Use Stackdriver Monitoring and set up an alert with a Webhook notification to trigger the jobs.
- C. Develop an App Engine application to schedule and request the status of the jobs using GCP API calls.
- D. Set up cron jobs in a Compute Engine instance to schedule and monitor the pipelines using GCP API calls.

**Answer: D**

**NEW QUESTION 185**

- (Exam Topic 6)

You plan to deploy Cloud SQL using MySQL. You need to ensure high availability in the event of a zone failure. What should you do?

- A. Create a Cloud SQL instance in one zone, and create a failover replica in another zone within the same region.
- B. Create a Cloud SQL instance in one zone, and create a read replica in another zone within the same region.
- C. Create a Cloud SQL instance in one zone, and configure an external read replica in a zone in a different region.
- D. Create a Cloud SQL instance in a region, and configure automatic backup to a Cloud Storage bucket in the same region.

**Answer: C**

#### NEW QUESTION 189

- (Exam Topic 6)

You are integrating one of your internal IT applications and Google BigQuery, so users can query BigQuery from the application's interface. You do not want individual users to authenticate to BigQuery and you do not want to give them access to the dataset. You need to securely access BigQuery from your IT application.

What should you do?

- A. Create groups for your users and give those groups access to the dataset
- B. Integrate with a single sign-on (SSO) platform, and pass each user's credentials along with the query request
- C. Create a service account and grant dataset access to that account
- D. Use the service account's private key to access the dataset
- E. Create a dummy user and grant dataset access to that user
- F. Store the username and password for that user in a file on the files system, and use those credentials to access the BigQuery dataset

**Answer: C**

#### NEW QUESTION 193

- (Exam Topic 6)

You are designing storage for 20 TB of text files as part of deploying a data pipeline on Google Cloud. Your input data is in CSV format. You want to minimize the cost of querying aggregate values for multiple users who will query the data in Cloud Storage with multiple engines. Which storage service and schema design should you use?

- A. Use Cloud Bigtable for storage
- B. Install the HBase shell on a Compute Engine instance to query the Cloud Bigtable data.
- C. Use Cloud Bigtable for storage
- D. Link as permanent tables in BigQuery for query.
- E. Use Cloud Storage for storage
- F. Link as permanent tables in BigQuery for query.
- G. Use Cloud Storage for storage
- H. Link as temporary tables in BigQuery for query.

**Answer: A**

#### NEW QUESTION 196

- (Exam Topic 6)

You are managing a Cloud Dataproc cluster. You need to make a job run faster while minimizing costs, without losing work in progress on your clusters. What should you do?

- A. Increase the cluster size with more non-preemptible workers.
- B. Increase the cluster size with preemptible worker nodes, and configure them to forcefully decommission.
- C. Increase the cluster size with preemptible worker nodes, and use Cloud Stackdriver to trigger a script to preserve work.
- D. Increase the cluster size with preemptible worker nodes, and configure them to use graceful decommissioning.

**Answer: D**

#### Explanation:

Reference <https://cloud.google.com/dataproc/docs/concepts/configuring-clusters/flex>

#### NEW QUESTION 198

- (Exam Topic 6)

You have historical data covering the last three years in BigQuery and a data pipeline that delivers new data to BigQuery daily. You have noticed that when the Data Science team runs a query filtered on a date column and limited to 30–90 days of data, the query scans the entire table. You also noticed that your bill is increasing more quickly than you expected. You want to resolve the issue as cost-effectively as possible while maintaining the ability to conduct SQL queries. What should you do?

- A. Re-create the tables using DD
- B. Partition the tables by a column containing a TIMESTAMP or DATE Type.
- C. Recommend that the Data Science team export the table to a CSV file on Cloud Storage and use Cloud Datalab to explore the data by reading the files directly.
- D. Modify your pipeline to maintain the last 30–90 days of data in one table and the longer history in a different table to minimize full table scans over the entire history.
- E. Write an Apache Beam pipeline that creates a BigQuery table per day
- F. Recommend that the Data Science team use wildcards on the table name suffixes to select the data they need.

**Answer: C**

#### NEW QUESTION 200

- (Exam Topic 6)

You want to build a managed Hadoop system as your data lake. The data transformation process is composed of a series of Hadoop jobs executed in sequence. To accomplish the design of separating storage from compute, you decided to use the Cloud Storage connector to store all input data, output data, and intermediary data. However, you noticed that one Hadoop job runs very slowly with Cloud Dataproc, when compared with the on-premises bare-metal Hadoop environment (8-core nodes with 100-GB RAM). Analysis shows that this particular Hadoop job is disk I/O intensive. You want to resolve the issue. What should you do?

- A. Allocate sufficient memory to the Hadoop cluster, so that the intermediary data of that particular Hadoop job can be held in memory
- B. Allocate sufficient persistent disk space to the Hadoop cluster, and store the intermediate data of that particular Hadoop job on native HDFS
- C. Allocate more CPU cores of the virtual machine instances of the Hadoop cluster so that the networking bandwidth for each instance can scale up
- D. Allocate additional network interface card (NIC), and configure link aggregation in the operating system to use the combined throughput when working with Cloud Storage

Answer: A

#### NEW QUESTION 205

- (Exam Topic 6)

You are responsible for writing your company's ETL pipelines to run on an Apache Hadoop cluster. The pipeline will require some checkpointing and splitting pipelines. Which method should you use to write the pipelines?

- A. PigLatin using Pig
- B. HiveQL using Hive
- C. Java using MapReduce
- D. Python using MapReduce

Answer: D

#### NEW QUESTION 209

- (Exam Topic 6)

Each analytics team in your organization is running BigQuery jobs in their own projects. You want to enable each team to monitor slot usage within their projects. What should you do?

- A. Create a Stackdriver Monitoring dashboard based on the BigQuery metric query/scanned\_bytes
- B. Create a Stackdriver Monitoring dashboard based on the BigQuery metric slots/allocated\_for\_project
- C. Create a log export for each project, capture the BigQuery job execution logs, create a custom metric based on the totalSlotMs, and create a Stackdriver Monitoring dashboard based on the custom metric
- D. Create an aggregated log export at the organization level, capture the BigQuery job execution logs, create a custom metric based on the totalSlotMs, and create a Stackdriver Monitoring dashboard based on the custom metric

Answer: D

#### NEW QUESTION 213

- (Exam Topic 6)

You need to create a data pipeline that copies time-series transaction data so that it can be queried from within BigQuery by your data science team for analysis. Every hour, thousands of transactions are updated with a new status. The size of the initial dataset is 1.5 PB, and it will grow by 3 TB per day. The data is heavily structured, and your data science team will build machine learning models based on this data. You want to maximize performance and usability for your data science team. Which two strategies should you adopt? Choose 2 answers.

- A. Denormalize the data as much as possible.
- B. Preserve the structure of the data as much as possible.
- C. Use BigQuery UPDATE to further reduce the size of the dataset.
- D. Develop a data pipeline where status updates are appended to BigQuery instead of updated.
- E. Copy a daily snapshot of transaction data to Cloud Storage and store it as an Avro file
- F. Use BigQuery's support for external data sources to query.

Answer: DE

#### NEW QUESTION 218

- (Exam Topic 6)

Government regulations in your industry mandate that you have to maintain an auditable record of access to certain types of data. Assuming that all expiring logs will be archived correctly, where should you store data that is subject to that mandate?

- A. Encrypted on Cloud Storage with user-supplied encryption key
- B. A separate decryption key will be given to each authorized user.
- C. In a BigQuery dataset that is viewable only by authorized personnel, with the Data Access log used to provide the auditability.
- D. In Cloud SQL, with separate database user names to each user
- E. The Cloud SQL Admin activity logs will be used to provide the auditability.
- F. In a bucket on Cloud Storage that is accessible only by an AppEngine service that collects user information and logs the access before providing a link to the bucket.

Answer: B

#### NEW QUESTION 223

- (Exam Topic 6)

An online retailer has built their current application on Google App Engine. A new initiative at the company mandates that they extend their application to allow their customers to transact directly via the application. They need to manage their shopping transactions and analyze combined data from multiple datasets using a business intelligence (BI) tool. They want to use only a single database for this purpose. Which Google Cloud database should they choose?

- A. BigQuery
- B. Cloud SQL
- C. Cloud BigTable
- D. Cloud Datastore

Answer: C

#### NEW QUESTION 226

- (Exam Topic 6)

Your United States-based company has created an application for assessing and responding to user actions. The primary table's data volume grows by 250,000 records per second. Many third parties use your application's APIs to build the functionality into their own frontend applications. Your application's APIs should

comply with the following requirements:

- Single global endpoint
  - ANSI SQL support
  - Consistent access to the most up-to-date data
- What should you do?

- A. Implement BigQuery with no region selected for storage or processing.
- B. Implement Cloud Spanner with the leader in North America and read-only replicas in Asia and Europe.
- C. Implement Cloud SQL for PostgreSQL with the master in North America and read replicas in Asia and Europe.
- D. Implement Cloud Bigtable with the primary cluster in North America and secondary clusters in Asia and Europe.

**Answer: B**

#### NEW QUESTION 227

- (Exam Topic 6)

You need to migrate a 2TB relational database to Google Cloud Platform. You do not have the resources to significantly refactor the application that uses this database and cost to operate is of primary concern.

Which service do you select for storing and serving your data?

- A. Cloud Spanner
- B. Cloud Bigtable
- C. Cloud Firestore
- D. Cloud SQL

**Answer: D**

#### NEW QUESTION 231

- (Exam Topic 6)

You work for a global shipping company. You want to train a model on 40 TB of data to predict which ships in each geographic region are likely to cause delivery delays on any given day. The model will be based on multiple attributes collected from multiple sources. Telemetry data, including location in GeoJSON format, will be pulled from each ship and loaded every hour. You want to have a dashboard that shows how many and which ships are likely to cause delays within a region. You want to use a storage solution that has native functionality for prediction and geospatial processing. Which storage solution should you use?

- A. BigQuery
- B. Cloud Bigtable
- C. Cloud Datastore
- D. Cloud SQL for PostgreSQL

**Answer: A**

#### NEW QUESTION 232

- (Exam Topic 6)

You are training a spam classifier. You notice that you are overfitting the training data. Which three actions can you take to resolve this problem? (Choose three.)

- A. Get more training examples
- B. Reduce the number of training examples
- C. Use a smaller set of features
- D. Use a larger set of features
- E. Increase the regularization parameters
- F. Decrease the regularization parameters

**Answer: ADF**

#### NEW QUESTION 237

- (Exam Topic 6)

You have data pipelines running on BigQuery, Cloud Dataflow, and Cloud Dataproc. You need to perform health checks and monitor their behavior, and then notify the team managing the pipelines if they fail. You also need to be able to work across multiple projects. Your preference is to use managed products of features of the platform. What should you do?

- A. Export the information to Cloud Stackdriver, and set up an Alerting policy
- B. Run a Virtual Machine in Compute Engine with Airflow, and export the information to Stackdriver
- C. Export the logs to BigQuery, and set up App Engine to read that information and send emails if you find a failure in the logs
- D. Develop an App Engine application to consume logs using GCP API calls, and send emails if you find a failure in the logs

**Answer: B**

#### NEW QUESTION 239

- (Exam Topic 6)

You have several Spark jobs that run on a Cloud Dataproc cluster on a schedule. Some of the jobs run in sequence, and some of the jobs run concurrently. You need to automate this process. What should you do?

- A. Create a Cloud Dataproc Workflow Template
- B. Create an initialization action to execute the jobs
- C. Create a Directed Acyclic Graph in Cloud Composer
- D. Create a Bash script that uses the Cloud SDK to create a cluster, execute jobs, and then tear down the cluster

**Answer: A**

**NEW QUESTION 240**

- (Exam Topic 6)

Your company is currently setting up data pipelines for their campaign. For all the Google Cloud Pub/Sub streaming data, one of the important business requirements is to be able to periodically identify the inputs and their timings during their campaign. Engineers have decided to use windowing and transformation in Google Cloud Dataflow for this purpose. However, when testing this feature, they find that the Cloud Dataflow job fails for the all streaming insert. What is the most likely cause of this problem?

- A. They have not assigned the timestamp, which causes the job to fail
- B. They have not set the triggers to accommodate the data coming in late, which causes the job to fail
- C. They have not applied a global windowing function, which causes the job to fail when the pipeline is created
- D. They have not applied a non-global windowing function, which causes the job to fail when the pipeline is created

**Answer: C**

**NEW QUESTION 242**

- (Exam Topic 6)

An organization maintains a Google BigQuery dataset that contains tables with user-level data. They want to expose aggregates of this data to other Google Cloud projects, while still controlling access to the user-level data. Additionally, they need to minimize their overall storage cost and ensure the analysis cost for other projects is assigned to those projects. What should they do?

- A. Create and share an authorized view that provides the aggregate results.
- B. Create and share a new dataset and view that provides the aggregate results.
- C. Create and share a new dataset and table that contains the aggregate results.
- D. Create dataViewer Identity and Access Management (IAM) roles on the dataset to enable sharing.

**Answer: D**

**Explanation:**

Reference: <https://cloud.google.com/bigquery/docs/access-control>

**NEW QUESTION 247**

- (Exam Topic 6)

You need to create a near real-time inventory dashboard that reads the main inventory tables in your BigQuery data warehouse. Historical inventory data is stored as inventory balances by item and location. You have several thousand updates to inventory every hour. You want to maximize performance of the dashboard and ensure that the data is accurate. What should you do?

- A. Leverage BigQuery UPDATE statements to update the inventory balances as they are changing.
- B. Partition the inventory balance table by item to reduce the amount of data scanned with each inventory update.
- C. Use the BigQuery streaming the stream changes into a daily inventory movement table
- D. Calculate balances in a view that joins it to the historical inventory balance table
- E. Update the inventory balance table nightly.
- F. Use the BigQuery bulk loader to batch load inventory changes into a daily inventory movement table. Calculate balances in a view that joins it to the historical inventory balance table
- G. Update the inventory balance table nightly.

**Answer: A**

**NEW QUESTION 249**

- (Exam Topic 6)

You are designing a cloud-native historical data processing system to meet the following conditions:

- The data being analyzed is in CSV, Avro, and PDF formats and will be accessed by multiple analysis tools including Cloud Dataproc, BigQuery, and Compute Engine.
- A streaming data pipeline stores new data daily.
- Performance is not a factor in the solution.
- The solution design should maximize availability.

How should you design data storage for this solution?

- A. Create a Cloud Dataproc cluster with high availability
- B. Store the data in HDFS, and perform analysis as needed.
- C. Store the data in BigQuery
- D. Access the data using the BigQuery Connector or Cloud Dataproc and Compute Engine.
- E. Store the data in a regional Cloud Storage bucket
- F. Access the bucket directly using Cloud Dataproc, BigQuery, and Compute Engine.
- G. Store the data in a multi-regional Cloud Storage bucket
- H. Access the data directly using Cloud Dataproc, BigQuery, and Compute Engine.

**Answer: C**

**NEW QUESTION 252**

- (Exam Topic 6)

You architect a system to analyze seismic data. Your extract, transform, and load (ETL) process runs as a series of MapReduce jobs on an Apache Hadoop cluster. The ETL process takes days to process a data set because some steps are computationally expensive. Then you discover that a sensor calibration step has been omitted. How should you change your ETL process to carry out sensor calibration systematically in the future?

- A. Modify the transform MapReduce jobs to apply sensor calibration before they do anything else.
- B. Introduce a new MapReduce job to apply sensor calibration to raw data, and ensure all other MapReduce jobs are chained after this.
- C. Add sensor calibration data to the output of the ETL process, and document that all users need to apply sensor calibration themselves.

D. Develop an algorithm through simulation to predict variance of data output from the last MapReduce job based on calibration factors, and apply the correction to all data.

**Answer:** A

#### NEW QUESTION 254

- (Exam Topic 6)

You are deploying MariaDB SQL databases on GCE VM Instances and need to configure monitoring and alerting. You want to collect metrics including network connections, disk IO and replication status from MariaDB with minimal development effort and use StackDriver for dashboards and alerts. What should you do?

- A. Install the OpenCensus Agent and create a custom metric collection application with a StackDriver exporter.
- B. Place the MariaDB instances in an Instance Group with a Health Check.
- C. Install the StackDriver Logging Agent and configure fluentd in\_tail plugin to read MariaDB logs.
- D. Install the StackDriver Agent and configure the MySQL plugin.

**Answer:** C

#### NEW QUESTION 257

- (Exam Topic 6)

You have a petabyte of analytics data and need to design a storage and processing platform for it. You must be able to perform data warehouse-style analytics on the data in Google Cloud and expose the dataset as files for batch analysis tools in other cloud providers. What should you do?

- A. Store and process the entire dataset in BigQuery.
- B. Store and process the entire dataset in Cloud Bigtable.
- C. Store the full dataset in BigQuery, and store a compressed copy of the data in a Cloud Storage bucket.
- D. Store the warm data as files in Cloud Storage, and store the active data in BigQuery.
- E. Keep this ratio as 80% warm and 20% active.

**Answer:** D

#### NEW QUESTION 258

- (Exam Topic 6)

You have Cloud Functions written in Node.js that pull messages from Cloud Pub/Sub and send the data to BigQuery. You observe that the message processing rate on the Pub/Sub topic is orders of magnitude higher than anticipated, but there is no error logged in Stackdriver Log Viewer. What are the two most likely causes of this problem? Choose 2 answers.

- A. Publisher throughput quota is too small.
- B. Total outstanding messages exceed the 10-MB maximum.
- C. Error handling in the subscriber code is not handling run-time errors properly.
- D. The subscriber code cannot keep up with the messages.
- E. The subscriber code does not acknowledge the messages that it pulls.

**Answer:** CD

#### NEW QUESTION 261

- (Exam Topic 6)

You store historic data in Cloud Storage. You need to perform analytics on the historic data. You want to use a solution to detect invalid data entries and perform data transformations that will not require programming or knowledge of SQL. What should you do?

- A. Use Cloud Dataflow with Beam to detect errors and perform transformations.
- B. Use Cloud Dataprep with recipes to detect errors and perform transformations.
- C. Use Cloud Dataproc with a Hadoop job to detect errors and perform transformations.
- D. Use federated tables in BigQuery with queries to detect errors and perform transformations.

**Answer:** A

#### NEW QUESTION 266

- (Exam Topic 6)

You have an Apache Kafka Cluster on-prem with topics containing web application logs. You need to replicate the data to Google Cloud for analysis in BigQuery and Cloud Storage. The preferred replication method is mirroring to avoid deployment of Kafka Connect plugins. What should you do?

- A. Deploy a Kafka cluster on GCE VM Instance
- B. Configure your on-prem cluster to mirror your topics to the cluster running in GC
- C. Use a Dataproc cluster or Dataflow job to read from Kafka and write to GCS.
- D. Deploy a Kafka cluster on GCE VM Instances with the PubSub Kafka connector configured as a Sink connector
- E. Use a Dataproc cluster or Dataflow job to read from Kafka and write to GCS.
- F. Deploy the PubSub Kafka connector to your on-prem Kafka cluster and configure PubSub as a Source connector
- G. Use a Dataflow job to read from PubSub and write to GCS.
- H. Deploy the PubSub Kafka connector to your on-prem Kafka cluster and configure PubSub as a Sink connector
- I. Use a Dataflow job to read from PubSub and write to GCS.

**Answer:** A

#### NEW QUESTION 271

- (Exam Topic 6)

You are building a new data pipeline to share data between two different types of applications: jobs generators and job runners. Your solution must scale to accommodate increases in usage and must accommodate the addition of new applications without negatively affecting the performance of existing ones. What should you do?

- A. Create an API using App Engine to receive and send messages to the applications
- B. Use a Cloud Pub/Sub topic to publish jobs, and use subscriptions to execute them
- C. Create a table on Cloud SQL, and insert and delete rows with the job information
- D. Create a table on Cloud Spanner, and insert and delete rows with the job information

**Answer: A**

#### **NEW QUESTION 276**

- (Exam Topic 6)

You are building a data pipeline on Google Cloud. You need to prepare data using a casual method for a machine-learning process. You want to support a logistic regression model. You also need to monitor and adjust for null values, which must remain real-valued and cannot be removed. What should you do?

- A. Use Cloud Dataprep to find null values in sample source dat
- B. Convert all nulls to 'none' using a Cloud Dataproc job.
- C. Use Cloud Dataprep to find null values in sample source dat
- D. Convert all nulls to 0 using a Cloud Dataprep job.
- E. Use Cloud Dataflow to find null values in sample source dat
- F. Convert all nulls to 'none' using a Cloud Dataprep job.
- G. Use Cloud Dataflow to find null values in sample source dat
- H. Convert all nulls to using a custom script.

**Answer: C**

#### **NEW QUESTION 277**

.....

## **Thank You for Trying Our Product**

### **We offer two products:**

1st - We have Practice Tests Software with Actual Exam Questions

2nd - Questions and Answers in PDF Format

### **Professional-Data-Engineer Practice Exam Features:**

- \* Professional-Data-Engineer Questions and Answers Updated Frequently
- \* Professional-Data-Engineer Practice Questions Verified by Expert Senior Certified Staff
- \* Professional-Data-Engineer Most Realistic Questions that Guarantee you a Pass on Your FirstTry
- \* Professional-Data-Engineer Practice Test Questions in Multiple Choice Formats and Updatesfor 1 Year

**100% Actual & Verified — Instant Download, Please Click**  
**[Order The Professional-Data-Engineer Practice Test Here](#)**