

AZ-204 Dumps

Developing Solutions for Microsoft Azure (beta)

<https://www.certleader.com/AZ-204-dumps.html>



NEW QUESTION 1

- (Exam Topic 1)

You need to resolve the Shipping web site error.

How should you configure the Azure Table Storage service? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

```
<?xml version="1.0" encoding="utf-8"?>
<StorageServiceProperties>
  ""
  <Cors>
  <CorsRule>
  <
  AllowedHeaders
  ExposedHeaders
  AllowedMethods
  AllowedOrigins
  <AllowedMethods>
  GET,PUT
  GET
  POST
  GET,HEAD
  </AllowedMethods>
  </CorsRule>
  </Cors>
</StorageServiceProperties>
```

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Box 1: AllowedOrigins

A CORS request will fail if Access-Control-Allow-Origin is missing. Scenario:

The following error message displays while you are testing the website:

```
Failed to load http://test-shippingapi.wideworldimporters.com/: No 'Access-Control-Allow-Origin'
header is present on the requested resource. Origin 'http://testwideworldimporters.com/' is
therefore not allowed access.
```

Box 2: http://test-shippingapi.wideworldimporters.com Syntax: Access-Control-Allow-Origin: *

Access-Control-Allow-Origin: <origin> Access-Control-Allow-Origin: null

<origin> Specifies an origin. Only a single origin can be specified. Box 3: AllowedOrigins

Box 4: POST

The only allowed methods are GET, HEAD, and POST. In this case POST is used. "<Corsrule>" "allowedmethods" Failed to load no "Access-control-Origin" header is present References:

<https://developer.mozilla.org/en-US/docs/Web/HTTP/Headers/Access-Control-Allow-Origin>

NEW QUESTION 2

- (Exam Topic 1)

You need to update the APIs to resolve the testing error.

How should you complete the Azure CLI command? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

```
az webapp -g shipping-apis-test-rg -n web
```

cors
 config
 deployment

add
 up
 remove

slot
 allowed-origins
 name

http://*.wideworldimporters.com
 http://test-shippingapi.wideworldimporters.com
 http://test.wideworldimporters.com
 http://www.wideworldimporters.com

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Enable Cross-Origin Resource Sharing (CORS) on your Azure App Service Web App. Enter the full URL of the site you want to allow to access your WEB API or * to allow all domains. Box 1: cors
 Box 2: add
 Box 3: allowed-origins
 Box 4: http://testwideworldimporters.com/ References:
<http://donovanbrown.com/post/How-to-clear-No-Access-Control-Allow-Origin-header-error-with-Azure-App-Service>

NEW QUESTION 3

- (Exam Topic 3)

You are developing an application that use an Azure blob named data to store application data. The application creates blob snapshots to allow application state to be reverted to an earlier state. The Azure storage account has soft deleted enabled.

The system performs the following operations in order:

- The blob is updated
- Snapshot 1 is created.
- Snapshot 2 is created.
- Snapshot 1 is deleted.

A system error then deletes the data blob and all snapshots. You need to determine which application states can be restored.

What is the restorability of the application data? To answer, select the appropriate options in the answer area. NOTE: Each correct selection is worth one point.

Application State	Restorability
Data blob	<div style="border: 1px solid black; padding: 5px;"> <div style="display: flex; justify-content: space-between; align-items: center;"> ▼ </div> <div style="border: 1px solid black; padding: 2px;"> Can be restored Cannot be restored </div> </div>
Snapshot 1	<div style="border: 1px solid black; padding: 5px;"> <div style="display: flex; justify-content: space-between; align-items: center;"> ▼ </div> <div style="border: 1px solid black; padding: 2px;"> Can be restored Cannot be restored </div> </div>
Snapshot 2	<div style="border: 1px solid black; padding: 5px;"> <div style="display: flex; justify-content: space-between; align-items: center;"> ▼ </div> <div style="border: 1px solid black; padding: 2px;"> Can be restored Cannot be restored </div> </div>

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Box 1: Can be restored

When enabled, soft delete enables you to save and recover your data when blobs or blob snapshots are deleted. This protection extends to blob data that is erased as the result of an overwrite.

Box 2: Cannot be restored It has been deleted.

Box 3: Can be restored It has not been deleted. References:

<https://docs.microsoft.com/en-us/azure/storage/blobs/storage-blob-soft-delete>

NEW QUESTION 4

- (Exam Topic 3)

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution. Determine whether the solution meets the stated goals.

You are developing and deploying several ASP.Net web applications to Azure App Service. You plan to save session state information and HTML output. You must use a storage mechanism with the following requirements:

- Share session state across all ASP.NET web applications
- Support controlled, concurrent access to the same session state data for multiple readers and a single writer
- Save full HTTP responses for concurrent requests

You need to store the information.

Proposed Solution: Add the web applications to Docker containers. Deploy the containers. Deploy the containers to Azure Kubernetes Service (AKS).

Does the solution meet the goal?

A. Yes

B. No

Answer: B

Explanation:

Instead use Azure Cache for Redis.

Note: Azure Cache for Redis provides a session state provider that you can use to store your session state in-memory with Azure Cache for Redis instead of a SQL Server database. To use the caching session state

provider, first configure your cache, and then configure your ASP.NET application for cache using the Azure Cache for Redis Session State NuGet package.

References:

<https://docs.microsoft.com/en-us/azure/azure-cache-for-redis/cache-aspnet-session-state-provider>

NEW QUESTION 5

- (Exam Topic 3)

You are developing a project management service by using ASP.NET. The service hosts conversations, files, to-do lists, and a calendar that users can interact with at any time.

The application uses Azure Search for allowing users to search for keywords in the project data.

You need to implement code that creates the object which is used to create indexes in the Azure Search service.

Which two objects should you use? Each correct answer presents part of the solution. NOTE: Each correct selection is worth one point.

A. SearchService

B. SearchIndexClient

C. SearchServiceClient

D. SearchCredentials

Answer: BC

Explanation:

The various client libraries define classes like Index, Field, and Document, as well as operations like Indexes.Create and Documents.Search on the SearchServiceClient and SearchIndexClient classes.

Example:

The sample application we'll be exploring creates a new index named "hotels", populates it with a few documents, then executes some search queries. Here is the main program, showing the overall flow:

/ This sample shows how to delete, create, upload documents and query an index static void Main(string[] args)

```
{  
IConfigurationBuilder builder = new ConfigurationBuilder().AddJsonFile("appsettings.json"); IConfigurationRoot configuration = builder.Build();  
SearchServiceClient serviceClient = CreateSearchServiceClient(configuration); Console.WriteLine("{0}", "Deleting index...\n");  
DeleteHotelsIndexIfExists(serviceClient);  
Console.WriteLine("{0}", "Creating index...\n"); CreateHotelsIndex(serviceClient);  
ISearchIndexClient indexClient = serviceClient.Indexes.GetClient("hotels");
```

References:

<https://docs.microsoft.com/en-us/azure/search/search-howto-dotnet-sdk>

NEW QUESTION 6

- (Exam Topic 3)

Your company is migrating applications to Azure. The IT department must allow internal developers to communicate with Microsoft support.

The service agents of the IT department must only have view resources and create support ticket permissions to all subscriptions. A new custom role must be created by reusing a default role definition and changing the permissions.

You need to create the custom role.

To answer, select the appropriate options in the answer area. NOTE: Each correct selection is worth one point.

Item	Value
Powershell command	<pre>Get-AzureRmRoleDefinition-Name "Reader" ConvertTo-Json Out-File C:\SupportRole.json Get-AzureRmRoleDefinition-Name "Operator" ConvertTo-Json Out-File C:\SupportRole.json Set-AzureRmRoleDefinition-Name "Reader" Input-File C:\SupportRole.json Set-AzureRmRoleDefinition Input-File C:\SupportRole.json</pre>
Actions section	<pre>"*/read*", "Microsoft.Support/*" "*/read*" "*/read*", "Microsoft.Support/*" "*/read*"</pre>

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Box 1: Set-AzureRmRoleDefinition Input-File C:\SupportRole.json

The Set-AzureRmRoleDefinition cmdlet updates an existing custom role in Azure Role-Based Access Control. Provide the updated role definition as an input to the command as a JSON file or a PSRoleDefinition object.

The role definition for the updated custom role MUST contain the Id and all other required properties of the role even if they are not updated: DisplayName, Description, Actions, AssignableScope

Box 2: "*/read*", "Microsoft.Support/*" Microsoft.Support/* Create and manage support tickets "Microsoft.Support" role definition azure

NEW QUESTION 7

- (Exam Topic 3)

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You are developing an Azure solution to collect point-of-sale (POS) device data from 2,000 stores located throughout the world. A single device can produce 2 megabytes (MB) of data every 24 hours. Each store location has one to five devices that send data.

You must store the device data in Azure Blob storage. Device data must be correlated based on a device identifier. Additional stores are expected to open in the future.

You need to implement a solution to receive the device data.

Solution: Provision an Azure Notification Hub. Register all devices with the hub. Does the solution meet the goal?

- A. Yes
- B. No

Answer: B

Explanation:

Instead use an Azure Service Bus, which is used order processing and financial transactions.

Reference:

<https://docs.microsoft.com/en-us/azure/event-grid/compare-messaging-services>

NEW QUESTION 8

- (Exam Topic 3)

You are implementing a software as a service (SaaS) ASP.NET Core web service that will run as an Azure Web App. The web service will use an on-premises SQL Server database for storage. The web service also includes a WebJob that processes data updates. Four customers will use the web service.

- > Each instance of the WebJob processes data for a single customer and must run as a singleton instance.
- > Each deployment must be tested by using deployment slots prior to serving production data.
- > Azure costs must be minimized.
- > Azure resources must be located in an isolated network. You need to configure the App Service plan for the Web App.

How should you configure the App Service plan? To answer, select the appropriate settings in the answer area.

NOTE: Each correct selection is worth one point.

Answer Area

App service plan setting

Value

Number of VM instances

▼
2
4
8
16

Pricing tier

▼
Isolated
Standard
Premium
Consumption

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Number of VM instances: 4

You are not charged extra for deployment slots. Pricing tier: Isolated

The App Service Environment (ASE) is a powerful feature offering of the Azure App Service that gives network isolation and improved scale capabilities. It is essentially a deployment of the Azure App Service into a subnet of a customer's Azure Virtual Network (VNet).

References:

<https://azure.microsoft.com/sv-se/blog/announcing-app-service-isolated-more-power-scale-and-ease-of-use/>

NEW QUESTION 9

- (Exam Topic 3)

You are building a website to access project data related to terms within your organization. The website does not allow anonymous access. Authentication performed using an Azure Active Directory (Azure AD) app named internal.

The website has the following authentication requirements:

- Azure AD users must be able to login to the website.
- Personalization of the website must be based on membership in Active Directory groups. You need to configure the application's manifest to meet the authentication requirements.

How should you configure the manifest? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

```
{
  ...
  "appId": "d61126e3-089b-4adb-b721-d5023213df7d",
  "optionalClaims": "All",
  "groupMembershipClaims": true
  ...
}
```

- A. Mastered

B. Not Mastered

Answer: A

Explanation:

Box 1: groupMembershipClaims

Scenario: Personalization of the website must be based on membership in Active Directory groups. Group claims can also be configured in the Optional Claims section of the Application Manifest. Enable group membership claims by changing the groupMembershipClaim

The valid values are: "All" "SecurityGroup" "DistributionList" "DirectoryRole"

Box 2: oauth2Permissions

Scenario: Azure AD users must be able to login to the website.

oauth2Permissions specifies the collection of OAuth 2.0 permission scopes that the web API (resource) app exposes to client apps. These permission scopes may be granted to client apps during consent.

NEW QUESTION 10

- (Exam Topic 3)

You are a developer for a software as a service (SaaS) company that uses an Azure Function to process orders. The Azure Function currently runs on an Azure Function app that is triggered by an Azure Storage queue.

You are preparing to migrate the Azure Function to Kubernetes using Kubernetes-based Event Driven Autoscaling (KEDA).

You need to configure Kubernetes Custom Resource Definitions (CRD) for the Azure Function.

Which CRDs should you configure? To answer, drag the appropriate CRD types to the correct locations. Each CRD type may be used once, more than once, or not at all. You may need to drag the split bar between panes or scroll to view content.

NOTE: Each correct selection is worth one point.

Answer Area

CRD types	Setting	CRD type
Secret	Azure Function code	<input type="text"/>
Deployment	Polling interval	<input type="text"/>
ScaledObject	Azure Storage connection string	<input type="text"/>
TriggerAuthentication		

A. Mastered

B. Not Mastered

Answer: A

Explanation:

Box 1: Deployment

To deploy Azure Functions to Kubernetes use the func kubernetes deploy command has several attributes that directly control how our app scales, once it is deployed to Kubernetes.

Box 2: ScaledObject

With --polling-interval, we can control the interval used by KEDA to check Azure Service Bus Queue for messages.

Example of ScaledObject with polling interval apiVersion: keda.k8s.io/v1alpha1

kind: ScaledObject metadata:

name: transformer-fn namespace: tt

labels:

deploymentName: transformer-fn spec:

scaleTargetRef: deploymentName: transformer-fn pollingInterval: 5

minReplicaCount: 0

maxReplicaCount: 100

Box 3: Secret

Store connection strings in Kubernetes Secrets. Example: to create the Secret in our demo Namespace:

```
# create the k8s demo namespace kubectl create namespace tt
```

```
# grab connection string from Azure Service Bus KEDA_SCALER_CONNECTION_STRING=$(az servicebus queue authorization-rule keys list \
```

```
-g $RG_NAME \
```

```
--namespace-name $SBN_NAME \
```

```
--queue-name inbound \
```

```
-n keda-scaler \
```

```
--query "primaryConnectionString" \
```

```
-o tsv)
```

```
# create the kubernetes secret
```

```
kubectl create secret generic tt-keda-auth \
```

```
--from-literal KedaScaler=$KEDA_SCALER_CONNECTION_STRING \
```

```
--namespace tt Reference:
```

<https://www.thinktecture.com/en/kubernetes/serverless-workloads-with-keda/>

NEW QUESTION 10

- (Exam Topic 3)

A company develops a series of mobile games. All games use a single leaderboard service. You have the following requirements:

- Code should be scalable and allow for growth.
- Each record must consist of a playerId, gameId, score, and time played.
- When users reach a new high score, the system will save the new score using the SaveScore function below.
- Each game is assigned an Id based on the series title.

You have the following code. (Line numbers are included for reference only.)

You store customer information in an Azure Cosmos database. The following data already exists in the database:

```
01 CloudTableClient tableClient = account.CreateCloudTableClient();
02 CloudTable table = tableClient.GetTableReference("people");
03 TableQuery<CustomerEntity> query = new TableQuery<CustomerEntity>()
04     .Where(TableQuery.CombineFilters(
05         TableQuery.Generate.And, TableQuery.GenerateFilterCondition(Email, QueryComparisons.Equal, "Smith")
06         TableOperstors.And, TableQuery.GenerateFilterCondition(Email, QueryComparisons.Equal,
07         "ssmith@contoso.com")
08     ));
08 await table.ExecuteQuerySegmentedAsync<CustomerEntity>(query, null);
```

For each of the following statements, select Yes if the statement is true. Otherwise, select No. NOTE: Each correct selection is worth one point.

	Yes	No
The code will work with Cosmos DB.	<input type="radio"/>	<input type="radio"/>
The save score function will update and replace a record if one already exists with the same playerId and gameId.	<input type="radio"/>	<input type="radio"/>
The data for the game will be automatically partitioned.	<input type="radio"/>	<input type="radio"/>
This code will store the values for the gameId and playerId parameters in the database.	<input type="radio"/>	<input type="radio"/>

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Box 1: Yes

Code for CosmosDB, example:

```
// Parse the connection string and return a reference to the storage account. CloudStorageAccount storageAccount = CloudStorageAccount.Parse(
CloudConfigurationManager.GetSetting("StorageConnectionString"));
```

```
// Create the table client.
```

```
CloudTableClient tableClient = storageAccount.CreateCloudTableClient();
```

```
// Retrieve a reference to the table.
```

```
CloudTable table = tableClient.GetTableReference("people");
```

```
// Create the TableOperation object that inserts the customer entity. TableOperation insertOperation = TableOperation.Insert(customer1); Box 2: No
A new record will always be added as TableOperation.Insert is used, instead of TableOperation.InsertOrReplace.
```

Box 3: No

No partition key is used. Box 4: Yes

References:

<https://docs.microsoft.com/en-us/azure/cosmos-db/table-storage-how-to-use-dotnet>

NEW QUESTION 14

- (Exam Topic 3)

You develop a gateway solution for a public facing news API. The news API back end is implemented as a RESTful service and uses an OpenAPI specification.

You need to ensure that you can access the news API by using an Azure API Management service instance. Which Azure PowerShell command should you run?

- A. Import-AzureRmApiManagementApi -Context \$ApiMgmtContext -SpecificationFormat "Swagger" -SpecificationPath \$SwaggerPath -Path \$Path
- B. New-AzureRmApiManagementBackend -Context \$ApiMgmtContext -Url \$Url -Protocol http
- C. New-AzureRmApiManagement -ResourceGroupName \$ResourceGroup -Name \$Name -Location \$Location -Organization \$Org -AdminEmail \$AdminEmail
- D. New-AzureRmApiManagementBackendProxy -Url \$ApiUrl

Answer: D

Explanation:

New-AzureRmApiManagementBackendProxy creates a new Backend Proxy Object which can be piped when creating a new Backend entity.

Example: Create a Backend Proxy In-Memory Object

```
PS C:\>$secpassword = ConvertTo-SecureString "PlainTextPassword" -AsPlainText -Force
```

```
PS C:\>$proxyCreds = New-Object System.Management.Automation.PSCredential ("foo", $secpassword) PS C:\>$credential = New-
```

```
AzureRmApiManagementBackendProxy -Url "http://12.168.1.1:8080"
```

```
-ProxyCredential $proxyCreds
```

```
PS C:\>$apimContext = New-AzureRmApiManagementContext -ResourceGroupName "Api-Default-WestUS" -ServiceName "contoso"
```

```
PS C:\>$backend = New-AzureRmApiManagementBackend -Context $apimContext -BackendId 123 -Url 'https://contoso.com/awesomeapi' -Protocol http -Title
```

```
"first backend" -SkipCertificateChainValidation $true
```

```
-Proxy $credential -Description "backend with proxy server"
```

Creates a Backend Proxy Object and sets up Backend

NEW QUESTION 18

- (Exam Topic 3)

You are developing a mobile instant messaging app for a company. The mobile app must meet the following requirements:

- Support offline data sync.
- Update the latest messages during normal sync cycles. You need to implement Offline Data Sync.

Which two actions should you perform? Each correct answer presents part of the solution. NOTE: Each correct selection is worth one point.

- A. Retrieve records from Offline Data Sync on every call to the PullAsync method.
- B. Retrieve records from Offline Data Sync using an Incremental Sync.
- C. Push records to Offline Data Sync using an Incremental Sync.
- D. Return the updatedAt column from the Mobile Service Backend and implement sorting by using the column.
- E. Return the updatedAt column from the Mobile Service Backend and implement sorting by the message id.

Answer: BE

Explanation:

B: Incremental Sync: the first parameter to the pull operation is a query name that is used only on the client. If you use a non-null query name, the Azure Mobile SDK performs an incremental sync. Each time a pull operation returns a set of results, the latest updatedAt timestamp from that result set is stored in the SDK local system tables. Subsequent pull operations retrieve only records after that timestamp.

E (not D): To use incremental sync, your server must return meaningful updatedAt values and must also support sorting by this field. However, since the SDK adds its own sort on the updatedAt field, you cannot use a pull query that has its own orderBy clause.

References:

<https://docs.microsoft.com/en-us/azure/app-service-mobile/app-service-mobile-offline-data-sync>

NEW QUESTION 21

- (Exam Topic 3)

Fourth Coffee has an ASP.NET Core web app that runs in Docker. The app is mapped to the www.fourthcoffee.com domain.

Fourth Coffee is migrating this application to Azure.

You need to provision an App Service Web App to host this docker image and map the custom domain to the App Service web app.

A resource group named FourthCoffeePublicWebResourceGroup has been created in the WestUS region that contains an App Service Plan named AppServiceLinuxDockerPlan.

Which order should the CLI commands be used to develop the solution? To answer, move all of the Azure CLI command from the list of commands to the answer area and arrange them in the correct order.

Answer area

Azure CLI commands

```
az webapp config hostname add
--webapp-name $appName
--resource-group fourthCoffeePublicWebResourceGroup
--hostname $fqdn
```

```
#!/bin/bash
appName="FourthCoffeePublicWeb$random".
location "WestUS"
dockerHubContainerPath="FourthCoffee/publicweb:v1"
fqdn=http://www.fourthcoffee.com>www.fourthcoffee.com
```

```
az webapp create
--name $appName
--plan AppServiceLinuxDockerPlan
--resource-group fourthCoffeePublicWebResourceGroup
```

```
az webapp config container set
--docker-custom-image-name $dockerHubContainerPath
--name $appName
--resource-group fourthCoffeePublicWebResourceGroup
```



- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Step 1: #bin/bash

The appName is used when the webapp-name is created in step 2. Step 2: az webapp config hostname add

The webapp-name is used when the webapp is created in step 3. Step 3: az webapp create

Create a web app. In the Cloud Shell, create a web app in the myAppServicePlan App Service plan with the az webapp create command.

Step : az webapp config container set

In Create a web app, you specified an image on Docker Hub in the az webapp create command. This is good enough for a public image. To use a private image,

you need to configure your Docker account ID and password in your Azure web app.
In the Cloud Shell, follow the az webapp create command with az webapp config container set.
References:
<https://docs.microsoft.com/en-us/azure/app-service/containers/tutorial-custom-docker-image>

NEW QUESTION 25

- (Exam Topic 3)

You develop a website. You plan to host the website in Azure. You expect the website to experience high traffic volumes after it is published. You must ensure that the website remains available and responsive while minimizing cost. You need to deploy the website. What should you do?

- A. Deploy the website to an App Service that uses the Shared service tie
- B. Configure the App Service plan to automatically scale when the CPU load is high.
- C. Deploy the website to a virtual machin
- D. Configure the virtual machine to automatically scale when the CPU load is high.
- E. Deploy the website to an App Service that uses the Standard service tie
- F. Configure the App Service plan to automatically scale when the CPU load is high.
- G. Deploy the website to a virtual machin
- H. Configure a Scale Set to increase the virtual machine instance count when the CPU load

Answer: C

Explanation:

Windows Azure Web Sites (WAWS) offers 3 modes: Standard, Free, and Shared.
Standard mode carries an enterprise-grade SLA (Service Level Agreement) of 99.9% monthly, even for sites with just one instance.
Standard mode runs on dedicated instances, making it different from the other ways to buy Windows Azure Web Sites.

NEW QUESTION 29

- (Exam Topic 3)

You develop an ASP.NET Core MVC application. You configure the application to track webpages and custom events.

You need to identify trends in application usage.

Which Azure Application Insights Usage Analysis features should you use? To answer, drag the appropriate features to the correct requirements. Each feature may be used once, more than once, or not at all. You may need to drag the split bar between panes or scroll to view content.

NOTE: Each correct selection is worth one point.

Requirement	Feature
Which pages visited by users most often correlate to a product purchase?	<input type="text"/>
How does load time of the product display page affect a user's decision to purchase a product?	<input type="text"/>
Which events most influence a user's decision to continue to use the application?	<input type="text"/>
Are there places in the application that users often perform repetitive actions?	<input type="text"/>

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Box1: Users Box 2: Impact

One way to think of Impact is as the ultimate tool for settling arguments with someone on your team about how slowness in some aspect of your site is affecting whether users stick around. While users may tolerate a certain amount of slowness, Impact gives you insight into how best to balance optimization and performance to maximize user conversion.

Box 3: Retention

The retention feature in Azure Application Insights helps you analyze how many users return to your app, and how often they perform particular tasks or achieve goals. For example, if you run a game site, you could compare the numbers of users who return to the site after losing a game with the number who return after winning. This knowledge can help you improve both your user experience and your business strategy.

Box 4: User flows

The User Flows tool visualizes how users navigate between the pages and features of your site. It's great for answering questions like:

How do users navigate away from a page on your site? What do users click on a page on your site?

Where are the places that users churn most from your site?

Are there places where users repeat the same action over and over?

NEW QUESTION 31

- (Exam Topic 3)

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You are developing an Azure solution to collect point-of-sale (POS) device data from 2,000 stores located throughout the world. A single device can produce 2 megabytes (MB) of data every 24 hours. Each store location has one to five devices that send data. You must store the device data in Azure Blob storage. Device data must be correlated based on a device identifier. Additional stores are expected to open in the future.

You need to implement a solution to receive the device data.

Solution: Provision an Azure Event Hub. Configure the machine identifier as the partition key and enable capture.

- A. Yes
- B. No

Answer: A

Explanation:

References:

<https://docs.microsoft.com/en-us/azure/event-hubs/event-hubs-programming-guide>

NEW QUESTION 33

- (Exam Topic 3)

You are developing a back-end Azure App Service that scales based on the number of messages contained in a Service Bus queue.

A rule already exists to scale up the App Service when the average queue length of unprocessed and valid queue messages is greater than 1000.

You need to add a new rule that will continuously scale down the App Service as long as the scale up condition is not met.

How should you configure the Scale rule? To answer, select the appropriate options in the answer area. NOTE: Each correct selection is worth one point.

Answer Area

Scale rule ✕

Metric source

Storage queue

Service Bus queue

Current resource

Storage queue (classic)

Resource type

Service Bus Namespaces

Resource

MessageQueue1103

Queues

itemqueue

Criteria

Metric name

Message Count

Active Message Count

Time grain statistic 1 minute time grain

Total

Maximum

Average

Count

Greater than

Greater than or equal to

Less than

Less than or equal to

Threshold

1000

Action

Operation

Increase count by

Increase count to

Decrease count by

Decrease count to

Instance count

1

Cool down (minutes)

5

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Box 1: Service bus queue

You are developing a back-end Azure App Service that scales based on the number of messages contained in a Service Bus queue.

Box 2: ActiveMessage Count

ActiveMessageCount: Messages in the queue or subscription that are in the active state and ready for delivery. Box 3: Count

Box 4: Less than or equal to

You need to add a new rule that will continuously scale down the App Service as long as the scale up condition is not met.

Box 5: Decrease count by

NEW QUESTION 34

- (Exam Topic 3)

You are configuring a development environment for your team. You deploy the latest Visual Studio image from the Azure Marketplace to your Azure subscription. The development environment requires several software development kits (SDKs) and third-party components to support application development across the organization. You install and customize the deployed virtual machine (VM) for your development team. The customized VM must be saved to allow provisioning of a new team member development environment.

You need to save the customized VM for future provisioning.

Which tools or services should you use? To answer, select the appropriate options in the answer area. NOTE: Each correct selection is worth one point.

Answer Area

Action	Tool or service
Generalize the VM.	<ul style="list-style-type: none"> Azure PowerShell Visual Studio command prompt Azure Migrate Azure Backup
Store images.	<ul style="list-style-type: none"> Azure Blob Storage Azure Data Lake Storage Azure File Storage Azure Table Storage

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Box 1: Azure Powershell

Creating an image directly from the VM ensures that the image includes all of the disks associated with the VM, including the OS disk and any data disks.

Before you begin, make sure that you have the latest version of the Azure PowerShell module. You use Sysprep to generalize the virtual machine, then use Azure PowerShell to create the image. Box 2: Azure Blob Storage

References:

<https://docs.microsoft.com/en-us/azure/virtual-machines/windows/capture-image-resource#create-an-image-of-a>

NEW QUESTION 37

- (Exam Topic 3)

A company is developing a mobile app for field service employees using Azure App Service Mobile Apps as the backend.

The company's network connectivity varies throughout the day. The solution must support offline use and synchronize changes in the background when the app is online app.

You need to implement the solution.

How should you complete the code segment? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

```
var client = new MobileServiceClient("MOBILE_APP_URL");
var store = new MobileServiceSQLiteStore
(Constants.OfflineDbPath);
store.DefineTable<TodoItem>();
await client.SyncContext.InitializeAsync(store);
```

▼

- var todoTable = client.GetSyncTable<TodoItem>();
- var todoTable = client.GetTable<TodoItem>();
- var todoTable = client.SyncTable;
- var todoTable = client.Table;

```
await client.SyncContext.PushAsync();
```

▼

- await todoTable.PullAsync("allTodoItems",todoTable.CreateQuery());
- await todoTable.UpdateAsync();
- todoTable.PullAsync("allTodoItems", todoTable.CreateQuery());
- todoTable.UpdateAsync();

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Box 1: var todoTable = client GetSyncTable<TodoItem>()

To setup offline access, when connecting to your mobile service, use the method GetSyncTable instead of GetTable (example):

IMobileServiceSyncTable todoTable = App.MobileService.GetSyncTable(); / Box 2: await todoTable.PullAsync("allTodoItems",todo.Table.CreateQuery());

Your app should now use IMobileServiceSyncTable (instead of IMobileServiceTable) for CRUD operations. This will save changes to the local database and also keep a log of the changes. When the app is ready to synchronize its changes with the Mobile Service, use the methods PushAsync and PullAsync (example):

await App.MobileService.SyncContext.PushAsync(); await todoTable.PullAsync();

References:

<https://azure.microsoft.com/es-es/blog/offline-sync-for-mobile-services/>

NEW QUESTION 42

- (Exam Topic 3)

You are writing code to create and run an Azure Batch job. You have created a pool of compute nodes.

You need to choose the right class and its method to submit a batch job to the Batch service. Which method should you use?

- A. JobOperations.CreateJobO
- B. CloudJob.Enable(IEnumerable<BatchClientBehavior>)
- C. CloudJob.CommitAsync(IEnumerable<BatchClientBehavior>, CancellationToken)
- D. JobOperations.EnableJob(String, IEnumerable<BatchClientBehavior>)
- E. JobOperations.EnableJobAsync(Strin
- F. IEnumerable<BatchClientBehavior>. CancellationToken)

Answer: C

Explanation:

A Batch job is a logical grouping of one or more tasks. A job includes settings common to the tasks, such as priority and the pool to run tasks on. The app uses the BatchClient.JobOperations.CreateJob method to create a job on your pool.

The Commit method submits the job to the Batch service. Initially the job has no tasks.

```
{
CloudJob job = batchClient.JobOperations.CreateJob(); job.Id = JobId;
job.PoolInformation = new PoolInformation { PoolId = PoolId }; job.Commit();
}
```

References:

<https://docs.microsoft.com/en-us/azure/batch/quick-run-dotnet>

NEW QUESTION 44

- (Exam Topic 3)

You have an Azure App Services Web App. Azure SQL Database instance. Azure Storage Account and an Azure Redis Cache instance in a resource group.

A developer must be able to publish code to the web app. You must grant the developer the Contributor role to the web app

You need to grant the role.

What two commands can you use? Each correct answer presents a complete solution. NOTE: Each correct selection is worth one point.

- A. New-AzureRmRoleAssignment
- B. az role assignment create
- C. az role definition create
- D. New-AzureRmRoleDefinition

Answer: AB

Explanation:

References:

<https://docs.microsoft.com/en-us/cli/azure/role/assignment?view=azure-cli-latest#az-role-assignment-create> <https://docs.microsoft.com/en-us/powershell/module/azurerm.resources/new-azurermroleassignment?view=azur>

NEW QUESTION 45

- (Exam Topic 3)

You are implementing an order processing system. A point of sale application publishes orders to topics in an Azure Service Bus queue. The label property for the topic includes the following data:

The label property for the topic includes the following data:

Property	Description
ShipLocation	the country/region where the order will be shipped
CorrelationId	a priority value for the order
Quantity	a user-defined field that stores the quantity of items in an order
AuditedAt	a user-defined field that records the date an order is audited

The system has the following requirements for subscriptions

Subscription type	Comments
FutureOrders	This subscription is reserved for future use and must not receive any orders.
HighPriorityOrders	Handle all high priority orders and International orders.
InternationalOrders	Handle orders where the country/region is not United States.
HighQuantityOrders	Handle only orders with quantities greater than 100 units.
AllOrders	This subscription is used for auditing purposes. This subscription must receive every single order. AllOrders has an Action defined that updates the AuditedAt property to include the date and time it was received by the subscription.

You need to implement filtering and maximize throughput while evaluating filters.

Which filter types should you implement? To answer, drag the appropriate filter types to the correct subscriptions. Each filter type may be used once, more than once, or not at all. You may need to drag the split bar between panes or scroll to view content.

NOTE: Each correct selection is worth one point.

Filter types

SQLFilter

CorrelationFilter

No Filter

Answer Area

Subscription

Filter type

FutureOrders

HighPriorityOrders

InternationalOrders

HighQuantityOrders

AllOrders

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

FutureOrders: SQLFilter HighPriorityOrders: CorrelationFilter CorrelationID only InternationalOrders: SQLFilter Country NOT USA requires an SQL Filter HighQuantityOrders: SQLFilter

Need to use relational operators so an SQL Filter is needed. AllOrders: No Filter

SQL Filter: SQL Filters - A SqlFilter holds a SQL-like conditional expression that is evaluated in the broker against the arriving messages' user-defined properties and system properties. All system properties must be prefixed with sys. in the conditional expression. The SQL-language subset for filter conditions tests for the existence of properties (EXISTS), as well as for null-values (IS NULL), logical NOT/AND/OR, relational operators, simple numeric arithmetic, and simple text pattern matching with LIKE.

Correlation Filters - A CorrelationFilter holds a set of conditions that are matched against one or more of an arriving message's user and system properties. A common use is to match against the CorrelationId property, but the application can also choose to match against ContentType, Label, MessageId, ReplyTo, ReplyToSessionId, SessionId, To, and any user-defined properties. A match exists when an arriving message's value for a property is equal to the value specified in the correlation filter. For string expressions, the comparison is case-sensitive. When specifying multiple match properties, the filter combines them as a logical AND condition, meaning for the filter to match, all conditions must match.

Boolean filters - The TrueFilter and FalseFilter either cause all arriving messages (true) or none of the arriving messages (false) to be selected for the subscription. References:

<https://docs.microsoft.com/en-us/azure/service-bus-messaging/topic-filters>

NEW QUESTION 46

- (Exam Topic 3)

You are developing an application. You have an Azure user account that has access to two subscriptions. You need to retrieve a storage account key secret from Azure Key Vault.

In which order should you arrange the PowerShell commands to develop the solution? To answer, move all commands from the list of commands to the answer area and arrange them in the correct order.

Powershell commands

Answer Area

```
$secretvalue = ConvertTo-SecureString
$storAcctkey -AsPlainText
-Force
    Set-AzKeyVaultSecret -VaultName
$vaultName -Name $secretName
-SecretValue $secretvalue
```

```
Get-AzStorageAccountKey -
ResourceGroupName $resGroup -Name
$storAcct
```

```
Set-AzContext -SubscriptionId
$subscriptionID
```

```
Get-AzKeyVaultSecret -VaultName
$vaultName
```

```
Get-AzSubscription
```



- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Step 1: Get-AzSubscription

If you have multiple subscriptions, you might have to specify the one that was used to create your key vault. Enter the following to see the subscriptions for your account:

Get-AzSubscription

Step 2: Set-AzContext -SubscriptionId

To specify the subscription that's associated with the key vault you'll be logging, enter: Set-AzContext -SubscriptionId <subscriptionID>

Step 3: Get-AzStorageAccountKey You must get that storage account key.

Step 4: \$secretvalue = ConvertTo-SecureString <storageAccountKey> -AsPlainText -Force

Set-AzKeyVaultSecret -VaultName <vaultName> -Name <secretName> -SecretValue \$secretvalue After retrieving your secret (in this case, your storage account key), you must convert that key to a secure string, and then create a secret with that value in your key vault.

Step 5: Get-AzKeyVaultSecret

Next, get the URI for the secret you created. You'll need this URI in a later step to call the key vault and retrieve your secret. Run the following PowerShell command and make note of the ID value, which is the secret's URI:

Get-AzKeyVaultSecret -VaultName <vaultName> Reference:

<https://docs.microsoft.com/bs-latn-ba/Azure/key-vault/key-vault-key-rotation-log-monitoring>

NEW QUESTION 51

- (Exam Topic 3)

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

Margie's Travel is an international travel and bookings management service. The company is expanding into restaurant bookings. You are tasked with implementing Azure Search for the restaurants listed in their solution You create the index in Azure Search.

You need to import the restaurant data into the Azure Search service by using the Azure Search NET SDK. Solution:

- * 1 Create a SearchIndexClient object to connect to the search index
- * 2. Create an IndexBatch that contains the documents which must be added.
- * 3. Call the Documents.Index method of the SearchIndexClient and pass the IndexBatch..

Does the solution meet the goal?

- A. Yes
- B. No

Answer: A

Explanation:

* 1. The index needs to be populated. To do this, we will need a SearchIndexClient. There are two ways to obtain one: by constructing it, or by calling Indexes.GetClient on the SearchServiceClient. Here we will use the first method.

* 2. Create the indexBatch with the documents Something like:

```
var hotels = new Hotel[];
{
new Hotel()
```

```
{  
  HotelId = "3",  
  BaseRate = 129.99,  
  Description = "Close to town hall and the river"  
}  
};  
...  
var batch = IndexBatch.Upload(hotels);  
* 3. The next step is to populate the newly-created index Example:  
var batch = IndexBatch.Upload(hotels); try  
{  
  indexClient.Documents.Index(batch);  
}  
References:  
https://docs.microsoft.com/en-us/azure/search/search-howto-dotnet-sdk
```

NEW QUESTION 53

- (Exam Topic 3)

You must implement Application Insights instrumentation capabilities utilizing the Azure Mobile Apps SDK to provide meaningful analysis of user interactions with a mobile app.

You need to capture the data required to implement the Usage Analytics feature of Application Insights. Which three data values should you capture? Each correct answer presents part of the solution

NOTE: Each correct selection is worth one point.

- A. Trace
- B. Session Id
- C. Exception
- D. User Id
- E. Events

Answer: ADE

Explanation:

Application Insights is a service for monitoring the performance and usage of your apps. This module allows you to send telemetry of various kinds (events, traces, etc.) to the Application Insights service where your data can be visualized in the Azure Portal.

Application Insights manages the ID of a session for you. References: <https://github.com/microsoft/ApplicationInsights-Android>

NEW QUESTION 55

.....

Thank You for Trying Our Product

* 100% Pass or Money Back

All our products come with a 90-day Money Back Guarantee.

* One year free update

You can enjoy free update one year. 24x7 online support.

* Trusted by Millions

We currently serve more than 30,000,000 customers.

* Shop Securely

All transactions are protected by VeriSign!

100% Pass Your AZ-204 Exam with Our Prep Materials Via below:

<https://www.certleader.com/AZ-204-dumps.html>