

Exam Questions CAS-004

CompTIA Advanced Security Practitioner (CASP+) Exam

<https://www.2passeasy.com/dumps/CAS-004/>



NEW QUESTION 1

Which of the following are risks associated with vendor lock-in? (Choose two.)

- A. The client can seamlessly move data.
- B. The vendor can change product offerings.
- C. The client receives a sufficient level of service.
- D. The client experiences decreased quality of service.
- E. The client can leverage a multicloud approach.
- F. The client experiences increased interoperability.

Answer: BD

Explanation:

Reference: <https://www.cloudflare.com/learning/cloud/what-is-vendor-lockin/#:~:text=Vendor%20lock%2Din%20can%20become,may%20involve%20reformatting%20the%20data>

NEW QUESTION 2

A security analyst receives an alert from the SIEM regarding unusual activity on an authorized public SSH jump server. To further investigate, the analyst pulls the event logs directly from `/var/log/auth.log`: `graphic.ssh_auth_log`.

Which of the following actions would BEST address the potential risks by the activity in the logs?

- A. Alerting the misconfigured service account password
- B. Modifying the AllowUsers configuration directive
- C. Restricting external port 22 access
- D. Implementing host-key preferences

Answer: C

Explanation:

Reference: <https://www.rapid7.com/blog/post/2017/10/04/how-to-secure-ssh-server-using-port-knocking-on-ubuntu-linux/>

NEW QUESTION 3

An enterprise is deploying APIs that utilize a private key and a public key to ensure the connection string is protected. To connect to the API, customers must use the private key.

Which of the following would BEST secure the REST API connection to the database while preventing the use of a hardcoded string in the request string?

- A. Implement a VPN for all APIs.
- B. Sign the key with DSA.
- C. Deploy MFA for the service accounts.
- D. Utilize HMAC for the keys.

Answer: D

Explanation:

Reference: <https://eclipsesource.com/blogs/2016/07/06/keyed-hash-message-authentication-code-in-rest-apis/>

NEW QUESTION 4

A disaster recovery team learned of several mistakes that were made during the last disaster recovery parallel test. Computational resources ran out at 70% of restoration of critical services.

Which of the following should be modified to prevent the issue from reoccurring?

- A. Recovery point objective
- B. Recovery time objective
- C. Mission-essential functions
- D. Recovery service level

Answer: B

Explanation:

Reference: <https://www.nakivo.com/blog/disaster-recovery-in-cloud-computing/>

NEW QUESTION 5

A security architect works for a manufacturing organization that has many different branch offices. The architect is looking for a way to reduce traffic and ensure the branch offices receive the latest copy of revoked certificates issued by the CA at the organization's headquarters location. The solution must also have the lowest power requirement on the CA.

Which of the following is the BEST solution?

- A. Deploy an RA on each branch office.
- B. Use Delta CRLs at the branches.
- C. Configure clients to use OCSP.
- D. Send the new CRLs by using GPO.

Answer: C

Explanation:

Reference: <https://www.sciencedirect.com/topics/computer-science/revoke-certificate>

NEW QUESTION 6

A high-severity vulnerability was found on a web application and introduced to the enterprise. The vulnerability could allow an unauthorized user to utilize an open-source library to view privileged user information. The enterprise is unwilling to accept the risk, but the developers cannot fix the issue right away. Which of the following should be implemented to reduce the risk to an acceptable level until the issue can be fixed?

- A. Scan the code with a static code analyzer, change privileged user passwords, and provide security training.
- B. Change privileged usernames, review the OS logs, and deploy hardware tokens.
- C. Implement MFA, review the application logs, and deploy a WAF.
- D. Deploy a VPN, configure an official open-source library repository, and perform a full application review for vulnerabilities.

Answer: D

Explanation:

Reference: <https://www.microfocus.com/en-us/what-is/sast>

NEW QUESTION 7

A security architect is implementing a web application that uses a database back end. Prior to the production, the architect is concerned about the possibility of XSS attacks and wants to identify security controls that could be put in place to prevent these attacks.

Which of the following sources could the architect consult to address this security concern?

- A. SDLC
- B. OVAL
- C. IEEE
- D. OWASP

Answer: B

Explanation:

Reference: <https://dzone.com/articles/what-is-oval-a-community-driven-vulnerability-mana>

NEW QUESTION 8

A SOC analyst is reviewing malicious activity on an external, exposed web server. During the investigation, the analyst determines specific traffic is not being logged, and there is no visibility from the WAF for the web application.

Which of the following is the MOST likely cause?

- A. The user agent client is not compatible with the WAF.
- B. A certificate on the WAF is expired.
- C. HTTP traffic is not forwarding to HTTPS to decrypt.
- D. Old, vulnerable cipher suites are still being used.

Answer: B

Explanation:

Reference: <https://aws.amazon.com/premiumsupport/knowledge-center/waf-block-http-requests-no-user-agent/>

NEW QUESTION 9

Due to locality and budget constraints, an organization's satellite office has a lower bandwidth allocation than other offices in the organization. As a result, the local security infrastructure staff is assessing architectural options that will help preserve network bandwidth and increase speed to both internal and external resources while not sacrificing threat visibility.

Which of the following would be the BEST option to implement?

- A. Distributed connection allocation
- B. Local caching
- C. Content delivery network
- D. SD-WAN vertical heterogeneity

Answer: C

NEW QUESTION 10

A company's SOC has received threat intelligence about an active campaign utilizing a specific vulnerability. The company would like to determine whether it is vulnerable to this active campaign.

Which of the following should the company use to make this determination?

- A. Threat hunting
- B. A system penetration test
- C. Log analysis within the SIEM tool
- D. The Cyber Kill Chain

Answer: B

NEW QUESTION 10

During a system penetration test, a security engineer successfully gained access to a shell on a Linux host as a standard user and wants to elevate the privilege levels.

Which of the following is a valid Linux post-exploitation method to use to accomplish this goal?

- A. Spawn a shell using sudo and an escape string such as `sudo vim -c '!sh'`.
- B. Perform ASIC password cracking on the host.
- C. Read the `/etc/passwd` file to extract the usernames.
- D. Initiate unquoted service path exploits.
- E. Use the UNION operator to extract the database schema.

Answer: C

Explanation:

Reference: <https://docs.rapid7.com/insightvm/elevating-permissions/>

NEW QUESTION 15

A shipping company that is trying to eliminate entire classes of threats is developing an SELinux policy to ensure its custom Android devices are used exclusively for package tracking.

After compiling and implementing the policy, in which of the following modes must the company ensure the devices are configured to run?

- A. Protecting
- B. Permissive
- C. Enforcing
- D. Mandatory

Answer: B

Explanation:

Reference: <https://source.android.com/security/selinux/customize>

NEW QUESTION 20

An e-commerce company is running a web server on premises, and the resource utilization is usually less than 30%. During the last two holiday seasons, the

server experienced performance issues because of too many connections, and several customers were not able to finalize purchase orders. The company is looking to change the server configuration to avoid this kind of performance issue. Which of the following is the MOST cost-effective solution?

- A. Move the server to a cloud provider.
- B. Change the operating system.
- C. Buy a new server and create an active-active cluster.
- D. Upgrade the server with a new one.

Answer: A

NEW QUESTION 21

Device event logs sources from MDM software as follows:

Which of the following security concerns and response actions would BEST address the risks posed by the device in the logs?

- A. Malicious installation of an application; change the MDM configuration to remove application ID 1220.
- B. Resource leak; recover the device for analysis and clean up the local storage.
- C. Impossible travel; disable the device's account and access while investigating.
- D. Falsified status reporting; remotely wipe the device.

Answer: A

NEW QUESTION 22

An organization is referencing NIST best practices for BCP creation while reviewing current internal organizational processes for mission-essential items. Which of the following phases establishes the identification and prioritization of critical systems and functions?

- A. Review a recent gap analysis.
- B. Perform a cost-benefit analysis.
- C. Conduct a business impact analysis.
- D. Develop an exposure factor matrix.

Answer: C

Explanation:

Reference: <https://itsm.ucsf.edu/business-impact-analysis-bia-0>

NEW QUESTION 23

A technician is reviewing the logs and notices a large number of files were transferred to remote sites over the course of three months. This activity then stopped. The files were transferred via TLSprotected HTTP sessions from systems that do not send traffic to those sites. The technician will define this threat as:

- A. a decrypting RSA using obsolete and weakened encryption attack.
- B. a zero-day attack.
- C. an advanced persistent threat.
- D. an on-path attack.

Answer: A

Explanation:

Reference: <https://www.internetsociety.org/deploy360/tls/basics/>

NEW QUESTION 24

A home automation company just purchased and installed tools for its SOC to enable incident identification and response on software the company develops. The company would like to prioritize defenses against the following attack scenarios:

Unauthorized insertions into application development environments

Authorized insiders making unauthorized changes to environment configurations Which of the following actions will enable the data feeds needed to detect these types of attacks on development environments? (Choose two.)

- A. Perform static code analysis of committed code and generate summary reports.
- B. Implement an XML gateway and monitor for policy violations.
- C. Monitor dependency management tools and report on susceptible third-party libraries.
- D. Install an IDS on the development subnet and passively monitor for vulnerable services.
- E. Model user behavior and monitor for deviations from normal.
- F. Continuously monitor code commits to repositories and generate summary logs.

Answer: CD

NEW QUESTION 29

A security analyst notices a number of SIEM events that show the following activity:

Which of the following response actions should the analyst take FIRST?

- A. Disable powershell.exe on all Microsoft Windows endpoints.
- B. Restart Microsoft Windows Defender.
- C. Configure the forward proxy to block 40.90.23.154.
- D. Disable local administrator privileges on the endpoints.

Answer: A

NEW QUESTION 34

A vulnerability analyst identified a zero-day vulnerability in a company's internally developed software. Since the current vulnerability management system does not have any checks for this vulnerability, an engineer has been asked to create one.

Which of the following would be BEST suited to meet these requirements?

- A. ARF
- B. ISACs
- C. Node.js
- D. OVAL

Answer: D

NEW QUESTION 39

A junior developer is informed about the impact of new malware on an Advanced RISC Machine (ARM) CPU, and the code must be fixed accordingly. Based on the debug, the malware is able to insert itself in another process memory location.

Which of the following technologies can the developer enable on the ARM architecture to prevent this type of malware?

- A. Execute never
- B. No-execute
- C. Total memory encryption
- D. Virtual memory encryption

Answer: A

Explanation:

Reference: <https://developer.arm.com/documentation/102433/0100/Stack-smashing-and-execution-permissions>

NEW QUESTION 41

A company is implementing SSL inspection. During the next six months, multiple web applications that will be separated out with subdomains will be deployed.

Which of the following will allow the inspection of the data without multiple certificate deployments?

- A. Include all available cipher suites.
- B. Create a wildcard certificate.
- C. Use a third-party CA.
- D. Implement certificate pinning.

Answer: D

NEW QUESTION 42

A company hired a third party to develop software as part of its strategy to be quicker to market. The company's policy outlines the following requirements: The credentials used to publish production software to the container registry should be stored in a secure location.

Access should be restricted to the pipeline service account, without the ability for the third-party developer to read the credentials directly. Which of the following would be the BEST recommendation for storing and monitoring access to these shared credentials?

- A. TPM
- B. Local secure password file
- C. MFA
- D. Key vault

Answer: A

Explanation:

Reference: <https://docs.microsoft.com/en-us/windows/security/information-protection/tpm/tpm-fundamentals>

NEW QUESTION 46

A customer reports being unable to connect to a website at www.test.com to consume services. The customer notices the web application has the following published cipher suite:

Which of the following is the MOST likely cause of the customer's inability to connect?

- A. Weak ciphers are being used.
- B. The public key should be using ECDSA.
- C. The default should be on port 80.
- D. The server name should be test.com.

Answer: B

Explanation:

Reference: <https://security.stackexchange.com/questions/23383/ssh-key-type-rsa-dsa-ecdsa-are-there-easy-answers-forwhich-to-choose-when>

NEW QUESTION 48

A security engineer has been asked to close all non-secure connections from the corporate network. The engineer is attempting to understand why the corporate UTM will not allow users to download email via IMAPS. The engineer formulates a theory and begins testing by creating the firewall ID 58, and users are able to download emails correctly by using IMAP instead. The network comprises three VLANs:

The security engineer looks at the UTM firewall rules and finds the following:

Which of the following should the security engineer do to ensure IMAPS functions properly on the corporate user network?

- A. Contact the email service provider and ask if the company IP is blocked.
- B. Confirm the email server certificate is installed on the corporate computers.
- C. Make sure the UTM certificate is imported on the corporate computers.
- D. Create an IMAPS firewall rule to ensure email is allowed.

Answer: C

NEW QUESTION 50

A new web server must comply with new secure-by-design principles and PCI DSS. This includes mitigating the risk of an on-path attack. A security analyst is reviewing the following web server configuration:

Which of the following ciphers should the security analyst remove to support the business requirements?

- A. TLS_AES_128_CCM_8_SHA256
- B. TLS_DHE_DSS_WITH_RC4_128_SHA
- C. TLS_CHACHA20_POLY1305_SHA256
- D. TLS_AES_128_GCM_SHA256

Answer: C

NEW QUESTION 55

A security analyst is performing a vulnerability assessment on behalf of a client. The analyst must define what constitutes a risk to the organization. Which of the following should be the analyst's FIRST action?

- A. Create a full inventory of information and data assets.
- B. Ascertain the impact of an attack on the availability of crucial resources.
- C. Determine which security compliance standards should be followed.
- D. Perform a full system penetration test to determine the vulnerabilities.

Answer: C

NEW QUESTION 60

A systems administrator is in the process of hardening the host systems before connecting to the network. The administrator wants to add protection to the boot loader to ensure the hosts are secure before the OS fully boots. Which of the following would provide the BEST boot loader protection?

- A. TPM
- B. HSM
- C. PKI
- D. UEFI/BIOS

Answer: D

Explanation:

Reference: <https://docs.vmware.com/en/VMware-vSphere/7.0/com.vmware.vsphere.security.doc/GUID-898217D4-689D-4EB5-866C-888353FE241C.html>

NEW QUESTION 64

A security analyst is concerned that a malicious piece of code was downloaded on a Linux system. After some research, the analyst determines that the suspected piece of code is performing a lot of input/ output (I/O) on the disk drive.

Based on the output above, from which of the following process IDs can the analyst begin an investigation?

- A. 65
- B. 77
- C. 83
- D. 87

Answer: D

NEW QUESTION 67

All staff at a company have started working remotely due to a global pandemic. To transition to remote work, the company has migrated to SaaS collaboration tools. The human resources department wants to use these tools to process sensitive information but is concerned the data could be:

Leaked to the media via printing of the documents Sent to a personal email address

Accessed and viewed by systems administrators Uploaded to a file storage site Which of the following would mitigate the department's concerns?

- A. Data loss detection, reverse proxy, EDR, and PGP
- B. VDI, proxy, CASB, and DRM
- C. Watermarking, forward proxy, DLP, and MFA
- D. Proxy, secure VPN, endpoint encryption, and AV

Answer: B

NEW QUESTION 72

A security analyst is reviewing network connectivity on a Linux workstation and examining the active TCP connections using the command line. Which of the following commands would be the BEST to run to view only active Internet connections?

- A. `sudo netstat -antu | grep "LISTEN" | awk '{print$5}'`
- B. `sudo netstat -nlt -p | grep "ESTABLISHED"`
- C. `sudo netstat -plntu | grep -v "Foreign Address"`
- D. `sudo netstat -pnut -w | column -t -s '$\w'`
- E. `sudo netstat -pnut | grep -P ^tcp`

Answer: B

Explanation:

Reference: <https://www.codegrepper.com/code-examples/shell/netstat+find+port>

NEW QUESTION 77

A security engineer was auditing an organization's current software development practice and discovered that multiple opensource libraries were integrated into the organization's software. The organization currently performs SAST and DAST on the software it develops.

Which of the following should the organization incorporate into the SDLC to ensure the security of the open-source libraries?

- A. Perform additional SAST/DAST on the open-source libraries.
- B. Implement the SDLC security guidelines.
- C. Track the library versions and monitor the CVE website for related vulnerabilities.
- D. Perform unit testing of the open-source libraries.

Answer: B

Explanation:

Reference: <https://www.whitesourcesoftware.com/resources/blog/application-security-best-practices/>

NEW QUESTION 82

Which of the following is the MOST important security objective when applying cryptography to control messages that tell an ICS how much electrical power to output?

- A. Importing the availability of messages
- B. Ensuring non-repudiation of messages
- C. Enforcing protocol conformance for messages
- D. Assuring the integrity of messages

Answer: D

NEW QUESTION 86

While investigating a security event, an analyst finds evidence that a user opened an email attachment from an unknown source. Shortly after the user opened the attachment, a group of servers experienced a large amount of network and resource activity. Upon investigating the servers, the analyst discovers the servers were encrypted by ransomware that is demanding payment within 48 hours or all data will be destroyed. The company has no response plans for ransomware. Which of the following is the NEXT step the analyst should take after reporting the incident to the management team?

- A. Pay the ransom within 48 hours.
- B. Isolate the servers to prevent the spread.
- C. Notify law enforcement.
- D. Request that the affected servers be restored immediately.

Answer: C

NEW QUESTION 88

Which of the following allows computation and analysis of data within a ciphertext without knowledge of the plaintext?

- A. Lattice-based cryptography
- B. Quantum computing
- C. Asymmetric cryptography
- D. Homomorphic encryption

Answer: C

Explanation:

Reference: <https://searchsecurity.techtarget.com/definition/cryptanalysis>

NEW QUESTION 93

A security analyst is investigating a possible buffer overflow attack. The following output was found on a user's workstation: `graphic.linux_randomization.prg` Which of the following technologies would mitigate the manipulation of memory segments?

- A. NX bit
- B. ASLR
- C. DEP
- D. HSM

Answer: B

Explanation:

Reference: <http://webpages.eng.wayne.edu/~fy8421/19sp-csc5290/labs/lab2-instruction.pdf> (3)

NEW QUESTION 97

An organization is designing a network architecture that must meet the following requirements: Users will only be able to access predefined services. Each user will have a unique allow list defined for access.

The system will construct one-to-one subject/object access paths dynamically.

Which of the following architectural designs should the organization use to meet these requirements?

- A. Peer-to-peer secure communications enabled by mobile applications

- B. Proxied application data connections enabled by API gateways
- C. Microsegmentation enabled by software-defined networking
- D. VLANs enabled by network infrastructure devices

Answer: C

NEW QUESTION 101

A satellite communications ISP frequently experiences outages and degraded modes of operation over one of its legacy satellite links due to the use of deprecated hardware and software. Three days per week, on average, a contracted company must follow a checklist of 16 different high-latency commands that must be run in serial to restore nominal performance. The ISP wants this process to be automated. Which of the following techniques would be BEST suited for this requirement?

- A. Deploy SOAR utilities and runbooks.
- B. Replace the associated hardware.
- C. Provide the contractors with direct access to satellite telemetry data.
- D. Reduce link latency on the affected ground and satellite segments.

Answer: A

NEW QUESTION 102

Clients are reporting slowness when attempting to access a series of load-balanced APIs that do not require authentication. The servers that host the APIs are showing heavy CPU utilization. No alerts are found on the WAFs sitting in front of the APIs. Which of the following should a security engineer recommend to BEST remedy the performance issues in a timely manner?

- A. Implement rate limiting on the API.
- B. Implement geoblocking on the WAF.
- C. Implement OAuth 2.0 on the API.
- D. Implement input validation on the API.

Answer: C

NEW QUESTION 106

A company created an external application for its customers. A security researcher now reports that the application has a serious LDAP injection vulnerability that could be leveraged to bypass authentication and authorization. Which of the following actions would BEST resolve the issue? (Choose two.)

- A. Conduct input sanitization.
- B. Deploy a SIEM.
- C. Use containers.
- D. Patch the OS
- E. Deploy a WAF.
- F. Deploy a reverse proxy
- G. Deploy an IDS.

Answer: BD

NEW QUESTION 108

A network architect is designing a new SD-WAN architecture to connect all local sites to a central hub site. The hub is then responsible for redirecting traffic to public cloud and datacenter applications. The SD-WAN routers are managed through a SaaS, and the same security policy is applied to staff whether working in the office or at a remote location. The main requirements are the following:

- * 1. The network supports core applications that have 99.99% uptime.
- * 2. Configuration updates to the SD-WAN routers can only be initiated from the management service.
- * 3. Documents downloaded from websites must be scanned for malware.

Which of the following solutions should the network architect implement to meet the requirements?

- A. Reverse proxy, stateful firewalls, and VPNs at the local sites
- B. IDSs, WAFs, and forward proxy IDS
- C. DoS protection at the hub site, mutual certificate authentication, and cloud proxy
- D. IPSs at the hub, Layer 4 firewalls, and DLP

Answer: B

NEW QUESTION 110

DRAG DROP

An organization is planning for disaster recovery and continuity of operations. INSTRUCTIONS

Review the following scenarios and instructions. Match each relevant finding to the affected host.

After associating scenario 3 with the appropriate host(s), click the host to select the appropriate corrective action for that finding. Each finding may be used more than once.

If at any time you would like to bring back the initial state of the simulation, please click the Reset All button. Select and Place:

A.

A.

Answer: A

NEW QUESTION 115

A business stores personal client data of individuals residing in the EU in order to process requests for mortgage loan approvals. Which of the following does the business's IT manager need to consider?

- A. The availability of personal data
- B. The right to personal data erasure
- C. The company's annual revenue
- D. The language of the web application

Answer: B

Explanation:

Reference: <https://gdpr.eu/right-to-be-forgotten/#:~:text=Also%20known%20as%20the%20right,to%20delete%20their%20personal%20data.&text=The%20General%20Data%20Protection%20Regulation,collected%2C%20processed%2C%20and%20erased>

NEW QUESTION 117

A company that all mobile devices be encrypted, commensurate with the full disk encryption scheme of assets, such as workstation, servers, and laptops. Which of the following will MOST likely be a limiting factor when selecting mobile device managers for the company?

- A. Increased network latency
- B. Unavailable of key escrow
- C. Inability to selected AES-256 encryption
- D. Removal of user authentication requirements

Answer: A

NEW QUESTION 121

A health company has reached the physical and computing capabilities in its datacenter, but the computing demand continues to increase. The infrastructure is fully virtualized and runs custom and commercial healthcare application that process sensitive health and payment information . Which of the following should the company implement to ensure it can meet the computing demand while complying with healthcare standard for virtualization and cloud computing?

- A. Hybrid IaaS solution in a single-tenancy cloud
- B. PaaS solution in a multi-tenancy cloud
- C. SaaS solution in a community cloud
- D. Private SaaS solution in a single tenancy cloud.

Answer: D

NEW QUESTION 124

Over the last 90 days, many storage services has been exposed in the cloud services environments, and the security team does not have the ability to see is creating these instance. Shadow IT is creating data services and instances faster than the small security team can keep up with them. The Chief information security Officer (CISO) has asked the security officer (CISO) has asked the security lead architect to architect to recommend solutions to this problem. Which of the following BEST addresses the problem best address the problem with the least amount of administrative effort?

- A. Compile a list of firewall requests and compare them against interesting cloud services.
- B. Implement a CASB solution and track cloud service use cases for greater visibility.
- C. Implement a user-behavior system to associate user events and cloud service creation events.
- D. Capture all log and feed them to a SIEM and then for cloud service events

Answer: C

NEW QUESTION 127

The Chief information Officer (CIO) wants to establish a non-binding agreement with a third party that outlines the objectives of the mutual arrangement dealing with data transfers between both organizations before establishing a format partnership . Which of the follow would MOST likely be used?

- A. MOU
- B. OLA
- C. NDA
- D. SLA

Answer: A

NEW QUESTION 129

A company's claims processed department has a mobile workforce that receives a large number of email submissions from personal email addresses. An employees recently received an email that appeared to be claim form, but it installed malicious software on the employee's laptop when was opened.

- A. Implement application whitelisting and add only the email client to the whitelist for laptop in the claims processing department.
- B. Required all laptops to connect to the VPN before accessing email.
- C. Implement cloud-based content filtering with sandboxing capabilities.
- D. Install a mail gateway to scan incoming messages and strip attachments before they reach the mailbox.

Answer: C

NEW QUESTION 133

A company is repeatedly being breached by hackers who valid credentials. The company's Chief information Security Officer (CISO) has installed multiple controls for authenticating users, including biometric and token-based factors. Each successive control has increased overhead and complexity but has failed to stop further breaches. An external consultant is evaluating the process currently in place to support the authentication controls . Which of the following recommendation would MOST likely reduce the risk of unauthorized access?

- A. Implement strict three-factor authentication.
- B. Implement least privilege policies
- C. Switch to one-time or all user authorizations.
- D. Strengthen identify-proofing procedures

Answer: A

NEW QUESTION 136

.....

THANKS FOR TRYING THE DEMO OF OUR PRODUCT

Visit Our Site to Purchase the Full Set of Actual CAS-004 Exam Questions With Answers.

We Also Provide Practice Exam Software That Simulates Real Exam Environment And Has Many Self-Assessment Features. Order the CAS-004 Product From:

<https://www.2passeasy.com/dumps/CAS-004/>

Money Back Guarantee

CAS-004 Practice Exam Features:

- * CAS-004 Questions and Answers Updated Frequently
- * CAS-004 Practice Questions Verified by Expert Senior Certified Staff
- * CAS-004 Most Realistic Questions that Guarantee you a Pass on Your FirstTry
- * CAS-004 Practice Test Questions in Multiple Choice Formats and Updatesfor 1 Year