

# Exam Questions AWS-SysOps

Amazon AWS Certified SysOps Administrator - Associate

<https://www.2passeasy.com/dumps/AWS-SysOps/>



### NEW QUESTION 1

- (Exam Topic 1)

A SysOps administrator has used AWS Cloud Formation to deploy a sereness application into a production VPC. The application consists of an AWS Lambda function, an Amazon DynamoDB table, and an Amazon API Gateway API. The SysOps administrator must delete the AWS Cloud Formation stack without deleting the DynamoDB table.

Which action should the SysOps administrator take before deleting the AWS Cloud Formation stack?

- A. Add a Retain deletion policy to the DynamoDB resource in the AWS CloudFormation stack.
- B. Add a Snapshot deletion policy to the DynamoDB resource In the AWS CloudFormation stack.
- C. Enable termination protection on the AWS Cloud Formation stack.
- D. Update the application's IAM policy with a Deny statement for the dynamodb:DeleteTable action.

**Answer: A**

### NEW QUESTION 2

- (Exam Topic 1)

A company has an application that is running on Amazon EC2 instances in a VPC. The application needs access to download software updates from the internet. The VPC has public subnets and private signets. The company's security policy requires all ECS instances to be deployed in private subnets. What should a SysOps administrator do to meet those requirements?

- A. Add an internet gateway to the VPC In the route table for the private subnets, odd a route to the interne; gateway.
- B. Add a NAT gateway to a private subne
- C. In the route table for the private subnets, add a route to the NAT gateway.
- D. Add a NAT gateway to a public subnet in the route table for the private subnets, add a route to the NAT gateway.
- E. Add two internet gateways to the VP
- F. In The route tablet for the private subnets and public subnets, add a route to each internet gateway.

**Answer: C**

### NEW QUESTION 3

- (Exam Topic 1)

A SysOps administrator needs to secure the credentials for an Amazon RDS database that is created by an AWS CloudFormation template. The solution must encrypt the credentials and must support automatic rotation.

Which solution will meet these requirements?

- A. Create an AWS::SecretsManager::Secret resource in the CloudFormation templat
- B. Reference thecredentials in the AWS::RDS::DBInstance resource by using the resolve:secretsmanager dynamic reference.
- C. Create an AWS::SecretsManager::Secret resource in the CloudFormation templat
- D. Reference the credentials in the AWS::RDS::DBInstance resource by using the resolve:ssm-secure dynamic reference.
- E. Create an AWS::SSM::Parameter resource in the CloudFormation templat
- F. Reference the credentials in the AWS::RDS::DBInstance resource by using the resolve:ssm dynamic reference.
- G. Create parameters for the database credentials in the CloudFormation templat
- H. Use the Ref intrinsic function to provide the credentials to the AWS::RDS::DBInstance resource.

**Answer: A**

### NEW QUESTION 4

- (Exam Topic 1)

A SysOps administrator applies the following policy to an AWS CloudFormation stack:

```
{
  "Statement": [
    {
      "Effect": "Deny",
      "Action": "Update:*",
      "Principal": "*",
      "Resource": ["LogicalResourceId/Production*"]
    },
    {
      "Effect": "Allow",
      "Action": "Update:*",
      "Principal": "*",
      "Resource": "*"
    }
  ]
}
```

What is the result of this policy?

- A. Users that assume an IAM role with a logical ID that begins with "Production" are prevented from running the update-stack command.
- B. Users can update all resources in the stack except for resources that have a logical ID that begins with "Production".

- C. Users can update all resources in the stack except for resources that have an attribute that begins with "Production".
- D. Users in an IAM group with a logical ID that begins with "Production" are prevented from running the update-stack command.

**Answer:** B

#### NEW QUESTION 5

- (Exam Topic 1)

A SysOps administrator is provisioning an Amazon Elastic File System (Amazon EFS) file system to provide shared storage across multiple Amazon EC2 instances. The instances all exist in the same VPC across multiple Availability Zones. There are two instances in each Availability Zone. The SysOps administrator must make the file system accessible to each instance with the lowest possible latency.

Which solution will meet these requirements?

- A. Create a mount target for the EFS file system in the VPC
- B. Use the mount target to mount the file system on each of the instances
- C. Create a mount target for the EFS file system in one Availability Zone of the VPC
- D. Use the mount target to mount the file system on the instances in that Availability Zone
- E. Share the directory with the other instances.
- F. Create a mount target for each instance
- G. Use each mount target to mount the EFS file system on each respective instance.
- H. Create a mount target in each Availability Zone of the VPC. Use the mount target to mount the EFS file system on the instances in the respective Availability Zone.

**Answer:** D

#### Explanation:

A mount target provides an IP address for an NFSv4 endpoint at which you can mount an Amazon EFS file system. You mount your file system using its Domain Name Service (DNS) name, which resolves to the IP address of the EFS mount target in the same Availability Zone as your EC2 instance. You can create one mount target in each Availability Zone in an AWS Region. If there are multiple subnets in an Availability Zone in your VPC, you create a mount target in one of the subnets. Then all EC2 instances in that Availability Zone share that mount target. <https://docs.aws.amazon.com/efs/latest/ug/how-it-works.html>

#### NEW QUESTION 6

- (Exam Topic 1)

A company has a policy that requires all Amazon EC2 instances to have a specific set of tags. If an EC2 instance does not have the required tags, the noncompliant instance should be terminated.

What is the MOST operationally efficient solution that meets these requirements?

- A. Create an Amazon EventBridge (Amazon CloudWatch Events) rule to send all EC2 instance state changes to an AWS Lambda function to determine if each instance is compliant
- B. Terminate any noncompliant instances.
- C. Create an IAM policy that enforces all EC2 instance tag requirement
- D. If the required tags are not in place for an instance, the policy will terminate noncompliant instance.
- E. Create an AWS Lambda function to determine if each EC2 instance is compliant and terminate an instance if it is noncompliant
- F. Schedule the Lambda function to invoke every 5 minutes.
- G. Create an AWS Config rule to check if the required tags are present
- H. If an EC2 instance is noncompliant, invoke an AWS Systems Manager Automation document to terminate the instance.

**Answer:** D

#### Explanation:

<https://docs.aws.amazon.com/systems-manager/latest/userguide/systems-manager-automation.html>

#### NEW QUESTION 7

- (Exam Topic 1)

A company needs to archive all audit logs for 10 years. The company must protect the logs from any future edits.

Which solution will meet these requirements?

- A. Store the data in an Amazon Elastic Block Store (Amazon EBS) volume
- B. Configure AWS Key Management Service (AWS KMS) encryption.
- C. Store the data in an Amazon S3 Glacier vault
- D. Configure a vault lock policy for write-once, read-many (WORM) access.
- E. Store the data in Amazon S3 Standard-Infrequent Access (S3 Standard-IA). Configure server-side encryption.
- F. Store the data in Amazon S3 Standard-Infrequent Access (S3 Standard-IA). Configure multi-factor authentication (MFA).

**Answer:** B

#### Explanation:

To meet the requirements of the workload, a company should store the data in an Amazon S3 Glacier vault and configure a vault lock policy for write-once, read-many (WORM) access. This will ensure that the data is stored securely and cannot be edited in the future. The other solutions (storing the data in an Amazon Elastic Block Store (Amazon EBS) volume and configuring AWS Key Management Service (AWS KMS) encryption, storing the data in Amazon S3 Standard-Infrequent Access (S3 Standard-IA) and configuring server-side encryption, or storing the data in Amazon S3 Standard-Infrequent Access (S3 Standard-IA) and configuring multi-factor authentication (MFA)) will not meet the requirements, as they do not provide a way to protect the audit logs from future edits.

[https://docs.aws.amazon.com/zh\\_tw/AmazonS3/latest/userguide/object-lock.html](https://docs.aws.amazon.com/zh_tw/AmazonS3/latest/userguide/object-lock.html)

#### NEW QUESTION 8

- (Exam Topic 1)

A SysOps administrator noticed that the cache hit ratio for an Amazon CloudFront distribution is less than 10%.

Which collection of configuration changes will increase the cache hit ratio for the distribution? (Select TWO.)

- A. Ensure that only required cookies, query strings, and headers are forwarded in the Cache Behavior Settings.

- B. Change the Viewer Protocol Policy to use HTTPS only.
- C. Configure the distribution to use presigned cookies and URLs to restrict access to the distribution.
- D. Enable automatic compression of objects in the Cache Behavior Settings.
- E. Increase the CloudFront time to live (TTL) settings in the Cache Behavior Settings.

**Answer:** AE

**Explanation:**

<https://docs.aws.amazon.com/AmazonCloudFront/latest/DeveloperGuide/cache-hit-ratio.html#cache-hit-ratio-ht>

**NEW QUESTION 9**

- (Exam Topic 1)

A company is running a website on Amazon EC2 instances behind an Application Load Balancer (ALB). The company configured an Amazon CloudFront distribution and set the ALB as the origin. The company created an Amazon Route 53 CNAME record to send all traffic through the CloudFront distribution. As an unintended side effect, mobile users are now being served the desktop version of the website. Which action should a SysOps administrator take to resolve this issue?

- A. Configure the CloudFront distribution behavior to forward the User-Agent header.
- B. Configure the CloudFront distribution origin setting
- C. Add a User-Agent header to the list of origin custom headers.
- D. Enable IPv6 on the AL
- E. Update the CloudFront distribution origin settings to use the dualstack endpoint.
- F. Enable IPv6 on the CloudFront distributio
- G. Update the Route 53 record to use the dualstack endpoint.

**Answer:** A

**Explanation:**

<https://docs.aws.amazon.com/AmazonCloudFront/latest/DeveloperGuide/header-caching.html#header-caching->

**NEW QUESTION 10**

- (Exam Topic 1)

A company wants to track its AWS costs in all member accounts that are part of an organization in AWS Organizations. Managers of the member accounts want to receive a notification when the estimated costs exceed a predetermined amount each month. The managers are unable to configure a billing alarm. The IAM permissions for all users are correct. What could be the cause of this issue?

- A. The management/payer account does not have billing alerts turned on.
- B. The company has not configured AWS Resource Access Manager (AWS RAM) to share billing information between the member accounts and the management/payer account.
- C. Amazon GuardDuty is turned on for all the accounts.
- D. The company has not configured an AWS Config rule to monitor billing.

**Answer:** B

**NEW QUESTION 10**

- (Exam Topic 1)

A SysOps administrator receives an alert from Amazon GuardDuty about suspicious network activity on an Amazon EC2 instance. The GuardDuty finding lists a new external IP address as a traffic destination. The SysOps administrator does not recognize the external IP address. The SysOps administrator must block traffic to the external IP address that GuardDuty identified. Which solution will meet this requirement?

- A. Create a new security group to block traffic to the external IP address
- B. Assign the new security group to the EC2 instance
- C. Use VPC flow logs with Amazon Athena to block traffic to the external IP address
- D. Create a network ACL. Add an outbound deny rule for traffic to the external IP address
- E. Create a new security group to block traffic to the external IP address. Assign the new security group to the entire VPC

**Answer:** A

**NEW QUESTION 13**

- (Exam Topic 1)

A company is partnering with an external vendor to provide data processing services. For this integration, the vendor must host the company's data in an Amazon S3 bucket in the vendor's AWS account. The vendor is allowing the company to provide an AWS Key Management Service (AWS KMS) key to encrypt the company's data. The vendor has provided an IAM role Amazon Resource Name (ARN) to the company for this integration. What should a SysOps administrator do to configure this integration?

- A. Create a new KMS key
- B. Add the vendor's IAM role ARN to the KMS key policy
- C. Provide the new KMS key ARN to the vendor.
- D. Create a new KMS key
- E. Create a new IAM user
- F. Add the vendor's IAM role ARN to an inline policy that is attached to the IAM user
- G. Provide the new IAM user ARN to the vendor.
- H. Configure encryption using the KMS managed S3 key
- I. Add the vendor's IAM role ARN to the KMS managed S3 key policy
- J. Provide the KMS managed S3 key ARN to the vendor.
- K. Configure encryption using the KMS managed S3 key
- L. Create an S3 bucket
- M. Add the vendor's IAM role ARN to the S3 bucket policy



N. Provide the S3 bucket ARN to the vendor.

**Answer:** C

#### NEW QUESTION 17

- (Exam Topic 1)

A company has deployed AWS Security Hub and AWS Config in a newly implemented organization in AWS Organizations. A SysOps administrator must implement a solution to restrict all member accounts in the organization from deploying Amazon EC2 resources in the ap-southeast-2 Region. The solution must be implemented from a single point and must govern an current and future accounts. The use of root credentials also must be restricted in member accounts. Which AWS feature should the SysOps administrator use to meet these requirements?

- A. AWS Config aggregator
- B. IAM user permissions boundaries
- C. AWS Organizations service control policies (SCPs)
- D. AWS Security Hub conformance packs

**Answer:** C

#### NEW QUESTION 19

- (Exam Topic 1)

A SysOps administrator needs to develop a solution that provides email notification and inserts a record into a database every time a file is put into an Amazon S3 bucket.

What is the MOST operationally efficient solution that meets these requirements?

- A. Set up an S3 event notification that targets an Amazon Simple Notification Service (Amazon SNS) topic Create two subscriptions for the SNS topic Use one subscription to send the email notification Use the other subscription to invoke an AWS Lambda function that inserts the record into the database
- B. Set up an Amazon CloudWatch alarm that enters ALARM state whenever an object is created in the S3 bucket Configure the alarm to invoke an AWS Lambda (unction that sends the email notification and inserts the record into the database
- C. Create an AWS Lambda function to send the email notification and insert the record into the database whenever a new object is detected in the S3 bucket invoke the function every minute with an Amazon EventBridge (Amazon CloudWatch Events) scheduled rule.
- D. Set up two S3 event notifications Target a separate AWS Lambda function with each notification Configure one function to send the email notification Configure the other function to insert the record into the database

**Answer:** C

#### NEW QUESTION 23

- (Exam Topic 1)

A company has two VPC networks named VPC A and VPC B. The VPC A CIDR block is 10.0.0.0/16 and the VPC B CIDR block is 172.31.0.0/16. The company wants to establish a VPC peering connection named pcx-12345 between both VPCs.

Which rules should appear in the route table of VPC A after configuration? (Select TWO.)

- A. Destination: 10.0.0.0/16, Target: Local
- B. Destination: 172.31.0.0/16, Target: Local
- C. Destination: 10.0.0.0/16, Target: pcx-12345
- D. Destination: 172.31.0.0/16, Target: pcx-12345
- E. Destination: 10.0.0.0/16. Target: 172.31.0.0/16

**Answer:** AD

#### Explanation:

<https://docs.aws.amazon.com/vpc/latest/peering/vpc-peering-routing.html>

#### NEW QUESTION 24

- (Exam Topic 1)

A SysOps administrator wants to manage a web server application with AWS Elastic Beanstalk. The Elastic Beanstalk service must maintain full capacity for new deployments at all times.

Which deployment policies satisfy this requirement? (Select TWO.)

- A. All at once
- B. Immutable
- C. Rebuild
- D. Rolling
- E. Rolling with additional batch

**Answer:** BE

#### Explanation:

<https://docs.aws.amazon.com/elasticbeanstalk/latest/dg/using-features.rolling-version-deploy.html>

#### NEW QUESTION 26

- (Exam Topic 1)

A SysOps administrator must create an IAM policy for a developer who needs access to specific AWS services. Based on the requirements, the SysOps administrator creates the following policy:

```
{
  "Version": "2012-10-17",
  "Statement": [
    {
      "Action": [
        "storagegateway:Describe*",
        "elasticloadbalancing:*",
        "lambda:*",
        "sqs:List*"
      ],
      "Effect": "Allow",
      "Resource": "*"
    }
  ]
}
```

Which actions does this policy allow? (Select TWO.)

- A. Create an AWS Storage Gateway.
- B. Create an IAM role for an AWS Lambda function.
- C. Delete an Amazon Simple Queue Service (Amazon SQS) queue.
- D. Describe AWS load balancers.
- E. Invoke an AWS Lambda function.

**Answer:** DE

### NEW QUESTION 30

- (Exam Topic 1)

A company uses AWS Organizations to manage its AWS accounts. A SysOps administrator must create a backup strategy for all Amazon EC2 instances across all the company's AWS accounts.

Which solution will meet these requirements In the MOST operationally efficient way?

- A. Deploy an AWS Lambda function to each account to run EC2 instance snapshots on a scheduled basis.
- B. Create an AWS CloudFormation stack set in the management account to add an AutoBackup=True tag to every EC2 instance
- C. Use AWS Backup In the management account to deploy policies for all accounts and resources.
- D. Use a service control policy (SCP) to run EC2 instance snapshots on a scheduled basis in each account.

**Answer:** B

### NEW QUESTION 33

- (Exam Topic 1)

A company wants to create an automated solution for all accounts managed by AWS Organizations to detect any worry groups that urn 0.0.0.0/0 as the source address for inbound traffic. The company also wants to automatically remediate any noncompliant security groups by restricting access to a specific CIDR block corresponds with the company's intranet.

- A. Create an AWS Config rule to detect noncompliant security group
- B. Set up automatic remediation to change the 0.0.0.0/0 source address to the approved CIDK block.
- C. Create an IAM policy to deny the creation of security groups that have 0.0.0.0/0 as the source address Attach this 1AM policy to every user in the company.
- D. Create an AWS Lambda function to inspect now and existing security groups check for a noncompliant 0.0.0.0A) source address and change the source address to the approved CIDR block.
- E. Create a service control policy (SCP) for the organizational unit (OU) to deny the creation of security groups that have the 0.0.0.0/0 source address
- F. Set up automatic remediation to change Vie 0.0.0.0/0 source address to the approved CIDR block.

**Answer:** A

### NEW QUESTION 38

- (Exam Topic 1)

A company uses an Amazon S3 bucket to store data files. The S3 bucket contains hundreds of objects. The company needs to replace a tag on all the objects in the S3 bucket with another tag.

What is the MOST operationally efficient way to meet this requirement?

- A. Use S3 Batch Operation
- B. Specify the operation to replace all object tags.
- C. Use the AWS CLI to get the tags for each objec
- D. Save the tags in a lis
- E. Use S3 Batch Operations.Specify the operation to delete all object tag
- F. Use the AWS CLI and the list to retag the objects.
- G. Use the AWS CLI to get the tags for each objec
- H. Save the tags in a lis
- I. Use the AWS CLI and the list to remove the object tag
- J. Use the AWS CLI and the list to retag the objects.
- K. Use the AWS CLI to copy the objects to another S3 bucke
- L. Add the new tag to the copied objects.Delete the original objects.

**Answer:** A

**Explanation:**

Ref. <https://aws.amazon.com/es/blogs/storage/adding-and-removing-object-tags-with-s3-batch-operations/>

#### NEW QUESTION 41

- (Exam Topic 1)

A company is running an application on premises and wants to use AWS for data backup. All of the data must be available locally. The backup application can write only to block-based storage that is compatible with the Portable Operating System Interface (POSIX).

Which backup solution will meet these requirements?

- A. Configure the backup software to use Amazon S3 as the target for the data backups.
- B. Configure the backup software to use Amazon S3 Glacier as the target for the data backups.
- C. Use AWS Storage Gateway, and configure it to use gateway-cached volumes.
- D. Use AWS Storage Gateway, and configure it to use gateway-stored volumes.

**Answer:** D

#### Explanation:

<https://docs.aws.amazon.com/storagegateway/latest/userguide/StorageGatewayConcepts.html>

#### NEW QUESTION 46

- (Exam Topic 1)

A SysOps administrator is troubleshooting connection timeouts to an Amazon EC2 instance that has a public IP address. The instance has a private IP address of 172.31.16.139. When the SysOps administrator tries to ping the instance's public IP address from the remote IP address 203.0.113.12, the response is "request timed out." The flow logs contain the following information:

```
2 123456789010 eni-1235b8ca123456789 203.0.113.12 172.31.16.139 0 0 1 4 336 1432917027 1432917142 ACCEPT OK
2 123456789010 eni-1235b8ca123456789 172.31.16.139 203.0.113.12 0 0 1 4 336 1432917094 1432917142 REJECT OK
```

What is one cause of the problem?

- A. Inbound security group deny rule
- B. Outbound security group deny rule
- C. Network ACL inbound rules
- D. Network ACL outbound rules

**Answer:** D

#### NEW QUESTION 47

- (Exam Topic 1)

A company needs to upload gigabytes of files every day. The company needs to achieve higher throughput and upload speeds to Amazon S3. Which action should a SysOps administrator take to meet this requirement?

- A. Create an Amazon CloudFront distribution with the GET HTTP method allowed and the S3 bucket as an origin.
- B. Create an Amazon ElastiCache cluster and enable caching for the S3 bucket.
- C. Set up AWS Global Accelerator and configure it with the S3 bucket.
- D. Enable S3 Transfer Acceleration and use the acceleration endpoint when uploading files.

**Answer:** D

#### Explanation:

Enable Amazon S3 Transfer Acceleration. Amazon S3 Transfer Acceleration can provide fast and secure transfers over long distances between your client and Amazon S3. Transfer Acceleration uses Amazon CloudFront's globally distributed edge locations.

<https://aws.amazon.com/premiumsupport/knowledge-center/s3-upload-large-files/>

#### NEW QUESTION 49

- (Exam Topic 1)

A company is attempting to manage its costs in the AWS Cloud. A SysOps administrator needs specific company-defined tags that are assigned to resources to appear on the billing report.

What should the SysOps administrator do to meet this requirement?

- A. Activate the tags as AWS generated cost allocation tags.
- B. Activate the tags as user-defined cost allocation tags.
- C. Create a new cost category.
- D. Select the account billing dimension.
- E. Create a new AWS Cost and Usage Report.
- F. Include the resource IDs.

**Answer:** B

#### Explanation:

<https://docs.aws.amazon.com/awsaccountbilling/latest/aboutv2/custom-tags.html> "User-defined tags are tags that you define, create, and apply to resources. After you have created and applied the user-defined tags, you can activate by using the Billing and Cost Management console for cost allocation tracking."

To meet this requirement, the SysOps administrator should activate the company-defined tags as user-defined cost allocation tags. This will ensure that the tags appear on the billing report and that the resources can be tracked with the specific tags. The other options (activating the tags as AWS generated cost allocation tags, creating a new cost category and selecting the account billing dimension, and creating a new AWS Cost and Usage Report and including the resource IDs) will not meet the requirements and are not the correct solutions for this issue.

#### NEW QUESTION 50

- (Exam Topic 1)

An organization created an Amazon Elastic File System (Amazon EFS) volume with a file system ID of fs-85ba4Kc. and it is actively used by 10 Amazon EC2 hosts The organization has become concerned that the file system is not encrypted How can this be resolved?

- A. Enable encryption on each host's connection to the Amazon EFS volume Each connection must be recreated for encryption to take effect
- B. Enable encryption on the existing EFS volume by using the AWS Command Line Interface
- C. Enable encryption on each host's local drive Restart each host to encrypt the drive
- D. Enable encryption on a newly created volume and copy all data from the original volume Reconnect each host to the new volume

**Answer: D**

**Explanation:**

<https://docs.aws.amazon.com/efs/latest/ug/encryption.html>

Amazon EFS supports two forms of encryption for file systems, encryption of data in transit and encryption at rest. You can enable encryption of data at rest when creating an Amazon EFS file system. You can enable encryption of data in transit when you mount the file system.

**NEW QUESTION 51**

- (Exam Topic 1)

A software company runs a workload on Amazon EC2 instances behind an Application Load Balancer (ALB) A SysOps administrator needs to define a custom health check for the EC2 instances. What is the MOST operationally efficient solution?

- A. Set up each EC2 Instance so that it writes its healthy/unhealthy status into a shared Amazon S3 bucket for the ALB to read
- B. Configure the health check on the ALB and ensure that the HeathCheckPath setting s correct
- C. Set up Amazon ElasticCache to track the EC2 instances as they scale in and out
- D. Configure an Amazon API Gateway health check to ensure custom checks on aw of the EC2 instances

**Answer: B**

**NEW QUESTION 53**

- (Exam Topic 1)

A SysOps administrator is unable to authenticate an AWS CLI call to an AWS service Which of the following is the cause of this issue?

- A. The IAM password is incorrect
- B. The server certificate is missing
- C. The SSH key pair is incorrect
- D. There is no access key

**Answer: C**

**NEW QUESTION 56**

- (Exam Topic 1)

A company is using an Amazon Aurora MySQL DB cluster that has point-in-time recovery, backtracking, and automatic backup enabled. A SysOps administrator needs to be able to roll back the DB cluster to a specific recovery point within the previous 72 hours. Restores must be completed in the same production DB cluster.

Which solution will meet these requirements?

- A. Create an Aurora Replic
- B. Promote the replica to replace the primary DB instance.
- C. Create an AWS Lambda function to restore an automatic backup to the existing DB cluster.
- D. Use backtracking to rewind the existing DB cluster to the desired recovery point.
- E. Use point-in-time recovery to restore the existing DB cluster to the desired recovery point.

**Answer: C**

**Explanation:**

"The limit for a backtrack window is 72 hours.....Backtracking is only available for DB clusters that were created with the Backtrack feature enabled....Backtracking "rewinds" the DB cluster to the time you specify. Backtracking is not a replacement for backing up your DB cluster so that you can restore it to a point in time....You can backtrack a DB cluster quickly. Restoring a DB cluster to a point in time launches a new DB cluster and restores it from backup data or a DB cluster snapshot, which can take hours."

<https://docs.aws.amazon.com/AmazonRDS/latest/AuroraUserGuide/AuroraMySQL.Managing.Backtrack.html>

**NEW QUESTION 59**

- (Exam Topic 1)

A SysOps administrator is responsible for a legacy. CPU-heavy application The application can only be scaled vertically Currently, the application is deployed on a single t2 large Amazon EC2 instance The system is showing 90% CPU usage and significant performance latency after a few minutes What change should be made to alleviate the performance problem?

- A. Change the Amazon EBS volume to Provisioned IOPs
- B. Upgrade to a compute-optimized instance
- C. Add additional 12 large instances to the application
- D. Purchase Reserved Instances

**Answer: B**

**NEW QUESTION 64**

- (Exam Topic 1)

A SysOps administrator Is troubleshooting an AWS Cloud Formation template whereby multiple Amazon EC2 instances are being created The template is working



In us-east-1. but it is failing In us-west-2 with the error code:

```
AMI [ami-12345678] does not exist
```

How should the administrator ensure that the AWS Cloud Formation template is working in every region?

- A. Copy the source region's Amazon Machine Image (AMI) to the destination region and assign it the same ID.
- B. Edit the AWS CloudFormaton template to specify the region code as part of the fully qualified AMI ID.
- C. Edit the AWS CloudFormaton template to offer a drop-down list of all AMIs to the user by using the aws :: EC2:: ami :: imageID control.
- D. Modify the AWS CloudFormation template by including the AMI IDs in the "Mappings" sectio
- E. Refer to the proper mapping within the template for the proper AMI ID.

**Answer:** A

#### NEW QUESTION 66

- (Exam Topic 1)

A company creates custom AMI images by launching new Amazon EC2 instances from an AWS CloudFormation template it installs and configure necessary software through AWS OpsWorks and takes images of each EC2 instance. The process of installing and configuring software can take between 2 to 3 hours but at limes the process stalls due to installation errors.

The SysOps administrator must modify the CloudFormation template so if the process stalls, the entire stack will tail and roil back.

Based on these requirements what should be added to the template?

- A. Conditions with a timeout set to 4 hours.
- B. CreationPolicy with timeout set to 4 hours.
- C. DependsOn a timeout set to 4 hours.
- D. Metadata with a timeout set to 4 hours

**Answer:** B

#### NEW QUESTION 70

- (Exam Topic 1)

A company runs several workloads on AWS. The company identifies five AWS Trusted Advisor service quota metrics to monitor in a specific AWS Region. The company wants to receive email notification each time resource usage exceeds 60% of one of the service quotas.

Which solution will meet these requirements?

- A. Create five Amazon CloudWatch alarms, one for each Trusted Advisor service quota metri
- B. Configure an Amazon Simple Notification Service (Amazon SNS) topic for email notification each time that usage exceeds 60% of one of the service quotas.
- C. Create five Amazon CloudWatch alarms, one for each Trusted Advisor service quota metri
- D. Configure an Amazon Simple Queue Service (Amazon SQS) queue for email notification each time that usage exceeds 60% of one of the service quotas.
- E. Use the AWS Service Health Dashboard to monitor each Trusted Advisor service quota metric.Configure an Amazon Simple Queue Service (Amazon SQS) queue for email notification each time that usage exceeds 60% of one of the service quotas.
- F. Use the AWS Service Health Dashboard to monitor each Trusted Advisor service quota metric.Configure an Amazon Simple Notification Service (Amazon SNS) topic for email notification each time that usage exceeds 60% of one of the service quotas.

**Answer:** A

#### Explanation:

CloudWatch alarms allow you to monitor AWS resources, and you can configure an SNS topic to send an email notification each time one of the alarms is triggered. This will ensure that the company receives email notifications each time one of the service quotas is exceeded, allowing the company to take action as needed.

#### NEW QUESTION 75

- (Exam Topic 1)

A company recently acquired another corporation and all of that corporation's AWS accounts. A financial analyst needs the cost data from these accounts. A SysOps administrator uses Cost Explorer to generate cost and usage reports. The SysOps administrator notices that "No Tagkey" represents 20% of the monthly cost.

What should the SysOps administrator do to tag the "No Tagkey" resources?

- A. Add the accounts to AWS Organization
- B. Use a service control policy (SCP) to tag all the untagged resources.
- C. Use an AWS Config rule to find the untagged resource
- D. Set the remediation action to terminate the resources.
- E. Use Cost Explorer to find and tag all the untagged resources.
- F. Use Tag Editor to find and taq all the untaqqed resources.

**Answer:** D

#### Explanation:

"You can add tags to resources when you create the resource. You can use the resource's service console or API to add, change, or remove those tags one resource at a time. To add tags to—or edit or delete tags of—multiple resources at once, use Tag Editor. With Tag Editor, you search for the resources that you want to tag, and then manage tags for the resources in your search results." <https://docs.aws.amazon.com/ARG/latest/userguide/tag-editor.html>

#### NEW QUESTION 80

- (Exam Topic 1)

A company asks a SysOps administrator to ensure that AWS CloudTrail files are not tampered with after they are created. Currently, the company uses AWS Identity and Access Management (IAM) to restrict access to specific trails. The company's security team needs the ability to trace the integrity of each file.

What is the MOST operationally efficient solution that meets these requirements?

- A. Create an Amazon EventBridge (Amazon CloudWatch Events) rule that invokes an AWS Lambda function when a new file is delivered.
- B. Configure the Lambda function to compute an MD5 hash check on the file and store the result in an Amazon DynamoDB table.
- C. The security team can use the values that are stored in DynamoDB to verify the integrity of the delivered files.
- D. Create an AWS Lambda function that is invoked each time a new file is delivered to the CloudTrail bucket.
- E. Configure the Lambda function to compute an MD5 hash check on the file and store the result as a tag in an Amazon S3 object.
- F. The security team can use the information in the tag to verify the integrity of the delivered files.
- G. Enable the CloudTrail file integrity feature on an Amazon S3 bucket.
- H. Create an IAM policy that grants the security team access to the file integrity logs that are stored in the S3 bucket.
- I. Enable the CloudTrail file integrity feature on the trail.
- J. The security team can use the digest file that is created by CloudTrail to verify the integrity of the delivered files.

**Answer:** D

**Explanation:**

<https://docs.aws.amazon.com/awscloudtrail/latest/userguide/cloudtrail-log-file-validation-intro.html> "When you enable log file integrity validation, CloudTrail creates a hash for every log file that it delivers.

Every hour, CloudTrail also creates and delivers a file that references the log files for the last hour and contains a hash of each. This file is called a digest file. Validated log files are invaluable in security and forensic investigations"

**NEW QUESTION 84**

- (Exam Topic 1)

A user working in the Amazon EC2 console increased the size of an Amazon Elastic Block Store (Amazon EBS) volume attached to an Amazon EC2 Windows instance. The change is not reflected in the file system.

What should a SysOps administrator do to resolve this issue?

- A. Extend the file system with operating system-level tools to use the new storage capacity.
- B. Reattach the EBS volume to the EC2 instance.
- C. Reboot the EC2 instance that is attached to the EBS volume.
- D. Take a snapshot of the EBS volume.
- E. Replace the original volume with a volume that is created from the snapshot.

**Answer:** B

**NEW QUESTION 89**

- (Exam Topic 1)

A company has deployed a web application in a VPC that has subnets in three Availability Zones. The company launches three Amazon EC2 instances from an EC2 Auto Scaling group behind an Application Load Balancer (ALB).

A SysOps administrator notices that two of the EC2 instances are in the same Availability Zone, rather than being distributed evenly across all three Availability Zones. There are no errors in the Auto Scaling group's activity history.

What is the MOST likely reason for the unexpected placement of EC2 instances?

- A. One Availability Zone did not have sufficient capacity for the requested EC2 instance type.
- B. The ALB was configured for only two Availability Zones.
- C. The Auto Scaling group was configured for only two Availability Zones.
- D. Amazon EC2 Auto Scaling randomly placed the instances in Availability Zones.

**Answer:** C

**Explanation:**

the autoscaling group is responsible to add the instances in the subnets

**NEW QUESTION 91**

- (Exam Topic 1)

A company's application currently uses an IAM role that allows all access to all AWS services. A SysOps administrator must ensure that the company's IAM policies allow only the permissions that the application requires.

How can the SysOps administrator create a policy to meet this requirement?

- A. Turn on AWS CloudTrail.
- B. Generate a policy by using AWS Security Hub.
- C. Turn on Amazon EventBridge (Amazon CloudWatch Events). Generate a policy by using AWS Identity and Access Management Access Analyzer.
- D. Use the AWS CLI to run the get-generated-policy command in AWS Identity and Access Management Access Analyzer.
- E. Turn on AWS CloudTrail.
- F. Generate a policy by using AWS Identity and Access Management Access Analyzer.

**Answer:** D

**Explanation:**

Generate a policy by using AWS Identity and Access Management Access Analyzer. AWS CloudTrail is a service that records all API calls made on your account. You can use this data to generate a policy with AWS Identity and Access Management Access Analyzer that only allows the permissions that the application requires. This will ensure that the application only has the necessary permissions and will protect the company from any unauthorized access.

<https://docs.aws.amazon.com/IAM/latest/UserGuide/what-is-access-analyzer.html#what-is-access-analyzer-policy>

**NEW QUESTION 94**

- (Exam Topic 1)

A SysOps administrator has created an Amazon EC2 instance using an AWS CloudFormation template in the us-east-1 Region. The administrator finds that this template has failed to create an EC2 instance in the us-west-2 Region. What is one cause for this failure?

- A. Resource tags defined in the CloudFormation template are specific to the us-east-1 Region.
- B. The Amazon Machine Image (AMI) ID referenced in the CloudFormation template could not be found in the us-west-2 Region.

- C. The cfn-init script did not run during resource provisioning in the us-west-2 Region.
- D. The IAM user was not created in the specified Region.

**Answer:** B

**Explanation:**

One possible cause for the failure of the CloudFormation template to create an EC2 instance in the us-west-2 Region is that the Amazon Machine Image (AMI) ID referenced in the template could not be found in the us-west-2 Region. This could be due to the fact that the AMI is not available in that region, or the credentials used to access the AMI were not configured properly. The other options (resource tags defined in the CloudFormation template are specific to the us-east-1 Region, the cfn-init script did not run during resource provisioning in the us-west-2 Region, and the IAM user was not created in the specified Region) are not valid causes for this failure.

**NEW QUESTION 97**

- (Exam Topic 1)

A company plans to deploy a database on an Amazon Aurora MySQL DB cluster. The database will store data for a demonstration environment. The data must be reset on a daily basis.

What is the MOST operationally efficient solution that meets these requirements?

- A. Create a manual snapshot of the DB cluster after the data has been populate
- B. Create an Amazon EventBridge (Amazon CloudWatch Events) rule to invoke an AWS Lambda function on a daily basis
- C. Configure the function to restore the snapshot and then delete the previous DB cluster.
- D. Enable the Backtrack feature during the creation of the DB cluster
- E. Specify a target backtrack window of 48 hours
- F. Create an Amazon EventBridge (Amazon CloudWatch Events) rule to invoke an AWS Lambda function on a daily basis
- G. Configure the function to perform a backtrack operation.
- H. Export a manual snapshot of the DB cluster to an Amazon S3 bucket after the data has been populated. Create an Amazon EventBridge (Amazon CloudWatch Events) rule to invoke an AWS Lambda function on a daily basis
- I. Configure the function to restore the snapshot from Amazon S3.
- J. Set the DB cluster backup retention period to 2 days
- K. Create an Amazon EventBridge (Amazon CloudWatch Events) rule to invoke an AWS Lambda function on a daily basis
- L. Configure the function to restore the DB cluster to a point in time and then delete the previous DB cluster.

**Answer:** D

**Explanation:**

Create an Amazon EventBridge (Amazon CloudWatch Events) rule to invoke an AWS Lambda function on a daily basis. Configure the function to restore the DB cluster to a point in time and then delete the previous DB cluster. This is the most operationally efficient solution that meets the requirements, as it will allow the company to reset the database on a daily basis without having to manually take and restore snapshots. The other solutions (creating a manual snapshot of the DB cluster, enabling the Backtrack feature, or exporting a manual snapshot of the DB cluster to Amazon S3) will require additional steps and resources to reset the database on a daily basis.

**NEW QUESTION 100**

- (Exam Topic 1)

A SysOps administrator is maintaining a web application using an Amazon CloudFront web distribution, an Application Load Balancer (ALB), Amazon RDS, and Amazon EC2 in a VPC. All services have logging enabled. The administrator needs to investigate HTTP

Layer 7 status codes from the web application.

Which log sources contain the status codes? (Choose two.)

- A. VPC Flow Logs
- B. AWS CloudTrail logs
- C. ALB access logs
- D. CloudFront access logs
- E. RDS logs

**Answer:** CD

**Explanation:**

"C" because Elastic Load Balancing provides access logs that capture detailed information about requests sent to your load balancer

<https://docs.aws.amazon.com/elasticloadbalancing/latest/application/load-balancer-access-logs.html>

"D" because "you can configure CloudFront to create log files that contain detailed information about every user request that CloudFront receives"

<https://docs.aws.amazon.com/AmazonCloudFront/latest/DeveloperGuide/AccessLogs.html>

**NEW QUESTION 101**

- (Exam Topic 1)

A company stores critical data in Amazon S3 buckets. A SysOps administrator must build a solution to record all S3 API activity. Which action will meet this requirement?

- A. Configure S3 bucket metrics to record object access logs
- B. Create an AWS CloudTrail trail to log data events for all S3 objects
- C. Enable S3 server access logging for each S3 bucket
- D. Use AWS IAM Access Analyzer for Amazon S3 to store object access logs.

**Answer:** B

**NEW QUESTION 103**

- (Exam Topic 1)

A SysOps administrator must configure a resilient tier of Amazon EC2 instances for a high performance computing (HPC) application. The HPC application requires minimum latency between nodes

Which actions should the SysOps administrator take to meet these requirements? (Select TWO.)

- A. Create an Amazon Elastic File System (Amazon EPS) file system Mount the file system to the EC2 instances by using user data
- B. Create a Multi-AZ Network Load Balancer in front of the EC2 instances
- C. Place the EC2 instances in an Auto Scaling group within a single subnet
- D. Launch the EC2 instances into a cluster placement group
- E. Launch the EC2 instances into a partition placement group

**Answer:** AD

#### NEW QUESTION 107

- (Exam Topic 1)

A SysOps administrator is building a process for sharing Amazon RDS database snapshots between different accounts associated with different business units within the same company. All data must be encrypted at rest.

How should the administrator implement this process?

- A. Write a script to download the encrypted snapshot, decrypt it using the AWS KMS encryption key used to encrypt the snapshot, then create a new volume in each account.
- B. Update the key policy to grant permission to the AWS KMS encryption key used to encrypt the snapshot with all relevant accounts, then share the snapshot with those accounts.
- C. Create an Amazon EC2 instance based on the snapshot, then save the instance's Amazon EBS volume as a snapshot and share it with the other account
- D. Require each account owner to create a new volume from that snapshot and encrypt it.
- E. Create a new unencrypted RDS instance from the encrypted snapshot, connect to the instance using SSH/RD
- F. export the database contents into a file, then share this file with the other accounts.

**Answer:** B

#### NEW QUESTION 111

- (Exam Topic 1)

A company has launched a social media website that gives users the ability to upload images directly to a centralized Amazon S3 bucket. The website is popular in areas that are geographically distant from the AWS Region where the S3 bucket is located. Users are reporting that uploads are slow. A SysOps administrator must improve the upload speed.

What should the SysOps administrator do to meet these requirements?

- A. Create S3 access points in Regions that are closer to the users.
- B. Create an accelerator in AWS Global Accelerator for the S3 bucket.
- C. Enable S3 Transfer Acceleration on the S3 bucket.
- D. Enable cross-origin resource sharing (CORS) on the S3 bucket.

**Answer:** C

#### Explanation:

You might want to use Transfer Acceleration on a bucket for various reasons: ->Your customers upload to a centralized bucket from all over the world. ->You transfer gigabytes to terabytes of data on a regular basis across continents. ->You can't use all of your available bandwidth over the internet when uploading to Amazon S3." <https://docs.aws.amazon.com/AmazonS3/latest/userguide/transfer-acceleration.html>

#### NEW QUESTION 116

- (Exam Topic 1)

A company has a mobile app that uses Amazon S3 to store images The images are popular for a week, and then the number of access requests decreases over time The images must be highly available and must be immediately accessible upon request A SysOps administrator must reduce S3 storage costs for the company Which solution will meet these requirements MOST cost-effectively?

- A. Create an S3 Lifecycle policy to transition the images to S3 Glacier after 7 days
- B. Create an S3 Lifecycle policy to transition the images to S3 One Zone-Infrequent Access (S3 One Zone-IA) after 7 days
- C. Create an S3 Lifecycle policy to transition the images to S3 Standard after 7 days
- D. Create an S3 Lifecycle policy to transition the images to S3 Standard-Infrequent Access (S3 Standard-IA) after 7 days

**Answer:** D

#### NEW QUESTION 118

- (Exam Topic 1)

A SysOps administrator needs to configure a solution that will deliver digital content to a set of authorized users through Amazon CloudFront. Unauthorized users must be restricted from access. Which solution will meet these requirements?

- A. Store the digital content in an Amazon S3 bucket that does not have public access block
- B. Use signed URLs to access the S3 bucket through CloudFront.
- C. Store the digital content in an Amazon S3 bucket that has public access block
- D. Use an origin access identity (OAI) to deliver the content through CloudFront
- E. Restrict S3 bucket access with signed URLs in CloudFront.
- F. Store the digital content in an Amazon S3 bucket that has public access block
- G. Use an origin access identity (OAI) to deliver the content through CloudFront
- H. Enable field-level encryption.
- I. Store the digital content in an Amazon S3 bucket that does not have public access block
- J. Use signed cookies for restricted delivery of the content through CloudFront.

**Answer:** B

#### NEW QUESTION 119

- (Exam Topic 1)

A company has a public website that recently experienced problems. Some links led to missing webpages, and other links rendered incorrect webpages. The



application infrastructure was running properly, and all the provisioned resources were healthy. Application logs and dashboards did not show any errors, and no monitoring alarms were raised. Systems administrators were not aware of any problems until end users reported the issues. The company needs to proactively monitor the website for such issues in the future and must implement a solution as soon as possible. Which solution will meet these requirements with the LEAST operational overhead?

- A. Rewrite the application to surface a custom error to the application log when issues occur. Automatically parse logs for error
- B. Create an Amazon CloudWatch alarm to provide alerts when issues are detected.
- C. Create an AWS Lambda function to test the website
- D. Configure the Lambda function to emit an Amazon CloudWatch custom metric when errors are detected
- E. Configure a CloudWatch alarm to provide alerts when issues are detected.
- F. Create an Amazon CloudWatch Synthetics canary
- G. Use the CloudWatch Synthetics Recorder plugin to generate the script for the canary run
- H. Configure the canary in line with requirement
- I. Create an alarm to provide alerts when issues are detected.

**Answer:** A

#### NEW QUESTION 120

- (Exam Topic 1)

A company's public website is hosted in an Amazon S3 bucket in the us-east-1 Region behind an Amazon CloudFront distribution. The company wants to ensure that the website is protected from DDoS attacks. A SysOps administrator needs to deploy a solution that gives the company the ability to maintain control over the rate limit at which DDoS protections are applied. Which solution will meet these requirements?

- A. Deploy a global-scoped AWS WAF web ACL with an allow default action
- B. Configure an AWS WAF rate-based rule to block matching traffic
- C. Associate the web ACL with the CloudFront distribution.
- D. Deploy an AWS WAF web ACL with an allow default action in us-east-1. Configure an AWS WAF rate-based rule to block matching traffic
- E. Associate the web ACL with the S3 bucket.
- F. Deploy a global-scoped AWS WAF web ACL with a block default action
- G. Configure an AWS WAF rate-based rule to allow matching traffic
- H. Associate the web ACL with the CloudFront distribution.
- I. Deploy an AWS WAF web ACL with a block default action in us-east-1. Configure an AWS WAF rate-based rule to allow matching traffic
- J. Associate the web ACL with the S3 bucket.

**Answer:** B

#### NEW QUESTION 123

- (Exam Topic 1)

A SysOps administrator has enabled AWS CloudTrail in an AWS account. If CloudTrail is disabled, it must be re-enabled immediately. What should the SysOps administrator do to meet these requirements WITHOUT writing custom code?

- A. Add the AWS account to AWS Organizations. Enable CloudTrail in the management account.
- B. Create an AWS Config rule that is invoked when CloudTrail configuration changes. Apply the AWS-ConfigureCloudTrailLogging automatic remediation action.
- C. Create an AWS Config rule that is invoked when CloudTrail configuration changes. Configure the rule to invoke an AWS Lambda function to enable CloudTrail.
- D. Create an Amazon EventBridge (Amazon CloudWatch Events) hourly rule with a schedule pattern to run an AWS Systems Manager Automation document to enable CloudTrail.

**Answer:** B

#### NEW QUESTION 127

- (Exam Topic 1)

A SysOps administrator is designing a solution for an Amazon RDS for PostgreSQL DB instance. Database credentials must be stored and rotated monthly. The applications that connect to the DB instance send write-intensive traffic with variable client connections that sometimes increase significantly in a short period of time. Which solution should a SysOps administrator choose to meet these requirements?

- A. Configure AWS Key Management Service (AWS KMS) to automatically rotate the keys for the DB instance.
- B. Use RDS Proxy to handle the increases in database connections.
- C. Configure AWS Key Management Service (AWS KMS) to automatically rotate the keys for the DB instance.
- D. Use RDS read replicas to handle the increases in database connections.
- E. Configure AWS Secrets Manager to automatically rotate the credentials for the DB instance.
- F. Use RDS Proxy to handle the increases in database connections.
- G. Configure AWS Secrets Manager to automatically rotate the credentials for the DB instance.
- H. Use RDS read replicas to handle the increases in database connections.

**Answer:** A

#### NEW QUESTION 130

- (Exam Topic 1)

A SysOps administrator is reviewing AWS Trusted Advisor warnings and encounters a warning for an S3 bucket policy that has open access permissions. While discussing the issue with the bucket owner, the administrator realizes the S3 bucket is an origin for an Amazon CloudFront web distribution. Which action should the administrator take to ensure that users access objects in Amazon S3 by using only CloudFront URLs?

- A. Encrypt the S3 bucket content with Server-Side Encryption with Amazon S3-Managed Keys (SSE-S3).
- B. Create an origin access identity and grant it permissions to read objects in the S3 bucket.
- C. Assign an IAM user to the CloudFront distribution and grant the user permissions in the S3 bucket policy.
- D. Assign an IAM role to the CloudFront distribution and grant the role permissions in the S3 bucket policy.

**Answer:** B

**Explanation:**

<https://docs.aws.amazon.com/AmazonCloudFront/latest/DeveloperGuide/private-content-restricting-access-to-s3>

**NEW QUESTION 133**

- (Exam Topic 1)

A company's backend infrastructure contains an Amazon EC2 instance in a private subnet. The private subnet has a route to the internet through a NAT gateway in a public subnet. The instance must allow connectivity to a secure web server on the internet to retrieve data at regular intervals. The client software times out with an error message that indicates that the client software could not establish the TCP connection. What should a SysOps administrator do to resolve this error?

- A. Add an inbound rule to the security group for the EC2 instance with the following parameters: Type - HTTP, Source - 0.0.0.0/0.
- B. Add an inbound rule to the security group for the EC2 instance with the following parameters: Type - HTTPS, Source - 0.0.0.0/0.
- C. Add an outbound rule to the security group for the EC2 instance with the following parameters: Type - HTTP, Destination - 0.0.0.0/0.
- D. Add an outbound rule to the security group for the EC2 instance with the following parameters: Type - HTTP
- E. Destination - 0.0.0.0/0.

**Answer:** D

**NEW QUESTION 134**

- (Exam Topic 1)

A SysOps administrator is setting up a fleet of Amazon EC2 instances in an Auto Scaling group for an application. The fleet should have 50% CPU available at that times to accommodate bursts of traffic. The load will increase significantly between the hours of 09:00 and 17:00, 7 days a week. How should the SysOps administrator configure the scaling of the EC2 instances to meet these requirements?

- A. Create a target tracking scaling policy that runs when the CPU utilization is higher than 90%
- B. Create a target tracking scaling policy that runs when the CPU utilization is higher than 50%. Create a scheduled scaling policy that ensures that the fleet is available at 09:00. Create a second scheduled scaling policy that scales in the fleet at 17:00.
- C. Set the Auto Scaling group to start with 2 instances by setting the desired instances maximum instances, and minimum instances to 2. Create a scheduled scaling policy that ensures that the fleet is available at 09:00.
- D. Create a scheduled scaling policy that ensures that the fleet is available at 09:00. Create a second scheduled scaling policy that scales in the fleet at 17:00.

**Answer:** B

**NEW QUESTION 137**

- (Exam Topic 1)

A SysOps Administrator runs a web application that is using a microservices approach whereby different responsibilities of the application have been divided in a separate microservice running on a different Amazon EC2 instance. The administrator has been tasked with reconfiguring the infrastructure to support this approach. How can the administrator accomplish this with the LEAST administrative overhead?

- A. Use Amazon CloudFront to log the URL and forward the request.
- B. Use Amazon CloudFront to rewrite the header based on the microservice and forward the request.
- C. Use an Application Load Balancer (ALB) and do path-based routing.
- D. Use a Network Load Balancer (NLB) and do path-based routing.

**Answer:** C

**Explanation:**

<https://aws.amazon.com/premiumsupport/knowledge-center/elb-achieve-path-based-routing-alb/>

**NEW QUESTION 138**

- (Exam Topic 1)

A SysOps administrator is helping a development team deploy an application to AWS. The application template includes an Amazon Linux EC2 Instance, an Amazon Aurora DB cluster, and a hard-coded database password that must be rotated every 90 days. What is the MOST secure way to manage the database password?

- A. Use the AWS SecretsManager Secret resource with the GenerateSecretString property to automatically generate a password. Use the AWS SecretsManager RotationSchedule resource to define a rotation schedule for the password. Configure the application to retrieve the secret from AWS Secrets Manager to access the database.
- B. Use the AWS SecretsManager Secret resource with the SecretString property. Accept a password as a CloudFormation parameter. Use the AllowedPattern property of the CloudFormation parameter to require a minimum length, uppercase and lowercase letters, and special characters. Configure the application to retrieve the secret from AWS Secrets Manager to access the database.
- C. Use the AWS SSM Parameter resource. Accept input as a CloudFormation parameter to store the parameter as a secure string. Configure the application to retrieve the parameter from AWS Systems Manager Parameter Store to access the database.
- D. Use the AWS SSM Parameter resource. Accept input as a CloudFormation parameter to store the parameter as a string. Configure the application to retrieve the parameter from AWS Systems Manager Parameter Store to access the database.

**Answer:** A

**NEW QUESTION 143**

- (Exam Topic 1)

A SysOps administrator needs to automate the invocation of an AWS Lambda function. The Lambda function must run at the end of each day to generate a report on data that is stored in an Amazon S3 bucket. What is the MOST operationally efficient solution that meets these requirements?

- A. Create an Amazon EventBridge (Amazon CloudWatch Events) rule that has an event pattern for Amazon S3 and the Lambda function as a target.

- B. Create an Amazon EventBridge (Amazon CloudWatch Events) rule that has a schedule and the Lambda function as a target.
- C. Create an S3 event notification to invoke the Lambda function whenever objects change in the S3 bucket.
- D. Deploy an Amazon EC2 instance with a cron job to invoke the Lambda function.

**Answer:** C

#### NEW QUESTION 146

- (Exam Topic 1)

A company stores sensitive data in an Amazon S3 bucket. The company must log all access attempts to the S3 bucket. The company's risk team must receive immediate notification about any delete events.

Which solution will meet these requirements?

- A. Enable S3 server access logging for audit log
- B. Set up an Amazon Simple Notification Service (Amazon SNS) notification for the S3 bucket
- C. Select DeleteObject for the event type for the alert system.
- D. Enable S3 server access logging for audit log
- E. Launch an Amazon EC2 instance for the alert system. Run a cron job on the EC2 instance to download the access logs each day and to scan for a DeleteObject event.
- F. Use Amazon CloudWatch Logs for audit log
- G. Use Amazon CloudWatch alarms with an Amazon Simple Notification Service (Amazon SNS) notification for the alert system.
- H. Use Amazon CloudWatch Logs for audit log
- I. Launch an Amazon EC2 instance for the alert system. Run a cron job on the EC2 instance each day to compare the list of the items with the list from the previous day
- J. Configure the cron job to send a notification if an item is missing.

**Answer:** A

#### Explanation:

To meet the requirements of logging all access attempts to the S3 bucket and receiving immediate notification about any delete events, the company can enable S3 server access logging and set up an Amazon Simple Notification Service (Amazon SNS) notification for the S3 bucket. The S3 server access logs will record all access attempts to the bucket, including delete events, and the SNS notification can be configured to send an alert when a DeleteObject event occurs.

#### NEW QUESTION 151

- (Exam Topic 1)

A global company handles a large amount of personally identifiable information (PII) through an internal web portal. The company's application runs in a corporate data center that is connected to AWS through an AWS Direct Connect connection. The application stores the PII in Amazon S3. According to a compliance requirement, traffic from the web portal to Amazon S3 must not travel across the internet.

What should a SysOps administrator do to meet the compliance requirement?

- A. Provision an interface VPC endpoint for Amazon S3. Modify the application to use the interface endpoint.
- B. Configure AWS Network Firewall to redirect traffic to the internal S3 address.
- C. Modify the application to use the S3 path-style endpoint.
- D. Set up a range of VPC network ACLs to redirect traffic to the Internal S3 address.

**Answer:** B

#### NEW QUESTION 153

- (Exam Topic 1)

Application A runs on Amazon EC2 instances behind a Network Load Balancer (NLB). The EC2 instances are in an Auto Scaling group and are in the same subnet that is associated with the NLB. Other applications from an on-premises environment cannot communicate with Application A on port 8080.

To troubleshoot the issue, a SysOps administrator analyzes the flow logs. The flow logs include the following records:

```
2 123456789010 eni-1235b8ca123456789 192.168.0.13 172.31.16.139 59003 8080 1 4 336 1432917027 1432917142 ACCEPT OK
2 123456789010 eni-1235b8ca123456789 172.31.16.139 192.168.0.13 8080 59003 1 4 336 1432917094 1432917142 REJECT OK
```

What is the reason for the rejected traffic?

- A. The security group of the EC2 instances has no Allow rule for the traffic from the NLB.
- B. The security group of the NLB has no Allow rule for the traffic from the on-premises environment.
- C. The ACL of the on-premises environment does not allow traffic to the AWS environment.
- D. The network ACL that is associated with the subnet does not allow outbound traffic for the ephemeral port range.

**Answer:** A

#### NEW QUESTION 154

- (Exam Topic 1)

A company is using Amazon Elastic File System (Amazon EFS) to share a file system among several Amazon EC2 instances. As usage increases, users report that file retrieval from the EFS file system is slower than normal.

Which action should a SysOps administrator take to improve the performance of the file system?

- A. Configure the file system for Provisioned Throughput.
- B. Enable encryption in transit on the file system.
- C. Identify any unused files in the file system, and remove the unused files.
- D. Resize the Amazon Elastic Block Store (Amazon EBS) volume of each of the EC2 instances.

**Answer:** A

#### NEW QUESTION 155



- (Exam Topic 1)

A development team recently deployed a new version of a web application to production. After the release, penetration testing revealed a cross-site scripting vulnerability that could expose user data.

Which AWS service will mitigate this issue?

- A. AWS Shield Standard
- B. AWS WAF
- C. Elastic Load Balancing
- D. Amazon Cognito

**Answer:** A

#### NEW QUESTION 158

- (Exam Topic 1)

A web application runs on Amazon EC2 instances behind an Application Load Balancer (ALB). The instances run in an Auto Scaling group across multiple Availability Zones. A SysOps administrator notices that some of these EC2 instances show up as healthy in the Auto Scaling group but show up as unhealthy in the ALB target group.

What is a possible reason for this issue?

- A. Security groups are not allowing traffic between the ALB and the failing EC2 instances
- B. The Auto Scaling group health check is configured for EC2 status checks
- C. The EC2 instances are failing to launch and failing EC2 status checks.
- D. The target group health check is configured with an incorrect port or path

**Answer:** D

#### NEW QUESTION 161

- (Exam Topic 1)

A company runs a web application on three Amazon EC2 instances behind an Application Load Balancer (ALB). The company notices that random periods of increased traffic cause a degradation in the application's performance. A SysOps administrator must scale the application to meet the increased traffic. Which solution meets these requirements?

- A. Create an Amazon CloudWatch alarm to monitor application latency and increase the size of each EC2 instance if the desired threshold is reached.
- B. Create an Amazon EventBridge (Amazon CloudWatch Events) rule to monitor application latency and add an EC2 instance to the ALB if the desired threshold is reached.
- C. Deploy the application to an Auto Scaling group of EC2 instances with a target tracking scaling policy. Attach the ALB to the Auto Scaling group.
- D. Deploy the application to an Auto Scaling group of EC2 instances with a scheduled scaling policy. Attach the ALB to the Auto Scaling group.

**Answer:** C

#### NEW QUESTION 166

- (Exam Topic 1)

A SysOps administrator is configuring an application on Amazon EC2 instances for a company. Teams in other countries will use the application over the internet. The company requires the application endpoint to have a static public IP address.

How should the SysOps administrator deploy the application to meet this requirement?

- A. Behind an Amazon API Gateway API
- B. Behind an Application Load Balancer
- C. Behind an internet-facing Network Load Balancer
- D. In an Amazon CloudFront distribution

**Answer:** C

#### NEW QUESTION 171

- (Exam Topic 1)

A new website will run on Amazon EC2 instances behind an Application Load Balancer. Amazon Route 53 will be used to manage DNS records.

What type of record should be set in Route 53 to point the website's apex domain name (for example, company.com) to the Application Load Balancer?

- A. CNAME
- B. SOA
- C. TXT
- D. ALIAS

**Answer:** D

#### NEW QUESTION 176

- (Exam Topic 1)

A SysOps administrator has launched a large general purpose Amazon EC2 instance to regularly process large data files. The instance has an attached 1 TB General Purpose SSD (gp2) Amazon Elastic Block Store (Amazon EBS) volume. The instance also is EBS-optimized. To save costs, the SysOps administrator stops the instance each evening and restarts the instance each morning.

When data processing is active, Amazon CloudWatch metrics on the instance show a consistent 3,000 VolumeReadOps. The SysOps administrator must improve the I/O performance while ensuring data integrity.

Which action will meet these requirements?

- A. Change the instance type to a large, burstable, general purpose instance.
- B. Change the instance type to an extra large general purpose instance.
- C. Increase the EBS volume to a 2 TB General Purpose SSD (gp2) volume.
- D. Move the data that resides on the EBS volume to the instance store.



**Answer:** C

#### NEW QUESTION 177

- (Exam Topic 1)

A company is using Amazon Elastic File System (Amazon EFS) to share a file system among several Amazon EC2 instances. As usage increases, users report that file retrieval from the EFS file system is slower than normal.

Which action should a SysOps administrator take to improve the performance of the file system?

- A. Configure the file system for Provisioned Throughput.
- B. Enable encryption in transit on the file system.
- C. Identify any unused files in the file system, and remove the unused files.
- D. Resize the Amazon Elastic Block Store (Amazon EBS) volume of each of the EC2 instances.

**Answer:** A

#### NEW QUESTION 180

- (Exam Topic 1)

A SysOps administrator has Nocked public access to all company Amazon S3 buckets. The SysOps administrator wants to be notified when an S3 bucket becomes publicly readable in the future.

What is the MOST operationally efficient way to meet this requirement?

- A. Create an AWS Lambda function that periodically checks the public access settings for each S3 bucket.Set up Amazon Simple Notification Service (Amazon SNS) to send notifications.
- B. Create a cron script that uses the S3 API to check the public access settings for each S3 bucke
- C. Set up Amazon Simple Notification Service (Amazon SNS) to send notifications
- D. Enable S3 Event notified tons for each S3 bucke
- E. Subscribe S3 Event Notifications to an Amazon Simple Notification Service (Amazon SNS) topic.
- F. Enable the s3-bucket-public-read-prohibited managed rule in AWS Confi
- G. Subscribe the AWS Config rule to an Amazon Simple Notification Service (Amazon SNS) topic.

**Answer:** D

#### NEW QUESTION 183

- (Exam Topic 1)

A company uses Amazon Elasticsearch Service (Amazon ES) to analyze sales and customer usage data. Members of the company's geographically dispersed sales team are traveling. They need to log in to Kibana by using their existing corporate credentials that are stored in Active Directory. The company has deployed Active Directory Federation Services (AD FS) to enable authentication to cloud services. Which solution will meet these requirements?

- A. Configure Active Directory as an authentication provider in Amazon E
- B. Add the Active Directory server's domain name to Amazon E
- C. Configure Kibana to use Amazon ES authentication.
- D. Deploy an Amazon Cognito user poo
- E. Configure Active Directory as an external identity provider for the user poo
- F. Enable Amazon Cognito authentication for Kibana on Amazon ES.
- G. Enable Active Directory user authentication in Kiban
- H. Create an IP-based custom domain access policy in Amazon ES that includes the Active Directory server's IP address.
- I. Establish a trust relationship with Kibana on the Active Directory serve
- J. Enable Active Directory user authentication in Kiban
- K. Add the Active Directory server's IP address to Kibana.

**Answer:** B

#### Explanation:

<https://aws.amazon.com/blogs/security/how-to-enable-secure-access-to-kibana-using-aws-single-sign-on/> <https://docs.aws.amazon.com/elasticsearch-service/latest/developerguide/es-cognito-auth.html>

#### NEW QUESTION 188

- (Exam Topic 1)

A company's SysOps administrator deploys four new Amazon EC2 instances by using the standard Amazon Linux 2 Amazon Machine Image (AMI). The company needs to be able to use AWS Systems Manager to manage the instances The SysOps administrator notices that the instances do not appear in the Systems Manager console

What must the SysOps administrator do to resolve this issue?

- A. Connect to each instance by using SSH Install Systems Manager Agent on each instance Configure Systems Manager Agent to start automatically when the instances start up
- B. Use AWS Certificate Manager (ACM) to create a TLS certificate Import the certificate into each instance Configure Systems Manager Agent to use the TLS certificate for secure communications
- C. Connect to each instance by using SSH Create an ssm-user account Add the ssm-user account to the/etcsudoers d directory
- D. Attach an IAM instance profile to the instances Ensure that the instance profile contains the AmazonSSMManagedinstanceCore policy

**Answer:** D

#### NEW QUESTION 192

- (Exam Topic 1)

An Amazon EC2 instance needs to be reachable from the internet. The EC2 instance is in a subnet with the following route table:

Destination	Target
10.0.0.0/16	Local
172.31.0.0/16	pcx-1122334455

Which entry must a SysOps administrator add to the route table to meet this requirement?

- A. A route for 0.0.0.0/0 that points to a NAT gateway
- B. A route for 0.0.0.0/0 that points to an egress-only internet gateway
- C. A route for 0.0.0.0/0 that points to an internet gateway
- D. A route for 0.0.0.0/0 that points to an elastic network interface

**Answer: C**

#### NEW QUESTION 195

- (Exam Topic 1)

An existing, deployed solution uses Amazon EC2 instances with Amazon EBS General Purpose SSD volumes, an Amazon RDS PostgreSQL database, an Amazon EFS file system, and static objects stored in an Amazon S3 bucket. The Security team now mandates that at-rest encryption be turned on immediately for all aspects of the application, without creating new resources and without any downtime.

To satisfy the requirements, which one of these services can the SysOps administrator enable at-rest encryption on?

- A. EBS General Purpose SSD volumes
- B. RDS PostgreSQL database
- C. Amazon EFS file systems
- D. S3 objects within a bucket

**Answer: D**

#### Explanation:

<https://docs.aws.amazon.com/AmazonS3/latest/userguide/UsingEncryption.html>

#### NEW QUESTION 199

- (Exam Topic 1)

A company needs to ensure strict adherence to a budget for 25 applications deployed on AWS. Separate teams are responsible for storage, compute, and database costs. A SysOps administrator must implement an automated solution to alert each team when their projected spend will exceed a quarterly amount that has been set by the finance department. The solution cannot add additional compute, storage, or database costs.

- A. Configure AWS Cost and Usage Reports to send a daily report to an Amazon S3 bucket
- B. Create an AWS Lambda function that will evaluate spend by service and notify each team by using Amazon Simple Notification Service (Amazon SNS) notification
- C. Invoke the Lambda function when a report is placed in the S3 bucket
- D. Configure AWS Cost and Usage Reports to send a daily report to an Amazon S3 bucket
- E. Create a rule in Amazon EventBridge (Amazon CloudWatch Events) to evaluate the spend by service and notify each team by using Amazon Simple Queue Service (Amazon SQS) when the cost threshold is exceeded.
- F. Use AWS Budgets to create one cost budget and select each of the services in use. Specify the budget amount defined by the finance department along with the forecasted cost threshold. Enter the appropriate email recipients for the budget.
- G. Use AWS Budgets to create a cost budget for each team, filtering by the services they own.
- H. Specify the budget amount defined by the finance department along with a forecasted cost threshold. Enter the appropriate email recipients for each budget.

**Answer: D**

#### NEW QUESTION 204

- (Exam Topic 1)

A SysOps Administrator is managing a web application that runs on Amazon EC2 instances behind an Application Load Balancer (ALB). The instances run in an EC2 Auto Scaling group. The administrator wants to set an alarm for when all target instances associated with the ALB are unhealthy.

Which condition should be used with the alarm?

- A. AWS/ApplicationELB HealthyHostCount <= 0
- B. AWS/ApplicationELB UnhealthyHostCount >= 1
- C. AWS/EC2 StatusCheckFailed <= 0
- D. AWS/EC2 StatusCheckFailed >= 1

**Answer: A**

#### Explanation:

<https://docs.aws.amazon.com/elasticloadbalancing/latest/application/load-balancer-cloudwatch-metrics.html>

#### NEW QUESTION 209

- (Exam Topic 1)

A company plans to migrate several of its high performance computing (HPC) virtual machines (VMs) to Amazon EC2 instances on AWS. A SysOps administrator must identify a placement group for this deployment. The strategy must minimize network latency and must maximize network throughput between the HPC VMs. Which strategy should the SysOps administrator choose to meet these requirements?

- A. Deploy the instances in a cluster placement group in one Availability Zone.
- B. Deploy the instances in a partition placement group in two Availability Zones.
- C. Deploy the instances in a partition placement group in one Availability Zone.
- D. Deploy the instances in a spread placement group in two Availability Zones.

**Answer:** A

#### NEW QUESTION 213

- (Exam Topic 1)

A company monitors its account activity using AWS CloudTrail. and is concerned that some log files are being tampered with after the logs have been delivered to the account's Amazon S3 bucket.

Moving forward, how can the SysOps administrator confirm that the log files have not been modified after being delivered to the S3 bucket?

- A. Stream the CloudTrail logs to Amazon CloudWatch Logs to store logs at a secondary location.
- B. Enable log file integrity validation and use digest files to verify the hash value of the log file.
- C. Replicate the S3 log bucket across regions, and encrypt log files with S3 managed keys.
- D. Enable S3 server access logging to track requests made to the log bucket for security audits.

**Answer:** B

#### Explanation:

When you enable log file integrity validation, CloudTrail creates a hash for every log file that it delivers. Every hour, CloudTrail also creates and delivers a file that references the log files for the last hour and contains a hash of each. This file is called a digest file. CloudTrail signs each digest file using the private key of a public and private key pair. After delivery, you can use the public key to validate the digest file. CloudTrail uses different key pairs for each AWS region  
<https://docs.aws.amazon.com/awscloudtrail/latest/userguide/cloudtrail-log-file-validation-intro.html>

#### NEW QUESTION 214

- (Exam Topic 1)

A company is managing multiple AWS accounts in AWS Organizations The company is reviewing internal security of Its AWS environment The company's security administrator has their own AWS account and wants to review the VPC configuration of developer AWS accounts

Which solution will meet these requirements in the MOST secure manner?

- A. Create an IAM policy in each developer account that has read-only access related to VPC resources Assign the policy to an IAM user Share the user credentials with the security administrator
- B. Create an IAM policy in each developer account that has administrator access to all Amazon EC2 actions, including VPC actions Assign the policy to an IAM user Share the user credentials with the security administrator
- C. Create an IAM policy in each developer account that has administrator access related to VPC resources Assign the policy to a cross-account IAM role Ask the security administrator to assume the role from their account
- D. Create an IAM policy in each developer account that has read-only access related to VPC resources Assign the policy to a cross-account IAM role Ask the security administrator to assume the role from their account

**Answer:** D

#### NEW QUESTION 217

- (Exam Topic 1)

A SysOps administrator creates two VPCs, VPC1 and VPC2, in a company's AWS account The SysOps administrator deploys a Linux Amazon EC2 instance in VPC1 and deploys an Amazon RDS for MySQL DB instance in VPC2. The DB instance is deployed in a private subnet. An application that runs on the EC2 instance needs to connect to the database.

What should the SysOps administrator do to give the EC2 instance the ability to connect to the database?

- A. Enter the DB instance connection string into the VPC1 route table.
- B. Configure VPC peering between the two VPCs.
- C. Add the same IPv4 CIDR range for both VPCs.
- D. Connect to the DB instance by using the DB instance's public IP address.

**Answer:** B

#### Explanation:

VPC peering allows two VPCs to communicate with each other securely. By configuring VPC peering between the two VPCs, the SysOps administrator will be able to give the EC2 instance in VPC1 the ability to connect to the database in VPC2. Once the VPC peering is configured, the EC2 instance will be able to communicate with the database using the private IP address of the DB instance in the private subnet.

#### NEW QUESTION 218

- (Exam Topic 1)

A SysOps administrator is responsible for a company's security groups. The company wants to maintain a documented trail of any changes that are made to the security groups. The SysOps administrator must receive notification whenever the security groups change.

Which solution will meet these requirements?

- A. Set up Amazon Detective to record security group change
- B. Specify an Amazon CloudWatch Logs log group to store configuration history log
- C. Create an Amazon Simple Queue Service (Amazon SQS) queue for notifications about configuration change
- D. Subscribe the SysOps administrator's email address to the SQS queue.
- E. Set up AWS Systems Manager Change Manager to record security group change
- F. Specify an Amazon CloudWatch Logs log group to store configuration history log
- G. Create an Amazon Simple Notification Service (Amazon SNS) topic for notifications about configuration change
- H. Subscribe the SysOps administrator's email address to the SNS topic.
- I. Set up AWS Config to record security group change
- J. Specify an Amazon S3 bucket as the location for configuration snapshots and history file
- K. Create an Amazon Simple Notification Service (Amazon SNS) topic for notifications about configuration change
- L. Subscribe the SysOps administrator's email address to the SNS topic.
- M. Set up Amazon Detective to record security group change
- N. Specify an Amazon S3 bucket as the location for configuration snapshots and history file
- O. Create an Amazon Simple Notification Service (Amazon SNS) topic for notifications about configuration change
- P. Subscribe the SysOps administrator's email address to the SNS topic.

**Answer:** D

#### NEW QUESTION 223

- (Exam Topic 1)

A SysOps administrator is reviewing VPC Flow Logs to troubleshoot connectivity issues in a VPC. While reviewing the logs the SysOps administrator notices that rejected traffic is not listed.

What should the SysOps administrator do to ensure that all traffic is logged?

- A. Create a new flow log that has a filter setting to capture all traffic
- B. Create a new flow log set the log record format to a custom format Select the proper fields to include in the log
- C. Edit the existing flow log Change the filter setting to capture all traffic
- D. Edit the existing flow log
- E. Set the log record format to a custom format Select the proper fields to include in the log

**Answer:** A

#### NEW QUESTION 227

- (Exam Topic 1)

An AWS Lambda function is intermittently failing several times a day A SysOps administrator must find out how often this error has occurred in the last 7 days

Which action will meet this requirement in the MOST operationally efficient manner?

- A. Use Amazon Athena to query the Amazon CloudWatch logs that are associated with the Lambda function
- B. Use Amazon Athena to query the AWS CloudTrail logs that are associated with the Lambda function
- C. Use Amazon CloudWatch Logs Insights to query the associated Lambda function logs
- D. Use Amazon Elasticsearch Service (Amazon ES) to stream the Amazon CloudWatch logs for the Lambda function

**Answer:** C

#### NEW QUESTION 232

- (Exam Topic 1)

An Amazon EC2 instance is running an application that uses Amazon Simple Queue Service (Amazon SQS) queues A SysOps administrator must ensure that the application can read, write, and delete messages from the SQS queues

Which solution will meet these requirements in the MOST secure manner?

- A. Create an IAM user with an IAM policy that allows the sqs SendMessage permission, the sqs ReceiveMessage permission, and the sqs DeleteMessage permission to the appropriate queues Embed the IAM user's credentials in the application's configuration
- B. Create an IAM user with an IAM policy that allows the sqs SendMessage permission, the sqs ReceiveMessage permission, and the sqs DeleteMessage permission to the appropriate queues Export the IAM user's access key and secret access key as environment variables on the EC2 instance
- C. Create and associate an IAM role that allows EC2 instances to call AWS services Attach an IAM policy to the role that allows sqs." permissions to the appropriate queues
- D. Create and associate an IAM role that allows EC2 instances to call AWS services Attach an IAM policy to the role that allows the sqs SendMessage permission, the sqs ReceiveMessage permission, and the sqs DeleteMessage permission to the appropriate queues

**Answer:** D

#### NEW QUESTION 236

- (Exam Topic 1)

A company's SysOps administrator deploys a public Network Load Balancer (NLB) in front of the company's web application. The web application does not use any Elastic IP addresses. Users must access the web application by using the company's domain name. The SysOps administrator needs to configure Amazon Route 53 to route traffic to the NLB.

Which solution will meet these requirements MOST cost-effectively?

- A. Create a Route 53 AAAA record for the NLB.
- B. Create a Route 53 alias record for the NLB.
- C. Create a Route 53 CAA record for the NLB.
- D. Create a Route 53 CNAME record for the NLB.

**Answer:** B

#### NEW QUESTION 241

- (Exam Topic 1)

A SysOps administrator has used AWS CloudFormation to deploy a serverless application into a production VPC. The application consists of an AWS Lambda function an Amazon DynamoDB table, and an Amazon API Gateway API. The SysOps administrator must delete the AWS CloudFormation stack without deleting the DynamoDB table.

Which action should the SysOps administrator take before deleting the AWS CloudFormation stack?

- A. Add a Retain deletion policy to the DynamoDB resource in the AWS CloudFormation stack
- B. Add a Snapshot deletion policy to the DynamoDB resource in the AWS CloudFormation stack.
- C. Enable termination protection on the AWS CloudFormation stack.
- D. Update the application's IAM policy with a Deny statement for the dynamodb:DeleteTable action.

**Answer:** A

#### NEW QUESTION 242

- (Exam Topic 1)

A SysOps administrator is optimizing the cost of a workload. The workload is running in multiple AWS Regions and is using AWS Lambda with Amazon EC2 On-Demand Instances for the compute. The overall usage is predictable. The amount of compute that is consumed in each Region varies, depending on the users'



locations.

Which approach should the SysOps administrator use to optimize this workload?

- A. Purchase Compute Savings Plans based on the usage during the past 30 days
- B. Purchase Convertible Reserved Instances by calculating the usage baseline.
- C. Purchase EC2 Instance Savings Plane based on the usage during the past 30 days
- D. Purchase Standard Reserved Instances by calculating the usage baseline.

**Answer:** C

#### NEW QUESTION 247

- (Exam Topic 1)

A company is managing many accounts by using a single organization in AWS Organizations. The organization has all features enabled. The company wants to turn on AWS Config in all the accounts of the organization and in all AWS Regions.

What should a Sysops administrator do to meet these requirements in the MOST operationally efficient way?

- A. Use AVVS CloudFormation StackSets to deploy stack instances that turn on AWS Config in all accounts and in all Regions.
- B. Use AWS CloudFormation StackSets to deploy stack policies that turn on AWS Config in all accounts and in all Regions.
- C. Use service control policies (SCPs) to configure AWS Config in all accounts and in all Regions.
- D. Create a script that uses the AWS CLI to turn on AWS Config in all accounts in the organizatio
- E. Run the script from the organization's management account.

**Answer:** C

#### NEW QUESTION 251

- (Exam Topic 1)

A company needs to take an inventory of applications that are running on multiple Amazon EC2 instances. The company has configured users and roles with the appropriate permissions for AWS Systems Manager. An updated version of Systems Manager Agent has been installed and is running on every instance. While configuring an inventory collection, a SysOps administrator discovers that not all the instances in a single subnet are managed by Systems Manager.

What must the SysOps administrator do to fix this issue?

- A. Ensure that all the EC2 instances have the correct tags for Systems Manager access.
- B. Configure AWS Identity and Access Management Access Analyzer to determine and automatically remediate the issue.
- C. Ensure that all the EC2 instances have an instance profile with Systems Manager access.
- D. Configure Systems Manager to use an interface VPC endpoint.

**Answer:** C

#### Explanation:

Ensuring that all the EC2 instances have an instance profile with Systems Manager access is the most effective way to fix this issue. Having an instance profile with Systems Manager access will allow the SysOps administrator to configure the inventory collection for all the instances in the subnet, regardless of whether or not they are managed by Systems Manager.

#### NEW QUESTION 253

- (Exam Topic 1)

A company's AWS Lambda function is experiencing performance issues. The Lambda function performs many CPU-intensive operations. The Lambda function is not running fast enough and is creating bottlenecks in the system.

What should a SysOps administrator do to resolve this issue?

- A. In the CPU launch options for the Lambda function, activate hyperthreading.
- B. Turn off the AWS managed encryption.
- C. Increase the amount of memory for the Lambda function.
- D. Load the required code into a custom layer.

**Answer:** C

#### Explanation:

Increasing the amount of memory for the Lambda function will help to improve the performance of the function. This is because the Lambda function is CPU-intensive and increasing the memory will give it access to more CPU resources and help it run faster. The other options (activating hyperthreading in the CPU launch options for the Lambda function, turning off the AWS managed encryption, and loading the required code into a custom layer) will not help to improve the performance of the Lambda function and are not the correct solutions for this issue.

<https://docs.aws.amazon.com/lambda/latest/dg/configuration-function-common.html#configuration-memory-con>

#### NEW QUESTION 254

- (Exam Topic 1)

A company has an internal web application that runs on Amazon EC2 instances behind an Application Load Balancer. The instances run in an Amazon EC2 Auto Scaling group in a single Availability Zone. A SysOps administrator must make the application highly available.

Which action should the SysOps administrator take to meet this requirement?

- A. Increase the maximum number of instances in the Auto Scaling group to meet the capacity that is required at peak usage.
- B. Increase the minimum number of instances in the Auto Scaling group to meet the capacity that is required at peak usage.
- C. Update the Auto Scaling group to launch new instances in a second Availability Zone in the same AWS Region.
- D. Update the Auto Scaling group to launch new instances in an Availability Zone in a second AWS Region.

**Answer:** C

#### Explanation:

"An Auto Scaling group can contain EC2 instances in one or more Availability Zones within the same Region. However, Auto Scaling groups cannot span multiple Regions". As stated in <https://docs.aws.amazon.com/autoscaling/ec2/userguide/auto-scaling-benefits.htm>

#### NEW QUESTION 259

- (Exam Topic 1)

A company has an application that is deployed in two AWS Regions in an active-passive configuration. The application runs on Amazon EC2 instances behind an Application Load Balancer (ALB) in each Region. The instances are in an Amazon EC2 Auto Scaling group in each Region. The application uses an Amazon Route 53 hosted zone (or DNS). A SysOps administrator needs to configure automatic failover to the secondary Region.

What should the SysOps administrator do to meet these requirements?

- A. Configure Route 53 alias records that point to each AL
- B. Choose a failover routing policy
- C. Set Evaluate Target Health to Yes.
- D. Configure CNAME records that point to each AL
- E. Choose a failover routing policy
- F. Set Evaluate Target Health to Yes.
- G. Configure Elastic Load Balancing (ELB) health checks for the Auto Scaling group
- H. Add a target group to the ALB in the primary Region
- I. Include the EC2 instances in the secondary Region as targets.
- J. Configure EC2 health checks for the Auto Scaling group
- K. Add a target group to the ALB in the primary Region
- L. Include the EC2 instances in the secondary Region as targets.

**Answer:** A

#### NEW QUESTION 263

- (Exam Topic 1)

A company is deploying a third-party unit testing solution that is delivered as an Amazon EC2 Amazon Machine Image (AMI). All system configuration data is stored in Amazon DynamoDB. The testing results are stored in Amazon S3.

A minimum of three EC2 instances are required to operate the product. The company's testing team wants to use an additional three EC2 Instances when the Spot Instance prices are at a certain threshold. A SysOps administrator must implement a highly available solution that provides this functionality.

Which solution will meet these requirements with the LEAST operational overhead?

- A. Define an Amazon EC2 Auto Scaling group by using a launch configuration
- B. Use the provided AMI in the launch configuration
- C. Configure three On-Demand Instances and three Spot Instance
- D. Configure a maximum Spot Instance price in the launch configuration.
- E. Define an Amazon EC2 Auto Scaling group by using a launch template
- F. Use the provided AMI in the launch template
- G. Configure three On-Demand Instances and three Spot Instance
- H. Configure a maximum Spot Instance price in the launch template.
- I. Define two Amazon EC2 Auto Scaling groups by using launch configuration
- J. Use the provided AMI in the launch configuration
- K. Configure three On-Demand Instances for one Auto Scaling group
- L. Configure three Spot Instances for the other Auto Scaling group
- M. Configure a maximum Spot Instance price in the launch configuration for the Auto Scaling group that has Spot Instances.
- N. Define two Amazon EC2 Auto Scaling groups by using launch template
- O. Use the provided AMI in the launch template
- P. Configure three On-Demand Instances for one Auto Scaling group
- Q. Configure three Spot Instances for the other Auto Scaling group
- R. Configure a maximum Spot Instance price in the launch template for the Auto Scaling group that has Spot Instances.

**Answer:** A

#### Explanation:

- > <https://docs.aws.amazon.com/autoscaling/ec2/userguide/LaunchTemplates.html>
- > <https://docs.aws.amazon.com/autoscaling/ec2/userguide/LaunchConfiguration.html>

#### NEW QUESTION 266

- (Exam Topic 1)

A compliance team requires all administrator passwords for Amazon RDS DB instances to be changed at least annually.

Which solution meets this requirement in the MOST operationally efficient manner?

- A. Store the database credentials in AWS Secrets Manager
- B. Configure automatic rotation for the secret every 365 days.
- C. Store the database credentials as a parameter in the RDS parameter group
- D. Create a database trigger to rotate the password every 365 days.
- E. Store the database credentials in a private Amazon S3 bucket
- F. Schedule an AWS Lambda function to generate a new set of credentials every 365 days.
- G. Store the database credentials in AWS Systems Manager Parameter Store as a secure string parameter. Configure automatic rotation for the parameter every 365 days.

**Answer:** A

#### NEW QUESTION 269

- (Exam Topic 1)

A SysOps administrator needs to give users the ability to upload objects to an Amazon S3 bucket. The SysOps administrator creates a presigned URL and provides the URL to a user, but the user cannot upload an object to the S3 bucket. The presigned URL has not expired, and no bucket policy is applied to the S3 bucket.

Which of the following could be the cause of this problem?

- A. The user has not properly configured the AWS CLI with their access key and secret access key.
- B. The SysOps administrator does not have the necessary permissions to upload the object to the S3 bucket.
- C. The SysOps administrator must apply a bucket policy to the S3 bucket to allow the user to upload the object.
- D. The object already has been uploaded through the use of the presigned URL, so the presigned URL is no longer valid.

**Answer:** B

#### NEW QUESTION 273

- (Exam Topic 1)

A company needs to restrict access to an Amazon S3 bucket to Amazon EC2 instances in a VPC only. All traffic must be over the AWS private network. What actions should the SysOps administrator take to meet these requirements?

- A. Create a VPC endpoint for the S3 bucket, and create an IAM policy that conditionally limits all S3 actions on the bucket to the VPC endpoint as the source.
- B. Create a VPC endpoint for the S3 bucket, and create an S3 bucket policy that conditionally limits all S3 actions on the bucket to the VPC endpoint as the source.
- C. Create a service-linked role for Amazon EC2 that allows the EC2 instances to interact directly with Amazon S3, and attach an IAM policy to the role that allows the EC2 instances full access to the S3 bucket.
- D. Create a NAT gateway in the VPC, and modify the VPC route table to route all traffic destined for Amazon S3 through the NAT gateway.

**Answer:** B

#### Explanation:

While IAM policy (letter A) also can be used, it does not enforce everyone. The only option that enforces everyone is policy configured directly in the bucket S3.

#### NEW QUESTION 274

- (Exam Topic 1)

A company runs workloads on 90 Amazon EC2 instances in the eu-west-1 Region in an AWS account. In 2 months, the company will migrate the workloads from eu-west-1 to the eu-west-3 Region.

The company needs to reduce the cost of the EC2 instances. The company is willing to make a 1-year commitment that will begin next week. The company must choose an EC2 Instance purchasing option that will provide discounts for the 90 EC2 Instances regardless of Region during the 1-year period. Which solution will meet these requirements?

- A. Purchase EC2 Standard Reserved Instances.
- B. Purchase an EC2 Instance Savings Plan.
- C. Purchase EC2 Convertible Reserved Instances.
- D. Purchase a Compute Savings Plan.

**Answer:** B

#### NEW QUESTION 278

- (Exam Topic 2)

You need to update an existing AWS CloudFormation stack. If needed, a copy to the CloudFormation template is available in an Amazon S3 bucket named cloudformation-bucket

- \* 1. Use the us-east-2 Region for all resources.
- \* 2. Unless specified below, use the default configuration settings.
- \* 3. update the Amazon EC2 instance named DevInstance by making the following changes to the stack named 1700182:
  - \* a) Change the EC2 instance type to us-east-t2.nano.
  - \* b) Allow SSH to connect to the EC2 instance from the IP address range 192.168.100.0/30.
  - \* c) Replace the instance profile IAM role with IamRoleB.
- \* 4. Deploy the changes by updating the stack using the CFServiceR01e role.
- \* 5. Edit the stack options to prevent accidental deletion.
- \* 6. Using the output from the stack, enter the value of the ProdInstanceID in the text box below:

- A. Mastered
- B. Not Mastered

**Answer:** A

#### Explanation:

Here are the steps to update an existing AWS CloudFormation stack:

- Log in to the AWS Management Console and navigate to the CloudFormation service in the us-east-2 Region.
  - Find the existing stack named 1700182 and click on it.
  - Click on the "Update" button.
  - Choose "Replace current template" and upload the updated CloudFormation template from the Amazon S3 bucket named "cloudformation-bucket"
  - In the "Parameter" section, update the EC2 instance type to us-east-t2.nano and add the IP address range 192.168.100.0/30 for SSH access.
  - Replace the instance profile IAM role with IamRoleB.
  - In the "Capabilities" section, check the checkbox for "IAM Resources"
  - Choose the role CFServiceR01e and click on "Update Stack"
  - Wait for the stack to be updated.
  - Once the update is complete, navigate to the stack and click on the "Stack options" button, and select "Prevent updates to prevent accidental deletion"
  - To get the value of the ProdInstanceID, navigate to the "Outputs" tab in the CloudFormation stack and find the key "ProdInstanceID". The value corresponding to it is the value that you need to enter in the text box below.
- Note:

> You can use AWS CloudFormation to update an existing stack.  
You can use the AWS CloudFormation service role to deploy updates.  
You can refer to the AWS CloudFormation documentation for more information on how to update and manage stacks: <https://aws.amazon.com/cloudformation/>

**NEW QUESTION 282**

.....



## THANKS FOR TRYING THE DEMO OF OUR PRODUCT

Visit Our Site to Purchase the Full Set of Actual AWS-SysOps Exam Questions With Answers.

We Also Provide Practice Exam Software That Simulates Real Exam Environment And Has Many Self-Assessment Features. Order the AWS-SysOps Product From:

<https://www.2passeasy.com/dumps/AWS-SysOps/>

## Money Back Guarantee

### **AWS-SysOps Practice Exam Features:**

- \* AWS-SysOps Questions and Answers Updated Frequently
- \* AWS-SysOps Practice Questions Verified by Expert Senior Certified Staff
- \* AWS-SysOps Most Realistic Questions that Guarantee you a Pass on Your FirstTry
- \* AWS-SysOps Practice Test Questions in Multiple Choice Formats and Updatesfor 1 Year