



Linux-Foundation

Exam Questions CKAD

Certified Kubernetes Application Developer (CKAD) Program

About ExamBible

Your Partner of IT Exam

Found in 1998

ExamBible is a company specialized on providing high quality IT exam practice study materials, especially Cisco CCNA, CCDA, CCNP, CCIE, Checkpoint CCSE, CompTIA A+, Network+ certification practice exams and so on. We guarantee that the candidates will not only pass any IT exam at the first attempt but also get profound understanding about the certificates they have got. There are so many alike companies in this industry, however, ExamBible has its unique advantages that other companies could not achieve.

Our Advances

* 99.9% Uptime

All examinations will be up to date.

* 24/7 Quality Support

We will provide service round the clock.

* 100% Pass Rate

Our guarantee that you will pass the exam.

* Unique Guarantee

If you do not pass the exam at the first time, we will not only arrange FULL REFUND for you, but also provide you another exam of your claim, ABSOLUTELY FREE!

NEW QUESTION 1

Exhibit:



Task

Create a new deployment for running nginx with the following parameters;

- Run the deployment in the kdpd00201 namespace. The namespace has already been created
 - Name the deployment frontend and configure with 4 replicas
 - Configure the pod with a container image of lfcncf/nginx:1.13.7
 - Set an environment variable of NGINX_PORT=8080 and also expose that port for the container above
- Answer: See the solution below.

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Solution:

```

student@node-1:~$ kubectl create deployment api --image=lfcncf/nginx:1.13.7-alpine --replicas=4
-n kdpd00201 --dry-run=client -o yaml > nginx_deployment.yml
student@node-1:~$ vim nginx_deployment.yml

```

```

apiVersion: apps/v1
kind: Deployment
metadata:
  creationTimestamp: null
  labels:
    app: api
  name: api
  namespace: kdpd00201
spec:
  replicas: 4
  selector:
    matchLabels:
      app: api
  strategy: {}
  template:
    metadata:
      creationTimestamp: null
      labels:
        app: api
    spec:
      containers:
      - image: lfcncf/nginx:1.13.7-alpine
        name: nginx
        resources: {}
status: {}

```

```

Readme Web Terminal THE LINUX FOUNDATION
apiVersion: apps/v1
kind: Deployment
metadata:
  labels:
    app: api
  name: api
  namespace: kdpd00201
spec:
  replicas: 4
  selector:
    matchLabels:
      app: api
  template:
    metadata:
      labels:
        app: api
    spec:
      containers:
      - image: lfcncf/nginx:1.13.7-alpine
        name: nginx
        ports:
        - containerPort: 8080
      env:
      - name: NGINX_PORT
        value: "8080"
23,8 All

```

```

Readme Web Terminal THE LINUX FOUNDATION
student@node-1:~$ kubectl create deployment api --image=lfcncf/nginx:1.13.7-alpine --replicas=4
-n kdpd00201 --dry-run=client -o yaml > nginx_deployment.yml
student@node-1:~$ vim nginx_deployment.yml
student@node-1:~$ kubectl create nginx_deployment.yml
Error: must specify one of -f and -k

error: unknown command "nginx_deployment.yml"
See 'kubectl create -h' for help and examples
student@node-1:~$ kubectl create -f nginx_deployment.yml
error: error validating "nginx_deployment.yml": error validating data: ValidationError(Deployment.spec.template.spec): unknown field "env" in io.k8s.api.core.v1.PodSpec; if you choose to ignore these errors, turn validation off with --validate=false
student@node-1:~$ vim nginx_deployment.yml
student@node-1:~$ kubectl create -f nginx_deployment.yml
deployment.apps/api created
student@node-1:~$ kubectl get pods -n kdpd00201
NAME                READY   STATUS    RESTARTS   AGE
api-745677f7dc-7hnmv 1/1     Running   0           13s
api-745677f7dc-9q5vp 1/1     Running   0           13s
api-745677f7dc-fd4gk 1/1     Running   0           13s
api-745677f7dc-mbnpc 1/1     Running   0           13s
student@node-1:~$

```

NEW QUESTION 2

Exhibit:



Context

A pod is running on the cluster but it is not responding. Task

The desired behavior is to have Kubernetes restart the pod when an endpoint returns an HTTP 500 on the /healthz endpoint. The service, probe-pod, should never send traffic to the pod while it is failing. Please complete the following:

- The application has an endpoint, /started, that will indicate if it can accept traffic by returning an HTTP 200. If the endpoint returns an HTTP 500, the application has not yet finished initialization.
- The application has another endpoint /healthz that will indicate if the application is still working as expected by returning an HTTP 200. If the endpoint returns an HTTP 500 the application is no longer responsive.
- Configure the probe-pod pod provided to use these endpoints
- The probes should use port 8080

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Solution:

```
apiVersion:v1 kind:Pod metadata: labels: test:liveness
name:liveness-exec
spec: containers:
-name:liveness
image:k8s.gcr.io/busybox args:
- /bin/sh
- -c
- touch/tmp/healthy;sleep30;rm-rf/tmp/healthy;sleep600
livenessProbe: exec: command:
```

- cat
- /tmp/healthy initialDelaySeconds:5 periodSeconds:5
In the configuration file, you can see that the Pod has a single Container. The periodSeconds field specifies that the kubelet should perform a liveness probe every 5 seconds. The initialDelaySeconds field tells the kubelet that it should wait 5 seconds before performing the first probe. To perform a probe, the kubelet executes the command cat /tmp/healthy in the target container. If the command succeeds, it returns 0, and the kubelet considers the container to be alive and healthy. If the command returns a non-zero value, the kubelet kills the container and restarts it.

When the container starts, it executes this command:

```
/bin/sh -c"touch /tmp/healthy; sleep 30; rm -rf /tmp/healthy; sleep 600"
```

For the first 30 seconds of the container's life, there is a /tmp/healthy file. So during the first 30 seconds, the command cat /tmp/healthy returns a success code. After 30 seconds, cat /tmp/healthy returns a failure code

Create the Pod:

```
kubectl apply -f https://k8s.io/examples/pods/probe/exec-liveness.yaml Within 30 seconds, view the Pod events:
```

```
kubectl describe pod liveness-exec
```

The output indicates that no liveness probes have failed yet:

```
FirstSeen LastSeen Count From SubobjectPath Type Reason Message
```

```
-----
24s 24s 1 {default-scheduler } Normal Scheduled Successfully assigned liveness-exec to worker0
23s 23s 1 {kubelet worker0} spec.containers{liveness} Normal Pulling pulling image "k8s.gcr.io/busybox" 23s 23s 1 {kubelet worker0} spec.containers{liveness}
Normal Pulled Successfully pulled image
"k8s.gcr.io/busybox"
```

```
23s 23s 1 {kubelet worker0} spec.containers{liveness} Normal Created Created container with docker id 86849c15382e; Security:[seccomp=unconfined]
```

```
23s 23s 1 {kubelet worker0} spec.containers{liveness} Normal Started Started container with docker id 86849c15382e
```

After 35 seconds, view the Pod events again: kubectl describe pod liveness-exec

At the bottom of the output, there are messages indicating that the liveness probes have failed, and the containers have been killed and recreated.

```
FirstSeen LastSeen Count From SubobjectPath Type Reason Message
```

```
-----
37s 37s 1 {default-scheduler } Normal Scheduled Successfully assigned liveness-exec to worker0
36s 36s 1 {kubelet worker0} spec.containers{liveness} Normal Pulling pulling image "k8s.gcr.io/busybox" 36s 36s 1 {kubelet worker0} spec.containers{liveness}
Normal Pulled Successfully pulled image
"k8s.gcr.io/busybox"
```

```
36s 36s 1 {kubelet worker0} spec.containers{liveness} Normal Created Created container with docker id 86849c15382e; Security:[seccomp=unconfined]
```

```
36s 36s 1 {kubelet worker0} spec.containers{liveness} Normal Started Started container with docker id 86849c15382e
```

```
2s 2s 1 {kubelet worker0} spec.containers{liveness} Warning Unhealthy Liveness probe failed: cat: can't open '/tmp/healthy': No such file or directory
```

Wait another 30 seconds, and verify that the container has been restarted: kubectl get pod liveness-exec

The output shows that RESTARTS has been incremented: NAME READY STATUS RESTARTS AGE

```
liveness-exec 1/1 Running 1 1m
```

NEW QUESTION 3

Exhibit:



Context

You are tasked to create a secret and consume the secret in a pod using environment variables as follow:

Task

- Create a secret named another-secret with a key/value pair; key1/value4
- Start an nginx pod named nginx-secret using container image nginx, and add an environment variable exposing the value of the secret key key 1, using COOL_VARIABLE as the name for the environment variable inside the pod

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Solution:


```

Readme  Web Terminal  THE LINUX FOUNDATION

student@node-1:~$ kubectl get pods -n web
NAME      READY   STATUS    RESTARTS   AGE
cache     1/1     Running   0           9s
student@node-1:~$ kubectl create secret generic some-secret --from-literal=key1=value4
secret/some-secret created
student@node-1:~$ kubectl get secret
NAME                TYPE          DATA   AGE
default-token-4kvr5  kubernetes.io/service-account-token  3       2d11h
some-secret          Opaque        1       5s
student@node-1:~$ kubectl run nginx-secret --image=nginx --dry-run=client -o yaml > nginx_secret.yml
student@node-1:~$ vim nginx_secret.yml
student@node-1:~$ kubectl create -f nginx_secret.yml
pod/nginx-secret created
student@node-1:~$ kubectl get pods
NAME          READY   STATUS             RESTARTS   AGE
liveness-http 1/1     Running            0           6h38m
nginx-101     1/1     Running            0           6h39m
nginx-secret   0/1     ContainerCreating  0           4s
poller        1/1     Running            0           6h39m
student@node-1:~$ kubectl get pods
NAME          READY   STATUS    RESTARTS   AGE
liveness-http 1/1     Running   0           6h38m
nginx-101     1/1     Running   0           6h39m
nginx-secret   1/1     Running   0           8s
poller        1/1     Running   0           6h39m
student@node-1:~$

```

NEW QUESTION 4

Exhibit:



Task

A deployment is falling on the cluster due to an incorrect image being specified. Locate the deployment, and fix the problem.
 Pending

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Suggest the Solution.

NEW QUESTION 5

Exhibit:



Given a container that writes a log file in format A and a container that converts log files from format A to format B, create a deployment that runs both containers such that the log files from the first container are converted by the second container, emitting logs in format B.

Task:

- Create a deployment named deployment-xyz in the default namespace, that:
 - Includes a primary lfcncf/busybox:1 container, named logger-dev
 - includes a sidecar lfcncf/fluentd:v0.12 container, named adapter-zen
 - Mounts a shared volume /tmp/log on both containers, which does not persist when the pod is deleted
 - Instructs the logger-dev container to run the command

```
while true; do
echo "i luv cncf" >> /
tmp/log/input.log;
sleep 10;
done
```

which should output logs to /tmp/log/input.log in plain text format, with example values:

```
i luv cncf
i luv cncf
i luv cncf
```


- The adapter-zen sidecar container should read /tmp/log/input.log and output the data to /tmp/log/output.* in Fluentd JSON format. Note that no knowledge of Fluentd is required to complete this task: all you will need to achieve this is to create the ConfigMap from the spec file provided at /opt/KDMC00102/fluentd-configmap.p.yaml , and mount that ConfigMap to /fluentd/etc in the adapter-zen sidecar container

- A. Mastered
- B. Not Mastered


Answer: A

Explanation:

Solution:



```
student@node-1:~$ kubectl create deployment deployment-xyz --image=lfcncf/busybox:1 --dry-run=client -o yaml > deployment_xyz.yml
student@node-1:~$ vim deployment_xyz.yml
```



```
apiVersion: apps/v1
kind: Deployment
metadata:
  creationTimestamp: null
  labels:
    app: deployment-xyz
  name: deployment-xyz
spec:
  replicas: 1
  selector:
    matchLabels:
      app: deployment-xyz
  strategy: {}
  template:
    metadata:
      creationTimestamp: null
      labels:
        app: deployment-xyz
    spec:
      containers:
      - image: lfcncf/busybox:1
        name: busybox
        resources: {}
status: {}
~
~
"deployment_xyz.yml" 24L, 434C 3,1 All
```

Readme Web Terminal THE **LINUX** FOUNDATION

```

kind: Deployment
metadata:
  labels:
    app: deployment-xyz
  name: deployment-xyz
spec:
  replicas: 1
  selector:
    matchLabels:
      app: deployment-xyz
  template:
    metadata:
      labels:
        app: deployment-xyz
    spec:
      volumes:
      - name: myvol1
        emptyDir: {}
      containers:
      - image: lfccncf/busybox:1
        name: logger-dev
        volumeMounts:
        - name: myvol1
          mountPath: /tmp/log
      - image: lfccncf/fluentd:v0.12
        name: adapter-zen
  
```

3 lines yanked 27,22 Bot

Readme Web Terminal THE **LINUX** FOUNDATION

```

metadata:
  labels:
    app: deployment-xyz
spec:
  volumes:
  - name: myvol1
    emptyDir: {}
  - name: myvol2
    configMap:
      name: logconf
  containers:
  - image: lfccncf/busybox:1
    name: logger-dev
    command: ["/bin/sh", "-c", "while [ true ]; do echo 'i luv cncf' >> /tmp/log/input.log; sleep 10; done"]
    volumeMounts:
    - name: myvol1
      mountPath: /tmp/log
  - image: lfccncf/fluentd:v0.12
    name: adapter-zen
    command: ["/bin/sh", "-c", "tail -f /tmp/log/input.log >> /tmp/log/output.log"]
    volumeMounts:
    - name: myvol1
      mountPath: /tmp/log
    - name: myvol2
      mountPath: /fluentd/et
  
```

37,33 Bot

```

student@node-1:~$ kubectl create -f deployment_xyz.yml
deployment.apps/deployment-xyz created
student@node-1:~$ kubectl get deployment
NAME          READY   UP-TO-DATE   AVAILABLE   AGE
deployment-xyz 0/1     1             0           5s
student@node-1:~$ kubectl get deployment
NAME          READY   UP-TO-DATE   AVAILABLE   AGE
deployment-xyz 0/1     1             0           9s
student@node-1:~$ kubectl get deployment
NAME          READY   UP-TO-DATE   AVAILABLE   AGE
deployment-xyz 1/1     1             1           12s
student@node-1:~$
  
```

```

student@node-1:~$ kubectl create -f deployment_xyz.yml
deployment.apps/deployment-xyz created
student@node-1:~$ kubectl get deployment
NAME          READY   UP-TO-DATE   AVAILABLE   AGE
deployment-xyz 0/1     1             0           5s
student@node-1:~$ kubectl get deployment
NAME          READY   UP-TO-DATE   AVAILABLE   AGE
deployment-xyz 0/1     1             0           9s
student@node-1:~$ kubectl get deployment
NAME          READY   UP-TO-DATE   AVAILABLE   AGE
deployment-xyz 1/1     1             1           12s
student@node-1:~$
  
```

NEW QUESTION 6

Exhibit:



Context

Your application's namespace requires a specific service account to be used.

Task


Update the app-deployment in the production namespace to run as the restricted-service-account. The service account has already been created.

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Solution:



NEW QUESTION 7


Context

Anytime a team needs to run a container on Kubernetes they will need to define a pod within which to run the container.

Task

Please complete the following:

- Create a YAML formatted pod manifest /opt/KDPD00101/pod.yml to create a pod named app1 that runs a container named app1cont using image lfcncf/arg-output with these command line arguments: -lines 56 -F
- Create the pod with the kubectl command using the YAML file created in the previous step
- When the pod is running display summary data about the pod in JSON format using the kubectl command and redirect the output to a file named /opt/KDPD00101/out1.json
- All of the files you need to work with have been created, empty, for your convenience



- A. Mastered
- B. Not Mastered

Answer: A


```

Readme Web Terminal

nginx-configmap 1/1 Running 0 6m2
nginx-secret 1/1 Running 0 11m
poller 1/1 Running 0 6h5
student@node-1:~$ kubectl get pods
NAME READY STATUS RESTARTS AGE
app1 1/1 Running 0 26s
counter 1/1 Running 0 5m5s
liveness-http 1/1 Running 0 6h50m
nginx-101 1/1 Running 0 6h51m
nginx-configmap 1/1 Running 0 6m42s
nginx-secret 1/1 Running 0 12m
poller 1/1 Running 0 6h51m
student@node-1:~$ kubectl delete pod app1
pod "app1" deleted
student@node-1:~$ vim /opt/KDPD00101/pod1.yml
student@node-1:~$ kubectl create -f /opt/KDPD00101/pod1.yml
pod/app1 created
student@node-1:~$ kubectl get pods
NAME READY STATUS RESTARTS AGE
app1 1/1 Running 0 20s
counter 1/1 Running 0 6m57s
liveness-http 1/1 Running 0 6h52m
nginx-101 1/1 Running 0 6h53m
nginx-configmap 1/1 Running 0 8m34s
nginx-secret 1/1 Running 0 14m
poller 1/1 Running 0 6h53m
student@node-1:~$ kubectl get pod app1 -o json >

```

```

Readme Web Terminal THE LINUX FOUNDATION

poller 1/1 Running 0 6h51m
student@node-1:~$ kubectl get pods
NAME READY STATUS RESTARTS AGE
app1 1/1 Running 0 26s
counter 1/1 Running 0 5m5s
liveness-http 1/1 Running 0 6h50m
nginx-101 1/1 Running 0 6h51m
nginx-configmap 1/1 Running 0 6m42s
nginx-secret 1/1 Running 0 12m
poller 1/1 Running 0 6h51m
student@node-1:~$ kubectl delete pod app1
pod "app1" deleted
student@node-1:~$ vim /opt/KDPD00101/pod1.yml
student@node-1:~$ kubectl create -f /opt/KDPD00101/pod1.yml
pod/app1 created
student@node-1:~$ kubectl get pods
NAME READY STATUS RESTARTS AGE
app1 1/1 Running 0 20s
counter 1/1 Running 0 6m57s
liveness-http 1/1 Running 0 6h52m
nginx-101 1/1 Running 0 6h53m
nginx-configmap 1/1 Running 0 8m34s
nginx-secret 1/1 Running 0 14m
poller 1/1 Running 0 6h53m
student@node-1:~$ kubectl get pod app1 -o json > /opt/KDPD00101/out1.json
student@node-1:~$
student@node-1:~$

```

NEW QUESTION 8

Exhibit:



Context

You are tasked to create a ConfigMap and consume the ConfigMap in a pod using a volume mount. Task Please complete the following:

- Create a ConfigMap named another-config containing the key/value pair: key4/value3
- start a pod named nginx-configmap containing a single container using the nginx image, and mount the key you just created into the pod under directory /also/a/path

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:


```
Readme Web Terminal THE LINUX FOUNDATION

student@node-1:~$ kubectl create f nginx_configmap.yml
Error: must specify one of -f and -k

error: unknown command "f nginx_configmap.yml"
See 'kubectl create -h' for help and examples
student@node-1:~$ kubectl create -f nginx_configmap.yml
error: error validating "nginx_configmap.yml": error validating data: ValidationError(Pod.spec.con
tainers[1]): unknown field "mountPath" in io.k8s.api.core.v1.Container; if you choose to ignor
e these errors, turn validation off with --validate=false
student@node-1:~$ vim nginx_configmap.yml
student@node-1:~$ kubectl create -f nginx_configmap.yml
pod/nginx-configmap created
student@node-1:~$ kubectl get pods
NAME          READY   STATUS             RESTARTS   AGE
liveness-http 1/1     Running            0           6h44m
nginx-101     1/1     Running            0           6h45m
nginx-configmap 0/1     ContainerCreating  0           5s
nginx-secret  1/1     Running            0           5m39s
poller        1/1     Running            0           6h44m
student@node-1:~$ kubectl get pods
NAME          READY   STATUS             RESTARTS   AGE
liveness-http 1/1     Running            0           6h44m
nginx-101     1/1     Running            0           6h45m
nginx-configmap 1/1     Running            0           8s
nginx-secret  1/1     Running            0           5m42s
poller        1/1     Running            0           6h45m
student@node-1:~$ l
```

NEW QUESTION 10

.....

Relate Links

100% Pass Your CKAD Exam with Exambible Prep Materials

<https://www.exambible.com/CKAD-exam/>

Contact us

We are proud of our high-quality customer service, which serves you around the clock 24/7.

Viste - <https://www.exambible.com/>