



IBM

Exam Questions 1Y0-204

Citrix Virtual Apps and Desktops 7 Administration

NEW QUESTION 1

Which Citrix ADC-owned IP address will send traffic from the Citrix ADC to NTP servers by default?

- A. CLIP
- B. VIP
- C. SNIP
- D. NSIP

Answer: D

NEW QUESTION 2

Scenario: A Citrix Administrator has given permissions to team members to access their own admin partition, so they can add resources for different departments and manage them without making changes to the default Citrix ADC partition and configuration.

One team member was trying to use the command-line interface to troubleshoot an authentication issue and could NOT use aaad.debug. However, the team member has full permissions on the admin partition.

What can be the cause of this issue?

- A. The team member does NOT have permission to use the CLI.
- B. The team member does NOT have Shell access by design.
- C. The team member needs to troubleshoot the issue from the GUI.
- D. The team member is NOT using the CLI correctly.

Answer: B

NEW QUESTION 3

Scenario: A Citrix Administrator created an SSL virtual server using only the following commands:

The SSL virtual server is currently in a DOWN state.

What could be the reason the SSL virtual server is in a down state?

- A. The SSL services are NOT on the 10.102.29.X network.
- B. SSLv3 is disabled.
- C. The virtual server SSL port is NOT set to port 443.
- D. The SSL Certificate is NOT bound to the virtual server.

Answer: D

NEW QUESTION 4

Scenario: A Citrix Administrator previously configured a Citrix Virtual Desktops Site to use evaluation licenses. The administrator then installed valid advanced licenses on the Citrix License Server and confirmed that licenses show correctly in the licensing console. However, a user reports an issue about logging on to the published desktop. The user receives an error message stating that the evaluation license is about to expire.

What should the administrator do to fix this issue?

- A. Restart the License service.
- B. Verify the host name entry in the license file.
- C. Remove the evaluation license.
- D. Change the product edition in Citrix Studio.

Answer: D

NEW QUESTION 5

Scenario: A Citrix Administrator has made changes to the Citrix ADC, deleting parts of the configuration, and then saved the new configurations. The changes caused an outage which needs to be resolved as quickly as possible. There is no Citrix ADC backup.

What does the administrator need to do to recover the configuration quickly?

- A. Restore from revision history.
- B. Restart the Citrix ADC.
- C. Run HA file synchronization.
- D. Run Save v/s Running configuration.

Answer: A

NEW QUESTION 6

Scenario: A Citrix Administrator of a large, multi-domain company needs to configure specific Group Policy Object (GPO) settings for Citrix Workspace app (Receiver) on managed endpoints that are in various locations. The administrator needs to have the ability to save the GPO template file to the Active Directory central store, so that Group Policy Administrators located in other domains can utilize it.

Which step should the administrator take to accomplish this task?

- A. Use the available Receiver ADMX and ADML template to configure the required settings locally.
- B. Use the available Receiver ADML template to configure the required settings at the domain level.
- C. Use the available Receiver ADML template to configure the required settings locally.
- D. Use the available Receiver ADMX and ADML template to configure the required settings at the domain level.

Answer: D

NEW QUESTION 7

Which three Citrix Virtual Desktops Site components are managed by Citrix, when using Citrix Cloud as the hosting platform? (Choose three.)

- A. Applications and Desktops
- B. Hypervisor
- C. License Server
- D. Site Database
- E. Delivery Controller

Answer: CDE

NEW QUESTION 8

Which three statements are correct regarding Citrix printing? (Choose three.)

- A. Citrix printing does NOT assign each printer a unique namespace within a given session.
- B. The Citrix Print Manager Service monitors session events, such as logon and logoffs or session termination.
- C. Citrix printing sets the default security descriptor for auto-created printers to ensure client printer security.
- D. Citrix printing allows administrators, but NOT users, to print to any other users' active session client printers.
- E. The Citrix Print Manager Service handles requests by impersonating the actual session user.

Answer: BCE

NEW QUESTION 9

Which two options would provide an end-to-end encryption of data, while allowing the Citrix ADC to optimize the responses? (Choose two.)

- A. SSL Bridge protocol for the services
- B. SSL Bridge protocol for the virtual server
- C. HTTP protocol for the services
- D. HTTP protocol for the virtual server
- E. SSL protocol for the services
- F. SSL protocol for the virtual server

Answer: CF

NEW QUESTION 10

Scenario: A Citrix Administrator wants to add machines to a Delivery Group. The administrator has two machine catalogs containing unallocated machines. On the screen to choose machines from machine catalogs, the administrator can see that only one machine catalog is available.

A possible cause of this issue is that the machines in the unavailable machine catalog are . (Choose the correct option to complete the sentence.)

- A. different OS types
- B. provisioned with another provisioning method
- C. unregistered
- D. turned off

Answer: A

NEW QUESTION 10

A Citrix Administrator needs to match the host name 'www.example.com' in all HTTP requests. Which expression, when used, meets this requirement?

- A. HTTP.REQ.HOSTNAME.EQ("www.example.com")
- B. HTTP.REQ.HOSTNAME("example.com")
- C. HTTP.RES.HOSTNAME.CONTAINS("www.example.com")
- D. HTTP.RES.HOSTNAME.EQ("www.example.com")

Answer: A

NEW QUESTION 15

Which account is used by FlexCast Management Architecture (FMA) services to access the Citrix Virtual Apps and Desktops SQL databases?

- A. Delivery Controller's machine account
- B. Local System account
- C. Network Service account
- D. Domain user account

Answer: A

NEW QUESTION 20

A user complains to a Citrix Administrator that application load time is long when they log on at the beginning of the work day.

Which feature can the administrator enable to reduce the perceived start time of the user's application?

- A. Application Limits
- B. Application Keyword
- C. Application Lingering
- D. Application Prelaunch

Answer: D

NEW QUESTION 23

Which log records detailed information such as statistics, metrics and debug information on the Citrix ADC in a proprietary binary format?

- A. Syslog
- B. Nstrace
- C. Nsconfig
- D. Nslog

Answer: D

NEW QUESTION 24

Which tool can a Citrix Administrator utilize to verify that a policy is bound and showing the number of hits?

- A. nstcpdump.sh
- B. nstrace.sh
- C. nsconmsg
- D. nscollect

Answer: C

NEW QUESTION 25

A user calls the help desk to report that when launching any application from within their published desktop session, it takes a long time and the overall performance is poor.

Which Citrix Director report can a Citrix Administrator use to initiate the investigation of the issue?

- A. Machine Utilization in Machine Details
- B. Launch Failures in Trends
- C. Load Evaluator in Trends
- D. Session Data in Filters

Answer: C

NEW QUESTION 29

When creating a new Delegated Administrator with a custom scope, a Citrix Administrator notices that the Full Administrator role is NOT available. The administrator is experiencing this behavior because the custom scope . (Choose the correct option to complete the sentence.)

- A. created did NOT contain all the required objects
- B. must use the Read Only role
- C. was created with the hosting object selected
- D. cannot use the Full Administrator role

Answer: D

NEW QUESTION 33

Scenario: A Citrix Administrator currently manages a Citrix ADC environment in a retail company that is growing quickly and may soon double its volume of business. Currently, a Citrix ADC MPX 5550, which handles web and SSL transactions, is in place, but is close to full capacity. Due to the forecasted growth increase, the administrator needs to find a cost effective solution.

What can the administrator recommend to management in order to cost effectively handle the growth?

- A. Another MPX 5550 appliance
- B. Performance hardware upgrade to Citrix ADC SDX 14100
- C. Perform license upgrade to Citrix ADC MPX 5650
- D. Perform hardware upgrade to Citrix ADC MPX 8005

Answer: C

NEW QUESTION 35

A Citrix Administrator is in the process of installing Citrix Cloud Connector, but the installation fails. What could be causing the Citrix Cloud Connector installation to fail on the machine?

- A. It is in sync with UTC time instead of local time.
- B. Enhanced Security Configuration (ESC) is set to 'off'.
- C. It cannot run on a machine template cloned across multiple machines.
- D. It is NOT joined to the domain.

Answer: D

NEW QUESTION 39

Which PowerShell command should a Citrix Administrator run to obtain the name of a deployment, the local host cache configuration and the license level?

- A. Get-BrokerCatalog
- B. Get-BrokerController
- C. Get-BrokerResource
- D. Get-BrokerSite

Answer:

D

NEW QUESTION 42

Scenario: A Citrix Administrator has configured an HTTP load-balancing virtual server with Least Response Time as the load-balancing algorithm. The administrator notices that requests to the virtual server appear to be using the Round Robin load-balancing algorithm. What could be causing the virtual server to use the Round Robin load-balancing algorithm?

- A. The Citrix ADC configuration has NOT been saved yet.
- B. The virtual server is in startup round robin mode.
- C. The services that are bound to the HTTP virtual server are using the PING monitor.
- D. Least Response Time CANNOT be used as a load-balancing algorithm on an HTTP virtual server.

Answer: B

NEW QUESTION 45

Which command should a Citrix Administrator use to configure a Content Switching virtual server for implementing the Citrix Secure Web Gateway in the transparent proxy mode?

- A. add cs vserver swgVS PROXY * 21 -Authn401 on -authnVsName transparent-auth-vs
- B. add cs vserver swgVS PROXY** -Authn401 on -authnVsName explicit-auth-vs
- C. add cs vserver swgVS PROXY 192.168.10.1 -Authn401 on -authnVsName transparent-auth-vs
- D. add cs vserver swgVS PROXY 192.168.10.1 80 -Authn401 on -authnVsName transparent-auth-vs

Answer: C

NEW QUESTION 47

Which two options should a Citrix Administrator configure to stop the First-Time wizard from automatically popping up? (Choose two.)

- A. Host Name is NOT configured on the appliance.
- B. The Default Admin Password has NOT been changed.
- C. Licenses are NOT present on the appliance.
- D. The appliance is configured with the default IP address (192.168.100.1)

Answer: CD

NEW QUESTION 52

Which PowerShell command can be used to display all the Citrix services installed on the Delivery Controller?

- A. Get-Service -DisplayName *site*
- B. Get-Service -DisplayName *citrix*
- C. Get-Service -DisplayName *controller*
- D. Get-Service -DisplayName *broker*

Answer: B

NEW QUESTION 54

Which two statements are valid when using Citrix Profile Streaming? (Choose two.)

- A. Registry entries and files in the pending area are fetched when accessed.
- B. Profile Streaming is disabled by default.
- C. The files and folders are fetched on demand.
- D. Profile Streaming will delay the logon process.

Answer: AC

Explanation:

Citrix profile streaming enables and disables the Citrix streamed user profiles feature. When enabled, files and folders contained in a profile are fetched from the user store to the local computer only when they are accessed by users after they have logged on. Registry entries and files in the pending area are fetched immediately.

NEW QUESTION 59

Which Citrix ADC Access Control List (ACL) command can a Citrix Administrator use to bridge traffic originating from 192.168.10.200?

- A. add ns simpleacl6
- B. add ns acl6
- C. add ns acl
- D. add ns simpleacl

Answer: C

NEW QUESTION 61

Scenario: A Citrix Administrator needs to configure persistence on a Global Server Load Balancing (GSLB) virtual server to which a service is bound, so that the service continues to serve requests from the client event after it is disabled manually, accepting new requests or connections only to honor persistence. After a configured period of time, no new requests or connections are directed to the service and all of the existing connections are closed. Which parameter can the administrator configure while disabling the service to achieve this requirement?

- A. Request Threshold
- B. Persistence Time-Out
- C. Persistence Threshold
- D. Wait Time

Answer: B

NEW QUESTION 62

Scenario: A Citrix Administrator is required to maximize the usage of the Citrix Virtual Apps and Desktops Site by enabling users to access the Site from external devices and reducing the cost and the effort required to maintain the infrastructure. The desktops for the users are provisioned using Citrix Provisioning. Which set of resources will enable the administrator to achieve the objective?

- A. Citrix Virtual Apps and Desktops service, Citrix Gateway service, on-premises resources
- B. Citrix Virtual Apps and Desktops service, Citrix Gateway, public cloud
- C. Citrix Virtual Apps and Desktops service, Citrix Gateway, on-premises resources
- D. Citrix Virtual Apps and Desktops service, Citrix Gateway service, public cloud

Answer: A

NEW QUESTION 67

Which mode on the Citrix ADC can a Citrix Administrator utilize to avoid asymmetrical packet flows and multiple route/ARP lookups?

- A. Use Subnet IP (USNIP)
- B. MAC-based forwarding (MBF)
- C. Layer 2
- D. Layer 3

Answer: B

NEW QUESTION 71

Scenario: A Citrix ADC receives packets that are destined for a MAC address owned by the Citrix ADC. The destination IP address of the packets does NOT belong to the Citrix ADC. Layer 3 Mode is enabled by default on the Citrix ADC. What will the Citrix ADC do with the packets in this scenario?

- A. Drop the packets
- B. Bridge the packets.
- C. Route the packets.
- D. Process the packets.

Answer: C

NEW QUESTION 75

A user calls the help desk and states that launching a pooled random desktop takes as long as five minutes. Which Citrix Director report can a Citrix Administrator review to find out what might be causing the delay?

- A. Resource Utilization
- B. Connection Failures
- C. Logon Performance
- D. Load Evaluators

Answer: C

NEW QUESTION 77

A Citrix Administrator needs to block all the DNS requests from subnet 10.107.149.0/24. Which expression can the administrator use to match the required traffic?

- A. CLIENT.IP.SRC.IN_SUBNET(10.107.149.0/24)&& client UDP.DSTPORT.EQ(53) || client.TCP.DSTPORT.EQ(53)
- B. CLIENT.IP.SRC.IN_SUBNET(10.107.149.0/24)&& (client UDP.DSTPORT.EQ(53) || client.TCP.DSTPORT.EQ(53))
- C. CLIENT.IP.SRC(10.107.149.0) && (client.UDP.DSTPORT.EQ(53) || client.TCP.DSTPORT.EQ(53))
- D. CLIENT.IP.SRC(10.107.149.0) && client.UDP.DSTPORT.EQ(53) || client.TCP.DSTPORT.EQ(53)

Answer: B

NEW QUESTION 79

Scenario: The Director of network security in a financial organization wants to protect the enterprise network from any external malware threats. To do this, the director needs to gain visibility into otherwise-bypassed traffic and control access to malicious web sites. The director is required to do the following:

Intercept and examine all the traffic, including SSL/TLS (encrypted traffic), coming in, and going out of the enterprise network.

Block access to URLs identified as serving harmful or insecure content.

Identify users (employees) in the enterprise who are accessing malicious websites.

Which Citrix ADC deployment mode should a Citrix Administrator use to achieve this requirement?

- A. Default Gateway
- B. Citrix Secure Web Gateway
- C. Citrix Gateway
- D. Access Gateway

Answer: B

NEW QUESTION 80

Scenario: A Citrix Administrator has been advised that additional Windows users will need to access the on-premises Citrix Virtual Apps and Desktop Site. The Site utilizes Citrix Profile Management for all users. The new users have been using Windows Roaming Profiles and will need their existing profile information when they use the Citrix Site. The administrator enables the Profile Management policy setting for 'Enable Migration of Existing Profiles'.

At which stage will the new users' Roaming Profiles be migrated to the existing Profile Management store?

- A. When the new policy is updated automatically in Active Directory after 90 minutes
- B. When the new users initiate their first domain authentication
- C. When the Virtual Delivery Agent (VDA) machines configured with the new policy are restarted
- D. When the new users initiate their first logon to a Virtual Delivery Agent (VDA) machine

Answer: A

NEW QUESTION 85

Scenario: A Lead Citrix Administrator for a large company hired a new administrator for the team to help manage a Citrix Virtual Desktops infrastructure. The new administrator will need to manage user sessions and power-manage machines within the Delivery Group but should NOT be able to create any new objects. Which role should the lead administrator create for the new administrator?

- A. Delivery Group Administrator
- B. Machine Catalog Administrator
- C. Help Desk Administrator
- D. Host Administrator

Answer: C

NEW QUESTION 88

A Citrix Administrator configured the Responder policy to redirect the request for root page to the home page. However, after executing the command, the webpage access entered a loop, as shown in the second screenshot. Click on the 'Exhibit' buttons to view the screenshots.

How will the administrator rectify this issue?

- A. Change Responder action expression to "/"
- B. Change Responder Policy expression to `http.REQ.URL.Contains("/")`
- C. Change Responder Action expression to `http.REQ.URL`
- D. Change Responder Policy expression to `http.REQ.URL.EQ("/")`

Answer: D

NEW QUESTION 89

Which three database high availability features are supported for on-premises deployments of Citrix Virtual Apps and Desktops? (Choose three.)

- A. Always On Availability Groups
- B. Automatic Storage Management
- C. Mirroring
- D. Clustered Instances
- E. Flashback

Answer: ACD

NEW QUESTION 91

Scenario: A Citrix Administrator is in the process of creating a new machine catalog. The administrator discovers that the option to power-manage the catalog is NOT available.

What is causing this issue?

- A. The Site database is offline.
- B. The Virtual Delivery Agent (VDA) is NOT installed on the master image.
- C. The master image has a version older than 7.6 installed on the Virtual Delivery Agent (VDA).
- D. No resource connection is defined in Citrix Studio.

Answer: D

NEW QUESTION 96

Scenario: A Citrix Administrator needs to deploy 300 virtual Windows 10 desktops in an environment. The deployment should have a low impact on the existing network infrastructure. The environment also requires user-installed applications and persistency. Which Citrix technology can the administrator use to provision the desktops?

- A. Citrix Provisioning
- B. Existing Machines
- C. Machine Creation Services
- D. Manual Provisioning

Answer: C

NEW QUESTION 101

Scenario: A Citrix Administrator has enabled an HDX Session printers policy within a Citrix Virtual Apps and Desktops Site. The administrator added a printer to a print server and assigned the printer to all users through a session printer policy. In addition, several local client printers are auto-created within HDX sessions. No other printing policies are configured.

How will print jobs be routed when users send print jobs to a printer managed by the print server?

- A. Directly to the network print server and then to the specified printer.
- B. Over the HDX virtual channel to the specified printer attached to the print server.
- C. Directly from the session Virtual Delivery Agent (VDA) machine to the printer.
- D. Over the HDX virtual channel, through the endpoint, and then to the print server.

Answer: A

NEW QUESTION 103

Which layer can optionally be managed by Citrix Cloud, when designing Citrix Cloud architecture?

- A. Access
- B. Hardware
- C. Resource
- D. Control

Answer: A

NEW QUESTION 105

Scenario: A Citrix Administrator is configuring load balancing on a Citrix ADC appliance for the company web servers. The administrator needs to create a custom monitor that will look for a specific keyword response from the website and will be used to keep the services in an UP state.

Which type of monitor can the administrator create to accomplish this scenario?

- A. HTTP-ECV monitor with the keyword in the Special Parameters – Receive String field.
- B. A HTTP monitor with the keyword in the Special Parameters – Response Codes field.
- C. A TCP monitor with the keyword in the Special Parameters – Response Code field.
- D. An UDP-ECV monitor with the keyword in the Special Parameters – Receive String field.

Answer: A

NEW QUESTION 108

What must a Citrix Administrator do to encrypt XML traffic between StoreFront and the Delivery Controllers?

- A. Install a private server certificate on each StoreFront server and then add a new Internet Information Services (IIS) binding for HTTPS.
- B. Install a private server certificate on each Delivery Controller and bind the certificates to port 443.
- C. Install a private certificate on each Delivery Controller and StoreFront serve
- D. Restart each server to force XML communication to be encrypted.
- E. Install a private server certificate on each StoreFront serve
- F. Open the StoreFront console and use the https:// prefix with the base URL.

Answer: A

NEW QUESTION 109

Scenario: A Citrix Administrator configured the following policies in a Citrix Virtual Desktops Site environment, in descending priority order.

1. "Marketing Office A" has a filter on Marketing users. 'Client Network Drives' is disabled; 'Client Fixed Drives' is enabled.
2. "Marketing Office B" has a filter on Marketing users' internal IP. 'Client Network Drives' is disabled; 'Client Fixed Drives' is enabled.
3. "Accounting" has a filter on Accounting Users. 'Client Network Drives' is enabled; 'Client Fixed Drives' is NOT configured.
4. "Baseline" is configured without a filter. 'Client Network Drives' and 'Client Fixed Drives' are both disabled.

Based on these policies, what will Accounting users be able to access?

- A. Client network drives only
- B. Neither the client network drive nor the client fixed drive
- C. Client fixed drives only
- D. Client fixed and network drives

Answer: A

NEW QUESTION 113

Scenario: A Citrix Administrator has configured an Authentication, Authorization, and Auditing (AAA) action policy to allow users access through the Citrix ADC. The Administrator bound the policy to a specific vServer.

Which policy expression will allow all users access through the vServer?

- A. ns_disallow
- B. ns_false
- C. ns_true
- D. ns_allow

Answer: D

NEW QUESTION 118

Scenario: A Citrix Administrator is managing a Citrix ADC SDX running eight Citrix ADC instances. The administrator first needs to upgrade the firmware on the instances. However; the administrator is concerned that it needs to be done all at once.

What upgrading flexibility does SDX provide in this scenario?

- A. The Citrix ADC instances have to be upgraded at the same time.
- B. It is NOT possible to upgrade the Citrix ADC instances to different firmware versions.
- C. The Citrix ADC instance can be upgraded at the SDX management level, allowing all instances to be upgraded at once.
- D. The Citrix ADC instance can be upgraded on an individual basis, allowing all instances to run different firmware versions.

Answer: A

NEW QUESTION 119

Which three methods can a Citrix Administrator choose from when creating a Featured App Group for a set of applications? (Choose three.)

- A. Application names
- B. Installed locally
- C. Keyword
- D. Application category
- E. Delivery Group

Answer: ACD

Explanation:

You can create product featured app groups for your end users that are related to or fit in a specific category. For example, you can create a Sales Department featured app group containing applications that are used by that department. You can define featured apps in the StoreFront administration console by using application names or by using keywords or application categories that were defined in the Studio console.

NEW QUESTION 121

Scenario: A Citrix Administrator needs to add 10 new web servers to an existing server farm. The new servers are configured to serve the same applications and connections and are twice the capacity of the existing servers. The administrator wants to ensure that they are being fully utilized. Currently in the environment, the default load-balancing method is being used.

To ensure that only the 10 new servers are receiving twice the connections of the old servers without changing the load balancing to the rest of the environment, the administrator needs to add a weight of to the services attached to the servers. (Choose the correct option to complete the sentence.)

- A. 50; new
- B. 2; old
- C. 50; old
- D. 2; new

Answer: D

NEW QUESTION 123

Which tool can a Citrix Administrator use to collect information to investigate issues with session performance?

- A. CDF Control
- B. HDX Monitor
- C. Citrix Scout
- D. Citrix Health Assistant

Answer: A

NEW QUESTION 124

What two options are limitations of a typical Global Server Load Balancing (GSLB) setup? (Choose two.)

- A. An administrator CANNOT define a backup for a backup Vserver in an active standby GSLB setup for a given GSLB domain
- B. Apply spillover policies on a subset of GSLB services and the user CANNOT have a backup for a subset of GSLB services.
- C. Restrict the selection of a GSLB service from a subset of GSLB services bound to a GSLB virtual server for the given domain.
- D. Any given GSLB Vserver can load-balance only one FQDN.

Answer: BC

NEW QUESTION 128

Which method, according to Citrix leading practices, can a Citrix Administrator use to successfully make a configuration change for a StoreFront server group?

- A. Make the change on one StoreFront server in the group, then restart all servers in the group to synchronize the change.
- B. Make the same change manually on all StoreFront servers in the group, then run a Site health check.
- C. Make the same change on all StoreFront servers in the group using remote PowerShell commands.
- D. Make the change on one StoreFront server in the group, then use the Propagate Changes feature.

Answer: D

NEW QUESTION 130

For which three components can Citrix Director capture utilization statistics? (Choose three.)

- A. CPU
- B. IOPS
- C. Disk space
- D. Network
- E. Memory

Answer:

ABE

NEW QUESTION 133

Scenario: A Citrix Administrator needs to deploy Citrix Virtual Apps Project requirements dictate that management and maintenance should be minimized for the administrator, while still maintaining control of the Virtual Delivery Agent (VDA) machines.
Which hosting platform should the administrator choose to meet these requirements?

- A. Service provider
- B. On-premises
- C. Public Cloud-hosted
- D. Citrix Cloud

Answer: D

NEW QUESTION 134

A Citrix Administrator needs to confirm that all the client certificates presented to the authentication vServer are valid until year 2020.
Which expression can the administrator use to meet this requirement?

- A. CLIENT.SSL.CLIENT_CERT.VALID_NOT_AFTER.EQ(GMT2020)
- B. CLIENT.SSL.CLIENT_CERT.DAYS_TO_EXPIRE.EQ(2020)
- C. CLIENT.SSL.ORIGIN_SERVER_CERT.VALID_NOT_AFTER.EQ(GMT2020)
- D. CLIENT.SSL.CLIENT_CERT.VALID_NOT_BEFORE.EQ(GMT2020)

Answer: A

NEW QUESTION 138

How can a Citrix Administrator guarantee the availability of resource locations in a Citrix Cloud deployment?

- A. Deploy at least two Cloud Connectors for each resource location and load-balance them using Citrix ADC.
- B. Deploy at least two Cloud Connectors for each resource location.
- C. Convert one Cloud Connector to a template and deploy it when another Cloud Connector goes down.
- D. Deploy one Cloud Connector in each resource location.

Answer: B

NEW QUESTION 140

Scenario: A Citrix ADC is configured with Interface 1/1 and bound to VLAN 40. A Citrix Administrator has executed the following command: bind vlan 20 -ifnum 1/1
What is the result of executing the command on the Citrix ADC?

- A. Interface 1/1 is bound to VLAN 20, and native VLAN is 1.
- B. Interface 1/1 is bound to VLAN 20, and native VLAN is 40.
- C. Interface 1/1 is bound to VLAN 20, and native VLAN is NOT changed.
- D. Interface 1/1 is bound to VLAN 20, and native VLAN is 20.

Answer: B

NEW QUESTION 141

Which two features within Citrix Director can a Citrix Administrator use to view historical resource utilization for a machine running the Virtual Delivery Agent (VDA)? (Choose two.)

- A. Alerts
- B. Dashboard
- C. Applications
- D. Search
- E. Trends

Answer: CE

NEW QUESTION 143

Scenario: A Citrix Administrator needs to ensure that a user request is redirected to the next available data center in order to ensure the best user experience based upon location.

Below are the Global Server Load Balancing (GSLB) vserver settings:

To which setting should the administrator change the configured method?

- A. StaticProximity
- B. RoundRobin
- C. LeastConnection
- D. LeastBandwidth

Answer: C

NEW QUESTION 144

Which scenario will cause automatic high availability (HA) synchronization to fail?

- A. Manually forced synchronization

- B. A configuration change to the primary Citrix ADC
- C. Different build versions
- D. A force failover

Answer: C

NEW QUESTION 146

Scenario: A Citrix Administrator configured the HTTP_Callout feature on the Citrix ADC using the command-line interface. After configuring the commands, the device is facing the HTTP callout recursion issue.

Click on the 'Exhibit' button to view the screenshot of the command-line interface.

How will the administrator rectify the issue?

- A. Change the expression of the Responder policy to "HTTP.REQ.HEADER(\\"Request\\").EQ(\\"Callout Request\\").NOT && SYS.HTTP_CALLOUT(myCallout).CONTAINS(\\"IP Matched\\")"
- B. Change the expression of the Responder policy to "HTTP.REQ.HEADER(\\"Request\\").EQ(\\"Callout Request\\").NOT && SYS.HTTP_CALLOUT(myCallout).CONTAINS(\\"IP Matched\\").NOT"
- C. In the HTTP Callout policy, change the –parameters to "cip(CLIENT.IP.SRC)&&HTTP.REQ.HEADER(\\"Request\\").EQ(\\"Callout Request\\")"
- D. In the HTTP Callout policy, change the –parameters to "cip(CLIENT.IP.DST)&&HTTP.REQ.HEADER(\\"Request\\").EQ(\\"Callout Request\\")"

Answer: B

NEW QUESTION 151

.....

Thank You for Trying Our Product

We offer two products:

1st - We have Practice Tests Software with Actual Exam Questions

2nd - Questions and Answers in PDF Format

1Y0-204 Practice Exam Features:

- * 1Y0-204 Questions and Answers Updated Frequently
- * 1Y0-204 Practice Questions Verified by Expert Senior Certified Staff
- * 1Y0-204 Most Realistic Questions that Guarantee you a Pass on Your FirstTry
- * 1Y0-204 Practice Test Questions in Multiple Choice Formats and Updatesfor 1 Year

100% Actual & Verified — Instant Download, Please Click
[Order The 1Y0-204 Practice Test Here](#)