

350-701 Dumps

Implementing and Operating Cisco Security Core Technologies

<https://www.certleader.com/350-701-dumps.html>



NEW QUESTION 1

Which feature requires a network discovery policy on the Cisco Firepower Next Generation Intrusion Prevention System?

- A. security intelligence
- B. impact flags
- C. health monitoring
- D. URL filtering

Answer: A

NEW QUESTION 2

Refer to the exhibit.

```
aaa new-model
radius-server host 10.0.0.12 key secret12
```

Which statement about the authentication protocol used in the configuration is true?

- A. The authentication request contains only a password
- B. The authentication request contains only a username
- C. The authentication and authorization requests are grouped in a single packet.
- D. There are separate authentication and authorization request packets.

Answer: C

NEW QUESTION 3

Which two preventive measures are used to control cross-site scripting? (Choose two.)

- A. Enable client-side scripts on a per-domain basis.
- B. Incorporate contextual output encoding/escaping.
- C. Disable cookie inspection in the HTML inspection engine.
- D. Run untrusted HTML input through an HTML sanitization engine.
- E. SameSite cookie attribute should not be used.

Answer: AB

NEW QUESTION 4

Refer to the exhibit.

Interface	MAC Address	Method	Domain	Status	Fq Session ID
Gi4/15	0050.b6d4.8a60	dot1x	DATA	Auth	0A02198200001
Gi8/43	0024.c4fe.1832	dot1x	VOICE	Auth	0A02198200000
Gi10/25	0026.7391.bbd1	dot1x	DATA	Auth	0A02198200001
Gi8/28	0026.0b5e.51d5	dot1x	VOICE	Auth	0A02198200000
Gi4/13	0025.4593.e575	dot1x	VOICE	Auth	0A02198200000
Gi10/23	0025.8418.217f	dot1x	VOICE	Auth	0A02198200000
Gi7/4	0025.8418.1bc7	dot1x	VOICE	Auth	0A02198200000
Gi7/7	0026.0b5e.50fb	dot1x	VOICE	Auth	0A02198200000
Gi8/14	c85b.7604.fa1d	dot1x	DATA	Auth	0A02198200001
Gi10/29	0026.0b5e.528a	dot1x	VOICE	Auth	0A02198200000
Gi4/2	0026.0b5e.4f9f	dot1x	VOICE	Auth	0A02198200000
Gi10/30	0025.4593.e5ac	dot1x	VOICE	Auth	0A02198200000
Gi8/29	68bd.aba5.2e44	dot1x	VOICE	Auth	0A02198200001
Gi7/4	54ee.75db.d766	dot1x	DATA	Auth	0A02198200001
Gi2/34	e804.62eb.a658	dot1x	VOICE	Auth	0A02198200000
Gi10/22	482a.e307.d9c8	dot1x	DATA	Auth	0A02198200001
Gi9/22	0007.b00c.8c35	mab	DATA	Auth	0A02198200000

Which command was used to generate this output and to show which ports are authenticating with dot1x or mab?

- A. show authentication registrations
- B. show authentication method
- C. show dot1x all
- D. show authentication sessions

Answer: B

NEW QUESTION 5

Which exfiltration method does an attacker use to hide and encode data inside DNS requests and queries?

- A. DNS tunneling
- B. DNSCrypt
- C. DNS security
- D. DNSSEC

Answer: A

Explanation:

Reference: <https://learn-umbrella.cisco.com/cloud-security/dns-tunneling>

NEW QUESTION 6

Which solution protects hybrid cloud deployment workloads with application visibility and segmentation?

- A. Nexus
- B. Stealthwatch
- C. Firepower
- D. Tetration

Answer: D

Explanation:

Reference: <https://www.cisco.com/c/en/us/solutions/security/secure-data-center-solution/index.html#~products>

NEW QUESTION 7

How does Cisco Umbrella archive logs to an enterprise- owned storage?

- A. by using the Application Programming Interface to fetch the logs
- B. by sending logs via syslog to an on-premises or cloud-based syslog server
- C. by the system administrator downloading the logs from the Cisco Umbrella web portal
- D. by being configured to send logs to a self-managed AWS S3 bucket

Answer: D

Explanation:

Reference: <https://docs.umbrella.com/deployment-umbrella/docs/log-management>

NEW QUESTION 8

Which two descriptions of AES encryption are true? (Choose two.)

- A. AES is less secure than 3DES.
- B. AES is more secure than 3DES.
- C. AES can use a 168-bit key for encryption.
- D. AES can use a 256-bit key for encryption.
- E. AES encrypts and decrypts a key three times in sequence.

Answer: BD

Explanation:

Reference: https://gpdb.docs.pivotal.io/43190/admin_guide/topics/ipsec.html

NEW QUESTION 9

Which statement about the configuration of Cisco ASA NetFlow v9 Secure Event Logging is true?

- A. To view bandwidth usage for NetFlow records, the QoS feature must be enabled.
- B. A sysopt command can be used to enable NSEL on a specific interface.
- C. NSEL can be used without a collector configured.
- D. A flow-export event type must be defined under a policy.

Answer: D

NEW QUESTION 10

Which command enables 802.1X globally on a Cisco switch?

- A. dot1x system-auth-control
- B. dot1x pae authenticator
- C. authentication port-control auto
- D. aaa new-model

Answer: A

Explanation:

Reference: https://www.cisco.com/c/en/us/td/docs/routers/nfvis/switch_command/b-nfvis-switch-command-reference/802_1x_commands.html

NEW QUESTION 10

What is a characteristic of Dynamic ARP Inspection?

- A. DAI determines the validity of an ARP packet based on valid IP to MAC address bindings from the DHCP snooping binding database.
- B. In a typical network, make all ports as trusted except for the ports connecting to switches, which are untrusted.
- C. DAI associates a trust state with each switch.
- D. DAI intercepts all ARP requests and responses on trusted ports only.

Answer: A

NEW QUESTION 12

Which statement about IOS zone-based firewalls is true?

- A. An unassigned interface can communicate with assigned interfaces
- B. Only one interface can be assigned to a zone.
- C. An interface can be assigned to multiple zones.
- D. An interface can be assigned only to one zone.

Answer: D

Explanation:

Reference: <https://www.cisco.com/c/en/us/support/docs/security/ios-firewall/98628-zone-design-guide.html>

NEW QUESTION 16

Which ID store requires that a shadow user be created on Cisco ISE for the admin login to work?

- A. RSA SecureID
- B. Internal Database
- C. Active Directory
- D. LDAP

Answer: C

NEW QUESTION 17

What is the difference between deceptive phishing and spear phishing?

- A. Deceptive phishing is an attack aimed at a specific user in the organization who holds a C-level role.
- B. A spear phishing campaign is aimed at a specific person versus a group of people.
- C. Spear phishing is when the attack is aimed at the C-level executives of an organization.
- D. Deceptive phishing hijacks and manipulates the DNS server of the victim and redirects the user to a false webpage.

Answer: B

NEW QUESTION 20

An engineer needs a solution for TACACS+ authentication and authorization for device administration. The engineer also wants to enhance wired and wireless network security by requiring users and endpoints to use 802.1X, MAB, or WebAuth. Which product meets all of these requirements?

- A. Cisco Prime Infrastructure
- B. Cisco Identity Services Engine
- C. Cisco Stealthwatch
- D. Cisco AMP for Endpoints

Answer: B

NEW QUESTION 24

Which VPN technology can support a multivendor environment and secure traffic between sites?

- A. SSL VPN
- B. GET VPN
- C. FlexVPN
- D. DMVPN

Answer: C

Explanation:

Reference: https://www.cisco.com/c/en/us/products/collateral/routers/asr-1000-series-aggregation-services-routers/data_sheet_c78-704277.html

NEW QUESTION 26

Which solution combines Cisco IOS and IOS XE components to enable administrators to recognize applications, collect and send network metrics to Cisco Prime and other third-party management tools, and prioritize application traffic?

- A. Cisco Security Intelligence
- B. Cisco Application Visibility and Control
- C. Cisco Model Driven Telemetry
- D. Cisco DNA Center

Answer: B

NEW QUESTION 31

DRAG DROP

Drag and drop the steps from the left into the correct order on the right to enable AppDynamics to monitor an EC2 instance in Amazon Web Services.

Install monitoring extension for AWS EC2.	step 1
Restart the Machine Agent.	step 2
Update config.yaml.	step 3
Configure a Machine Agent or SIM Agent.	step 4

- A. Mastered
B. Not Mastered

Answer: A

Explanation:

Configure a Machine Agent or SIM Agent.
Install monitoring extension for AWS EC2.
Update config.yaml.
Restart the Machine Agent.

NEW QUESTION 35

Which technology must be used to implement secure VPN connectivity among company branches over a private IP cloud with any-to-any scalable connectivity?

- A. DMVPN
B. FlexVPN
C. IPsec DVTI
D. GET VPN

Answer: D

NEW QUESTION 37

Which Cisco solution does Cisco Umbrella integrate with to determine if a URL is malicious?

- A. AMP
B. AnyConnect
C. DynDNS
D. Talos

Answer: D

NEW QUESTION 38

Which functions of an SDN architecture require southbound APIs to enable communication?

- A. SDN controller and the network elements
B. management console and the SDN controller
C. management console and the cloud
D. SDN controller and the cloud

Answer: A

NEW QUESTION 43

In a PaaS model, which layer is the tenant responsible for maintaining and patching?

- A. hypervisor
B. virtual machine
C. network
D. application

Answer: D

Explanation:

Reference: <https://www.bmc.com/blogs/saas-vs-paas-vs-iaas-whats-the-difference-and-how-to-choose/>

NEW QUESTION 46

What provides visibility and awareness into what is currently occurring on the network?

- A. CMX
B. WMI
C. Prime Infrastructure
D. Telemetry

Answer: C

NEW QUESTION 50

Which attack is commonly associated with C and C++ programming languages?

- A. cross-site scripting
- B. water holing
- C. DDoS
- D. buffer overflow

Answer: D

Explanation:

Reference: https://en.wikipedia.org/wiki/Buffer_overflow

NEW QUESTION 55

An engineer must force an endpoint to re-authenticate an already authenticated session without disrupting the endpoint to apply a new or updated policy from ISE. Which CoA type achieves this goal?

- A. Port Bounce
- B. CoA Terminate
- C. CoA Reauth
- D. CoA Session Query

Answer: C

NEW QUESTION 59

Which feature is configured for managed devices in the device platform settings of the Firepower Management Center?

- A. quality of service
- B. time synchronization
- C. network address translations
- D. intrusion policy

Answer: B

NEW QUESTION 61

The main function of northbound APIs in the SDN architecture is to enable communication between which two areas of a network?

- A. SDN controller and the cloud
- B. management console and the SDN controller
- C. management console and the cloud
- D. SDN controller and the management solution

Answer: D

NEW QUESTION 63

What is a characteristic of Cisco ASA Netflow v9 Secure Event Logging?

- A. It tracks flow-create, flow-teardown, and flow-denied events.
- B. It provides stateless IP flow tracking that exports all records of a specific flow.
- C. It tracks the flow continuously and provides updates every 10 seconds.
- D. Its events match all traffic classes in parallel.

Answer: A

Explanation:

Reference: <https://www.cisco.com/c/en/us/td/docs/security/asa/asa92/configuration/general/asa-general-cli/monitor-nsel.html>

NEW QUESTION 65

Which two kinds of attacks are prevented by multifactor authentication? (Choose two.)

- A. phishing
- B. brute force
- C. man-in-the-middle
- D. DDOS
- E. tear drop

Answer: BC

NEW QUESTION 69

.....

Thank You for Trying Our Product

* 100% Pass or Money Back

All our products come with a 90-day Money Back Guarantee.

* One year free update

You can enjoy free update one year. 24x7 online support.

* Trusted by Millions

We currently serve more than 30,000,000 customers.

* Shop Securely

All transactions are protected by VeriSign!

100% Pass Your 350-701 Exam with Our Prep Materials Via below:

<https://www.certleader.com/350-701-dumps.html>