

300-715 Dumps

Implementing and Configuring Cisco Identity Services Engine (SISE)

<https://www.certleader.com/300-715-dumps.html>



NEW QUESTION 1

Which personas can a Cisco ISE node assume?

- A. policy service, gatekeeping, and monitoring
- B. administration, monitoring, and gatekeeping
- C. administration, policy service, and monitoring
- D. administration, policy service, gatekeeping

Answer: C

Explanation:

Reference: https://www.cisco.com/en/US/docs/security/ise/1.0/user_guide/ise10_dis_deploy.html

NEW QUESTION 2

In which two ways can users and endpoints be classified for TrustSec? (Choose two.)

- A. VLAN
- B. dynamic
- C. QoS
- D. SGACL
- E. SXP

Answer: AD

NEW QUESTION 3

Which RADIUS attribute is used to dynamically assign the Inactivity active timer for MAB users from the Cisco ISE node?

- A. session-timeout
- B. termination-action
- C. radius-server timeout
- D. idle-timeout

Answer: D

NEW QUESTION 4

What must be configured on the Cisco ISE authentication policy for unknown MAC addresses/identities for successful authentication?

- A. continue
- B. pass
- C. drop
- D. reject

Answer: A

NEW QUESTION 5

Which two values are compared by the binary comparison function in authentication that is based on Active Directory?

- A. user-presented certificate and a certificate stored in Active Directory
- B. MS-CHAPv2 provided machine credentials and credentials stored in Active Directory
- C. user-presented password hash and a hash stored in Active Directory
- D. subject alternative name and the common name

Answer: D

Explanation:

Reference: https://www.cisco.com/c/en/us/td/docs/security/ise/1-3/ISE-ADIntegrationDoc/b_ISE-ADIntegration.html

NEW QUESTION 6

What is needed to configure wireless guest access on the network?

- A. endpoint already profiled in ISE
- B. WEBAUTH ACL for redirection
- C. Captive Portal Bypass turned on
- D. valid user account in Active Directory

Answer: C

NEW QUESTION 7

What is a valid guest portal type?

- A. Sponsor
- B. Sponsored-Guest
- C. Captive-Guest
- D. My Devices

Answer: B

Explanation:

Reference: https://www.cisco.com/c/en/us/td/docs/security/ise/1-3/admin_guide/b_ise_admin_guide_13/b_ise_admin_guide_sample_chapter_01111.html

NEW QUESTION 8

Which configuration is required in the Cisco ISE authentication policy to allow Central Web Authentication?

- A. MAB and if user not found, continue
- B. MAB and if authentication failed, continue
- C. Dot1x and if authentication failed, continue
- D. Dot1x and if user not found, continue

Answer: A

NEW QUESTION 9

What is the minimum certainty factor when creating a profiler policy?

- A. the minimum number that a predefined condition provides
- B. the maximum number that a predefined condition provides
- C. the minimum number that a device certainty factor must reach to become a member of the profile
- D. the maximum number that a device certainty factor must reach to become a member of the profile

Answer: C

NEW QUESTION 10

Which default endpoint identity group does an endpoint that does not match any profile in Cisco ISE become a member of?

- A. blacklist
- B. unknown
- C. whitelist
- D. profiled
- E. endpoint

Answer: B

Explanation:

Reference: https://www.cisco.com/en/US/docs/security/ise/1.0/user_guide/ise10_man_identities.html

NEW QUESTION 10

During BYOD flow, from where does a Microsoft Windows PC download the Network Setup Assistant?

- A. Microsoft App Store
- B. Cisco App Store
- C. Cisco ISE directly
- D. Native OTA functionality

Answer: C

Explanation:

Reference: <https://ciscocustomer.lookbookhq.com/iseguidedjourney/BYOD-configuration>

NEW QUESTION 15

Which protocol must be allowed for a BYOD device to access the BYOD portal?

- A. HTTPS
- B. HTTP
- C. SSH
- D. SMTP

Answer: A

NEW QUESTION 18

Which two endpoint compliance statuses are possible? (Choose two.)

- A. compliant
- B. valid
- C. unknown
- D. known
- E. invalid

Answer: AC

NEW QUESTION 21

What are two components of the posture requirement when configuring Cisco ISE posture? (Choose two.)

- A. Client Provisioning portal
- B. remediation actions
- C. updates
- D. access policy
- E. conditions

Answer: BE

NEW QUESTION 22

Which port does Cisco ISE use for native supplicant provisioning of a Windows laptop?

- A. TCP 8905
- B. TCP 8909
- C. TCP 443
- D. UDP 1812

Answer: B

Explanation:

Reference: https://www.cisco.com/c/en/us/td/docs/security/ise/2-1/admin_guide/b_ise_admin_guide_21/b_ise_admin_guide_20_chapter_010101.html

NEW QUESTION 24

DRAG DROP

Drag the Cisco ISE node types from the left onto the appropriate purposes on the right.

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

NEW QUESTION 28

What is a characteristic of the UDP protocol?

- A. UDP can detect when a server is down.
- B. UDP can detect when a server is slow.
- C. UDP offers best-effort delivery.
- D. UDP offers information about a non-existent server.

Answer: C

NEW QUESTION 33

.....

Thank You for Trying Our Product

* 100% Pass or Money Back

All our products come with a 90-day Money Back Guarantee.

* One year free update

You can enjoy free update one year. 24x7 online support.

* Trusted by Millions

We currently serve more than 30,000,000 customers.

* Shop Securely

All transactions are protected by VeriSign!

100% Pass Your 300-715 Exam with Our Prep Materials Via below:

<https://www.certleader.com/300-715-dumps.html>