



Salesforce

Exam Questions Platform-Developer-I

Platform Developer I

NEW QUESTION 1

Universal Containers implemented a private sharing model for the Account object. A custom Account search tool was developed with Apex to help sales representatives find accounts that match multiple criteria they specify. Since its release, users of the tool report they can see Accounts they do not own. What should the developer use to enforce sharing permission for the currently logged-in user while using the custom search tool?

- A. Use the schema describe calls to determine if the logged-in users has access to the Account object.
- B. Use the without sharing keyword on the class declaration.
- C. Use the UserInfo Apex class to filter all SOQL queries to returned records owned by the logged-in user.
- D. Use the with sharing keyword on the class declaration.

Answer: D

Explanation:

Use the with sharing keyword on the class declaration. The with sharing keyword ensures that the Apex code respects the object-level, field-level, and record-level sharing settings for the user who is running the Apex code. This means that the code will only return records that the user has access to, according to their Sharing Settings. You can find more information about the with sharing keyword in the official Salesforce documentation (https://developer.salesforce.com/docs/atlas.en-us.apexcode.meta/apexcode/apex_classes_keywords_sharing.htm)

NEW QUESTION 2

A developer has a Visualforce page and custom controller to save Account records. The developer wants to display any validation rule violation to the user. How can the developer make sure that validation rule violations are displayed?

- A. Add custom controller attributes to display the message.
- B. Include <apex:message> on the Visualforce page.
- C. Use a try/catch with a custom exception class.
- D. Perform the DML using the Database.upsert() method.

Answer: B

NEW QUESTION 3

The sales management team at Universal Container requires that the Lead Source field of the Lead record be populated when a.. converted. What should be done to ensure that a user populates the Lead Source field prior to converting a Lead?

- A. Use a formula field.
- B. Use a validation rule.
- C. Use Lead Conversation field mapping.
- D. Create an after trigger on Lead.

Answer: B

NEW QUESTION 4

A custom Visualforce controller calls the ApexPages.addMessage () method, but no messages are rendering on the page. Which component should be added to the Visualforce page to display the message?

- A. <apex: pageMessages />
- B. <apex: pageMessage severity="info"/>
- C. <Apex: facet name=" message"/>
- D. <Apex: message for=" info"/>

Answer: B

NEW QUESTION 5

A developer has a single custom controller class that works with a Visualforce Wizard to support creating and editing multiple subjects. The wizard accepts data from user inputs across multiple Visualforce pages and from a parameter on the initial URL.

Which three statements are useful inside the unit test to effectively test the custom controller? Choose 3 answers

- A. insert pageRef.
- B. Test.setCurrentPage(pageRef);
- C. public ExtendedController(ApexPages.StandardController cntrl) { }
- D. ApexPages.CurrentPage().getParameters().put('input', 'TestValue');
- E. String nextPage - controller.save().getUrl();

Answer: BDE

NEW QUESTION 6

The following automations already exist on the Account object;

- A workflow rule that updates a field when a certain criteria is met
- A custom validation on a field
- A Flow that updates related contact records

A developer created a trigger on the Account object.

What should the developer consider while testing the trigger code?

- A. The flow may be launched multiple times.
- B. Workflow rules will fire only after the trigger has committed all DML operations to the database.
- C. A workflow rule field update will cause the custom validation to run again.
- D. The trigger may fire multiple times during a transaction.

Answer: D

NEW QUESTION 7

When using SalesforceDX, what does a developer need to enable to create and manage scratch orgs?

- A. Production
- B. Dev Hub
- C. Environment Hub
- D. Sandbox

Answer: B

Explanation:

https://developer.salesforce.com/docs/atlas.en-us.sfdx_dev.meta/sfdx_dev/sfdx_dev_scratch_orgs.htm

When using SalesforceDX, a developer needs to enable Dev Hub in order to create and manage scratch orgs. A Dev Hub is a special type of org used by developers to store source code and other development-related

artifacts. It is also used to create and manage scratch orgs, which are temporary orgs used for development and testing.

Reference: https://developer.salesforce.com/docs/atlas.en-us.sfdx_dev.meta/sfdx_dev/sfdx_dev_intro.htm

NEW QUESTION 8

A developer created a child Lightning web component nested inside a parent Lightning web component, parent component needs to pass a string value to the child component.

In which two ways can this be accomplished? Choose 2 answers

- A. The parent component can use a custom event to pass the data to the child component,
- B. The parent component can use the Apex controller class to send data to the child component.
- C. The parent component can invoke a method in the child component
- D. The parent component can use a public property to pass the data to the child component.

Answer: AD

NEW QUESTION 9

What are three capabilities of the <ltng : require> tag when loading JavaScript resources in Aura components? Choose 3 answers

- A. Loading files from Documents
- B. One-time loading for duplicate scripts
- C. Specifying loading order
- D. Loading scripts In parallel
- E. Loading externally hosted scripts

Answer: BCD

NEW QUESTION 10

A developer wants to mark each Account in a List<Account> as either or Inactive based on the LastModified field value being more than 90 days.

Which Apex technique should the developer use?

- A. A for loop, with a switch statement inside
- B. A Switch statement, with a for loop inside
- C. An If/else statement, with a for loop inside
- D. A for loop, with an if/else statement inside

Answer: D

NEW QUESTION 10

A developer wants to get access to the standard price book in the org while writing a test class that covers an OpportunityLineItem trigger. Which method allows access to the price book?

- A. Use Test.loadData () and a static resource to load a standard price book
- B. Use @TestVisible to allow the test method to see the standard price book.
- C. Use Test.getStandardPricebookid () to get the standard price book ID.
- D. Use @IsTest (SeeAllData=True) and delete the existing standard price book

Answer: C

NEW QUESTION 11

Universal Containers decides to use exclusively declarative development to build out a new Salesforce application. Which three options should be used to build out the database layer for the application? Choose 3 answers

- A. Roll-Up Summaries
- B. Triggers
- C. Relationships
- D. Process Builder
- E. Custom Objects and Fields

Answer: ACD

NEW QUESTION 16

Cloud kicks has a multi-screen flow that its call center agents use when handling inbound service desk calls. At one of the steps in the flow, the agents should be presented with a list of order numbers and dates that are retrieved from an external order management system in real time and displayed on the screen. What should a developer use to satisfy this requirement?

- A. An Apex controller
- B. An Apex REST class
- C. An outbound message
- D. An invocable method

Answer: B

NEW QUESTION 19

What are two use cases for executing Anonymous Apex code? Choose 2 answers

- A. To delete 15,000 inactive Accounts In a single transaction after a deployment
- B. To schedule an Apex class to run periodically
- C. To run a batch Apex class to update all Contacts
- D. To add unit test code coverage to an org

Answer: BC

NEW QUESTION 21

The Account object in an organization has a master detail relationship to a child object called Branch. The following automations exist:

- Rollup summary fields
- Custom validation rules
- Duplicate rules

A developer created a trigger on the Account object.

What two things should the developer consider while testing the trigger code? Choose 2 answers

- A. Rollup summary fields can cause the parent record to go through Save.
- B. The trigger may fire multiple times during a transaction.
- C. Duplicate rules are executed once all DML operations commit to the database.
- D. The validation rules will cause the trigger to fire again.

Answer: AB

NEW QUESTION 25

A team of developers is working on a source-driven project that allows them to work independently, with many different org configurations. Which type of Salesforce orgs should they use for their development?

- A. Developer sandboxes
- B. Scratch orgs
- C. Full Copy sandboxes
- D. Developer orgs

Answer: B

NEW QUESTION 26

What should a developer use to script the deployment and unit test execution as part of continuous integration?

- A. Developer Console
- B. Execute Anonymous
- C. Salesforce CLI
- D. VS Code

Answer: C

NEW QUESTION 30

Refer to the following Apex code:

```
Integer x = 0;

do {
    x = 1;
    x++;
} while (x < 1);

System.debug(x);
```

What is the value of x when it is written to the debug log?

- A. 1
- B. 2
- C. 3

Answer: C

NEW QUESTION 32

A custom picklist field, Food_Preference__c, exist on a custom object. The picklist contains the following options: 'Vegan','Kosher','No Preference'. The developer must ensure a value is populated every time a record is created or updated. What is the most efficient way to ensure a value is selected every time a record is saved?

- A. Set "Use the first value in the list as the default value" as True.
- B. Set a validation rule to enforce a value is selected.
- C. Mark the field as Required on the field definition.
- D. Mark the field as Required on the object's page layout.

Answer: C

NEW QUESTION 35

A developer must create a lightning component that allows users to input contact record information to create a contact record, including a salary__c custom field. what should the developer use, along with a lightning-record-edit form, so that salary__c field functions as a currency input and is only viewable and editable by users that have the correct field levelpermissions on salary__C?

- A. <lightning-input-field field-name="Salary__c"></lightning-input-field>
- B. <lightning-formatted-number value="Salary__c" format-style="currency"></lightning-formatted-number>
- C. <lightning-input type="number" value="Salary__c" formatter="currency"></lightning-input>
- D. <lightning-input-currency value="Salary__c"></lightning-input-currency>

Answer: A

NEW QUESTION 39

A developer is debugging the following code to determinate why Accounts are not being created Account a = new Account(Name = 'A'); Database.insert(a, false); How should the code be altered to help debug the issue?

- A. Add a System.debug() statement before the insert method
- B. Add a try/catch around the insert method
- C. Set the second insert method parameter to TRUE
- D. Collect the insert method return value a Saveresult variable

Answer: B

NEW QUESTION 41

What is the result of the following code?

- A. The record will not be created and a exception will be thrown.
- B. The record will be created and a message will be in the debug log.
- C. The record will not be created and no error will be reported.
- D. The record will be created and no error will be reported.

Answer: C

NEW QUESTION 45

Einstein Next Best Action Is configured at Universal Containers to display recommendations to internal users on the Account detail page.

If the recommendation is approved, a new opportunity record and task should be generated. If the recommendation is rejected, an Apex method must be executed to perform a callout to an external system.

Which three factors should a developer keep Hi mind when implementing the Apex method? Choose 3 answers

- A. The method must use the @AuraEnabled annotation.
- B. The method must use the @Future annotation.
- C. The method must use the @invocableMethod annotation.
- D. The method must be defined as static.
- E. The method must be defined as public.

Answer: BDE

NEW QUESTION 50

A primaryid__c custom field exists on the candidate__c custom object. The filed is used to store each candidate's id number and is marked as Unique in the schema definition.

As part of a data enrichment process. Universal Containers has a CSV file that contains updated data for all candidates in the system, the file contains each Candidate's primary id as a data point. Universal Containers wants to upload this information into Salesforce, while ensuring all data rows are correctly mapped to a candidate in the system.

Which technique should the developer implement to streamline the data upload?

- A. Create a Process Builder on the Candidate__c object to map the records.
- B. Create a before Insert trigger to correctly map the records.
- C. Update the primaryid__c field definition to mark it as an External Id
- D. Upload the CSV into a custom object related to Candidate__c.

Answer: C

NEW QUESTION 54

In terms of the MVC paradigm, what are two advantages of implementing the layer of a Salesforce application using Aura Component-based development over Visualforce? Choose 2 answers

- A. Self-contained and reusable units of an application
- B. Rich component ecosystem
- C. Automatic code generation
- D. Server-side run-time debugging

Answer: AB

NEW QUESTION 55

A development team wants to use a deployment script to automatically deploy to a sandbox during their development cycles. Which two tools can they use to run a script that deploys to a sandbox? Choose 2 answers

- A. Ant Migration Tool
- B. SFDX CLI
- C. Change Sets
- D. Developer Console

Answer: AB

NEW QUESTION 57

A developer must modify the following code snippet to prevent the number of SOQL queries issued from exceeding the platform governor limit. public class without sharing OpportunityService{ public static List<OpportunityLineItem> getOpportunityProducts(Set<Id> opportunityIds){ List<OpportunityLineItem> oppLineItems = new List<OpportunityLineItem>(); for(Id thisOppld : opportunityIds){ oppLineItems.addAll([Select Id FROM OpportunityLineItems WHERE OpportunityId = :thisOppld]); } return oppLineItems; } }

The above method might be called during a trigger execution via a Lightning component. Which technique should be implemented to avoid reaching the governor limit?

- A. Use the System.Limits.getQueries() method to ensure the number of queries is less than 100.
- B. Use the System.Limits.getLimitQueries() method to ensure the number of queries is less than 100.
- C. Refactor the code above to perform the SOQL query only if the Set of opportunityIds contains less than 100 Ids.
- D. Refactor the code above to perform only one SOQL query, filtering by the Set of opportunityIds.

Answer: D

NEW QUESTION 60

A developer created a trigger on the Account object and wants to test if the trigger is properly bulkified. The developer team decided that the trigger should be tested with 200 account records with unique names.

What two things should be done to create the test data within the unit test with the least amount of code? Choose 2 answers

A developer created a trigger on the Account object and wants to test if the trigger is properly bulkified. The developer team decided that the trigger should be tested with 200 account records with unique names.

What two things should be done to create the test data within the unit test with the least amount of code? Choose 2 answers

- A. Use the @isTest(isParallel=true) annotation in the test class.
- B. Use Test.loadData to populate data in your test methods.
- C. Use the @isTest(seeAllData=true) annotation in the test class.
- D. Create a static resource containing test data.

Answer: BD

NEW QUESTION 62

Consider the following code snippet:

```
public static List<Lead> obtainAllFields(Set<Id> leadIds) {  
    List<Lead> result = new List<Lead>();  
    for(Id leadId : leadIds){  
        result.add([SELECT FIELDS(ALL) FROM Lead WHERE Id = :leadId]);  
    }  
    return result;  
}
```

Given the multi-tenant architecture of the Salesforce platform, what is a best practice a developer should implement and ensure successful execution of the method?

- A. Avoid executing queries without a limit clause.
- B. Avoid returning an empty List of records.
- C. Avoid using variables as query filters.
- D. Avoid performing queries inside for loops.

Answer: D

NEW QUESTION 67

A developer is asked to prevent anyone other than a user with Sales Manager profile from changing the Opportunity Status to Closed Lost if the lost reason is blank.

Which automation allows the developer to satisfy this requirement in the most efficient manner?

- A. A record trigger flow on the Opportunity object
- B. An Apex trigger on the Opportunity object
- C. approval process on the Opportunity object
- D. An error condition formula on a validation rule on Opportunity

Answer: D

NEW QUESTION 70

A developer considers the following snippet of code:

```
Boolean isOK;

Integer x;

String theString = 'Hello';

if (isOK == false && theString == 'Hello'){
    x = 1;
} else if (isOK == true && theString == 'Hello') {
    x = 2;
} else if (isOK != null && theString == 'Hello'){
    x = 3;
} else {
    x = 4;
}
```

Based on this code, what is the value of x?

- A. 3
- B. 1
- C. 4
- D. 2

Answer: C

NEW QUESTION 74

A developer wrote an Apex method to update a list of Contacts and wants to make it available for use by Lightning web components.

Which annotation should the developer add to the Apex method to achieve this?

A)

```
@AuraEnabled(cacheable=true)
```

B)

```
@AuraEnabled
```

C)

```
@RemoteAction
```

D)

```
@RemoteAction(cacheable=true)
```

- A. Option
- B. Option
- C. Option
- D. Option

Answer: B

NEW QUESTION 75

A developer is tasked to perform a security review of the ContactSearch Apex class that exists in the system. Within the class, the developer identifies the following method as a security threat: List<Contact> performSearch(String lastName){ return Database.query('Select Id, FirstName, LastName FROM Contact WHERE LastName Like %'+lastName+'%'); } What are two ways the developer can update the method to prevent a SOQL injection attack? Choose 2 answers

- A. Use variable binding and replace the dynamic query with a static SOQL.
- B. Use the escapeSingleQuote method to sanitize the parameter before its use.
- C. Use a regular expression on the parameter to remove special characters.
- D. Use the @ReadOnly annotation and the with sharing keyword on the class.

Answer: AB

NEW QUESTION 77

which statement is true regarding execution order when triggers are associated to the same object and event?

- A. Trigger execution order cannot be guaranteed.
- B. executed In the order they are modified.
- C. Triggers are executed alphabetically by trigger name.
- D. Triggers are executed in the order they are created.

Answer: A

NEW QUESTION 79

What can be used to override the Account's standard Edit button for Lightning Experience?

- A. Lightning action
- B. Lightning component
- C. Lightning page
- D. Lightning flow

Answer: B

Explanation:

A Lightning Component can be used to override the Account's standard Edit button for Lightning Experience. This allows the developer to create a custom page with custom fields and custom functionality that can be used instead of the standard Edit page. It also allows for the creation of custom navigation and buttons to make the user experience more intuitive and efficient.

Reference: <https://trailhead.salesforce.com/en/content/learn/projects/quick-start-lightning-components>

NEW QUESTION 84

A developer is creating a test coverage for a class and needs to insert records to validate functionality. Which method annotation should be used to create records for every method in the test class?

- A. @BeforeTest
- B. @isTest(SeeAllData=True)
- C. @TestSetup
- D. @PreTest

Answer: C

NEW QUESTION 86

Which three code lines are required to create a Lightning component on a Visualforce page? Choose 3 answers

- A. \$Lightning.createComponent
- B. <apex:slds/>
- C. \$Lightning.useComponent
- D. \$Lightning.use
- E. <apex:includeLightning/>

Answer: ADE

NEW QUESTION 91

Universal Containers has implemented an order management application. Each Order can have one or more Order Line items. The Order Line object is related to the Order via a master-detail relationship. For each Order Line item, the total price is calculated by multiplying the Order Line item price with the quantity ordered. What is the best practice to get the sum of all Order Line item totals on the Order record?

- A. Roll-up summary field
- B. Quick action
- C. Apex trigger
- D. Formula field

Answer: A

NEW QUESTION 96

What should a developer use to obtain the Id and Name of all the Leads, Accounts, and Contacts that have the company name "Universal Containers"?

- A. FIND 'Universal Containers' IN Name Fields RETURNING leadjid, name), accounted, name), contacted, name)
- B. FIND Universal Containers' IN CompanyName Fietds RETURNING lead{I
- C. name), accounted, name), contacted, name)
- D. SELECT lead(id, name). accountOd, name), contacted, name) FROM Lead, Account, Contact WHERE Name = "universal Containers'
- E. SELECT Lead.i
- F. Lead.Name, Account.Id, AccountName, Contacted, Contact.Name FROM Lead, Account, Contact WHERE CompanvName * Universal Containers'

Answer: A

NEW QUESTION 98

Universal Containers (UC) processes orders in Salesforce in a custom object, Order_c. They also allow sales reps to upload CSV files with orders at a time. A developer is tasked with integrating orders placed in Salesforce with UC's enterprise resource planning (ERP) system. 'After the status for an Order_c is first set to "Placed', the order information must be sent to a REST endpoint in the ERP system that can process one order at a time. What should the developer implement to accomplish this?

- A. Callout from an @future method called from a trigger
- B. Callout from a Synchronous class called from a scheduled job
- C. Flow with 2 callouts from an invocable method
- D. Callout from an asynchronous class called from a trigger

Answer: A

NEW QUESTION 99

A developer created a new trigger that inserts a Task when a new Lead is created. After deploying to production, an outside integration that reads task records is periodically reporting errors. Which change should the developer make to ensure the integration is not affected with minimal impact to business logic?

- A. Deactivate the trigger before the integration runs.
- B. Use a try-catch block after the insert statement.
- C. Remove the Apex class from the integration user's profile.
- D. Use the Database method with all or None set to false

Answer: C

NEW QUESTION 102

Which two sfdx commands can be used to add testing data to a Developer sandbox?

- A. Forced: data:bulk:upsert
- B. Forced: data: object :upsert
- C. Forced: data: tree: upsert
- D. Forced: data:async:upsert

Answer: AC

NEW QUESTION 107

Which three statements are true regarding custom exceptions in Apex? (Choose three.)

- A. A custom exception class must extend the system Exception class.
- B. A custom exception class can implement one or many interfaces.
- C. A custom exception class cannot contain member variables or methods.
- D. A custom exception class name must end with "Exception".
- E. A custom exception class can extend other classes besides the Exception class.

Answer: BDE

NEW QUESTION 110

How can a developer check the test coverage of active Process Builder and Flows deploying them in a Changing Set?

- A. Use the Flow properties page.
- B. Use the code Coverage Setup page
- C. Use the Apex testresult class
- D. Use SOQL and the Tooling API

Answer: D

NEW QUESTION 114

Universal Containers stores the availability date on each Line Item of an Order and Orders are only shipped when all of the Line Items are available. Which method should be used to calculate the estimated ship date for an Order?

- A. Use a CEILING formula on each of the Latest availability date fields.
- B. Use a DAYS formula on each of the availability date fields and a COUNT Roll-Up Summary field on the Order.
- C. Use a LATEST formula on each of the latest availability date fields.
- D. Use a Max Roll-Up Summary field on the Latest availability date fields.

Answer: D

NEW QUESTION 119

A developer writes a trigger on the Account object on the before update event that increments a count field. A workflow rule also increments the count field every time that an Account is created or updated. The field update in the workflow rule is configured to not re-evaluate workflow rules. What is the value of the count field if an Account is inserted with an initial value of zero, assuming no other automation logic is implemented on the Account?

- A. 1
- B. 3
- C. 4
- D. 2

Answer: D

NEW QUESTION 122

A developer must provide custom user interfaces when users edit a Contact in either Salesforce Classic or Lightning Experience. What should the developer use to override the Contact's Edit button and provide this functionality?

- A. A Visualforce page in Salesforce Classic and a Lightning component in Lightning Experience
- B. A Lightning component in Salesforce Classic and a Lightning component in Lightning Experience
- C. A Visualforce page in Salesforce Classic and a Lightning page in Lightning Experience
- D. A Lightning page in Salesforce Classic and a Visualforce page in Lightning Experience

Answer: A

NEW QUESTION 126

A developer created a Lightning web component called statusComponent to be inserted into the Account record page. Which two things should the developer do to make the component available?

- A. Add `<isExposed> true</isExposed>` to the statusComponent.js-meta ml file.
- B. Add `<target> lightning _RecordPage </target>` to the statusComponent.js-meta ml file.
- C. Add `< masterLabel>Account</master Label>` to the statusComponent.js-meta ml file.
- D. Add `<target> Lightning_RecordPage </target>` to the statusComponent.js file.

Answer: AB

NEW QUESTION 127

When importing and exporting data into Salesforce, which two statements are true? Choose 2 answers

- A. Bulk API can be used to import large data volumes in development environments without bypassing the storage limits.
- B. Bulk API can be used to bypass the storage limits when importing large data volumes in development environments.
- C. Developer and Developer Pro sandboxes have different storage limits.
- D. Data import wizard is a client application provided by Salesforce.

Answer: CD

NEW QUESTION 130

A developer completed modification to a customized feature that is comprised of two elements: Apex trigger Trigger handler Apex class. What are two factors that the developer must take into account to properly deploy the modification to the production environment?

- A. Apex classes must have at least 75% code coverage org-wide.
- B. At least one line of code must be executed for the Apex trigger.
- C. All methods in the test classes must use `@isTest`.
- D. Test methods must be declared with the `testMethod` keyword.

Answer: AB

NEW QUESTION 131

A developer has the following requirements:

- Calculate the total amount on an Order.
- Calculate the line amount for each Line Item based on quantity selected and price.
- Move Line Items to a different Order if a Line Item is not in stock.

Which relationship implementation supports these requirements on its own?

- A. Line Item has a re-parentable master-detail field to Order.
- B. Order has a re-parentable master-detail field to Line Item.
- C. Line Item has a re-parentable lookup field to Order.
- D. Order has a re-parentable lookup field to Line Item.

Answer: A

NEW QUESTION 132

Given the following Anonymous Block:

```
List<Case> casesToUpdate = new List<Case>();
for(Case thisCase : [Select Id, Status FROM Case LIMIT 50000]){
    thisCase.Status = 'Working';
    casesToUpdate.add(thisCase);
}
try{
    Database.update(casesToUpdate, false);
}catch(Exception e){
    System.debug(e.getMessage());
}
```

Which one do you like?

What should a developer consider for an environment that has over 10,000 Case records?

- A. The transaction will fail due to exceeding the governor limit.

- B. The try/catch block will handle any DML exceptions thrown.
- C. The transaction will succeed and changes will be committed.
- D. The try/catch block will handle exceptions thrown by governor limits.

Answer: C

NEW QUESTION 137

The Job_Application__c custom object has a field that is a Master-Detail relationship to the Contact object, where the Contact object is the Master. As part of a feature implementation, a developer needs to retrieve a list containing all Contact records where the related Account Industry is 'Technology' while also retrieving the contact's Job_Application__c records.

Based on the object's relationships, what is the most efficient statement to retrieve the list of contacts?

- A. [SELECT Id, (SELECT Id FROM Job_Applications_r) FROM Contact WHERE Account.Industry = 'Technology'];
- B. [SELECT Id, (SELECT Id FROM Job_Applications_r) FROM Contact WHERE Accounts.Industry = 'Technology'];
- C. [SELECT Id, (SELECT Id FROM Job_Applications_c) FROM Contact WHERE Accounts.Industry = 'Technology'];
- D. [SELECT Id, (SELECT Id FROM Job_Application_c) FROM Contact WHERE Account.Industry = 'Technology'];

Answer: B

NEW QUESTION 139

.....

Thank You for Trying Our Product

We offer two products:

1st - We have Practice Tests Software with Actual Exam Questions

2nd - Questons and Answers in PDF Format

Platform-Developer-I Practice Exam Features:

- * Platform-Developer-I Questions and Answers Updated Frequently
- * Platform-Developer-I Practice Questions Verified by Expert Senior Certified Staff
- * Platform-Developer-I Most Realistic Questions that Guarantee you a Pass on Your FirstTry
- * Platform-Developer-I Practice Test Questions in Multiple Choice Formats and Updatesfor 1 Year

100% Actual & Verified — Instant Download, Please Click
[Order The Platform-Developer-I Practice Test Here](#)