Salesforce

Exam Questions OmniStudio-Developer

Salesforce Certified OmniStudio Developer (SU21)

NEW QUESTION 1
A developer needs to create . DataRaptor to retrieve the name of an account for a contact. Following best practices, how should a developer configure the extraction steps?

A. Define an extraction step for the Contact object and set the Extract JSON Path to Contact Account.Name
B. Define extraction steps for the Contact and the Account objects, and set the Extract JSON Path to Contact Account.Name
C. Define extraction steps for the Contact and the Account objects, and set the Extract 3SON Path to Account.Name
D. Define an extractionstep for the Account object, and set the Extract JSON Path to AccountContact.Name

Answer: A

NEW QUESTION 2
A developer need to use the CONTIF function to process data entered by the user in an OmniScript. The output of the function needs to be displayed to the user immediately in the current step.
Based on best practice, what element should the developer use this function in?

A. A Calculation Action element
B. A Set Valueselement
C. A formula element
D. A Range element

Answer: C

NEW QUESTION 3
Why would adeveloper clone an Integration Procedure instead of versioning it?

A. The new Integration Procedure uses a Cache Block.
B. The new Integration Procedure it replacing stub data.
C. The new Integration Procedure will be used independently
D. The new Integration Procedure is Chainable.

Answer: C

NEW QUESTION 4
Refer to the following row-versioned calculation matrix.

The developer needs to delete the row that contains the Code CA-SF. If the developer deletes that row in Version 3, what is the result?

A. The row is delete only in Version 3.
B. The row is deleted In Versions 2 and 3 but will remain in Version1.
C. The row is deleted in Version 3 and Version 1.
D. The row is deleted in all versions

Answer: A

NEW QUESTION 5
A developer needs to build a DataRaptor Transform to send current weather to both an OmniScript Card Layout. Which of these samples would be valid for the Expected Output JSON?
A)

B)

C)

D)

A. Option A
B. Option B
C. Option C
D. Option D

Answer: D

NEW QUESTION 6
A developer needs to limit the of a DataRaptor Extract to a maximum of one result. How should the developer configure this?

A. Define a formula with the Filter function
B. Use a Custom Output Type when creating the DataRaptor
C. Use the LIMIT filter on the Extract definition
D. Set the Limit Property on the Action that calls the DataRaptor Extract.

Answer: C

NEW QUESTION 7
Users receive an APEC CPU limit Exceeded error when running an OmniScript in a Salesfoce Community. The OmniScript includes an Integration Procedure that contains two DataRaptors.
Which two Location should the developer check to troubleshoot the issue? Choose 2 answers

A. Script configuration
B. Community logs
C. DataRaptor configuration
D. Action Debugger

Answer: CD

NEW QUESTION 8
A developer needs to configure a DataRaptor to retrieve data from a single object.The structure of the output data does not need to be changed.
Following best practices, which type of DataRaptor should the developer use?

A. DataRaptor Transform
B. DataRaptor Extract
C. DataRaptor Load
D. DataRaptor Turbo Extract

Answer: D

NEW QUESTION 9
A developer needs to transform contact data into a JSON array.

Given the input JSON shown above, what are two ways a developer could configure a DATARaptor transform to achieve theexpected Output JSON? Choose 2 answers

A. Use a formula LIST(Contact), and add the output of the formula as the input in the Transform tab.
B. Set the Input JSON path as List(Contact) and the OutputJSON Path as Contact.
C. Set the Input JSON Path as Contact the out JSON Path as contact and output Data type as List.
D. Set the input JSON Path as Contact and the OutPut JSON Path as List (Contact)

Answer: BC

NEW QUESTION 10
A developer creates a Flexcard that displays a contact's mailing address and passes the contact's postal code to a child FlexCard.
When configuration textelements in the child FlexCard, what syntax should a developer use to refer to the contact's postal code?

A. {Postalcode}
B. {Parent.postalcode}
C. {Records.postalcode}
D. {Params.postalcode}

Answer: D

NEW QUESTION 10
A developer creates an Integration Procedure with a Set Valuesand a DataRaptor Extract Action that requires AccountId as a key. When the developer previews the Integration Procedure, the developer enters the AccountId correctly and execute the Preview. The developer sees the data extract by the DataRaptor in the Debug Log, but the response is empty.
What is the likely cause of this issue?

A. The DataRaptor Action did not have the add response Ro Response JSON property set to true.
B. The Response cannot be previewed directly.
C. A Response Action was not added to theintegration Procedure.
D. The AccountId used for the preview is invalid.

Answer: C

NEW QUESTION 15
A developer needs to retrieve data from an external system that stores policy data. The external system supports REST APIs to access and update the policies.
Due to the volume of the policy data and peak hours of hours of business, calls to the REST APIs sometimes take longer than expected to response.
The developer creates an Integration Procedure to retrieve the policy data for use in an OmniScript.
Given the external system's knows performance issues, which configuration should be used to implement the call to the external system?
Choose 2 answers

A. Set the Timeout property on the HTTP Action in the Integration Procedure
B. Configure a Remote action with timeout settings of 120000
C. Check the Chainable checkbox on the integration procedure Action in the OmniScript
D. Check the Chain on Step Check on the HTTP Action in the Integration Procedure

Answer: BD

NEW QUESTION 19
Refer to the exhibit.

A developercreates an OmniScript display FirstName, LastName, and BirthDate of a contact using a Type Ahead Block. The DataRaptor used in the Type Ahead has been tested and fetches the correct data.
When previewing Omniscript, the developer enters a name in the TypeAhead and males a selection of a contact from the list. However, the text fields FirstName. LastName, and BirthDate are not getting populated with the data.
What is the reason that the fields fail to display the fetched data?

A. Lookup Mode is not selectedin the properties of the Type A Head Block.
B. Use Data JSON is not selected in the properties of the Type Ahead Block.
C. FirstName, LastName, and BirthDate are not placed inside the Type ahead Block.
D. The Typeghead ley is not in the correct format

Answer: C

NEW QUESTION 24
A company wants to allow agents to send customers a quote for signature. The quote is a documentscreated using a DocuSign template that has been prefilled with all of the quote details. The document will be emailed to one or more recipients for signature.
How should a developer configure this functionality in an OmniScript?

A. DocuSign Envelope Action
B. PDF Acwm
C. DocuSign Signature Action
D. Email Action

Answer: C

NEW QUESTION 29
A developer need to configure a calculation procedure to calculation a subtotal using twodifferent depending on whether the input Boolean variable is Customer is set to true or false.
How should a developer configure the calculation procedure to conditionally execute the correct formula?

A. Use two separate Calculation Steps with the Conditional Step property selected: use the ISTRUE(isCustomer) and NOT (ISTRUE) (isCustomer) functions in the Condition syntax.
B. Use two separate Calculation Steps with the Conditional Step property selected: reference just theisCustomer variable in the Conditional syntax (no comparison necessary)
C. Use two separate Calculation Steps with the Conditional Step property selected: compare the isCustomer variable directly to the literal true and false values in the Condition syntax.
D. Use a single Calculation Stepswith IF statement directly in the formula definition to reference the isCustome variable and conditionally perform the appropriate calculation.

Answer: B

NEW QUESTION 31
Refer to the exhibit.

A)

B)

A. Option A
B. Option B

Answer: A

NEW QUESTION 32
What two advantages does a DataRaptor Turbo Extract have over a standard DataRaptor Extract? Choose 2 answers

A. It populates data in PDF and DocuSign format
B. It is easier to configure
C. It hasbetter performance at runtime
D. It supports complex field mappings

Answer: BC

NEW QUESTION 33
A developer has a requirement to create a child FlexCard that contain all of its parent FlexCard's records in a Datatable.

A. {Records[0]}
B. {Records}
C. {Params records}
D. {recordId}

Answer: B

NEW QUESTION 34
A developer needs to create a list of cases for an account in a single Datable in a FlexCard. Like the one shown below.

How can the developer configure the FlexCard to display thecase records in this way?

A. Enable the record Looping feature on the data table elements
B. Select the Repeatable Mode property on the data table elements
C. Enable the Repeat Records feature on the FlexCard Setup tab
D. Disable the Repeat Record featureon the FlexCard setup tab

Answer: D

NEW QUESTION 35
Refer to the exhibit below.

What is the marge code needed for this integration procedure structure to pass a CaseNumber node from the DRReadCase DataRaptor Extract Action to the HTTP Action's HTTP URL?

A. %DRReadCase: CaseNumber%
B. ((DRRCase,CaseNumber))
C. MTTOPDetCaseDetail: CaseNumber%
D. ((CaseNumber))

Answer: A

NEW QUESTION 38
......

Thank You for Trying Our Product

We offer two products:

1st - We have Practice Tests Software with Actual Exam Questions

2nd - Questons and Answers in PDF Format

OmniStudio-Developer Practice Exam Features:

* OmniStudio-Developer Questions and Answers Updated Frequently

* OmniStudio-Developer Practice Questions Verified by Expert Senior Certified Staff

* OmniStudio-Developer Most Realistic Questions that Guarantee you a Pass on Your FirstTry

* OmniStudio-Developer Practice Test Questions in Multiple Choice Formats and Updatesfor 1 Year

100% Actual & Verified — Instant Download, Please Click
Order The OmniStudio-Developer Practice Test Here