

Professional-Cloud-Security-Engineer Dumps

Google Cloud Certified - Professional Cloud Security Engineer

<https://www.certleader.com/Professional-Cloud-Security-Engineer-dumps.html>



NEW QUESTION 1

A customer's company has multiple business units. Each business unit operates independently, and each has their own engineering group. Your team wants visibility into all projects created within the company and wants to organize their Google Cloud Platform (GCP) projects based on different business units. Each business unit also requires separate sets of IAM permissions.

Which strategy should you use to meet these needs?

- A. Create an organization node, and assign folders for each business unit.
- B. Establish standalone projects for each business unit, using gmail.com accounts.
- C. Assign GCP resources in a project, with a label identifying which business unit owns the resource.
- D. Assign GCP resources in a VPC for each business unit to separate network access.

Answer: A

NEW QUESTION 2

A DevOps team will create a new container to run on Google Kubernetes Engine. As the application will be internet-facing, they want to minimize the attack surface of the container.

What should they do?

- A. Use Cloud Build to build the container images.
- B. Build small containers using small base images.
- C. Delete non-used versions from Container Registry.
- D. Use a Continuous Delivery tool to deploy the application.

Answer: D

NEW QUESTION 3

You are the security admin of your company. You have 3,000 objects in your Cloud Storage bucket. You do not want to manage access to each object individually. You also do not want the uploader of an object to always have full control of the object. However, you want to use Cloud Audit Logs to manage access to your bucket.

What should you do?

- A. Set up an ACL with OWNER permission to a scope of allUsers.
- B. Set up an ACL with READER permission to a scope of allUsers.
- C. Set up a default bucket ACL and manage access for users using IAM.
- D. Set up Uniform bucket-level access on the Cloud Storage bucket and manage access for users using IAM.

Answer: A

NEW QUESTION 4

Your team needs to make sure that a Compute Engine instance does not have access to the internet or to any Google APIs or services.

Which two settings must remain disabled to meet these requirements? (Choose two.)

- A. Public IP
- B. IP Forwarding
- C. Private Google Access
- D. Static routes
- E. IAM Network User Role

Answer: CD

NEW QUESTION 5

Your company is storing sensitive data in Cloud Storage. You want a key generated on-premises to be used in the encryption process.

What should you do?

- A. Use the Cloud Key Management Service to manage a data encryption key (DEK).
- B. Use the Cloud Key Management Service to manage a key encryption key (KEK).
- C. Use customer-supplied encryption keys to manage the data encryption key (DEK).
- D. Use customer-supplied encryption keys to manage the key encryption key (KEK).

Answer: A

NEW QUESTION 6

An organization is evaluating the use of Google Cloud Platform (GCP) for certain IT workloads. A well-established directory service is used to manage user identities and lifecycle management. This directory service must continue for the organization to use as the "source of truth" directory for identities.

Which solution meets the organization's requirements?

- A. Google Cloud Directory Sync (GCDS)
- B. Cloud Identity
- C. Security Assertion Markup Language (SAML)
- D. Pub/Sub

Answer: B

NEW QUESTION 7

You will create a new Service Account that should be able to list the Compute Engine instances in the project. You want to follow Google-recommended practices.

What should you do?

- A. Create an Instance Template, and allow the Service Account Read Only access for the Compute Engine Access Scope.
- B. Create a custom role with the permission compute.instances.list and grant the Service Account this role.
- C. Give the Service Account the role of Compute Viewer, and use the new Service Account for all instances.
- D. Give the Service Account the role of Project Viewer, and use the new Service Account for all instances.

Answer: A

NEW QUESTION 8

A customer wants to deploy a large number of 3-tier web applications on Compute Engine.

How should the customer ensure authenticated network separation between the different tiers of the application?

- A. Run each tier in its own Project, and segregate using Project labels.
- B. Run each tier with a different Service Account (SA), and use SA-based firewall rules.
- C. Run each tier in its own subnet, and use subnet-based firewall rules.
- D. Run each tier with its own VM tags, and use tag-based firewall rules.

Answer: C

NEW QUESTION 9

A customer terminates an engineer and needs to make sure the engineer's Google account is automatically deprovisioned.

What should the customer do?

- A. Use the Cloud SDK with their directory service to remove their IAM permissions in Cloud Identity.
- B. Use the Cloud SDK with their directory service to provision and deprovision users from Cloud Identity.
- C. Configure Cloud Directory Sync with their directory service to provision and deprovision users from Cloud Identity.
- D. Configure Cloud Directory Sync with their directory service to remove their IAM permissions in Cloud Identity.

Answer: C

NEW QUESTION 10

When creating a secure container image, which two items should you incorporate into the build if possible? (Choose two.)

- A. Ensure that the app does not run as PID 1.
- B. Package a single app as a container.
- C. Remove any unnecessary tools not needed by the app.
- D. Use public container images as a base image for the app.
- E. Use many container image layers to hide sensitive information.

Answer: BC

NEW QUESTION 10

An organization's security and risk management teams are concerned about where their responsibility lies for certain production workloads they are running in Google Cloud Platform (GCP), and where Google's responsibility lies. They are mostly running workloads using Google Cloud's Platform-as-a-Service (PaaS) offerings, including App Engine primarily.

Which one of these areas in the technology stack would they need to focus on as their primary responsibility when using App Engine?

- A. Configuring and monitoring VPC Flow Logs
- B. Defending against XSS and SQLi attacks
- C. Manage the latest updates and security patches for the Guest OS
- D. Encrypting all stored data

Answer: D

NEW QUESTION 15

An employer wants to track how bonus compensations have changed over time to identify employee outliers and correct earning disparities. This task must be performed without exposing the sensitive compensation data for any individual and must be reversible to identify the outlier.

Which Cloud Data Loss Prevention API technique should you use to accomplish this?

- A. Generalization
- B. Redaction
- C. CryptoHashConfig
- D. CryptoReplaceFfxFpeConfig

Answer: B

NEW QUESTION 19

You need to follow Google-recommended practices to leverage envelope encryption and encrypt data at the application layer.

What should you do?

- A. Generate a data encryption key (DEK) locally to encrypt the data, and generate a new key encryptionkey (KEK) in Cloud KMS to encrypt the DE
- B. Store both the encrypted data and the encrypted DEK.
- C. Generate a data encryption key (DEK) locally to encrypt the data, and generate a new key encryption key (KEK) in Cloud KMS to encrypt the DE
- D. Store both the encrypted data and the KEK.
- E. Generate a new data encryption key (DEK) in Cloud KMS to encrypt the data, and generate a key encryption key (KEK) locally to encrypt the ke
- F. Store both the encrypted data and the encrypted DEK.

G. Generate a new data encryption key (DEK) in Cloud KMS to encrypt the data, and generate a key encryption key (KEK) locally to encrypt the ke
H. Store both the encrypted data and the KEK.

Answer: A

NEW QUESTION 24

You are on your company's development team. You noticed that your web application hosted in staging on GKE dynamically includes user data in web pages without first properly validating the inputted data. This could allow an attacker to execute gibberish commands and display arbitrary content in a victim user's browser in a production environment.
How should you prevent and fix this vulnerability?

- A. Use Cloud IAP based on IP address or end-user device attributes to prevent and fix the vulnerability.
- B. Set up an HTTPS load balancer, and then use Cloud Armor for the production environment to prevent the potential XSS attack.
- C. Use Web Security Scanner to validate the usage of an outdated library in the code, and then use a secured version of the included library.
- D. Use Web Security Scanner in staging to simulate an XSS injection attack, and then use a templating system that supports contextual auto-escaping.

Answer: D

NEW QUESTION 28

How should a customer reliably deliver Stackdriver logs from GCP to their on-premises SIEM system?

- A. Send all logs to the SIEM system via an existing protocol such as syslog.
- B. Configure every project to export all their logs to a common BigQuery DataSet, which will be queried by the SIEM system.
- C. Configure Organizational Log Sinks to export logs to a Cloud Pub/Sub Topic, which will be sent to the SIEM via Dataflow.
- D. Build a connector for the SIEM to query for all logs in real time from the GCP RESTful JSON APIs.

Answer: C

NEW QUESTION 32

You are in charge of migrating a legacy application from your company datacenters to GCP before the current maintenance contract expires. You do not know what ports the application is using and no documentation is available for you to check. You want to complete the migration without putting your environment at risk. What should you do?

- A. Migrate the application into an isolated project using a “Lift & Shift” approach
- B. Enable all internal TCP traffic using VPC Firewall rule
- C. Use VPC Flow logs to determine what traffic should be allowed for the application to work properly.
- D. Migrate the application into an isolated project using a “Lift & Shift” approach in a custom network. Disable all traffic within the VPC and look at the Firewall logs to determine what traffic should be allowed for the application to work properly.
- E. Refactor the application into a micro-services architecture in a GKE cluster
- F. Disable all traffic from outside the cluster using Firewall Rule
- G. Use VPC Flow logs to determine what traffic should be allowed for the application to work properly.
- H. Refactor the application into a micro-services architecture hosted in Cloud Functions in an isolated project. Disable all traffic from outside your project using Firewall Rule
- I. Use VPC Flow logs to determine what traffic should be allowed for the application to work properly.

Answer: C

NEW QUESTION 36

Your team needs to obtain a unified log view of all development cloud projects in your SIEM. The development projects are under the NONPROD organization folder with the test and pre-production projects. The development projects share the ABC-BILLING billing account with the rest of the organization. Which logging export strategy should you use to meet the requirements?

- A. 1. Export logs to a Cloud Pub/Sub topic with folders/NONPROD parent and includeChildren property set to True in a dedicated SIEM project
- B. 2. Subscribe SIEM to the topic.
- C. 1. Create a Cloud Storage sink with billingAccounts/ABC-BILLING parent and includeChildren property set to False in a dedicated SIEM project
- D. 2. Process Cloud Storage objects in SIEM.
- E. 1. Export logs in each dev project to a Cloud Pub/Sub topic in a dedicated SIEM project
- F. 2. Subscribe SIEM to the topic.
- G. 1. Create a Cloud Storage sink with a publicly shared Cloud Storage bucket in each project
- H. 2. Process Cloud Storage objects in SIEM.

Answer: B

NEW QUESTION 38

Applications often require access to “secrets” - small pieces of sensitive data at build or run time. The administrator managing these secrets on GCP wants to keep a track of “who did what, where, and when?” within their GCP projects.
Which two log streams would provide the information that the administrator is looking for? (Choose two.)

- A. Admin Activity logs
- B. System Event logs
- C. Data Access logs
- D. VPC Flow logs
- E. Agent logs

Answer: AC

NEW QUESTION 40

A customer needs to prevent attackers from hijacking their domain/IP and redirecting users to a malicious site through a man-in-the-middle attack. Which solution should this customer use?

- A. VPC Flow Logs
- B. Cloud Armor
- C. DNS Security Extensions
- D. Cloud Identity-Aware Proxy

Answer: C

NEW QUESTION 41

A company has redundant mail servers in different Google Cloud Platform regions and wants to route customers to the nearest mail server based on location. How should the company accomplish this?

- A. Configure TCP Proxy Load Balancing as a global load balancing service listening on port 995.
- B. Create a Network Load Balancer to listen on TCP port 995 with a forwarding rule to forward traffic based on location.
- C. Use Cross-Region Load Balancing with an HTTP(S) load balancer to route traffic to the nearest region.
- D. Use Cloud CDN to route the mail traffic to the closest origin mail server based on client IP address.

Answer: D

NEW QUESTION 44

Which international compliance standard provides guidelines for information security controls applicable to the provision and use of cloud services?

- A. ISO 27001
- B. ISO 27002
- C. ISO 27017
- D. ISO 27018

Answer: C

Explanation:

Create a new Service Account that should be able to list the Compute Engine instances in the project. You want to follow Google-recommended practices.

NEW QUESTION 47

Your team uses a service account to authenticate data transfers from a given Compute Engine virtual machine instance of to a specified Cloud Storage bucket. An engineer accidentally deletes the service account, which breaks application functionality. You want to recover the application as quickly as possible without compromising security. What should you do?

- A. Temporarily disable authentication on the Cloud Storage bucket.
- B. Use the undelete command to recover the deleted service account.
- C. Create a new service account with the same name as the deleted service account.
- D. Update the permissions of another existing service account and supply those credentials to the applications.

Answer: B

NEW QUESTION 49

Your company operates an application instance group that is currently deployed behind a Google Cloud load balancer in us-central-1 and is configured to use the Standard Tier network. The infrastructure team wants to expand to a second Google Cloud region, us-east-2. You need to set up a single external IP address to distribute new requests to the instance groups in both regions. What should you do?

- A. Change the load balancer backend configuration to use network endpoint groups instead of instance groups.
- B. Change the load balancer frontend configuration to use the Premium Tier network, and add the new instance group.
- C. Create a new load balancer in us-east-2 using the Standard Tier network, and assign a static external IP address.
- D. Create a Cloud VPN connection between the two regions, and enable Google Private Access.

Answer: A

NEW QUESTION 54

A customer deploys an application to App Engine and needs to check for Open Web Application Security Project (OWASP) vulnerabilities. Which service should be used to accomplish this?

- A. Cloud Armor
- B. Google Cloud Audit Logs
- C. Cloud Security Scanner
- D. Forseti Security

Answer: C

NEW QUESTION 58

An organization is migrating from their current on-premises productivity software systems to G Suite. Some network security controls were in place that were mandated by a regulatory body in their region for their previous on-premises system. The organization's risk team wants to ensure that network security controls are maintained and effective in G Suite. A security architect supporting this migration has been asked to ensure that network security controls are in place as part of the new shared responsibility model between the organization and Google Cloud. What solution would help meet the requirements?

- A. Ensure that firewall rules are in place to meet the required controls.
- B. Set up Cloud Armor to ensure that network security controls can be managed for G Suite.
- C. Network security is a built-in solution and Google's Cloud responsibility for SaaS products like G Suite.
- D. Set up an array of Virtual Private Cloud (VPC) networks to control network security as mandated by the relevant regulation.

Answer: B

NEW QUESTION 62

An organization's typical network and security review consists of analyzing application transit routes, request handling, and firewall rules. They want to enable their developer teams to deploy new applications without the overhead of this full review. How should you advise this organization?

- A. Use Forseti with Firewall filters to catch any unwanted configurations in production.
- B. Mandate use of infrastructure as code and provide static analysis in the CI/CD pipelines to enforce policies.
- C. Route all VPC traffic through customer-managed routers to detect malicious patterns in production.
- D. All production applications will run on-premise
- E. Allow developers free rein in GCP as their dev and QA platforms.

Answer: B

NEW QUESTION 66

You are part of a security team that wants to ensure that a Cloud Storage bucket in Project A can only be readable from Project B. You also want to ensure that data in the Cloud Storage bucket cannot be accessed from or copied to Cloud Storage buckets outside the network, even if the user has the correct credentials. What should you do?

- A. Enable VPC Service Controls, create a perimeter with Project A and B, and include Cloud Storage service.
- B. Enable Domain Restricted Sharing Organization Policy and Bucket Policy Only on the Cloud Storage bucket.
- C. Enable Private Access in Project A and B networks with strict firewall rules to allow communication between the networks.
- D. Enable VPC Peering between Project A and B networks with strict firewall rules to allow communication between the networks.

Answer: B

NEW QUESTION 71

Your company is using Cloud Dataproc for its Spark and Hadoop jobs. You want to be able to create, rotate, and destroy symmetric encryption keys used for the persistent disks used by Cloud Dataproc. Keys can be stored in the cloud. What should you do?

- A. Use the Cloud Key Management Service to manage the data encryption key (DEK).
- B. Use the Cloud Key Management Service to manage the key encryption key (KEK).
- C. Use customer-supplied encryption keys to manage the data encryption key (DEK).
- D. Use customer-supplied encryption keys to manage the key encryption key (KEK).

Answer: A

NEW QUESTION 74

An application running on a Compute Engine instance needs to read data from a Cloud Storage bucket. Your team does not allow Cloud Storage buckets to be globally readable and wants to ensure the principle of least privilege. Which option meets the requirement of your team?

- A. Create a Cloud Storage ACL that allows read-only access from the Compute Engine instance's IP address and allows the application to read from the bucket without credentials.
- B. Use a service account with read-only access to the Cloud Storage bucket, and store the credentials to the service account in the config of the application on the Compute Engine instance.
- C. Use a service account with read-only access to the Cloud Storage bucket to retrieve the credentials from the instance metadata.
- D. Encrypt the data in the Cloud Storage bucket using Cloud KMS, and allow the application to decrypt the data with the KMS key.

Answer: C

NEW QUESTION 75

.....

Thank You for Trying Our Product

* 100% Pass or Money Back

All our products come with a 90-day Money Back Guarantee.

* One year free update

You can enjoy free update one year. 24x7 online support.

* Trusted by Millions

We currently serve more than 30,000,000 customers.

* Shop Securely

All transactions are protected by VeriSign!

100% Pass Your Professional-Cloud-Security-Engineer Exam with Our Prep Materials Via below:

<https://www.certleader.com/Professional-Cloud-Security-Engineer-dumps.html>