



CompTIA

Exam Questions SY0-701

CompTIA Security+ Exam

NEW QUESTION 1

- (Exam Topic 1)

A security analyst needs to implement an MDM solution for BYOD users that will allow the company to retain control over company emails residing on the devices and limit data exfiltration that might occur if the devices are lost or stolen. Which of the following would BEST meet these requirements? (Select TWO).

- A. Full-device encryption
- B. Network usage rules
- C. Geofencing
- D. Containerization
- E. Application whitelisting
- F. Remote control

Answer: DE

Explanation:

MDM solutions emerged to solve problems created by BYOD. With MDM, IT teams can remotely wipe devices clean if they are lost or stolen. MDM also makes the life of an IT administrator a lot easier as it allows them to enforce corporate policies, apply software updates, and even ensure that password protection is used on each device. Containerization and application whitelisting are two features of MDM that can help retain control over company emails residing on the devices and limit data exfiltration that might occur if the devices are lost or stolen.

Containerization is a technique that creates a separate and secure space on the device for work-related data and applications. This way, personal and corporate data are isolated from each other, and IT admins can manage only the work container without affecting the user's privacy. Containerization also allows IT admins to remotely wipe only the work container if needed, leaving the personal data intact.

Application whitelisting is a technique that allows only authorized applications to run on the device. This way, IT admins can prevent users from installing or using malicious or unapproved applications that might compromise the security of corporate data. Application whitelisting also allows IT admins to control which applications can access corporate resources, such as email servers or cloud storage.

References: <https://www.comptia.org/certifications/security#examdetails> <https://www.comptia.org/content/guides/comptia-security-sy0-601-exam-objectives>
<https://www.office1.com/blog/byod-vs-mdm>

NEW QUESTION 2

- (Exam Topic 1)

Which of the following is a cryptographic concept that operates on a fixed length of bits?

- A. Block cipher
- B. Hashing
- C. Key stretching
- D. Salting

Answer: A

Explanation:

Single-key or symmetric-key encryption algorithms create a fixed length of bits known as a block cipher with a secret key that the creator/sender uses to encipher data (encryption) and the receiver uses to decipher it.

NEW QUESTION 3

- (Exam Topic 1)

If a current private key is compromised, which of the following would ensure it cannot be used to decrypt all historical data?

- A. Perfect forward secrecy
- B. Elliptic-curve cryptography
- C. Key stretching
- D. Homomorphic encryption

Answer: A

Explanation:

Perfect forward secrecy would ensure that it cannot be used to decrypt all historical data. Perfect forward secrecy (PFS) is a security protocol that generates a unique session key for each session between two parties. This ensures that even if one session key is compromised, it cannot be used to decrypt other sessions.

NEW QUESTION 4

- (Exam Topic 1)

As part of annual audit requirements, the security team performed a review of exceptions to the company policy that allows specific users the ability to use USB storage devices on their laptops. The review yielded the following results.

- The exception process and policy have been correctly followed by the majority of users
- A small number of users did not create tickets for the requests but were granted access
- All access had been approved by supervisors.
- Valid requests for the access sporadically occurred across multiple departments.
- Access, in most cases, had not been removed when it was no longer needed

Which of the following should the company do to ensure that appropriate access is not disrupted but unneeded access is removed in a reasonable time frame?

- A. Create an automated, monthly attestation process that removes access if an employee's supervisor denies the approval
- B. Remove access for all employees and only allow new access to be granted if the employee's supervisor approves the request
- C. Perform a quarterly audit of all user accounts that have been granted access and verify the exceptions with the management team
- D. Implement a ticketing system that tracks each request and generates reports listing which employees actively use USB storage devices

Answer: A

Explanation:

According to the CompTIA Security+ SY0-601 documents, the correct answer option is A. Create an automated, monthly attestation process that removes access

if an employee's supervisor denies the approval¹².

This option ensures that appropriate access is not disrupted but unneeded access is removed in a reasonable time frame by requiring supervisors to approve or deny the exceptions on a regular basis. It also reduces the manual workload of the security team and improves the compliance with the company policy.

NEW QUESTION 5

- (Exam Topic 1)

A security administrator wants to implement a program that tests a user's ability to recognize attacks over the organization's email system. Which of the following would be BEST suited for this task?

- A. Social media analysis
- B. Annual information security training
- C. Gamification
- D. Phishing campaign

Answer: D

Explanation:

A phishing campaign is a simulated attack that tests a user's ability to recognize attacks over the organization's email system. Phishing campaigns can be used to train users on how to identify and report suspicious emails.

References: CompTIA Security+ Study Guide, Exam SY0-601, 4th Edition, Chapter 2: Technologies and Tools, pp. 85-86.

NEW QUESTION 6

- (Exam Topic 1)

A company recently decided to allow its employees to use their personally owned devices for tasks like checking email and messaging via mobile applications. The company would like to use MDM, but employees are concerned about the loss of personal data. Which of the following should the IT department implement to BEST protect the company against company data loss while still addressing the employees' concerns?

- A. Enable the remote-wiping option in the MDM software in case the phone is stolen.
- B. Configure the MDM software to enforce the use of PINs to access the phone.
- C. Configure MDM for FDE without enabling the lock screen.
- D. Perform a factory reset on the phone before installing the company's applications.

Answer: C

Explanation:

MDM software is a type of remote asset-management software that runs from a central server. It is used by businesses to optimize the functionality and security of their mobile devices, including smartphones and tablets. It can monitor and regulate both corporate-owned and personally owned devices to the organization's policies.

FDE stands for full disk encryption, which is a method of encrypting all data on a device's storage. FDE can protect data from unauthorized access in case the device is lost or stolen.

If a company decides to allow its employees to use their personally owned devices for work tasks, it should configure MDM software to enforce FDE on those devices. This way, the company can protect its data from being exposed if the device falls into the wrong hands.

However, employees may be concerned about the loss of personal data if the company also enables the remote-wiping option in the MDM software. Remote wiping is a feature that allows the company to erase all data on a device remotely in case of theft or loss. Remote wiping can also affect personal data on the device, which may not be acceptable to employees.

Therefore, a possible compromise is to configure MDM for FDE without enabling the lock screen. This means that the device will be encrypted, but it will not require a password or PIN to unlock it. This way, employees can access their personal data easily, while the company can still protect its data with encryption.

The other options are not correct because:

- > A. Enable the remote-wiping option in the MDM software in case the phone is stolen. This option may address the company's concern about data loss, but it may not address the employees' concern about personal data loss. Remote wiping can erase both work and personal data on the device, which may not be desirable for employees.
- > B. Configure the MDM software to enforce the use of PINs to access the phone. This option may enhance the security of the device, but it may not address the company's concern about data loss. PINs can be guessed or bypassed by attackers, and they do not protect data if the device is physically accessed.
- > D. Perform a factory reset on the phone before installing the company's applications. This option may address the company's concern about data loss, but it may not address the employees' concern about personal data loss. A factory reset will erase all data on the device, including personal data, which may not be acceptable to employees.

According to CompTIA Security+ SY0-601 Exam Objectives 2.4 Given a scenario, implement secure systems design:

"MDM software is a type of remote asset-management software that runs from a central server¹. It is used by businesses to optimize the functionality and security of their mobile devices, including smartphones and tablets²."

"FDE stands for full disk encryption, which is a method of encrypting all data on a device's storage³." References:

<https://www.comptia.org/certifications/security#examdetails>

<https://www.comptia.org/content/guides/comptia-security-sy0-601-exam-objectives>

<https://www.makeuseof.com/what-is-mobile-device-management-mdm-software/>

NEW QUESTION 7

- (Exam Topic 1)

A company reduced the area utilized in its datacenter by creating virtual networking through automation and by creating provisioning routes and rules through scripting. Which of the following does this example describe?

- A. IaC
- B. MSSP
- C. Containers
- D. SaaS

Answer: A

Explanation:

IaaS (Infrastructure as a Service) allows the creation of virtual networks, automation, and scripting to reduce the area utilized in a datacenter. References:

CompTIA Security+ Study Guide, Exam SY0-601, Chapter 4

NEW QUESTION 8

- (Exam Topic 1)

Which of the following is a physical security control that ensures only the authorized user is present when gaining access to a secured area?

- A. A biometric scanner
- B. A smart card reader
- C. APKItoken
- D. A PIN pad

Answer: A

Explanation:

A biometric scanner uses physical characteristics such as fingerprints to identify an individual user. It is used to ensure that only the authorized user is present when gaining access to a secured area.

NEW QUESTION 9

- (Exam Topic 1)

A security analyst was deploying a new website and found a connection attempting to authenticate on the site's portal. While Investigating The incident, the analyst identified the following Input in the username field:

```
admin' or 1=1--
```

Which of the following BEST explains this type of attack?

- A. DLL injection to hijack administrator services
- B. SQLi on the field to bypass authentication
- C. Execution of a stored XSS on the website
- D. Code to execute a race condition on the server

Answer: B

Explanation:

The input "admin' or 1=1--" in the username field is an example of SQL injection (SQLi) attack. In this case, the attacker is attempting to bypass authentication by injecting SQL code into the username field that will cause the authentication check to always return true. References: CompTIA Security+ SY0-601 Exam Objectives: 3.1 Given a scenario, use appropriate software tools to assess the security posture of an organization.

NEW QUESTION 10

- (Exam Topic 1)

Which of the following provides a catalog of security and privacy controls related to the United States federal information systems?

- A. GDPR
- B. PCI DSS
- C. ISO 27000
- D. NIST 800-53

Answer: D

Explanation:

NIST 800-53 provides a catalog of security and privacy controls related to the United States federal information systems. References: CompTIA Security+ Study Guide, Exam SY0-601, 4th Edition, Chapter 3: Architecture and Design, pp. 123-125

NEW QUESTION 10

- (Exam Topic 1)

Which of the following should a technician consider when selecting an encryption method for data that needs to remain confidential for a specific length of time?

- A. The key length of the encryption algorithm
- B. The encryption algorithm's longevity
- C. A method of introducing entropy into key calculations
- D. The computational overhead of calculating the encryption key

Answer: B

Explanation:

When selecting an encryption method for data that needs to remain confidential for a specific length of time, the longevity of the encryption algorithm should be considered to ensure that the data remains secure for the required period. References: CompTIA Security+ Certification Exam Objectives - 3.2 Given a scenario, use appropriate cryptographic methods. Study Guide: Chapter 4, page 131.

NEW QUESTION 11

- (Exam Topic 1)

A new plug-and-play storage device was installed on a PC in the corporate environment. Which of the following safeguards will BEST help to protect the PC from malicious files on the storage device?

- A. Change the default settings on the PC.
- B. Define the PC firewall rules to limit access.
- C. Encrypt the disk on the storage device.
- D. Plug the storage device in to the UPS

Answer: A

Explanation:

The best option that will help to protect the PC from malicious files on the storage device would be A. Change the default settings on the PC. Changing the default settings on the PC can include disabling the autorun or autoplay feature, which can prevent malicious files from executing automatically when the storage device is plugged in. Changing the default settings can also include enabling antivirus software, updating the operating system and applications, and configuring user account control and permissions.

NEW QUESTION 13

- (Exam Topic 1)

An organization discovered a disgruntled employee exfiltrated a large amount of PII data by uploading files Which of the following controls should the organization consider to mitigate this risk?

- A. EDR
- B. Firewall
- C. HIPS
- D. DLP

Answer: D

Explanation:

DLP stands for data loss prevention, which is a set of tools and processes that aim to prevent unauthorized access, use, or transfer of sensitive data. DLP can help mitigate the risk of data exfiltration by disgruntled employees or external attackers by monitoring and controlling data flows across endpoints, networks, and cloud services. DLP can also detect and block attempts to copy, print, email, upload, or download sensitive data based on predefined policies and rules.

References: <https://www.comptia.org/certifications/security#examdetails> <https://www.comptia.org/content/guides/comptia-security-sy0-601-exam-objectives>
<https://www.forcepoint.com/cyber-edu/data-loss-prevention-dlp>

NEW QUESTION 16

- (Exam Topic 1)

A company acquired several other small companies The company that acquired the others is transitioning network services to the cloud The company wants to make sure that performance and security remain intact Which of the following BEST meets both requirements?

- A. High availability
- B. Application security
- C. Segmentation
- D. Integration and auditing

Answer: A

Explanation:

High availability refers to the ability of a system or service to remain operational and available to users with minimal downtime. By ensuring high availability, the company can maintain good performance and ensure that users have access to the network services they need. High availability can also improve security, as it helps to prevent disruptions that could potentially be caused by security incidents or other issues.

NEW QUESTION 19

- (Exam Topic 1)

Which of the following authentication methods is considered to be the LEAST secure?

- A. TOTP
- B. SMS
- C. HOTP
- D. Token key

Answer: B

Explanation:

SMS-based authentication is considered to be the least secure among the given options. This is because SMS messages can be intercepted or redirected by attackers through techniques such as SIM swapping, man-in-the-middle attacks, or exploiting weaknesses in the SS7 protocol used by mobile networks. Additionally, SMS messages can be compromised if a user's phone is lost, stolen, or infected with malware. In contrast, TOTP (Time-based One-Time Password), HOTP (HMAC-based One-Time Password), and token keys are more secure as they rely on cryptographic algorithms or physical devices to generate one-time use codes, which are less susceptible to interception or unauthorized access. Reference: 1. National Institute of Standards and Technology (NIST). (2017). Digital Identity Guidelines: Authentication and Lifecycle Management (NIST SP 800-63B). <https://nvlpubs.nist.gov/nistpubs/SpecialPublications/NIST.SP.800-63b.pdf>

NEW QUESTION 24

- (Exam Topic 1)

An organization wants to integrate its incident response processes into a workflow with automated decision points and actions based on predefined playbooks. Which of the following should the organization implement?

- A. SIEM
- B. SOAR
- C. EDR
- D. CASB

Answer: B

Explanation:

Security Orchestration, Automation, and Response (SOAR) should be implemented to integrate incident response processes into a workflow with automated decision points and actions based on predefined playbooks. References: CompTIA Security+ Study Guide, Exam SY0-601, Chapter 9

NEW QUESTION 26

- (Exam Topic 1)

The Chief Information Security Officer wants to pilot a new adaptive, user-based authentication method. The concept includes granting logical access based on physical location and proximity. Which of the following is the BEST solution for the pilot?

- A. Geofencing
- B. Self-sovereign identification
- C. PKI certificates
- D. SSO

Answer: A

Explanation:

Geofencing is a location-based technology that allows an organization to define and enforce logical access control policies based on physical location and proximity. Geofencing can be used to grant or restrict access to systems, data, or facilities based on an individual's location, and it can be integrated into a user's device or the infrastructure. This makes it a suitable solution for the pilot project to test the adaptive, user-based authentication method that includes granting logical access based on physical location and proximity.

Reference: CompTIA Security+ SY0-601 Official Text Book, Chapter 4: "Identity and Access Management".

NEW QUESTION 28

- (Exam Topic 1)

Which of the following BEST describes the method a security analyst would use to confirm a file that is downloaded from a trusted security website is not altered in transit or corrupted using a verified checksum?

- A. Hashing
- B. Salting
- C. Integrity
- D. Digital signature

Answer: A

Explanation:

Hashing is a cryptographic function that produces a unique fixed-size output (i.e., hash value) from an input (i.e., data). The hash value is a digital fingerprint of the data, which means that if the data changes, so too does the hash value. By comparing the hash value of the downloaded file with the hash value provided by the security website, the security analyst can verify that the file has not been altered in transit or corrupted.

NEW QUESTION 29

- (Exam Topic 1)

During a forensic investigation, a security analyst discovered that the following command was run on a compromised host:

```
crackmapexec smb 192.168.10.232 -u localadmin -H 0A3CE8D07A46E5C51070F03593E0A5E6
```

Which of the following attacks occurred?

- A. Buffer overflow
- B. Pass the hash
- C. SQL injection
- D. Replay attack

Answer: B

Explanation:

Pass the hash is an attack technique that allows an attacker to authenticate to a remote server or service by using the hashed version of a user's password, rather than requiring the plaintext password.

NEW QUESTION 31

- (Exam Topic 1)

After a hardware incident, an unplanned emergency maintenance activity was conducted to rectify the issue. Multiple alerts were generated on the SIEM during this period of time. Which of the following BEST explains what happened?

- A. The unexpected traffic correlated against multiple rules, generating multiple alerts.
- B. Multiple alerts were generated due to an attack occurring at the same time.
- C. An error in the correlation rules triggered multiple alerts.
- D. The SIEM was unable to correlate the rules, triggering the alert.

Answer: A

Explanation:

Multiple alerts were generated on the SIEM during the emergency maintenance activity due to unexpected traffic correlated against multiple rules. The SIEM generates alerts when it detects an event that matches a rule in its rulebase. If the event matches multiple rules, the SIEM will generate multiple alerts.

Reference: CompTIA Security+ Study Guide, Exam SY0-601, Chapter 3: Architecture and Design

NEW QUESTION 32

- (Exam Topic 1)

Which of the following uses six initial steps that provide basic control over system security by including hardware and software inventory, vulnerability management, and continuous monitoring to minimize risk in all network environments?

- A. ISO 27701
- B. The Center for Internet Security
- C. SSAE SOC 2

D. NIST Risk Management Framework

Answer: B

Explanation:

The Center for Internet Security (CIS) uses six initial steps that provide basic control over system security, including hardware and software inventory, vulnerability management, and continuous monitoring to minimize risk in all network environments. References:

- CompTIA Security+ Certification Exam Objectives 1.1: Compare and contrast different types of security concepts.
- CompTIA Security+ Study Guide, Sixth Edition, pages 15-16

NEW QUESTION 37

- (Exam Topic 1)

Which of the following function as preventive, detective, and deterrent controls to reduce the risk of physical theft? (Select TWO).

- A. Mantraps
- B. Security guards
- C. Video surveillance
- D. Fences
- E. Bollards
- F. Antivirus

Answer: AB

Explanation:

A - a mantrap can trap those personal with bad intension(preventive), and kind of same as detecting, since you will know if someone is trapped there(detective), and it can deter those personal from approaching as well(deterrent) B - security guards can sure do the same thing as above, preventing malicious personal from entering(preventive+deterrent), and notice those personal as well(detective)

NEW QUESTION 38

- (Exam Topic 1)

When planning to build a virtual environment, an administrator need to achieve the following,

- Establish polices in Limit who can create new VMs
- Allocate resources according to actual utilization'
- Require justification for requests outside of the standard requirements.
- Create standardized categories based on size and resource requirements Which of the following is the administrator MOST likely trying to do?

- A. Implement IaaS replication
- B. Product against VM escape
- C. Deploy a PaaS
- D. Avoid VM sprawl

Answer: D

Explanation:

The administrator is most likely trying to avoid VM sprawl, which occurs when too many VMs are created and managed poorly, leading to resource waste and increased security risks. The listed actions can help establish policies, resource allocation, and categorization to prevent unnecessary VM creation and ensure proper management. Reference: CompTIA Security+ Certification Exam Objectives, Exam SY0-601, 3.6 Given a scenario, implement the appropriate virtualization components.

NEW QUESTION 40

- (Exam Topic 1)

Which of the following environments can be stood up in a short period of time, utilizes either dummy data or actual data, and is used to demonstrate and model system capabilities and functionality for a fixed, agreed-upon duration of time?

- A. PoC
- B. Production
- C. Test
- D. Development

Answer: A

Explanation:

A proof of concept (PoC) environment can be stood up quickly and is used to demonstrate and model system capabilities and functionality for a fixed, agreed-upon duration of time. This environment can utilize either dummy data or actual data. References: CompTIA Security+ Certification Guide, Exam SY0-501

NEW QUESTION 42

- (Exam Topic 1)

A company has discovered unauthorized devices are using its WiFi network, and it wants to harden the access point to improve security. Which of the following configuration should an analysis enable To improve security? (Select TWO.)

- A. RADIUS
- B. PEAP
- C. WPS
- D. WEP-EKIP
- E. SSL
- F. WPA2-PSK

Answer: AF

Explanation:

To improve the security of the WiFi network and prevent unauthorized devices from accessing the network, the configuration options of RADIUS and WPA2-PSK should be enabled. RADIUS (Remote Authentication Dial-In User Service) is an authentication protocol that can be used to control access to the WiFi network. It can provide stronger authentication and authorization than WEP and WPA. WPA2-PSK (WiFi Protected Access 2 with Pre-Shared Key) is a security protocol that uses stronger encryption than WEP and WPA. It requires a pre-shared key (PSK) to be entered on each device that wants to access the network. This helps prevent unauthorized devices from accessing the network.

NEW QUESTION 44

- (Exam Topic 1)

A security analyst wants to verify that a client-server (non-web) application is sending encrypted traffic. Which of the following should the analyst use?

- A. openssl
- B. hping
- C. netcat
- D. tcpdump

Answer: A

Explanation:

To verify that a client-server (non-web) application is sending encrypted traffic, a security analyst can use OpenSSL. OpenSSL is a software library that provides cryptographic functions, including encryption and decryption, in support of various security protocols, including SSL/TLS. It can be used to check whether a client-server application is using encryption to protect traffic. References:

> CompTIA Security+ Certification Exam Objectives - Exam SY0-601

NEW QUESTION 49

- (Exam Topic 1)

A network analyst is investigating compromised corporate information. The analyst leads to a theory that network traffic was intercepted before being transmitted to the internet. The following output was captured on an internal host:

```
IPv4 Address ..... 10.0.0.87
Subnet Mask ..... 255.255.255.0
Default Gateway ..... 10.0.0.1
```

Internet Address	Physical Address
10.10.255.255	ff-ff-ff-ff-ff-ff
10.0.0.1	aa-aa-aa-aa-aa-aa
10.0.0.254	aa-aa-aa-aa-aa-aa
224.0.0.2	01-00-5e-00-00-02

Based on the IoCS, which of the following was the MOST likely attack used to compromise the network communication?

- A. Denial of service
- B. ARP poisoning
- C. Command injection
- D. MAC flooding

Answer: B

Explanation:

ARP poisoning (also known as ARP spoofing) is a type of attack where an attacker sends falsified ARP messages over a local area network to link the attacker's MAC address with the IP address of another host on the network. References: CompTIA Security+ Certification Exam Objectives - 2.5 Given a scenario, analyze potential indicators to determine the type of attack. Study Guide: Chapter 6, page 271.

NEW QUESTION 50

- (Exam Topic 1)

Which of the following cryptographic concepts would a security engineer utilize while implementing non-repudiation? (Select TWO)

- A. Block cipher
- B. Hashing
- C. Private key
- D. Perfect forward secrecy
- E. Salting
- F. Symmetric keys

Answer: BC

Explanation:

Non-repudiation is the ability to ensure that a party cannot deny a previous action or event. Cryptographic concepts that can be used to implement non-repudiation include hashing and digital signatures, which use a private key to sign a message and ensure that the signature is unique to the signer. References: CompTIA Security+ Certification Exam Objectives (SY0-601)

NEW QUESTION 53

- (Exam Topic 1)

A major clothing company recently lost a large amount of proprietary information. The security officer must find a solution to ensure this never happens again. Which of the following is the BEST technical implementation to prevent this from happening again?

- A. Configure DLP solutions
- B. Disable peer-to-peer sharing
- C. Enable role-based
- D. Mandate job rotation
- E. Implement content filters

Answer: A

Explanation:

Data loss prevention (DLP) solutions can prevent the accidental or intentional loss of sensitive data. DLP tools can identify and protect sensitive data by classifying and categorizing it, encrypting it, or blocking it from being transferred outside the organization's network.

NEW QUESTION 54

- (Exam Topic 1)

A company would like to provide flexibility for employees on device preference. However, the company is concerned about supporting too many different types of hardware. Which of the following deployment models will provide the needed flexibility with the GREATEST amount of control and security over company data and infrastructure?

- A. BYOD
- B. VDI
- C. COPE
- D. CYOD

Answer: D

Explanation:

Choose Your Own Device (CYOD) is a deployment model that allows employees to select from a predefined list of devices. It provides employees with flexibility in device preference while allowing the company to maintain control and security over company data and infrastructure. CYOD deployment model provides a compromise between the strict control provided by Corporate-Owned, Personally Enabled (COPE) deployment model and the flexibility provided by Bring Your Own Device (BYOD) deployment model. References: CompTIA Security+ Study Guide, Chapter 6: Securing Application, Data, and Host Security, 6.5 Implement Mobile Device Management, pp. 334-335

NEW QUESTION 58

- (Exam Topic 1)

After a phishing scam for a user's credentials, the red team was able to craft payload to deploy on a server. The attack allowed the installation of malicious software that initiates a new remote session. Which of the following types of attacks has occurred?

- A. Privilege escalation
- B. Session replay
- C. Application programming interface
- D. Directory traversal

Answer: A

Explanation:

"Privilege escalation is the act of exploiting a bug, design flaw, or configuration oversight in an operating system or software application to gain elevated access to resources that are normally protected from an application or user." In this scenario, the red team was able to install malicious software, which would require elevated privileges to access and install. Therefore, the type of attack that occurred is privilege escalation. References: CompTIA Security+ Study Guide, pages 111-112

NEW QUESTION 60

- (Exam Topic 1)

A security manager needs to assess the security posture of one of the organization's vendors. The contract with the vendor does not allow for auditing of the vendor's security controls. Which of the following should the manager request to complete the assessment?

- A. A service-level agreement
- B. A business partnership agreement
- C. A SOC 2 Type 2 report
- D. A memorandum of understanding

Answer: C

Explanation:

SOC 2 (Service Organization Control 2) is a type of audit report that evaluates the controls of service providers to verify their compliance with industry standards for security, availability, processing integrity, confidentiality, and privacy. A Type 2 report is based on an audit that tests the effectiveness of the controls over a period of time, unlike a Type 1 report which only evaluates the design of the controls at a specific point in time.

A SOC 2 Type 2 report would provide evidence of the vendor's security controls and how effective they are over time, which can help the security manager assess the vendor's security posture despite the vendor not allowing for a direct audit.

The security manager should request a SOC 2 Type 2 report to assess the security posture of the vendor. References: CompTIA Security+ Study Guide: Exam SY0-601, Chapter 5

NEW QUESTION 62

- (Exam Topic 1)

Which of the following in a forensic investigation should be priorities based on the order of volatility? (Select TWO).

- A. Page files
- B. Event logs
- C. RAM

- D. Cache
- E. Stored files
- F. HDD

Answer: CD

Explanation:

In a forensic investigation, volatile data should be collected first, based on the order of volatility. RAM and Cache are examples of volatile data. References: CompTIA Security+ Study Guide 601, Chapter 11

NEW QUESTION 65

- (Exam Topic 1)

During a security assessment, a security finds a file with overly permissive permissions. Which of the following tools will allow the analyst to reduce the permission for the existing users and groups and remove the set-user-ID from the file?

- A. 1s
- B. chflags
- C. chmod
- D. lsof
- E. setuid

Answer: C

Explanation:

The chmod command is used to change the permissions of a file or directory. The analyst can use chmod to reduce the permissions for existing users and groups and remove the set-user-ID bit from the file. References:

➤ [CompTIA Security+ Study Guide Exam SY0-601, Chapter 6](#)

NEW QUESTION 68

- (Exam Topic 1)

Which of the following would MOST likely be identified by a credentialed scan but would be missed by an uncredentialed scan?

- A. Vulnerabilities with a CVSS score greater than 6.9.
- B. Critical infrastructure vulnerabilities on non-IP protocols.
- C. CVEs related to non-Microsoft systems such as printers and switches.
- D. Missing patches for third-party software on Windows workstations and servers.

Answer: D

Explanation:

An uncredentialed scan would miss missing patches for third-party software on Windows workstations and servers. A credentialed scan, however, can scan the registry and file system to determine the patch level of third-party applications. References: CompTIA Security+ Study Guide by Emmett Dulaney, Chapter 4: Identity and Access Management, The Importance of Credentialing Scans

NEW QUESTION 71

- (Exam Topic 1)

A company is required to continue using legacy software to support a critical service. Which of the following BEST explains a risk of this practice?

- A. Default system configuration
- B. Unsecure protocols
- C. Lack of vendor support
- D. Weak encryption

Answer: C

Explanation:

One of the risks of using legacy software is the lack of vendor support. This means that the vendor may no longer provide security patches, software updates, or technical support for the software. This leaves the software vulnerable to new security threats and vulnerabilities that could be exploited by attackers.

NEW QUESTION 75

- (Exam Topic 1)

A dynamic application vulnerability scan identified code injection could be performed using a web form. Which of the following will be BEST remediation to prevent this vulnerability?

- A. Implement input validations
- B. Deploy MFA
- C. Utilize a WAF
- D. Configure HIPS

Answer: A

Explanation:

Implementing input validations will prevent code injection attacks by verifying the type and format of user input. References: CompTIA Security+ Study Guide: Exam SY0-601, Chapter 8

NEW QUESTION 78

- (Exam Topic 1)

An organization wants seamless authentication to its applications. Which of the following should the organization employ to meet this requirement?

- A. SOAP
- B. SAML
- C. SSO
- D. Kerberos

Answer: C

Explanation:

Single Sign-On (SSO) is a mechanism that allows users to access multiple applications with a single set of login credentials. References: CompTIA Security+ Study Guide 601, Chapter 6

NEW QUESTION 81

- (Exam Topic 1)

After a WiFi scan of a local office was conducted, an unknown wireless signal was identified. Upon investigation, an unknown Raspberry Pi device was found connected to an Ethernet port using a single connection. Which of the following BEST describes the purpose of this device?

- A. IoT sensor
- B. Evil twin
- C. Rogue access point
- D. On-path attack

Answer: C

Explanation:

A Raspberry Pi device connected to an Ethernet port could be configured as a rogue access point, allowing an attacker to intercept and analyze network traffic or perform other malicious activities. References: CompTIA Security+ SY0-601 Exam Objectives: 3.2 Given a scenario, implement secure network architecture concepts.

NEW QUESTION 85

- (Exam Topic 1)

A new vulnerability in the SMB protocol on the Windows systems was recently discovered, but no patches are currently available to resolve the issue. The security administrator is concerned if servers in the company's DMZ will be vulnerable to external attack; however, the administrator cannot disable the service on the servers, as SMB is used by a number of internal systems and applications on the LAN. Which of the following TCP ports should be blocked for all external inbound connections to the DMZ as a workaround to protect the servers? (Select TWO).

- A. 135
- B. 139
- C. 143
- D. 161
- E. 443
- F. 445

Answer: BF

Explanation:

To protect the servers in the company's DMZ from external attack due to the new vulnerability in the SMB protocol on the Windows systems, the security administrator should block TCP ports 139 and 445 for all external inbound connections to the DMZ. SMB uses TCP port 139 and 445. Blocking these ports will prevent external attackers from exploiting the vulnerability in SMB protocol on Windows systems. Blocking TCP ports 139 and 445 for all external inbound connections to the DMZ can help protect the servers, as these ports are used by SMB protocol. Port 135 is also associated with SMB, but it is not commonly used. Ports 143 and 161 are associated with other protocols and services. Reference: CompTIA Security+ Certification Exam Objectives, Exam SY0-601, 1.4 Compare and contrast network architecture and technologies.

NEW QUESTION 89

- (Exam Topic 1)

A large enterprise has moved all its data to the cloud behind strong authentication and encryption. A sales director recently had a laptop stolen, and later, enterprise data was found to have been compromised from a local database. Which of the following was the MOST likely cause?

- A. Shadow IT
- B. Credential stuffing
- C. SQL injection
- D. Man in the browser
- E. Bluejacking

Answer: A

Explanation:

The most likely cause of the enterprise data being compromised from a local database is Shadow IT. Shadow IT is the use of unauthorized applications or devices by employees to access company resources. In this case, the sales director's laptop was stolen, and the attacker was able to use it to access the local database, which was not secured properly, allowing unauthorized access to sensitive data. References:

> CompTIA Security+ Certification Exam Objectives - Exam SY0-601

NEW QUESTION 93

- (Exam Topic 1)

A company's public-facing website, <https://www.organization.com>, has an IP address of 166.18.75.6. However, over the past hour the SOC has received reports of the site's homepage displaying incorrect information. A quick nslookup search shows <https://www.organization.com> is pointing to 151.191.122.115. Which of the following is occurring?

- A. DoS attack
- B. ARP poisoning
- C. DNS spoofing
- D. NXDOMAIN attack

Answer: C

Explanation:

The issue is DNS spoofing, where the DNS resolution has been compromised and is pointing to a malicious IP address. References: CompTIA Security+ Study Guide: Exam SY0-601, Chapter 7

NEW QUESTION 94

- (Exam Topic 1)

Which of the following conditions impacts data sovereignty?

- A. Rights management
- B. Criminal investigations
- C. Healthcare data
- D. International operations

Answer: D

Explanation:

Data sovereignty refers to the legal concept that data is subject to the laws and regulations of the country in which it is located. International operations can impact data sovereignty as companies operating in multiple countries may need to comply with different laws and regulations. References:

> CompTIA Security+ Study Guide, Exam SY0-601, 4th Edition, Chapter 5

NEW QUESTION 99

- (Exam Topic 1)

Employees at a company are receiving unsolicited text messages on their corporate cell phones. The unsolicited text messages contain a password reset Link. Which of the attacks is being used to target the company?

- A. Phishing
- B. Vishing
- C. Smishing
- D. Spam

Answer: C

Explanation:

Smishing is a type of phishing attack which begins with an attacker sending a text message to an individual. The message contains social engineering tactics to convince the person to click on a malicious link or send sensitive information to the attacker. Criminals use smishing attacks for purposes like:

Learn login credentials to accounts via credential phishing Discover private data like social security numbers

Send money to the attacker Install malware on a phone

Establish trust before using other forms of contact like phone calls or emails

Attackers may pose as trusted sources like a government organization, a person you know, or your bank. And messages often come with manufactured urgency and time-sensitive threats. This can make it more difficult for a victim to notice a scam.

Phone numbers are easy to spoof with VoIP texting, where users can create a virtual number to send and receive texts. If a certain phone number is flagged for spam, criminals can simply recycle it and use a new one.

NEW QUESTION 102

- (Exam Topic 1)

A user attempts to load a web-based application, but the expected login screen does not appear A help desk analyst troubleshoots the issue by running the following command and reviewing the output on the user's PC

```
user> nslookup software-solution.com
Server: rogue.comptia.com
Address: 172.16.1.250
Non-authoritative answer:
Name: software-solution.com
Address: 10.20.10.10
```

The help desk analyst then runs the same command on the local PC

```
helpdesk> nslookup software-solution.com
Server: dns.comptia.com
Address: 172.16.1.1
Non-authoritative answer:
Name: software-solution.com
Address: 172.16.1.10
```

Which of the following BEST describes the attack that is being detected?

- A. Domain hijacking
- B. DNS poisoning
- C. MAC flooding
- D. Evil twin

Answer: B

Explanation:

DNS poisoning, also known as DNS spoofing or DNS cache poisoning, is a form of computer security hacking in which corrupt Domain Name System (DNS) data is introduced into the DNS resolver's cache, causing the name server to return an incorrect result record, such as an IP address. This results in traffic being diverted to the attacker's computer (or any other malicious destination).

DNS poisoning can be performed by various methods, such as:

- Intercepting and forging DNS responses from legitimate servers
 - Compromising DNS servers and altering their records
 - Exploiting vulnerabilities in DNS protocols or implementations
 - Sending malicious emails or links that trigger DNS queries with poisoned responses
- According to CompTIA Security+ SY0-601 Exam Objectives 1.4 Given a scenario, analyze potential

indicators to determine the type of attack:

“DNS poisoning, also known as DNS spoofing or DNS cache poisoning, is a form of computer security hacking in which corrupt Domain Name System (DNS) data is introduced into the DNS resolver’s cache, causing the name server to return an incorrect result record.”

References: <https://www.comptia.org/certifications/security#examdetails> <https://www.comptia.org/content/guides/comptia-security-sy0-601-exam-objectives>
<https://www.cloudflare.com/learning/dns/dns-cache-poisoning/>

NEW QUESTION 107

- (Exam Topic 1)

A security incident has been resolved Which of the following BEST describes the importance of the final phase of the incident response plan?

- A. It examines and documents how well the team responded discovers what caused the incident, and determines how the incident can be avoided in the future
- B. It returns the affected systems back into production once systems have been fully patched, data restored and vulnerabilities addressed
- C. It identifies the incident and the scope of the breach how it affects the production environment, and the ingress point
- D. It contains the affected systems and disconnects them from the network, preventing further spread of the attack or breach

Answer: A

Explanation:

The final phase of an incident response plan is the post-incident activity, which involves examining and documenting how well the team responded, discovering what caused the incident, and determining how the incident can be avoided in the future. References: CompTIA Security+ Certification Exam Objectives - 2.5 Given a scenario, analyze potential indicators to determine the type of attack. Study Guide: Chapter 5, page 225.

NEW QUESTION 110

- (Exam Topic 1)

A security analyst is responding to an alert from the SIEM. The alert states that malware was discovered on a host and was not automatically deleted. Which of the following would be BEST for the analyst to perform?

- A. Add a deny-all rule to that host in the network ACL
- B. Implement a network-wide scan for other instances of the malware.
- C. Quarantine the host from other parts of the network
- D. Revoke the client's network access certificates

Answer: C

Explanation:

When malware is discovered on a host, the best course of action is to quarantine the host from other parts of the network. This prevents the malware from spreading and potentially infecting other hosts. Adding a deny-all rule to the host in the network ACL may prevent legitimate traffic from being processed, implementing a network-wide scan is time-consuming and may not be necessary, and revoking the client's network access certificates is an extreme measure that may not be warranted. References: CompTIA Security+ Study Guide, pages 113-114

NEW QUESTION 112

- (Exam Topic 1)

During an investigation, the incident response team discovers that multiple administrator accounts were suspected of being compromised. The host audit logs indicate a repeated brute-force attack on a single administrator account followed by suspicious logins from unfamiliar geographic locations. Which of the following data sources would be BEST to use to assess the accounts impacted by this attack?

- A. User behavior analytics
- B. Dump files
- C. Bandwidth monitors
- D. Protocol analyzer output

Answer: A

Explanation:

User behavior analytics (UBA) would be the best data source to assess the accounts impacted by the attack, as it can identify abnormal activity, such as repeated brute-force attacks and logins from unfamiliar geographic locations, and provide insights into the behavior of the impacted accounts. References: CompTIA Security+ Study Guide, Exam SY0-601, 4th Edition, Chapter 7: Incident Response, pp. 338-341

NEW QUESTION 114

- (Exam Topic 1)

An organization would like to remediate the risk associated with its cloud service provider not meeting its advertised 99.999% availability metrics. Which of the following should the organization consult for the exact requirements for the cloud provider?

- A. SLA
- B. BPA
- C. NDA
- D. MOU

Answer: A

Explanation:

The Service Level Agreement (SLA) is a contract between the cloud service provider and the organization that stipulates the exact requirements for the cloud provider. It outlines the level of service that the provider must deliver, including the minimum uptime percentage, support response times, and the remedies and penalties for failing to meet the agreed-upon service levels.


NEW QUESTION 116

- (Exam Topic 1)

You received the output of a recent vulnerability assessment.

Review the assessment and scan output and determine the appropriate remediation(s) for each device. Remediation options may be selected multiple times, and some devices may require more than one remediation.

If at any time you would like to bring back the initial state of the simulation, please click the Reset All button.




- A. Mastered
- B. Not Mastered

Answer: A

Explanation:



Graphical user interface, application, website, Teams Description automatically generated



Graphical user interface, text, application Description automatically generated



NEW QUESTION 119

- (Exam Topic 1)

A security administrator is working on a solution to protect passwords stored in a database against rainbow table attacks Which of the following should the administrator consider?

- A. Hashing
- B. Salting
- C. Lightweight cryptography
- D. Steganography

Answer: B

Explanation:

Salting is a technique that adds random data to a password before hashing it. This makes the hash output more unique and unpredictable, and prevents attackers from using precomputed tables (such as rainbow tables) to crack the password hash. Salting also reduces the risk of collisions, which occur when different passwords produce the same hash.

References: <https://www.comptia.org/certifications/security#examdetails> <https://www.comptia.org/content/guides/comptia-security-sy0-601-exam-objectives>
<https://auth0.com/blog/adding-salt-to-hashing-a-better-way-to-store-passwords/>

NEW QUESTION 122

- (Exam Topic 1)

A security analyst reports a company policy violation in a case in which a large amount of sensitive data is being downloaded after hours from various mobile devices to an external site. Upon further investigation, the analyst notices that successful login attempts are being conducted with impossible travel times during the same time periods when the unauthorized downloads are occurring. The analyst also discovers a couple of WAPs are using the same SSID, but they have non-standard DHCP configurations and an overlapping channel. Which of the following attacks is being conducted?

- A. Evil twin
- B. Jamming
- C. DNS poisoning
- D. Bluesnarfing
- E. DDoS

Answer: A

Explanation:

The attack being conducted is an Evil twin attack. An Evil twin attack involves creating a rogue wireless access point (WAP) with the same Service Set Identifier (SSID) as a legitimate WAP to trick users into connecting to it. Once connected, the attacker can intercept traffic or steal login credentials. The successful login attempts with impossible travel times suggest that an attacker is using a stolen or compromised credential to access the external site to which the sensitive data is being downloaded. The non-standard DHCP configurations and overlapping channels of the WAPs suggest that the attacker is using a rogue WAP to intercept traffic. References: CompTIA Security+ Certification Exam Objectives, Exam Domain 1.0: Attacks, Threats, and Vulnerabilities, 1.4 Compare and contrast types of attacks, p. 8

NEW QUESTION 125

- (Exam Topic 1)

During an incident a company CIRT determine it is necessary to observe the continued network-based transaction between a callback domain and the malware running on an enterprise PC. Which of the following techniques would be BEST to enable this activity while reducing the risk of lateral spread and the risk that the adversary would notice any changes?

- A. Physical move the PC to a separate internet pint of presence

- B. Create and apply micro segmentation rules.
- C. Emulate the malware in a heavily monitored DM Z segment.
- D. Apply network blacklisting rules for the adversary domain

Answer: C

Explanation:

To observe the continued network-based transaction between a callback domain and the malware running on an enterprise PC while reducing the risk of lateral spread and the risk that the adversary would notice any changes, the best technique to use is to emulate the malware in a heavily monitored DMZ segment. This is a secure environment that is isolated from the rest of the network and can be heavily monitored to detect any suspicious activity. By emulating the malware in this environment, the activity can be observed without the risk of lateral spread or detection by the adversary. References: <https://www.sans.org/blog/incident-response-fundamentals-why-is-the-dmz-so-important/>

NEW QUESTION 130

- (Exam Topic 1)

An application owner reports suspicious activity on an internal financial application from various internal users within the past 14 days. A security analyst notices the following:

- Financial transactions were occurring during irregular time frames and outside of business hours by unauthorized users.
- Internal users in question were changing their passwords frequently during that time period.
- A jump box that several domain administrator users use to connect to remote devices was recently compromised.
- The authentication method used in the environment is NTLM.

Which of the following types of attacks is MOST likely being used to gain unauthorized access?

- A. Pass-the-hash
- B. Brute-force
- C. Directory traversal
- D. Replay

Answer: A

Explanation:

The suspicious activity reported by the application owner, combined with the recent compromise of the jump box and the use of NTLM authentication, suggests that an attacker is likely using a pass-the-hash attack to gain unauthorized access to the financial application. This type of attack involves stealing hashed passwords from memory and then using them to authenticate as the compromised user without needing to know the user's plaintext password. References: CompTIA Security+ Study Guide, Exam SY0-601, 4th Edition, Chapter 5

NEW QUESTION 132

- (Exam Topic 1)

An enterprise has hired an outside security firm to facilitate penetration testing on its network and applications. The firm has agreed to pay for each vulnerability that is discovered. Which of the following BEST represents the type of testing that is being used?

- A. White-box
- B. Red-team
- C. Bug bounty
- D. Gray-box
- E. Black-box

Answer: C

Explanation:

Bug bounty is a type of testing in which an organization offers a reward or compensation to anyone who can identify vulnerabilities or security flaws in their network or applications. The outside security firm has agreed to pay for each vulnerability found, which is an example of a bug bounty program.

NEW QUESTION 135

- (Exam Topic 2)

Which of the following can reduce vulnerabilities by avoiding code reuse?

- A. Memory management
- B. Stored procedures
- C. Normalization
- D. Code obfuscation

Answer: A

Explanation:

Memory management is a technique that can allocate and deallocate memory for applications and processes. Memory management can reduce vulnerabilities by avoiding code reuse, which is a technique that exploits a memory corruption vulnerability to execute malicious code that already exists in memory. Memory management can prevent code reuse by implementing features such as address space layout randomization (ASLR), data execution prevention (DEP), or stack canaries.

NEW QUESTION 138

- (Exam Topic 2)

A security architect at a large, multinational organization is concerned about the complexities and overhead of managing multiple encryption keys securely in a multi-cloud provider environment. The security architect is looking for a solution with reduced latency to allow the incorporation of the organization's existing keys and to maintain consistent, centralized control and management regardless of the data location. Which of the following would best meet the architect's objectives?

- A. Trusted Platform Module
- B. IaaS
- C. HSMaaS

D. PaaS

Answer: C

Explanation:

HSMaas stands for Hardware Security Module as a Service, which is a cloud-based service that provides secure and scalable key management and cryptographic operations for data encryption and decryption. HSMaas allows the organization to use its own keys or generate new ones, and to control and manage them centrally regardless of where the data is stored or processed. HSMaas also reduces the latency and complexity of managing multiple encryption keys across different cloud providers, as well as the cost and maintenance of deploying physical HSM devices.

* A. Trusted Platform Module. This is not the correct answer, because a Trusted Platform Module (TPM) is a hardware chip that provides secure storage and generation of cryptographic keys on a device, such as a laptop or a server. A TPM does not offer a cloud-based solution for key management and encryption across multiple cloud providers.

* B. IaaS. This is not the correct answer, because IaaS stands for Infrastructure as a Service, which is a cloud computing model that provides virtualized computing resources, such as servers, storage, and networks, over the internet. IaaS does not provide a specific solution for key management and encryption across multiple cloud providers.

* C. HSMaas. This is the correct answer, because HSMaas stands for Hardware Security Module as a Service, which is a cloud-based service that provides secure and scalable key management and cryptographic operations for data encryption and decryption across multiple cloud providers.

* D. PaaS. This is not the correct answer, because PaaS stands for Platform as a Service, which is a cloud computing model that provides a platform for developing and deploying applications over the internet. PaaS does not provide a specific solution for key management and encryption across multiple cloud providers.

Reference: HSM as a Service (HSMaaS) | Encryption Consulting, What Is Hardware Security Module (HSM) | Thales.

NEW QUESTION 140

- (Exam Topic 2)

An attacker was eavesdropping on a user who was shopping online. The attacker was able to spoof the IP address associated with the shopping site. Later, the user received an email regarding credit card statement with unusual purchases. Which of the following attacks took place?

- A. On-path attack
- B. Protocol poisoning
- C. Domain hijacking
- D. Bluejacking

Answer: A

Explanation:

An on-path attack is an attack that took place when an attacker was eavesdropping on a user who was shopping online and was able to spoof the IP address associated with the shopping site. An on-path attack is a type of network attack that involves intercepting or modifying traffic between two parties by placing oneself in the communication path. An on-path attack can also be called a man-in-the-middle attack or a session hijacking attack. An on-path attacker can steal sensitive information, such as credit card details, or redirect the user to a malicious website. References: <https://www.comptia.org/blog/what-is-a-man-in-the-middle-attack>

<https://www.certblaster.com/wp-content/uploads/2020/11/CompTIA-Security-SY0-601-Exam-Objectives-1.0.pdf>

NEW QUESTION 145

- (Exam Topic 2)

A security investigation revealed that malicious software was installed on a server using a server administrator credentials. During the investigation the server administrator explained that Telnet was regularly used to log in. Which of the following most likely occurred?

- A. A spraying attack was used to determine which credentials to use
- B. A packet capture tool was used to steal the password
- C. A remote-access Trojan was used to install the malware
- D. A directory attack was used to log in as the server administrator

Answer: B

Explanation:

Telnet is an insecure protocol that transmits data in cleartext over the network. This means that anyone who can intercept the network traffic can read the data, including the username and password of the server administrator. A packet capture tool is a software or hardware device that can capture and analyze network packets. An attacker can use a packet capture tool to steal the password and use it to install malicious software on the server. References:

<https://www.comptia.org/content/guides/what-is-network-security>

NEW QUESTION 148

- (Exam Topic 2)

A company wants to deploy decoy systems alongside production systems in order to entice threat actors and to learn more about attackers. Which of the following best describes these systems?

- A. DNS sinkholes
- B. Honey pots
- C. Virtual machines
- D. Neural networks

Answer: B

Explanation:

Honey pots are decoy systems or resources that are designed to attract and deceive threat actors and to learn more about their motives, techniques, etc. They can be deployed alongside production systems to create an illusion of a vulnerable target and divert attacks away from the real systems. They can also collect valuable information and evidence about the attackers and their activities for further analysis or prosecution.

NEW QUESTION 150

- (Exam Topic 2)

A cybersecurity analyst at Company A is working to establish a secure communication channel with a counter part at Company B, which is 3,000 miles (4.828 kilometers) away. Which of the following concepts would help the analyst meet this goal in a secure manner?

- A. Digital signatures
- B. Key exchange
- C. Salting
- D. PPTP

Answer: B

Explanation:

Key exchange Short

Key exchange is the process of securely sharing cryptographic keys between two parties over a public network. This allows them to establish a secure communication channel and encrypt their messages. There are different methods of key exchange, such as Diffie-Hellman or RSA. References:

<https://www.comptia.org/content/guides/what-is-encryption>

NEW QUESTION 155

- (Exam Topic 2)

Which of the following would be best to ensure data is saved to a location on a server, is easily scaled, and is centrally monitored?

- A. Edge computing
- B. Microservices
- C. Containers
- D. Thin client

Answer: C

Explanation:

Containers are a method of virtualization that allow you to run multiple isolated applications on a single server. Containers are lightweight, portable, and scalable, which means they can save resources, improve performance, and simplify deployment. Containers also enable centralized monitoring and management of the applications running on them, using tools such as Docker or Kubernetes. Containers are different from edge computing, which is a distributed computing paradigm that brings computation and data storage closer to the location where it is needed. Microservices are a software architecture style that breaks down complex applications into smaller, independent services that communicate with each other. Thin clients are devices that rely on a server to perform most of the processing tasks and only provide a user interface.

NEW QUESTION 158

- (Exam Topic 2)

Which of the following would satisfy three-factor authentication requirements?

- A. Password, PIN, and physical token
- B. PIN, fingerprint scan, and iris scan
- C. Password, fingerprint scan, and physical token
- D. PIN, physical token, and ID card

Answer: C

Explanation:

Three-factor authentication combines three types of authentication methods: something you know (password), something you have (physical token), and something you are (fingerprint scan). Option C satisfies these requirements, as it uses a password (something you know), a physical token (something you have), and a fingerprint scan (something you are) for authentication.

Reference: CompTIA Security+ Study Guide (SY0-601) 7th Edition by Emmett Dulaney, Chuck Easttom Note: There could be other options as well that could satisfy the three-factor authentication requirements as per the organization's security policies.

NEW QUESTION 161

- (Exam Topic 2)

Recent changes to a company's BYOD policy require all personal mobile devices to use a two-factor authentication method that is not something you know or have. Which of the following will meet this requirement?

- A. Facial recognition
- B. Six-digit PIN
- C. PKI certificate
- D. Smart card

Answer: A

Explanation:

Facial recognition is a type of biometric authentication that uses the unique features of a person's face to verify their identity. Facial recognition is not something you know or have, but something you are, which is one of the three factors of authentication. Facial recognition can use various methods and technologies, such as 2D or 3D images, infrared sensors, machine learning and more, to capture, analyze and compare facial data. Facial recognition can provide a convenient and secure way to authenticate users on personal mobile devices, as it does not require any additional hardware or input from the user. Facial recognition can also be used in conjunction with other factors, such as passwords or tokens, to provide multi-factor authentication. Verified References:

> Biometrics - SY0-601 CompTIA Security+ : 2.4 - Professor Messer IT Certification Training Courses <https://www.professormesser.com/security-plus/sy0-601/sy0-601-video/biometrics/> (See Facial Recognition)

> Security+ (Plus) Certification | CompTIA IT Certifications <https://www.comptia.org/certifications/security> (See Domain 2: Architecture and Design, Objective 2.4: Given a scenario, implement identity and access management controls.)

> Biometric and Facial Recognition - CompTIA Security+ Certification (SY0-501) https://www.oreilly.com/library/view/comptia-security-certification/9781789953091/video9_6.html (See Biometric and Facial Recognition)

NEW QUESTION 164

- (Exam Topic 2)

A digital forensics team at a large company is investigating a case in which malicious code was downloaded over an HTTPS connection and was running in memory, but was never committed to disk. Which of the following techniques should the team use to obtain a sample of the malware binary?

- A. pcap reassembly
- B. SSD snapshot
- C. Image volatile memory
- D. Extract from checksums

Answer: C

Explanation:

The best technique for the digital forensics team to use to obtain a sample of the malware binary is to image volatile memory. Volatile memory imaging is a process of collecting a snapshot of the contents of a computer's RAM, which can include active malware programs. According to the CompTIA Security+ SY0-601 Official Text Book, volatile memory imaging can be used to capture active malware programs that are running in memory, but have not yet been committed to disk. This technique is especially useful in cases where the malware is designed to self-destruct or erase itself from the disk after execution.

NEW QUESTION 166

- (Exam Topic 2)

A security analyst is investigating network issues between a workstation and a company server. The workstation and server occasionally experience service disruptions, and employees are forced to reconnect to the server. In addition, some reports indicate sensitive information is being leaked from the server to the public. The workstation IP address is 192.168.1.103, and the server IP address is 192.168.1.101. The analyst runs `arp -a` On a separate workstation and obtains the following results:

Internet address	Physical address	Type
192.168.1.101	27-4b-17-00-38-08	dynamic
192.168.1.102	8e-45-49-ac-67-b6	dynamic
192.168.1.103	27-4b-17-00-38-08	dynamic
192.168.1.105	1f-35-91-55-0f-39	dynamic
192.168.1.157	27-4b-17-00-38-08	dynamic
192.168.1.190	12-d6-cf-91-f6-3f	dynamic

Which of the following is most likely occurring?

- A. Evil twin attack
- B. Domain hijacking attack
- C. On-path attack
- D. MAC flooding attack

Answer: C

Explanation:

An on-path attack is a type of attack where an attacker places themselves between two devices (such as a workstation and a server) and intercepts or modifies the communications between them. An on-path attacker can collect sensitive information, impersonate either device, or disrupt the service. In this scenario, the attacker is likely using an on-path attack to capture and alter the network traffic between the workstation and the server, causing service disruptions and data leakage.

NEW QUESTION 170

- (Exam Topic 2)

A security analyst is reviewing the output of a web server log and notices a particular account is attempting to transfer large amounts of money:

```
GET
http://yourbank.com/transfer.do?acctnum=08764 6959
&amount=500000 HTTP/1.1
GET
http://yourbank.com/transfer.do?acctnum=087646958
&amount=5000000 HTTP/1.1
GET
http://yourbank.com/transfer.do?acctnum=-087646958
&amount=1000000 HTTP/1.1
GET
http://yourbank.com/transfer.do?acctnum=087646953
&amount=500 HTTP/1.1
```

Which of the following types of attacks is most likely being conducted?

- A. SQLi
- B. CSRF
- C. Spear phishing
- D. API

Answer: B

Explanation:

CSRF stands for Cross-Site Request Forgery, which is an attack that forces an end user to execute unwanted actions on a web application in which they are currently authenticated. In this case, the attacker may have tricked the user into clicking a malicious link or visiting a malicious website that sends forged requests to the web server of the bank, using the user's session cookie or other credentials. The web server then performs the money transfer requests as if they were initiated by the user, without verifying the origin or validity of the requests.

- * A. SQLi. This is not the correct answer, because SQLi stands for SQL Injection, which is an attack that exploits a vulnerability in a web application's database layer, where malicious SQL statements are inserted into an entry field for execution². The output of the web server log does not show any SQL statements or commands.
- * B. CSRF. This is the correct answer, because CSRF is an attack that exploits the trust a web server has in a user's browser, where malicious requests are sent to the web server using the user's credentials¹. The output of the web server log shows multiple GET requests with different account numbers and amounts, which may indicate a CSRF attack.
- * C. Spear phishing. This is not the correct answer, because spear phishing is an attack that targets a specific individual or organization with a personalized email or message that contains a malicious link or attachment³. The output of the web server log does not show any email or message content or headers.
- * D. API. This is not the correct answer, because API stands for Application Programming Interface, which is a set of rules and specifications that allow software components to communicate and exchange data. API is not an attack method, but rather a way of designing and developing software applications.

NEW QUESTION 173

- (Exam Topic 2)

A security team discovered a large number of company-issued devices with non-work-related software installed. Which of the following policies would most likely contain language that would prohibit this activity?

- A. NDA
- B. BPA
- C. AUP
- D. SLA

Answer: C

Explanation:

AUP stands for acceptable use policy, which is a document that defines the rules and guidelines for using an organization's network, systems, devices, and resources. An AUP typically covers topics such as authorized and unauthorized activities, security requirements, data protection, user responsibilities, and consequences for violations. An AUP can help prevent non-work-related software installation on company-issued devices by clearly stating what types of software are allowed or prohibited, and what actions will be taken if users do not comply with the policy.

References: <https://www.comptia.org/certifications/security#examdetails> <https://www.comptia.org/content/guides/comptia-security-sy0-601-exam-objectives>
<https://www.techopedia.com/definition/2471/acceptable-use-policy-aup>

NEW QUESTION 174

- (Exam Topic 2)

A security team is conducting a security review of a hosted data provider. The management team has asked the hosted data provider to share proof that customer data is being appropriately protected.

Which of the following would provide the best proof that customer data is being protected?

- A. SOC2
- B. CSA
- C. CSF
- D. ISO 31000

Answer: A

Explanation:

SOC2 is a type of audit report that provides assurance on the security, availability, processing integrity, confidentiality, and privacy of a service organization's systems. It is based on the Trust Services Criteria developed by the American Institute of Certified Public Accountants (AICPA). A SOC2 report can provide proof that customer data is being appropriately protected by the hosted data provider¹

<https://www.csagroup.org/store/product/50072454/> 3: <https://www.csagroup.org/store/product/50072454os/> 1: <https://cloudsecurityalliance.org/blog/2021/08/20/star-testimonial-csa-star-soc2-from-readiness-to-attestation/>

NEW QUESTION 175

- (Exam Topic 2)

A security analyst is assisting a team of developers with best practices for coding. The security analyst would like to defend against the use of SQL injection attacks. Which of the following should the security analyst recommend first?

- A. Tokenization
- B. Input validation
- C. Code signing
- D. Secure cookies

Answer: B

Explanation:

Input validation is a technique that involves checking the user input for any malicious or unexpected characters or commands that could be used to perform SQL injection attacks. Input validation can be done by using allow-lists or deny-lists to filter out the input based on predefined criteria. Input validation can prevent SQL injection attacks by ensuring that only valid and expected input is passed to the database queries.

NEW QUESTION 179

- (Exam Topic 2)

A small, local company experienced a ransomware attack. The company has one web-facing server and a few workstations. Everything is behind an ISP firewall. A single web-facing server is set up on the router to forward all ports so that the server is viewable from the internet. The company uses an older version of third-party software to manage the website. The assets were never patched. Which of the following should be done to prevent an attack like this from happening again? (Select three).

- A. Install DLP software to prevent data loss.
- B. Use the latest version of software.
- C. Install a SIEM device.
- D. Implement MDM.

- E. Implement a screened subnet for the web server.
- F. Install an endpoint security solution.
- G. Update the website certificate and revoke the existing ones.
- H. Deploy additional network sensors.

Answer: BEF

NEW QUESTION 183

- (Exam Topic 2)

Which of the following is required in order (or an IDS and a WAF to be effective on HTTPS traffic)?

- A. Hashing
- B. DNS sinkhole
- C. TLS inspection
- D. Data masking

Answer: C

Explanation:

TLS (Transport Layer Security) is a protocol that is used to encrypt data sent over HTTPS (Hypertext Transfer Protocol Secure). In order for an intrusion detection system (IDS) and a web application firewall (WAF) to be effective on HTTPS traffic, they must be able to inspect the encrypted traffic. TLS inspection allows the IDS and WAF to decrypt and inspect the traffic, allowing them to detect any malicious activity. References: [1] CompTIA Security+ Study Guide Exam SY0-601 [1], Sixth Edition, Chapter 11, "Network Security Monitoring" [2] CompTIA Security+ Get Certified Get Ahead: SY0-501 Study Guide, Chapter 7, "Intrusion Detection and Prevention"

NEW QUESTION 186

- (Exam Topic 2)

A network architect wants a server to have the ability to retain network availability even if one of the network switches it is connected to goes down. Which of the following should the architect implement on the server to achieve this goal?

- A. RAID
- B. UPS
- C. NIC teaming
- D. Load balancing

Answer: C

Explanation:

NIC Teaming is a feature that allows a server to be connected to multiple network switches, providing redundancy and increased network availability. If one of the switches goes down, the server will still be able to send and receive data through one of the other switches. To configure NIC Teaming in Windows Server, see Microsoft's documentation:

<https://docs.microsoft.com/en-us/windows-server/networking/technologies/nic-teaming>. For more information on NIC Teaming and other network redundancy features, refer to the CompTIA Security+ SY0-601 Official Text Book and Resources.

NEW QUESTION 187

- (Exam Topic 2)

An analyst is working on an investigation with multiple alerts for multiple hosts. The hosts are showing signs of being compromised by a fast-spreading worm. Which of the following should be the next step in order to stop the spread?

- A. Disconnect every host from the network.
- B. Run an AV scan on the entire
- C. Scan the hosts that show signs of
- D. Place all known-infected hosts on an isolated network

Answer: D

Explanation:

Placing all known-infected hosts on an isolated network is the best way to stop the spread of a worm infection. This will prevent the worm from reaching other hosts on the network and allow the infected hosts to be cleaned and restored. Disconnecting every host from the network is not practical and may disrupt business operations. Running an AV scan on the entire network or scanning the hosts that show signs of infection may not be effective or fast enough to stop a fast-spreading worm.

NEW QUESTION 192

- (Exam Topic 2)

Which Of the following best ensures minimal downtime for organizations vÃh critical computing equipment located in earthquake-prone areas?

- A. Generators and UPS
- B. Off-site replication
- C. Additional warm site
- D. Local

Answer: B

Explanation:

Off-site replication is a process of copying and storing data in a remote location that is geographically separate from the primary site. It can ensure minimal downtime for organizations with critical computing equipment located in earthquake-prone areas by providing a backup copy of data that can be accessed and restored in case of a disaster or disruption at the primary site.

NEW QUESTION 193

- (Exam Topic 2)

The Chief Executive Officer (CEO) of an organization would like staff members to have the flexibility to work from home anytime during business hours, including during a pandemic or crisis. However, the CEO is concerned that some staff members may take advantage of the flexibility and work from high-risk countries while on holiday or outsource work to a third-party organization in another country. The Chief Information Officer believes the company can implement some basic controls to mitigate the majority of the risk. Which of the following would be best to mitigate the CEO's concerns? (Select two).

- A. Geolocation
- B. Time-of-day restrictions
- C. Certificates
- D. Tokens
- E. Geotagging
- F. Role-based access controls

Answer: AB

Explanation:

Geolocation and time-of-day restrictions would be best to mitigate the CEO's concerns about staff members working from high-risk countries while on holiday or outsourcing work to a third-party organization in another country. Geolocation is a technique that involves determining the physical location of a device or user based on its IP address, GPS coordinates, Wi-Fi signals, or other indicators. Time-of-day restrictions are policies that limit the access or usage of resources based on the time of day or week. Geolocation and time-of-day restrictions can help to enforce access control rules, prevent unauthorized access, detect anomalous behavior, and comply with regulations. References: <https://www.comptia.org/blog/what-is-geolocation>
<https://www.certblaster.com/wp-content/uploads/2020/11/CompTIA-Security-SY0-601-Exam-Objectives-1.0.pdf>

NEW QUESTION 197

- (Exam Topic 2)

A security analyst is creating baselines for the server team to follow when hardening new devices for deployment. Which of the following best describes what the analyst is creating?

- A. Change management procedure
- B. Information security policy
- C. Cybersecurity framework
- D. Secure configuration guide

Answer: D

Explanation:

A secure configuration guide is a document that provides an overview of the security features and best practices for a specific product, system, or application. A secure configuration guide helps to reduce unnecessary cyber vulnerabilities and enhance overall security by applying consistent and standardized settings and policies. A security analyst can create baselines for the server team to follow when hardening new devices for deployment based on a secure configuration guide.

* A. Change management procedure. This is not the correct answer, because a change management procedure is a document that describes the steps and processes for implementing, reviewing, and approving changes to an IT system or environment. A change management procedure helps to minimize the risks and impacts of changes on the system performance, availability, and security.

* B. Information security policy. This is not the correct answer, because an information security policy is a document that defines the rules and principles for protecting the confidentiality, integrity, and availability of information assets within an organization. An information security policy helps to establish the roles and responsibilities of employees, managers, and stakeholders regarding information security.

* C. Cybersecurity framework. This is not the correct answer, because a cybersecurity framework is a document that provides a set of standards, guidelines, and best practices for managing cybersecurity risks and improving resilience. A cybersecurity framework helps to align the business objectives and priorities with the security requirements and capabilities.

* D. Secure configuration guide. This is the correct answer, because a secure configuration guide is a document that provides an overview of the security features and best practices for a specific product, system, or application. A secure configuration guide helps to reduce unnecessary cyber vulnerabilities and enhance overall security by applying consistent and standardized settings and policies.

Reference: Secure Configuration Guide, Security Technical Implementation Guide - Wikipedia.

NEW QUESTION 198

- (Exam Topic 2)

A company wants to deploy PKI on its internet-facing website. The applications that are currently deployed are

- www.company.com (main website)
- contact.us.company.com (for locating a nearby location)
- quotes.company.com (for requesting a price quote)

The company wants to purchase one SSL certificate that will work for all the existing applications and any future applications that follow the same naming conventions, such as store.company.com. Which of the following certificate types would best meet the requirements?

- A. SAN
- B. Wildcard
- C. Extended validation
- D. Self-signed

Answer: B

Explanation:

A wildcard certificate is a type of SSL certificate that can secure multiple subdomains under one domain name by using an asterisk (*) as a placeholder for any subdomain name. For example, *.company.com can secure www.company.com, contact.us.company.com, quotes.company.com, etc. It can work for all the existing applications and any future applications that follow the same naming conventions, such as store.company.com.

NEW QUESTION 199

- (Exam Topic 2)

A security administrator is using UDP port 514 to send a syslog through an unsecure network to the SIEM server. Which of the following is the best way for the administrator to improve the process?

- A. Change the protocol to TCP.
- B. Add LDAP authentication to the SIEM server.
- C. Use a VPN from the internal server to the SIEM and enable DLP.
- D. Add SSL/TLS encryption and use a TCP 6514 port to send logs.

Answer: D

Explanation:

SSL/TLS encryption is a method of securing the syslog traffic by using cryptographic protocols to encrypt and authenticate the data. SSL/TLS encryption can prevent eavesdropping, tampering, or spoofing of the syslog messages. TCP 6514 is the standard port for syslog over TLS, as defined by RFC 5425. Using this port can ensure compatibility and interoperability with other syslog implementations that support TLS.

NEW QUESTION 203

- (Exam Topic 2)

A new security engineer has started hardening systems. One of the hardening techniques the engineer is using involves disabling remote logins to the NAS. Users are now reporting the inability to use SCP to transfer files to the NAS, even though the data is still viewable from the users' PCs. Which of the following is the MOST likely cause of this issue?

- A. TFTP was disabled on the local hosts.
- B. SSH was turned off instead of modifying the configuration file.
- C. Remote login was disabled in the networkd.conf instead of using the ssh
- D. conf.
- E. Network services are no longer running on the NAS

Answer: B

Explanation:

SSH is used to securely transfer files to the remote server and is required for SCP to work. Disabling SSH will prevent users from being able to use SCP to transfer files to the server. To enable SSH, the security engineer should modify the SSH configuration file (sshd.conf) and make sure that SSH is enabled. For more information on hardening systems and the security techniques that can be used, refer to the CompTIA Security+ SY0-601 Official Text Book and Resources.

NEW QUESTION 205

- (Exam Topic 2)

An analyst is concerned about data leaks and wants to restrict access to internet services to authorized users only. The analyst also wants to control the actions each user can perform on each service. Which of the following would be the best technology for the analyst to consider implementing?

- A. DLP
- B. VPC
- C. CASB
- D. Content filtering

Answer: C

Explanation:

A cloud access security broker (CASB) is a technology that can restrict access to internet services to authorized users only and control the actions each user can perform on each service. A CASB is a type of software or service that acts as an intermediary between users and cloud service providers. A CASB can enforce security policies, monitor user activity, detect and prevent data leaks, encrypt data, and provide visibility and auditability of cloud usage. References:

<https://www.comptia.org/blog/what-is-a-cloud-access-security-broker>

<https://www.certblaster.com/wp-content/uploads/2020/11/CompTIA-Security-SY0-601-Exam-Objectives-1.0.pdf>

NEW QUESTION 206

- (Exam Topic 2)

An air traffic controller receives a change in flight plan for an morning aircraft over the phone. The air traffic controller compares the change to what appears on radar and determines the information to be false. As a result, the air traffic controller is able to prevent an incident from occurring. Which of the following is this scenario an example of?

- A. Mobile hijacking
- B. Vishing
- C. Unsecure VoIP protocols
- D. SPIM attack

Answer: B

Explanation:

Vishing is a form of phishing that uses voice calls or voice messages to trick victims into revealing personal information, such as credit card numbers, bank details, or passwords. Vishing often uses spoofed phone numbers, voice-altering software, or social engineering techniques to impersonate legitimate organizations or authorities. In this scenario, the caller pretended to be someone who could change the flight plan of an aircraft, which could have caused a serious incident.

NEW QUESTION 210

- (Exam Topic 2)

The management team has requested that the security team implement 802.1X into the existing wireless network setup. The following requirements must be met:

- Minimal interruption to the end user
- Mutual certificate validation

Which of the following authentication protocols would meet these requirements?

- A. EAP-FAST
- B. PSK
- C. EAP-TTLS
- D. EAP-TLS

Answer: D

Explanation:

EAP-TLS (Extensible Authentication Protocol - Transport Layer Security) is an authentication protocol that uses certificates to provide mutual authentication between the client and the authentication server. It also allows for the encryption of user credentials, making EAP-TLS a secure and reliable authentication protocol. According to the CompTIA Security+ SY0-601 Official Text Book, EAP-TLS is well-suited for wireless networks due to its mutual authentication capabilities and its ability to securely store credentials. It is also the preferred authentication protocol for 802.1X wireless networks.

NEW QUESTION 214


- (Exam Topic 2)

A newly purchased corporate WAP needs to be configured in the MOST secure manner possible. INSTRUCTIONS

Please click on the below items on the network diagram and configure them accordingly:

- > WAP
- > DHCP Server
- > AAA Server
- > Wireless Controller
- > LDAP Server

If at any time you would like to bring back the initial state of the simulation, please click the Reset All button.



- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Wireless Access Point Network Mode – G only
 Wireless Channel – 11
 Wireless SSID Broadcast – disable
 Security settings – WPA2 Professional

NEW QUESTION 216

- (Exam Topic 2)

A company's help desk has received calls about the wireless network being down and users being unable to connect to it. The network administrator says all access points are up and running. One of the help desk technicians notices the affected users are working in a building near the parking lot. Which of the following is the most likely reason for the outage?

- A. Someone near the building is jamming the signal
- B. A user has set up a rogue access point near the building
- C. Someone set up an evil twin access point in the affected area.
- D. The APs in the affected area have been unplugged from the network

Answer: A

Explanation:

Jamming is a type of denial-of-service attack that involves interfering with or blocking the wireless signal using a device that emits radio waves at the same frequency as the wireless network. It can cause the wireless network to be down and users to be unable to connect to it, especially if they are working in a building near the parking lot where someone could easily place a jamming device.

NEW QUESTION 217

- (Exam Topic 2)

A company recently enhanced mobile device configuration by implementing a set of security controls: biometrics, context-aware authentication, and full device encryption. Even with these settings in place, an unattended phone was used by a malicious actor to access corporate data. Which of the following additional controls should be put in place first?

- A. GPS tagging
- B. Remote wipe
- C. Screen lock timer
- D. SEAndroid

Answer: C

Explanation:

According to NIST Special Publication 1800-4B1, some of the security controls that can be used to protect mobile devices include:

- > Root and jailbreak detection: ensures that the security architecture for a mobile device has not been compromised.
- > Encryption: protects the data stored on the device and in transit from unauthorized access.
- > Authentication: verifies the identity of the user and the device before granting access to enterprise resources.
- > Remote wipe: allows the organization to erase the data on the device in case of loss or theft.
- > Screen lock timer: sets a time limit for the device to lock itself after a period of inactivity.

NEW QUESTION 218

- (Exam Topic 2)

Users report access to an application from an internal workstation is still unavailable to a specific server, even after a recent firewall rule implementation that was requested for this access. ICMP traffic is successful between the two devices. Which of the following tools should the security analyst use to help identify if the traffic is being blocked?

- A. nmap
- B. tracert
- C. ping
- D. ssh

Answer: A

Explanation:

Tracert is a command-line tool that shows the route that packets take to reach a destination on a network¹. It also displays the time it takes for each hop along the way¹. By using tracert, you can see if there is a router or firewall that is blocking or slowing down the traffic between the internal workstation and the specific server¹.

NEW QUESTION 223

- (Exam Topic 2)

A security administrator recently used an internal CA to issue a certificate to a public application. A user tries to reach the application but receives a message stating, "Your connection is not private." Which of the following is the best way to fix this issue?

- A. Ignore the warning and continue to use the application normally.
- B. Install the certificate on each endpoint that needs to use the application.
- C. Send the new certificate to the users to install on their browsers.
- D. Send a CSR to a known CA and install the signed certificate on the application's server.

Answer: D

Explanation:

A certificate issued by an internal CA is not trusted by default by external users or applications. Therefore, when a user tries to reach the application that uses an internal CA certificate, they will receive a warning message that their connection is not private¹. The best way to fix this issue is to use a certificate signed by a well-known public CA that is trusted by most browsers and operating systems¹. To do this, the security administrator needs to send a certificate signing request (CSR) to a public CA and install the signed certificate on the application's server². The other options are not recommended or feasible. Ignoring the warning and continuing to use the application normally is insecure and exposes the user to potential man-in-the-middle attacks³. Installing the certificate on each endpoint that needs to use the application is impractical and cumbersome, especially if there are many users or devices involved³. Sending the new certificate to the users to install on their browsers is also inconvenient and may not work for some browsers or devices³.

References: 1:

<https://learn.microsoft.com/en-us/azure/active-directory/develop/howto-create-self-signed-certificate> 2:

<https://learn.microsoft.com/en-us/azure/application-gateway/mutual-authentication-certificate-management> 3: <https://serverfault.com/questions/1106443/should-i-use-a-public-or-a-internal-ca-for-client-certificate-mtls>

NEW QUESTION 227

- (Exam Topic 2)

While troubleshooting a firewall configuration, a technician determines that a "deny any" policy should be added to the bottom of the ACL. The technician updates the policy, but the new policy causes several company servers to become unreachable. Which of the following actions would prevent this issue?

- A. Documenting the new policy in a change request and submitting the request to change management
- B. Testing the policy in a non-production environment before enabling the policy in the production network
- C. Disabling any intrusion prevention signatures on the "deny any" policy prior to enabling the new policy
- D. Including an "allow any" policy above the "deny any" policy

Answer: B

Explanation:

Testing the policy in a non-production environment before enabling the policy in the production network would prevent the issue of making several company servers unreachable. A non-production environment is a replica of the production network that is used for testing, development, or training purposes. By testing the policy in a non-production environment, the technician can verify the functionality and impact of the policy without affecting the real network or users. This can help to identify and resolve any errors or conflicts before applying the policy to the production network. Testing the policy in a non-production environment can also help to ensure compliance with security standards and best practices.

NEW QUESTION 228

- (Exam Topic 2)

Unauthorized devices have been detected on the internal network. The devices' locations were traced to Ether ports located in conference rooms. Which of the following would be the best technical controls to implement to prevent these devices from accessing the internal network?

- A. NAC
- B. DLP
- C. IDS
- D. MFA

Answer: A

Explanation:

NAC stands for network access control, which is a security solution that enforces policies and controls on devices that attempt to access a network. NAC can help prevent unauthorized devices from accessing the internal network by verifying their identity, compliance, and security posture before granting them access. NAC can also monitor and restrict the activities of authorized devices based on predefined rules and roles.

References: <https://www.comptia.org/certifications/security#examdetails> <https://www.comptia.org/content/guides/comptia-security-sy0-601-exam-objectives>
<https://www.cisco.com/c/en/us/products/security/what-is-network-access-control-nac.html>

NEW QUESTION 231

- (Exam Topic 2)

A company is enhancing the security of the wireless network and needs to ensure only employees with a valid certificate can authenticate to the network. Which of the following should the company implement?

- A. PEAP
- B. PSK
- C. WPA3
- D. WPS

Answer: A

Explanation:

PEAP stands for Protected Extensible Authentication Protocol, which is a protocol that can provide secure authentication for wireless networks. PEAP can use certificates to authenticate the server and the client, or only the server. PEAP can also use other methods, such as passwords or tokens, to authenticate the client. PEAP can ensure only employees with a valid certificate can authenticate to the network.

NEW QUESTION 236

- (Exam Topic 2)

An employee's company email is configured with conditional access and requires that MFA is enabled and used. An example of MFA is a phone call and:

- A. a push notification
- B. a password.
- C. an SMS message.
- D. an authentication application.

Answer: D

Explanation:

An authentication application can generate one-time passwords or QR codes that are time-based and unique to each user and device. It does not rely on network connectivity or SMS delivery, which can be intercepted or delayed. It also does not require the user to respond to a push notification, which can be accidentally approved or ignored.

NEW QUESTION 237

- (Exam Topic 2)

Which of the following allow access to remote computing resources, an operating system, and centralized configuration and data

- A. Containers
- B. Edge computing
- C. Thin client
- D. Infrastructure as a service

Answer: C

Explanation:

Thin clients are devices that have minimal hardware and software components and rely on a remote server to provide access to computing resources, an operating system, and centralized configuration and data. Thin clients can reduce the cost, complexity, and security risks of managing multiple devices.

NEW QUESTION 240

- (Exam Topic 2)

A security analyst is reviewing computer logs because a host was compromised by malware. After the computer was infected it displayed an error screen and shut down. Which of the following should the analyst review first to determine more information?

- A. Dump file
- B. System log
- C. Web application log
- D. Security tool

Answer: A

Explanation:

A dump file is the first thing that a security analyst should review to determine more information about a compromised device that displayed an error screen and shut down. A dump file is a file that contains a snapshot of the memory contents of a device at the time of a system crash or error. A dump file can help a security analyst analyze the cause and source of the crash or error, as well as identify any malicious code or activity that may have triggered it.

References: <https://www.comptia.org/certifications/security#examdetails> <https://www.comptia.org/content/guides/comptia-security-sy0-601-exam-objectives>
<https://docs.microsoft.com/en-us/windows-hardware/drivers/debugger/introduction-to-crash-dump-files>

NEW QUESTION 245

- (Exam Topic 2)

An organization is concerned that its hosted web servers are not running the most updated version of the software. Which of the following would work best to help identify potential vulnerabilities?

- A. `hping3 -S comptia.org -p 80`
- B. `nc -1 -v comptia.org -p 80`
- C. `nmap comptia.org -p 80 -sv`
- D. `nslookup -port 80 comptia.org`

Answer: C

Explanation:

nmap is a network scanning tool that can perform various tasks such as port scanning, service detection, version detection, OS detection, vulnerability scanning, etc... `nmap comptia.org -p 80 -sv` is a command that scans port 80 (the default port for HTTP) on `comptia.org` domain name and tries to identify the service name and version running on that port. This can help identify potential vulnerabilities in the web server software by comparing the version with known exploits or patches.

NEW QUESTION 249

- (Exam Topic 2)

Which of the following can be used by an authentication application to validate a user's credentials without the need to store the actual sensitive data?

- A. Salt string
- B. Private Key
- C. Password hash
- D. Cipher stream

Answer: C

Explanation:

Password hash is a method of storing a user's credentials without the need to store the actual sensitive data. A password hash is a one-way function that transforms the user's password into a fixed-length string of characters that cannot be reversed. The authentication application can then compare the password hash with the stored hash to validate the user's credentials without revealing the original password. References: 1

CompTIA Security+ Certification Exam Objectives, page 15, Domain 3.0: Implementation, Objective 3.5:

Implement secure authentication mechanisms 2

CompTIA Security+ Certification Exam Objectives, page 16,

Domain 3.0: Implementation, Objective 3.6: Implement identity and account management best practices 3

<https://www.comptia.org/blog/what-is-password-hashing>

NEW QUESTION 253

- (Exam Topic 2)

A security analyst was asked to evaluate a potential attack that occurred on a publicly accessible section of the company's website. The malicious actor posted an entry in an attempt to trick users into clicking the following:

`https://www.comptia.com/contact-us/?fname=3D&script=3Ealert(document.cookie)&3C&2Fscript&3E`

Which of the following was most likely observed?

- A. DLL injection
- B. Session replay
- C. SQLi
- D. xss

Answer: D

Explanation:

Cross-site scripting is a type of web application attack that involves injecting malicious code or scripts into a trusted website or application. The malicious code or script can execute in the browser of the victim who visits the website or application, and can perform actions such as stealing cookies, redirecting to malicious sites, displaying fake content, or compromising the system. References:

<https://www.comptia.org/blog/what-is-cross-site-scripting>

<https://www.certblaster.com/wp-content/uploads/2020/11/CompTIA-Security-SY0-601-Exam-Objectives-1.0.pdf>

NEW QUESTION 256

- (Exam Topic 2)

A security engineer needs to recommend a solution to defend against malicious actors misusing protocols and being allowed through network defenses. Which of the following will the engineer most likely recommend?

- A. A content filter
- B. A WAF
- C. A next-generation firewall
- D. An IDS

Answer: C

Explanation:

A next-generation firewall (NGFW) is a solution that can defend against malicious actors misusing protocols and being allowed through network defenses. A NGFW is a type of firewall that can perform deep packet inspection, application-level filtering, intrusion prevention, malware detection, and identity-based access control. A NGFW can also use threat intelligence and behavioral analysis to identify and block malicious traffic based on protocols, signatures, or anomalies.

References:

<https://www.comptia.org/blog/what-is-a-next-generation-firewall>

<https://www.certblaster.com/wp-content/uploads/2020/11/CompTIA-Security-SY0-601-Exam-Objectives-1.0.pdf>

NEW QUESTION 260

- (Exam Topic 2)

Which of the following security controls is used to isolate a section of the network and its externally available resources from the internal corporate network in order to reduce the number of possible attacks?

- A. Faraday cages
- B. Air gap
- C. Vaulting
- D. Proximity readers

Answer: B

Explanation:

An air gap is a security measure that physically isolates a section of the network from any other network or device that could compromise its security. An air gap prevents any unauthorized access, data leakage, or malware infection through network connections, such as Ethernet cables, wireless signals, or Bluetooth devices. An air gap can be used to protect sensitive or critical systems and data from external threats, such as hackers, spies, or cyberattacks.

NEW QUESTION 263

- (Exam Topic 2)

Which of the following models offers third-party-hosted, on-demand computing resources that can be shared with multiple organizations over the internet?

- A. Public cloud
- B. Hybrid cloud
- C. Community cloud
- D. Private cloud

Answer: A

Explanation:

There are three main models for cloud computing: Infrastructure as a Service (IaaS), Platform as a Service (PaaS), and Software as a Service (SaaS)¹². Each model represents a different part of the cloud computing stack and provides different levels of control, flexibility, and management.

According to one source¹, a public cloud is a type of cloud deployment where the cloud resources (such as servers and storage) are owned and operated by a third-party cloud service provider and delivered over the Internet. A public cloud can be shared with multiple organizations or users who pay for the service on a subscription or pay-as-you-go basis.

NEW QUESTION 268

- (Exam Topic 2)

An organization's Chief Information Security Officer is creating a position that will be responsible for implementing technical controls to protect data, including ensuring backups are properly maintained. Which of the following roles would MOST likely include these responsibilities?

- A. Data protection officer
- B. Data owner
- C. Backup administrator
- D. Data custodian

E. Internal auditor

Answer: C

Explanation:

The role that would most likely include the responsibilities of implementing technical controls to protect data and ensuring backups are properly maintained would be a Backup Administrator. A Backup Administrator is responsible for maintaining and managing an organization's backup systems and procedures, which includes ensuring that backups are properly configured, tested and securely stored. They are also responsible for the recovery of data in case of a disaster or data loss.

NEW QUESTION 269

- (Exam Topic 2)

A security administrator is integrating several segments onto a single network. One of the segments, which includes legacy devices, presents a significant amount of risk to the network.

Which of the following would allow users to access to the legacy devices without compromising the security of the entire network?

- A. NIDS
- B. MAC filtering
- C. Jump server
- D. IPSec
- E. NAT gateway

Answer: C

Explanation:

A jump server is a device that acts as an intermediary between users and other devices on a network. A jump server can provide a secure and controlled access point to the legacy devices without exposing them directly to the network. A jump server can also enforce authentication, authorization, logging, and auditing policies.

NEW QUESTION 272

- (Exam Topic 2)

A network administrator has been alerted that web pages are experiencing long load times After determining it is not a routing or DNS issue the administrator logs in to the router, runs a command, and receives the following output:

CPU 0 percent busy, from 300 sec ago 1 sec ave: 99 percent busy

5 sec ave: 97 percent busy

1 min ave: 83 percent busy

Which of the following is The router experiencing?

- A. DDoS attack
- B. Memory leak
- C. Buffer overflow
- D. Resource exhaustion

Answer: D

Explanation:

The router is experiencing a resource exhaustion issue. The output from the command indicates that the CPU is consistently busy, with a 1-second average of 99 percent busy and a 1-minute average of 83 percent busy.

This indicates that the router is struggling to keep up with the demands placed on it, potentially due to a high volume of traffic or other factors. As a result, web pages are experiencing long load times. This is an example of resource exhaustion, where the router's resources are being overwhelmed and are unable to meet the demands placed on them. A DDoS attack, memory leak, or buffer overflow would not typically cause the symptoms described in the scenario.

NEW QUESTION 275

- (Exam Topic 2)

A security analyst is reviewing packet capture data from a compromised host On the In the packet capture. analyst locates packets that contain large of text, Which Of following is most likely installed on compromised host?

- A. Keylogger
- B. Spyware
- C. Torjan
- D. Ransomware

Answer: A

Explanation:

A keylogger is a type of malware that records the keystrokes of the user and sends them to a remote attacker. The attacker can use the keystrokes to steal the user's credentials, personal information, or other sensitive data. A keylogger can generate packets that contain large amounts of text, as the packet capture data shows.

NEW QUESTION 276

- (Exam Topic 2)

A corporate security team needs to secure the wireless perimeter of its physical facilities to ensure only authorized users can access corporate resources. Which of the following should the security team do? (Refer the answer from CompTIA SY0-601 Security+ documents or guide at [comptia.org](https://www.comptia.org))

- A. Identify rogue access points.
- B. Check for channel overlaps.
- C. Create heat maps.
- D. Implement domain hijacking.

Answer: A

Explanation:

Based on CompTIA SY0-601 Security+ guide, the answer to the question is A. Identify rogue access points. To secure the wireless perimeter of its physical facilities, the corporate security team should focus on identifying rogue access points, which are unauthorized access points that have been set up by employees or outsiders to bypass security controls. By identifying and removing these rogue access points, the team can ensure that only authorized users can access corporate resources through the wireless network.
<https://www.comptia.org/training/books/security-sy0-601-study-guide>

NEW QUESTION 281

- (Exam Topic 2)

A security engineer updated an application on company workstations. The application was running before the update, but it is no longer launching successfully. Which of the following most likely needs to be updated?

- A. Blocklist
- B. Deny list
- C. Quarantine list
- D. Approved list

Answer: D

Explanation:

Approved list is a list of applications or programs that are allowed to run on a system or network. An approved list can prevent unauthorized or malicious software from running and compromising the security of the system or network. An approved list can also help with patch management and compatibility issues. If the security engineer updated an application on the company workstations, the application may need to be added or updated on the approved list to be able to launch successfully. References: 1

CompTIA Security+ Certification

Exam Objectives, page 10, Domain 2.0: Architecture and Design, Objective 2.4: Explain the importance of embedded and specialized systems security 2

CompTIA Security+ Certification Exam Objectives, page 12,

Domain 3.0: Implementation, Objective 3.1: Implement secure network architecture concepts 3

<https://www.comptia.org/blog/what-is-application-whitelisting>

NEW QUESTION 283

- (Exam Topic 2)

Employees in the research and development business unit receive extensive training to ensure they understand how to best protect company data. Which of the following is the type of data these employees are most likely to use in day-to-day work activities?

- A. Encrypted
- B. Intellectual property
- C. Critical
- D. Data in transit

Answer: B

Explanation:

Intellectual property is a type of data that is proprietary and unique to an organization. It includes trade secrets and other information that the organization does not want to share with third parties or competitors. Employees in the research and development business unit are most likely to use intellectual property in their day-to-day work activities, as they are involved in creating new products, services, or processes for the organization. Intellectual property data requires a high level of security and protection, as it can provide a competitive advantage or disadvantage if leaked or stolen.

Encrypted data is not a type of data, but a state of data. Encryption is a method of transforming data into an unreadable format using a key, so that only authorized parties can access it. Encryption can be applied to any type of data, such as intellectual property, critical data, or data in transit.

Critical data is a type of data that is essential for the operation and continuity of an organization. It includes information such as customer records, financial transactions, employee details, and so on. Critical data may or may not be intellectual property, depending on the nature and source of the data. Critical data also requires a high level of security and protection, as it can affect the reputation, performance, or legal compliance of the organization.

Data in transit is not a type of data, but a state of data. Data in transit refers to data that is moving from one location to another over a network, such as the internet, a LAN, or a WAN. Data in transit can be vulnerable to interception, modification, or theft by malicious actors. Data in transit can also be any type of data, such as intellectual property, critical data, or PII.

NEW QUESTION 286

- (Exam Topic 2)

A security administrator is managing administrative access to sensitive systems with the following requirements:

- Common login accounts must not be used for administrative duties.
- Administrative accounts must be temporal in nature.
- Each administrative account must be assigned to one specific user.
- Accounts must have complex passwords.

" Audit trails and logging must be enabled on all systems.

Which of the following solutions should the administrator deploy to meet these requirements? (Give explanation and References from CompTIA Security+ SY0-601 Official Text Book and Resources)

- A. ABAC
- B. SAML
- C. PAM
- D. CASB

Answer: C

Explanation:

PAM is a solution that enables organizations to securely manage users' accounts and access to sensitive systems. It allows administrators to create unique and complex passwords for each user, as well as assign each account to a single user for administrative duties. PAM also provides audit trails and logging capabilities,

allowing administrators to monitor user activity and ensure that all systems are secure. According to the CompTIA Security+ SY0-601 Course Book, "PAM is the most comprehensive way to control and monitor privileged accounts".

NEW QUESTION 289

- (Exam Topic 2)

Which of the following tools can assist with detecting an employee who has accidentally emailed a file containing a customer's PII?

- A. SCAP
- B. NetFlow
- C. Antivirus
- D. DLP

Answer: D

Explanation:

DLP stands for Data Loss Prevention, which is a technology that can monitor, detect and prevent the unauthorized transmission of sensitive data, such as PII (Personally Identifiable Information). DLP can be implemented on endpoints, networks, servers or cloud services to protect data in motion, in use or at rest. DLP can also block or alert on data transfers that violate predefined policies or rules. DLP is the best tool to assist with detecting an employee who has accidentally emailed a file containing a customer's PII, as it can scan the email content and attachments for any data that matches the criteria of PII and prevent the email from being sent or notify the administrator of the incident. Verified References:

- > Data Loss Prevention Guide to Blocking Leaks - CompTIA <https://www.comptia.org/content/guides/data-loss-prevention-a-step-by-step-guide-to-blocking-leaks>
- > Data Loss Prevention – SY0-601 CompTIA Security+ : 2.1 <https://www.professormesser.com/security-plus/sy0-601/sy0-601-video/data-loss-prevention-4/>
- > Data Loss Prevention – CompTIA Security+ SY0-501 – 2.1 <https://www.professormesser.com/security-plus/sy0-501/data-loss-prevention-3/>

NEW QUESTION 290

- (Exam Topic 2)

Which of the following would most likely include language prohibiting end users from accessing personal email from a company device?

- A. SLA
- B. BPA
- C. NDA
- D. AUP

Answer: D

Explanation:

AUP or Acceptable Use Policy is a document that defines the rules and guidelines for using a company's IT resources, such as devices, networks, internet, email, etc. It usually includes language prohibiting end users from accessing personal email from a company device, as well as other activities that may compromise security or productivity.

<https://www.thesecuritybuddy.com/governance-risk-and-compliance/what-are-sla-mou-bpa-and-nda/> 3:

<https://www.professormesser.com/security-plus/sy0-501/agreement-types/> 1: <https://www.techopedia.com/definition/2471/acceptable-use-policy-aup>

NEW QUESTION 293

- (Exam Topic 2)

Which of the following has been implemented when a host-based firewall on a legacy Linux system allows connections from only specific internal IP addresses?

- A. Compensating control
- B. Network segmentation
- C. Transfer of risk
- D. SNMP traps

Answer: A

Explanation:

A compensating control is a type of security control that is implemented in lieu of a recommended security measure that is deemed too difficult or impractical to implement at the present time. A compensating control must provide equivalent or comparable protection for the system or network and meet the intent and rigor of the original security requirement. An example of a compensating control is using a host-based firewall on a legacy Linux system to allow connections from only specific internal IP addresses, as it can provide a similar level of defense as a network firewall that may not be compatible with the system. References:

- > <https://www.techtarget.com/whatis/definition/compensating-control>
- > <https://reciprocity.com/resources/whats-the-difference-between-compensating-controls-and-mitigating-co>

NEW QUESTION 294

- (Exam Topic 2)

Which of the following best reduces the security risks introduced when running systems that have expired vendor support and lack an immediate replacement?

- A. Implement proper network access restrictions.
- B. Initiate a bug bounty program.
- C. Classify the system as shadow IT.
- D. Increase the frequency of vulnerability scans.

Answer: A

Explanation:

Network access restrictions can limit the exposure of systems that have expired vendor support and lack an immediate replacement, as they can prevent unauthorized or unnecessary access to those systems from other devices or networks. Network access restrictions can include firewalls, network segmentation, VPNs, access control lists, and other methods that can filter or block traffic based on predefined rules or policies. Network access restrictions can reduce the security risks introduced by running systems that have expired vendor support, as they can mitigate the impact of potential vulnerabilities or exploits that may affect those systems. Verified References:

- > CompTIA Security+ Certification Exam Objectives Version 3.0 <https://www.comptia.jp/pdf/Security%2B%20SY0-601%20Exam%20Objectives.pdf> (See Domain 2.1: Given a scenario, implement secure protocols.)
- > CompTIA Security+ SY0-501 Study Guide <https://www.certblaster.com/wp-content/uploads/2017/10/CompTIA-Security-SY0-501-Study-Guide.pdf> (See Chapter 2: Technologies and Tools, Section 2.5: Firewall and Network Security Appliances.)

NEW QUESTION 298

.....

Thank You for Trying Our Product

We offer two products:

1st - We have Practice Tests Software with Actual Exam Questions

2nd - Questions and Answers in PDF Format

SY0-701 Practice Exam Features:

- * SY0-701 Questions and Answers Updated Frequently
- * SY0-701 Practice Questions Verified by Expert Senior Certified Staff
- * SY0-701 Most Realistic Questions that Guarantee you a Pass on Your FirstTry
- * SY0-701 Practice Test Questions in Multiple Choice Formats and Updatesfor 1 Year

100% Actual & Verified — Instant Download, Please Click
[Order The SY0-701 Practice Test Here](#)