

AWS-Certified-DevOps-Engineer-Professional Dumps

Amazon AWS Certified DevOps Engineer Professional

<https://www.certleader.com/AWS-Certified-DevOps-Engineer-Professional-dumps.html>



NEW QUESTION 1

What method should I use to author automation if I want to wait for a CloudFormation stack to finish completing in a script?

- A. Event subscription using SQS.
- B. Event subscription using SNS.
- C. Poll using `ListStacks` / `list-stacks`.
- D. Poll using `GetStackStatus` / `get-stack-status`.

Answer: C

Explanation:

Event driven systems are good for IFTTT logic, but only polling will make a script wait to complete. ListStacks / list-stacks is a real method, GetStackStatus / get-stack-status is not.

Reference: <http://docs.aws.amazon.com/cli/latest/reference/cloudformation/list-stacks.html>

NEW QUESTION 2

You are building a game high score table in DynamoDB. You will store each user's highest score for each game, with many games, all of which have relatively similar usage levels and numbers of players. You need to be able to look up the highest score for any game. What's the best DynamoDB key structure?

- A. HighestScore as the hash / only key.
- B. GameID as the hash key, HighestScore as the range key.
- C. GameID as the hash / only key.
- D. GameID as the range / only ke

Answer: B

Explanation:

Since access and storage for games is uniform, and you need to have ordering within each game for the scores (to access the highest value), your hash (partition) key should be the GameID, and there should be a range key for HighestScore.

Reference: <http://docs.aws.amazon.com/amazondynamodb/latest/developerguide/GuidelinesForTables.html#GuidelinesForTables.Partitions>

NEW QUESTION 3

Fill the blanks: helps us track AWS API calls and transitions, helps to understand what resources we have now, and allows auditing credentials and logins.

- A. AWS Config, CloudTrail, IAM Credential Reports
- B. CloudTrail, IAM Credential Reports, AWS Config
- C. CloudTrail, AWS Config, IAM Credential Reports
- D. AWS Config, IAM Credential Reports, CloudTrail

Answer: C

Explanation:

You can use AWS CloudTrail to get a history of AWS API calls and related events for your account. This includes calls made by using the AWS Management Console, AWS SDKs, command line tools, and higher-level AWS services.

Reference: <http://docs.aws.amazon.com/awscloudtrail/latest/userguide/cloudtrail-user-guide.html>

NEW QUESTION 4

To monitor API calls against our AWS account by different users and entities, we can use to create a history of calls in bulk for later review, and use for reacting to AWS API calls in real-time.

- A. AWS Config; AWS Inspector
- B. AWS CloudTrail; AWS Config
- C. AWS CloudTrail; CloudWatch Events
- D. AWS Config; AWS Lambda

Answer: C

Explanation:

CloudTrail is a batch API call collection service, CloudWatch Events enables real-time monitoring of calls through the Rules object interface.

Reference: <https://aws.amazon.com/whitepapers/security-at-scale-governance-in-aws/>

NEW QUESTION 5

How does Amazon RDS multi Availability Zone model work?

- A. A second, standby database is deployed and maintained in a different availability zone from master, using synchronous replication.
- B. A second, standby database is deployed and maintained in a different availability zone from master using asynchronous replication.
- C. A second, standby database is deployed and maintained in a different region from master using asynchronous replication.
- D. A second, standby database is deployed and maintained in a different region from master using synchronous replication.

Answer: A

Explanation:

In a Multi-AZ deployment, Amazon RDS automatically provisions and maintains a synchronous standby replica in a different Availability Zone.

Reference: <http://docs.aws.amazon.com/AmazonRDS/latest/UserGuide/Concepts.MultiAZ.html>

NEW QUESTION 6

Which of these is not an intrinsic function in AWS CloudFormation?

- A. Fn::Equals
- B. Fn::If
- C. Fn::Not
- D. Fn::Parse

Answer: D

Explanation:

This is the complete list of Intrinsic Functions...: Fn::Base64, Fn::And, Fn::Equals, Fn::If, Fn::Not, Fn::Or, Fn::FindInMap, Fn::GetAtt, Fn::GetAZs, Fn::Join, Fn::Select, Ref

Reference:

<http://docs.aws.amazon.com/AWSCloudFormation/latest/UserGuide/intrinsic-function-reference.html>

NEW QUESTION 7

You are hired as the new head of operations for a SaaS company. Your CTO has asked you to make debugging any part of your entire operation simpler and as fast as possible. She complains that she has no idea what is going on in the complex, service-oriented architecture, because the developers just log to disk, and it's very hard to find errors in logs on so many services. How can you best meet this requirement and satisfy your CTO?

- A. Copy all log files into AWS S3 using a cron job on each instance
- B. Use an S3 Notification Configuration on the `PutBucket` event and publish events to AWS Lambda
- C. Use the Lambda to analyze logs as soon as they come in and flag issues.
- D. Begin using CloudWatch Logs on every service
- E. Stream all Log Groups into S3 object
- F. Use AWS EMR clusterjobs to perform ad-hoc MapReduce analysis and write new queries when needed.
- G. Copy all log files into AWS S3 using a cron job on each instance
- H. Use an S3 Notification Configuration on the `PutBucket` event and publish events to AWS Kinesis
- I. Use Apache Spark on AWS EMR to perform at-scale stream processing queries on the log chunks and flag issues.
- J. Begin using CloudWatch Logs on every service
- K. Stream all Log Groups into an AWS Elasticsearch Service Domain running Kibana 4 and perform log analysis on a search cluster.

Answer: D

Explanation:

The Elasticsearch and Kibana 4 combination is called the ELK Stack, and is designed specifically for real-time, ad-hoc log analysis and aggregation. All other answers introduce extra delay or require pre-defined queries.

Amazon Elasticsearch Service is a managed service that makes it easy to deploy, operate, and scale Elasticsearch in the AWS Cloud. Elasticsearch is a popular open-source search and analytics engine for use cases such as log analytics, real-time application monitoring, and click stream analytics. Reference:

<https://aws.amazon.com/elasticsearch-service/>

NEW QUESTION 8

What is the scope of an EC2 security group?

- A. Availability Zone
- B. Placement Group
- C. Region
- D. VPC

Answer: C

Explanation:

A security group is tied to a region and can be assigned only to instances in the same region. You can't enable an instance to communicate with an instance outside its region using security group rules. Traffic from an instance in another region is seen as WAN bandwidth.

Reference: <http://docs.aws.amazon.com/AWSEC2/latest/UserGuide/resources.html>

NEW QUESTION 9

Which EBS volume type is best for high performance NoSQL cluster deployments?

- A. io1
- B. gp1
- C. standard
- D. gp2

Answer: A

Explanation:

io1 volumes, or Provisioned IOPS (PIOPS) SSDs, are best for: Critical business applications that require sustained IOPS performance, or more than 10,000 IOPS or 160 MiB/s of throughput per volume, like large database workloads, such as MongoDB.

Reference: <http://docs.aws.amazon.com/AWSEC2/latest/UserGuide/EBSVolumeTypes.html>

NEW QUESTION 10

You are building out a layer in a software stack on AWS that needs to be able to scale out to react to increased demand as fast as possible. You are running the code on EC2 instances in an Auto Scaling Group behind an ELB. Which application code deployment method should you use?

- A. SSH into new instances that come online, and deploy new code onto the system by pulling it from an S3 bucket, which is populated by code that you refresh from source control on new pushes.

- B. Bake an AMI when deploying new versions of code, and use that AMI for the Auto Scaling Launch Configuration.
- C. Create a Dockerfile when preparing to deploy a new version to production and publish it to S3. Use UserData in the Auto Scaling Launch configuration to pull down the Dockerfile from S3 and run it when new instances launch.
- D. Create a new Auto Scaling Launch Configuration with UserData scripts configured to pull the latest code at all times.

Answer: B

Explanation:

the bootstrapping process can be slower if you have a complex application or multiple applications to install. Managing a fleet of applications with several build tools and dependencies can be a challenging task during rollouts. Furthermore, your deployment service should be designed to do faster rollouts to take advantage of Auto Scaling.

Reference: <https://d0.awsstatic.com/whitepapers/overview-of-deployment-options-on-aws.pdf>

NEW QUESTION 10

You need to perform ad-hoc analysis on log data, including searching quickly for specific error codes and reference numbers. Which should you evaluate first?

- A. AWS Elasticsearch Service
- B. AWS RedShift
- C. AWS EMR
- D. AWS DynamoDB

Answer: A

Explanation:

Amazon Elasticsearch Service (Amazon ES) is a managed service that makes it easy to deploy, operate, and scale Elasticsearch clusters in the AWS cloud. Elasticsearch is a popular open-source search and analytics engine for use cases such as log analytics, real-time application monitoring, and click stream analytics.

Reference:

<http://docs.aws.amazon.com/elasticsearch-service/latest/developerguide/what-is-amazon-elasticsearch-s-service.html>

NEW QUESTION 13

What is the scope of an EC2 EIP?

- A. Placement Group
- B. Availability Zone
- C. Region
- D. VPC

Answer: C

Explanation:

An Elastic IP address is tied to a region and can be associated only with an instance in the same region. Reference:

<http://docs.aws.amazon.com/AWSEC2/latest/UserGuide/resources.html>

NEW QUESTION 18

You want to pass queue messages that are 1GB each. How should you achieve this?

- A. Use Kinesis as a buffer stream for message bodies
- B. Store the checkpoint id for the placement in the Kinesis Stream in SQS.
- C. Use the Amazon SQS Extended Client Library for Java and Amazon S3 as a storage mechanism for message bodies.
- D. Use SQS's support for message partitioning and multi-part uploads on Amazon S3.
- E. Use AWS EFS as a shared pool storage medium
- F. Store filesystem pointers to the files on disk in the SQS message bodies.

Answer: B

Explanation:

You can manage Amazon SQS messages with Amazon S3. This is especially useful for storing and retrieving messages with a message size of up to 2 GB. To manage Amazon SQS messages with Amazon S3, use the Amazon SQS Extended Client Library for Java.

Reference:

<http://docs.aws.amazon.com/AWSSimpleQueueService/latest/SQSDeveloperGuide/s3-messages.html>

NEW QUESTION 22

You are getting a lot of empty receive requests when using Amazon SQS. This is making a lot of unnecessary network load on your instances. What can you do to reduce this load?

- A. Subscribe your queue to an SNS topic instead.
- B. Use as long of a poll as possible, instead of short polls.
- C. Alter your visibility timeout to be shorter.
- D. Use `<code>sqsd</code>` on your EC2 instance

Answer: B

Explanation:

One benefit of long polling with Amazon SQS is the reduction of the number of empty responses, when there are no messages available to return, in reply to a `ReceiveMessage` request sent to an Amazon SQS queue. Long polling allows the Amazon SQS service to wait until a message is available in the queue before sending a response.

Reference:

<http://docs.aws.amazon.com/AWSSimpleQueueService/latest/SQSDeveloperGuide/sqs-long-polling.html>

NEW QUESTION 24

When thinking of DynamoDB, what are true of Local Secondary Key properties?

- A. Either the partition key or the sort key can be different from the table, but not both.
- B. Only the sort key can be different from the table.
- C. The partition key and sort key can be different from the table.
- D. Only the partition key can be different from the tabl

Answer: B

Explanation:

Global secondary index — an index with a partition key and a sort key that can be different from those on the table. A global secondary index is considered "global" because queries on the index can span all of the data in a table, across all partitions.

Reference: <http://docs.aws.amazon.com/amazondynamodb/latest/developerguide/SecondaryIndexes.html>

NEW QUESTION 26

Which deployment method, when using AWS Auto Scaling Groups and Auto Scaling Launch Configurations, enables the shortest time to live for indM dual sewers?

- A. Pre-baking AMIs with all code and configuration on deploys.
- B. Using a Dockerfile bootstrap on instance launch.
- C. Using UserData bootstrapping scripts.
- D. Using AWS EC2 Run Commands to dynamically SSH into fileet

Answer: A

Explanation:

Note that the bootstrapping process can be slower if you have a complex application or multiple applications to install. Managing a fileet of applications with several build tools and dependencies can be a challenging task during rollouts. Furthermore, your deployment service should be designed to do faster rollouts to take advantage of Auto Scaling. Prebaking is a process of embedding a significant portion of your application artifacts within your base AMI. During the deployment process you can customize application installations by using EC2 instance artifacts such as instance tags, instance metadata, and Auto Scaling groups.

Reference: <https://d0.awsstatic.com/whitepapers/overview-of-deployment-options-on-aws.pdf>

NEW QUESTION 30

Which of the following are not valid sources for OpsWorks custom cookbook repositories?

- A. HTTP(S)
- B. Git
- C. AWS EBS
- D. Subversion

Answer: C

Explanation:

Linux stacks can install custom cookbooks from any of the following repository types: HTTP or Amazon S3 archives. They can be either public or private, but Amazon S3 is typically the preferred option for a private archive. Git and Subversion repositories provide source control and the ability to have multiple versions.

Reference:

<http://docs.aws.amazon.com/opsworks/latest/userguide/workingcookbook-installingcustom-enable.html>

NEW QUESTION 31

What is the maximum supported single-volume throughput on EBS?

- A. 320IV|iB/s
- B. 160MiB/s
- C. 40MiB/s
- D. 640MiB/s

Answer: A

Explanation:

The ceiling throughput for PIOPS on EBS is 320MiB/s.

Reference: [http://docs.aws.amazon.com/AWSEC2/latest/UserGuide/EBSVo|umeTypes.htm| IIIIEZIIII HWS-IIIEIIII\]S-EII\\$iiI}}|I'-PI'OI}SSiOIIIII EIIIEIII](http://docs.aws.amazon.com/AWSEC2/latest/UserGuide/EBSVo|umeTypes.htm| IIIIEZIIII HWS-IIIEIIII]S-EII$iiI}}|I'-PI'OI}SSiOIIIII EIIIEIII)

NEW QUESTION 34

You need to grant a vendor access to your AWS account. They need to be able to read protected messages in a private S3 bucket at their leisure. They also use AWS. What is the best way to accomplish this?

- A. Create an IAM User with API Access Key
- B. Grant the User permissions to access the bucke
- C. Give the vendor the AWS Access Key ID and AWS Secret Access Key for the User.
- D. Create an EC2 Instance Profile on your accoun
- E. Grant the associated IAM role full access to the bucke
- F. Start an EC2 instance with this Profile and give SSH access to the instance to the vendor.
- G. Create a cross-account IAM Role with permission to access the bucket, and grant permission to use the Role to the vendor AWS account.
- H. Generate a signed S3 PUT URL and a signed S3 PUT URL, both with wildcard values and 2 year duration
- I. Pass the URLs to the vendor.

Answer: C

Explanation:

When third parties require access to your organization's AWS resources, you can use roles to delegate access to them. For example, a third party might provide a service for managing your AWS resources. With IAM roles, you can grant these third parties access to your AWS resources without sharing your AWS security credentials. Instead, the third party can access your AWS resources by assuming a role that you create in your AWS account.

Reference:

http://docs.aws.amazon.com/IAM/latest/UserGuide/id_roles_common-scenarios_third-party.html

NEW QUESTION 38

For AWS CloudFormation, which stack state refuses UpdateStack calls?

- A. `UPDATE_ROLLBACK_FAILED`
- B. `UPDATE_ROLLBACK_COMPLETE`
- C. `UPDATE_CONIplete`
- D. `CREATE_COMPLETE`

Answer: A

Explanation:

When a stack is in the UPDATE_ROLLBACK_FAILED state, you can continue rolling it back to return it to a working state (to UPDATE_ROLLBACK_COMPLETE). You cannot update a stack that is in the UPDATE_ROLLBACK_FAILED state. However, if you can continue to roll it back, you can return the stack to its original settings and try to update it again.

Reference:

<http://docs.aws.amazon.com/AWSCloudFormation/latest/UserGuide/using-cfn-updating-stacks-continueupdateandrollback.html>

NEW QUESTION 39

You need to migrate 10 million records in one hour into DynamoDB. All records are 1.5KB in size. The data is evenly distributed across the partition key. How many write capacity units should you provision during this batch load?

- A. 6667
- B. 4166
- C. 5556
- D. 2778

Answer: C

Explanation:

You need 2 units to make a 1.5KB write, since you round up. You need 20 million total units to perform this load. You have 3600 seconds to do so. Divide and round up for 5556.

Reference: <http://docs.aws.amazon.com/amazondynamodb/latest/developerguide/HowItWorks.ProvisionedThroughput.html>

NEW QUESTION 42

Which of these is not a Pseudo Parameter in AWS CloudFormation?

- A. AWS::StackName
- B. AWS::AccountId
- C. AWS::StackArn
- D. AWS::NotificationARNs

Answer: C

Explanation:

This is the complete list of Pseudo Parameters: AWS::AccountId, AWS::NotificationARNs, AWS::NoValue, AWS::Region, AWS::StackId, AWS::StackName

Reference:

<http://docs.aws.amazon.com/AWSCloudFormation/latest/UserGuide/pseudo-parameter-reference.html>

NEW QUESTION 47

What is the scope of an EBS volume?

- A. VPC
- B. Region
- C. Placement Group
- D. Availability Zone

Answer: D

Explanation:

An Amazon EBS volume is tied to its Availability Zone and can be attached only to instances in the same Availability Zone.

Reference: <http://docs.aws.amazon.com/AWSEC2/latest/UserGuide/resources.html>

NEW QUESTION 52

You are experiencing performance issues writing to a DynamoDB table. Your system tracks high scores for video games on a marketplace. Your most popular game experiences all of the performance issues. What is the most likely problem?

- A. DynamoDB's vector clock is out of sync, because of the rapid growth in request for the most popular game.
- B. You selected the Game ID or equivalent identifier as the primary partition key for the table.

- C. Users of the most popular video game each perform more read and write requests than average.
D. You did not provision enough read or write throughput to the tabl

Answer: B

Explanation:

The primary key selection dramatically affects performance consistency when reading or writing to DynamoDB. By selecting a key that is tied to the identity of the game, you forced DynamoDB to create a hotspot in the table partitions, and over-request against the primary key partition for the popular game. When it stores data, DynamoDB dMdes a table's items into multiple partitions, and distributes the data primarily based upon the partition key value. The provisioned throughput associated with a table is also dMded evenly among the partitions, with no sharing of provisioned throughput across partitions. Reference:
<http://docs.aws.amazon.com/amazondynamodb/latest/developerguide/GuidelinesForTables.html#GuidelinesForTables.UniformWorkload>

NEW QUESTION 53

You need to deploy an AWS stack in a repeatable manner across multiple environments. You have selected CloudFormation as the right tool to accomplish this, but have found that there is a resource type you need to create and model, but is unsupported by CloudFormation. How should you overcome this challenge?

- A. Use a CloudFormation Custom Resource Template by selecting an API call to proxy for create, update, and delete action
B. CloudFormation will use the AWS SDK, CLI, or API method of your choosing as the state transition function for the resource type you are modeling.
C. Submit a ticket to the AWS Forum
D. AWS extends CloudFormation Resource Types by releasing tooling to the AWS Labs organization on GitHub
E. Their response time is usually 1 day, and they complete requests within a week or two.
F. Instead of depending on CloudFormation, use Chef, Puppet, or Ansible to author Heat templates, which are declarative stack resource definitions that operate over the OpenStack hypervisor and cloud environment.
G. Create a CloudFormation Custom Resource Type by implementing create, update, and delete functionality, either by subscribing a Custom Resource Provider to an SNS topic, or by implementing the logic in AWS Lambda.

Answer: D

Explanation:

Custom resources provide a way for you to write custom provisioning logic in AWS CloudFormation template and have AWS CloudFormation run it during a stack operation, such as when you create, update or delete a stack. For more information, see Custom Resources.

Reference:

<http://docs.aws.amazon.com/AWSCloudFormation/latest/UserGuide/template-custom-resources.html>

NEW QUESTION 58

You run a 2000-engineer organization. You are about to begin using AWS at a large scale for the first time. You want to integrate with your existing identity management system running on Microsoft Active Directory, because your organization is a power-user of Active Directory. How should you manage your AWS identities in the most simple manner?

- A. Use a large AWS Directory Service Simple AD.
B. Use a large AWS Directory Service AD Connector.
C. Use an Sync Domain running on AWS Directory Service.
D. Use an AWS Directory Sync Domain running on AWS Lambda

Answer: B

Explanation:

You must use AD Connector as a power-user of Microsoft Active Directory. Simple AD only works with a subset of AD functionality. Sync Domains do not exist; they are made up answers.

AD Connector is a directory gateway that allows you to proxy directory requests to your on-premises Microsoft Active Directory, without caching any information in the cloud. AD Connector comes in 2 sizes; small and large. A small AD Connector is designed for smaller organizations of up to 500 users. A large AD Connector is designed for larger organizations of up to 5,000 users.

Reference: <https://aws.amazon.com/directoryservice/details/>

NEW QUESTION 61

Your team wants to begin practicing continuous delivery using CloudFormation, to enable automated builds and deploys of whole, versioned stacks or stack layers. You have a 3-tier, mission-critical system. Which of the following is NOT a best practice for using CloudFormation in a continuous delivery environment?

- A. Use the AWS CloudFormation `ValidateTemplate` call before publishing changes to AWS.
B. Model your stack in one template, so you can leverage CloudFormation's state management and dependency resolution to propagate all changes.
C. Use CloudFormation to create brand new infrastructure for all stateless resources on each push, and run integration tests on that set of infrastructure.
D. Parametrize the template and use `Mappings` to ensure your template works in multiple Regions.

Answer: B

Explanation:

Putting all resources in one stack is a bad idea, since different tiers have different life cycles and frequencies of change. For additional guidance about organizing your stacks, you can use two common frameworks: a multi-layered architecture and service-oriented architecture (SOA).

Reference:

<http://docs.aws.amazon.com/AWSCloudFormation/latest/UserGuide/best-practices.html#organizingstack>

NEW QUESTION 64

You are building a Ruby on Rails application for internal, non-production use which uses IV|ySQL as a database. You want developers without very much AWS experience to be able to deploy new code with a single command line push. You also want to set this up as simply as possible. Which tool is ideal for this setup?

- A. AWS CloudFormation
B. AWS OpsWorks
C. AWS ELB + EC2 with CLI Push
D. AWS Elastic Beanstalk

Answer: D

Explanation:

Elastic Beanstalk's primary mode of operation exactly supports this use case out of the box. It is simpler than all the other options for this question.

With Elastic Beanstalk, you can quickly deploy and manage applications in the AWS cloud without worrying about the infrastructure that runs those applications.

AWS Elastic Beanstalk reduces management complexity without restricting choice or control. You simply upload your application, and Elastic Beanstalk automatically handles the details of capacity provisioning, load balancing, scaling, and application health monitoring.

Reference: http://docs.aws.amazon.com/elasticbeanstalk/latest/dg/create_deploy_Ruby_rails.html

NEW QUESTION 67

You are building a mobile app for consumers to post cat pictures online. You will be storing the images in AWS S3. You want to run the system very cheaply and simply. Which one of these options allows you to build a photo sharing application without needing to worry about scaling expensive uploads processes, authentication/authorization and so forth?

- A. Build the application out using AWS Cognito and web identity federation to allow users to log in using Facebook or Google Account
- B. Once they are logged in, the secret token passed to that user is used to directly access resources on AWS, like AWS S3.
- C. Use JWT or SANIL compliant systems to build authorization policie
- D. Users log in with a username and password, and are given a token they can use indefinitely to make calls against the photo infrastructure.
- E. Use AWS API Gateway with a constantly rotating API Key to allow access from the client-sid
- F. Construct a custom build of the SDK and include S3 access in it.
- G. Create an AWS oAuth Service Domain ad grant public signup and access to the domai
- H. During setup, add at least one major social media site as a trusted Identity Provider for users.

Answer: A

Explanation:

The short answer is that Amazon Cognito is a superset of the functionality provided by web identity federation. It supports the same providers, and you configure your app and authenticate with those providers in the same way. But Amazon Cognito includes a variety of additional features. For example, it enables your users to start using the app as a guest user and later sign in using one of the supported identity providers.

Reference:

<https://blogs.aws.amazon.com/security/post/Tx3SYCORF5EKRCO/How-Does-Amazon-Cognito-Relate-to-Existing-Web-Identity-Federatio>

NEW QUESTION 70

Your CTO has asked you to make sure that you know what all users of your AWS account are doing to change resources at all times. She wants a report of who is doing what over time, reported to her once per week, for as broad a resource type group as possible. How should you do this?

- A. Create a global AWS CloudTrail Trai
- B. Configure a script to aggregate the log data delivered to S3 once per week and deliver this to the CTO.
- C. Use CloudWatch Events Rules with an SNS topic subscribed to all AWS API call
- D. Subscribe the CTO to an email type delivery on this SNS Topic.
- E. Use AWS IAM credential reports to deliver a CSV of all uses of IAM User Tokens over time to the CTO.
- F. Use AWS Config with an SNS subscription on a Lambda, and insert these changes over time into a DynamoDB tabl
- G. Generate reports based on the contents of this table.

Answer: A

Explanation:

This is the ideal use case for AWS CloudTrail.

CloudTrail provides visibility into user actMty by recording API calls made on your account. CloudTrail records important information about each API call, including the name of the API, the identity of the caller, the time of the API call, the request parameters, and the response elements returned by the AWS service. This information helps you to track changes made to your AWS resources and to troubleshoot operational issues. CloudTrail makes it easier to ensure compliance with internal policies and regulatory standards. Reference: <https://aws.amazon.com/Cloudtrail/faqs/>

NEW QUESTION 75

Which is not a restriction on AWS EBS Snapshots?

- A. Snapshots which are shared cannot be used as a basis for other snapshots.
- B. You cannot share a snapshot containing an AWS Access Key ID or AWS Secret Access Key.
- C. You cannot share unencrypted snapshots.
- D. Snapshot restorations are restricted to the region in which the snapshots are create

Answer: A

Explanation:

Snapshots shared with other users are usable in full by the recipient, including but limited to the ability to base modified volumes and snapshots.

Reference:

<http://docs.aws.amazon.com/AWSEC2/latest/UserGuide/ebs-modifying-snapshot-permissions.html>

NEW QUESTION 79

You need to deploy a new application version to production. Because the deployment is high-risk, you need to roll the new version out to users over a number of hours, to make sure everything is working correctly. You need to be able to control the proportion of users seeing the new version of the application down to the percentage point.

You use ELB and EC2 with Auto Scaling Groups and custom AMIs with your code pre-installed assigned to Launch Configurations. There are no database-level changes during your deployment. You have been told you cannot spend too much money, so you must not increase the number of EC2 instances much at all during the deployment, but you also need to be able to switch back to the original version of code quickly if something goes wrong. What is the best way to meet these requirements?

- A. Create a second ELB, Auto Scaling Launch Configuration, and Auto Scaling Group using the Launch Configuratio

- B. Create AMIs with all code pre-installed
- C. Assign the new AMI to the second Auto Scaling Launch Configuration
- D. Use Route53 Weighted Round Robin Records to adjust the proportion of traffic hitting the two ELBs.
- E. Use the Blue-Green deployment method to enable the fastest possible rollback if needed
- F. Create a full second stack of instances and cut the DNS over to the new stack of instances, and change the DNS back if a rollback is needed.
- G. Create AMIs with all code pre-installed
- H. Assign the new AMI to the Auto Scaling Launch Configuration, to replace the old one
- I. Gradually terminate instances running the old code (launched with the old Launch Configuration) and allow the new AMIs to boot to adjust the traffic balance to the new code
- J. On rollback, reverse the process by doing the same thing, but changing the AMI on the Launch Config back to the original code.
- K. Migrate to use AWS Elastic Beanstalk
- L. Use the established and well-tested Rolling Deployment setting AWS provides on the new Application Environment, publishing a zip bundle of the new code and adjusting the wait period to spread the deployment over time
- M. Re-deploy the old code bundle to rollback if needed.

Answer: A

Explanation:

Only Weighted Round Robin DNS Records and reverse proxies allow such fine-grained tuning of traffic splits. The Blue-Green option does not meet the requirement that we mitigate costs and keep overall EC2 fleet size consistent, so we must select the 2 ELB and ASG option with WRR DNS tuning. This method is called A/B deployment and/or Canary deployment.

Reference: <https://d0.awsstatic.com/whitepapers/overview-of-deployment-options-on-aws.pdf>

NEW QUESTION 83

What is required to achieve gigabit network throughput on EC2? You already selected cluster-compute, 10GB instances with enhanced networking, and your workload is already network-bound, but you are not seeing 10 gigabit speeds.

- A. Enable bplex networking on your servers, so packets are non-blocking in both directions and there's no switching overhead.
- B. Ensure the instances are in different VPCs so you don't saturate the Internet Gateway on any one VPC.
- C. Select PIOPS for your drives and mount several, so you can provision sufficient disk throughput.
- D. Use a placement group for your instances so the instances are physically near each other in the same Availability Zone.

Answer: D

Explanation:

You are not guaranteed 10gigabit performance, except within a placement group.

A placement group is a logical grouping of instances within a single Availability Zone. Using placement groups enables applications to participate in a low-latency, 10 Gbps network. Placement groups are recommended for applications that benefit from low network latency, high network throughput, or both. Reference:

<http://docs.aws.amazon.com/AWSEC2/latest/UserGuide/placement-groups.html>

NEW QUESTION 88

From a compliance and security perspective, which of these statements is true?

- A. You do not ever need to rotate access keys for AWS IAM Users.
- B. You do not ever need to rotate access keys for AWS IAM Roles, nor AWS IAM Users.
- C. None of the other statements are true.
- D. You do not ever need to rotate access keys for AWS IAM Role

Answer: D

Explanation:

IAM Role Access Keys are auto-rotated by AWS on your behalf; you do not need to rotate them.

The application is granted the permissions for the actions and resources that you've defined for the role through the security credentials associated with the role.

These security credentials are temporary and we

rotate them automatically. We make new credentials available at least five minutes prior to the expiration of the old credentials.

Reference: <http://docs.aws.amazon.com/AWSEC2/latest/UserGuide/iam-roles-for-amazon-ec2.html>

NEW QUESTION 93

Which of these configuration or deployment practices is a security risk for RDS?

- A. Storing SQL function code in plaintext
- B. Non-Multi-AZ RDS instance
- C. Having RDS and EC2 instances exist in the same subnet
- D. RDS in a public subnet

Answer: D

Explanation:

Making RDS accessible to the public internet in a public subnet poses a security risk, by making your database directly addressable and spammable.

DB instances deployed within a VPC can be configured to be accessible from the Internet or from EC2 instances outside the VPC. If a VPC security group specifies a port access such as TCP port 22, you would not be able to access the DB instance because the firewall for the DB instance provides access only via the IP addresses specified by the DB security groups the instance is a member of and the port defined when the DB instance was created.

Reference: <http://docs.aws.amazon.com/AmazonRDS/latest/UserGuide/Overview.RDSSecurityGroups.html>

NEW QUESTION 97

Which of these is not a reason a Multi-AZ RDS instance will failover?

- A. An Availability Zone outage
- B. A manual failover of the DB instance was initiated using Reboot with failover

- C. To autoscale to a higher instance class
- D. The primary DB instance fails

Answer: C

Explanation:

The primary DB instance switches over automatically to the standby replica if any of the > following conditions occur: An Availability Zone outage, the primary DB instance fails, the DB instance's server type is changed, the operating system of the DB instance is, undergoing software patching, a manual failover of the DB instance was initiated using Reboot with failover

Reference: <http://docs.aws.amazon.com/AmazonRDS/latest/UserGuide/Concepts.MultiAZ.html>

NEW QUESTION 102

You need to create an audit log of all changes to customer banking data. You use DynamoDB to store this customer banking data. It's important not to lose any information due to server failures. What is an elegant way to accomplish this?

- A. Use a DynamoDB StreamSpecification and stream all changes to AWS Lambda
- B. Log the changes to AWS CloudWatch Logs, removing sensitive information before logging.
- C. Before writing to DynamoDB, do a pre-write acknowledgment to disk on the application server, removing sensitive information before logging
- D. Periodically rotate these log files into S3.
- E. Use a DynamoDB StreamSpecification and periodically flush to an EC2 instance store, removing sensitive information before putting the object
- F. Periodically flush these batches to S3.
- G. Before writing to DynamoDB, do a pre-write acknowledgment to disk on the application server, removing sensitive information before logging
- H. Periodically pipe these files into CloudWatch Logs.

Answer: A

Explanation:

All suggested periodic options are sensitive to server failure during or between periodic flushes. Streaming to Lambda and then logging to CloudWatch Logs will make the system resilient to instance and Availability Zone failures.

Reference: <http://docs.aws.amazon.com/lambda/latest/dg/with-ddb.html>

NEW QUESTION 103

You have an asynchronous processing application using an Auto Scaling Group and an SQS Queue. The Auto Scaling Group scales according to the depth of the job queue. The completion velocity of the jobs has gone down, the Auto Scaling Group size has maxed out, but the inbound job velocity did not increase. What is a possible issue?

- A. Some of the new jobs coming in are malformed and unprocessable.
- B. The routing tables changed and none of the workers can process events anymore.
- C. Someone changed the IAM Role Policy on the instances in the worker group and broke permissions to access the queue.
- D. The scaling metric is not functioning correctly

Answer: A

Explanation:

The IAM Role must be fine, as if it were broken, NO jobs would be processed since the system would never be able to get any queue messages. The same reasoning applies to the routing table change. The scaling metric is fine, as instance count increased when the queue depth increased due to more messages entering than exiting. Thus, the only reasonable option is that some of the recent messages must be malformed and unprocessable.

Reference:

<https://github.com/andrew-templeton/cloudacademy/blob/fca920b45234bbe99cc0e8efb9c65134884dd489/questions/null>

NEW QUESTION 107

Which of the following tools does not directly support AWS OpsWorks, for monitoring your stacks?

- A. AWS Config
- B. Amazon CloudWatch Metrics
- C. AWS CloudTrail
- D. Amazon CloudWatch Logs

Answer: A

Explanation:

You can monitor your stacks in the following ways: AWS OpsWorks uses Amazon CloudWatch to provide thirteen custom metrics with detailed monitoring for each instance in the stack; AWS OpsWorks integrates with AWS CloudTrail to log every AWS OpsWorks API call and store the data in an Amazon S3 bucket; You can use Amazon CloudWatch Logs to monitor your stack's system, application, and custom logs. Reference:

<http://docs.aws.amazon.com/opsworks/latest/userguide/monitoring.html>

NEW QUESTION 112

What is a circular dependency in AWS CloudFormation?

- A. When a Template references an earlier version of itself.
- B. When Nested Stacks depend on each other.
- C. When Resources form a DependsOn loop.
- D. When a Template references a region, which references the original Template

Answer: C

Explanation:

To resolve a dependency error, add a DependsOn attribute to resources that depend on other resources in your template. In some cases, you must explicitly

declare dependencies so that AWS CloudFormation can create or delete resources in the correct order. For example, if you create an Elastic IP and a VPC with an Internet gateway in the same stack, the Elastic IP must depend on the Internet gateway attachment. For additional information, see DependsOn Attribute. Reference: <http://docs.aws.amazon.com/AWSCloudFormation/latest/UserGuide/troubleshooting.html#troubleshooting-errors-dependence-error>

NEW QUESTION 113

When thinking of AWS OpsWorks, which of the following is true?

- A. Stacks have many layers, layers have many instances.
- B. Instances have many stacks, stacks have many layers.
- C. Layers have many stacks, stacks have many instances.
- D. Layers have many instances, instances have many stack

Answer: A

Explanation:

The stack is the core AWS OpsWorks component. It is basically a container for AWS resources—Amazon EC2 instances, Amazon RDS database instances, and so on—that have a common purpose and should be logically managed together. You define the stack's constituents by adding one or more layers. A layer represents a set of Amazon EC2 instances that serve a particular purpose, such as serving applications or hosting a database server. An instance represents a single computing resource, such as an Amazon EC2 instance.

Reference: <http://docs.aws.amazon.com/opsworks/latest/userguide/welcome.html>

NEW QUESTION 118

You work for a company that automatically tags photographs using artificial neural networks (ANNs), which run on GPUs using C++. You receive millions of images at a time, but only 3 times per day on average. These images are loaded into an AWS S3 bucket you control for you in a batch, and then the customer publishes a JSON-formatted manifest into another S3 bucket you control as well. Each image takes 10 milliseconds to process using a full GPU. Your neural network software requires 5 minutes to bootstrap. Image tags are JSON objects, and you must publish them to an S3 bucket.

Which of these is the best system architectures for this system?

- A. Create an OpsWorks Stack with two Layer
- B. The first contains lifecycle scripts for launching and bootstrapping an HTTP API on G2 instances for ANN image processing, and the second has an always-on instance which monitors the S3 manifest bucket for new file
- C. When a new file is detected, request instances to boot on the ANN laye
- D. When the instances are booted and the HTTP APIs are up, submit processing requests to indMdual instances.
- E. Make an S3 notification configuration which publishes to AWS Lambda on the manifest bucke
- F. Make the Lambda create a CloudFormation Stack which contains the logic to construct an autoscaling worker tier of EC2 G2 instances with the ANN code on each instanc
- G. Create an SQS queue of the images in the manifes
- H. Tear the stack down when the queue is empty.
- I. Deploy your ANN code to AWS Lambda as a bundled binary for the C++ extensio
- J. Make an S3 notification configuration on the manifest, which publishes to another AWS Lambda running controller cod
- K. This controller code publishes all the images in the manifest to AWS Kinesi
- L. Your ANN code Lambda Function uses the Kinesis as an Event Sourc
- M. The system automatically scales when the stream contains image events.
- N. Create an Auto Scaling, Load Balanced Elastic Beanstalk worker tier Application and Environmen
- O. Deploy the ANN code to G2 instances in this tie
- P. Set the desired capacity to 1. Make the code periodically check S3 for new manifest
- Q. When a new manifest is detected, push all of the images in the manifest into the SQS queue associated with the Elastic Beanstalk worker tier.

Answer: B

Explanation:

The Elastic Beanstalk option is incorrect because it requires a constantly-polling instance, which may break and costs money.

The Lambda fileet option is incorrect because AWS Lambda does not support GPU usage.

The OpsWorks stack option both requires a constantly-polling instance, and also requires complex timing and capacity planning logic.

The CloudFormation option requires no polling, has no always-on instances, and allows arbitrarily fast processing by simply setting the instance count as high as needed.

Reference: <http://docs.aws.amazon.com/lambda/latest/dg/current-supported-versions.html>

NEW QUESTION 120

You need to create a Route53 record automatically in CloudFormation when not running in production during all launches of a Template. How should you implement this?

- A. Use a `<code>Parameter</code>` for `<code>environment</code>`, and add a `<code>Condition</code>` on the Route53 `<code>Resource</code>` in the template to create the record only when`<code>environment</code>` is not `<code>production</code>`.
- B. Create two templates, one with the Route53 record value and one with a null value for the recor
- C. Use the one without it when deploying to production.
- D. Use a `<code>Parameter</code>` for `<code>environment</code>`, and add a `<code>Condition</code>` on the Route53 `<code>Resource</code>` in the template to create the record with a null string when`<code>environment</code>` is `<code>production</code>`.
- E. Create two templates, one with the Route53 record and one without i
- F. Use the one without it when deploying to production.

Answer: A

Explanation:

The best way to do this is with one template, and a Condition on the resource. Route53 does not allow null strings for records.

Reference:

<http://docs.aws.amazon.com/AWSCloudFormation/latest/UserGuide/conditions-section-structure.html>

NEW QUESTION 125

What is web identity federation?

- A. Use of an identity provider like Google or Facebook to become an AWS IAM User.
- B. Use of an identity provider like Google or Facebook to exchange for temporary AWS security credentials.
- C. Use of AWS IAM User tokens to log in as a Google or Facebook user.
- D. Use of AWS STS Tokens to log in as a Google or Facebook use

Answer: B

Explanation:

users of your app can sign in using a well-known identity provider (IdP) -such as Login with Amazon, Facebook, Google, or any other OpenID Connect (OIDC)-compatible IdP, receive an authentication token, and then exchange that token for temporary security credentials in AWS that map to an IAM role with permissions to use the resources in your AWS account.

Reference: http://docs.aws.amazon.com/IAM/latest/UserGuide/id_roles_providers_oidc.html

NEW QUESTION 126

Your application's Auto Scaling Group scales up too quickly, too much, and stays scaled when traffic decreases. What should you do to fix this?

- A. Set a longer cooldown period on the Group, so the system stops overshooting the target capacity
- B. The issue is that the scaling system doesn't allow enough time for new instances to begin servicing requests before measuring aggregate load again.
- C. Calculate the bottleneck or constraint on the compute layer, then select that as the new metric, and set the metric thresholds to the bounding values that begin to affect response latency.
- D. Raise the CloudWatch Alarms threshold associated with your autoscaling group, so the scaling takes more of an increase in demand before beginning.
- E. Use larger instances instead of lots of smaller ones, so the Group stops scaling out so much and wasting resources as the OS level, since the OS uses a higher proportion of resources on smaller instances.

Answer: B

Explanation:

Systems will always over-scale unless you choose the metric that runs out first and becomes constrained first. You also need to set the thresholds of the metric based on whether or not latency is affected by the change, to justify adding capacity instead of wasting money.

Reference: http://docs.aws.amazon.com/AutoScaling/latest/DeveloperGuide/policy_creating.html

NEW QUESTION 130

Your CTO is very worried about the security of your AWS account. How best can you prevent hackers from completely hijacking your account?

- A. Use short but complex password on the root account and any administrators.
- B. Use AWS IAM Geo-Lock and disallow anyone from logging in except for in your city.
- C. Use MFA on all users and accounts, especially on the root account.
- D. Don't write down or remember the root account password after creating the AWS account

Answer: C

Explanation:

For increased security, we recommend that you configure multi-factor authentication (MFA) to help protect your AWS resources. MFA adds extra security because it requires users to enter a unique authentication code from an approved authentication device or SMS text message when they access AWS websites or services.

Reference: http://docs.aws.amazon.com/IAM/latest/UserGuide/id_credentials_mfa.html

NEW QUESTION 131

You have a high security requirement for your AWS accounts. What is the most rapid and sophisticated setup you can use to react to AWS API calls to your account?

- A. Subscription to AWS Config via an SNS Topic
- B. Use a Lambda Function to perform in-flight analysis and react to changes as they occur.
- C. Global AWS CloudTrail setup delivering to S3 with an SNS subscription to the deliver notifications, pushing into a Lambda, which inserts records into an ELK stack for analysis.
- D. Use a CloudWatch Rule ScheduleExpression to periodically analyze IAM credential log
- E. Push the deltas for events into an ELK stack and perform ad-hoc analysis there.
- F. CloudWatch Events Rules which trigger based on all AWS API calls, submitting all events to an AWS Kinesis Stream for arbitrary downstream analysis.

Answer: D

Explanation:

CloudWatch Events allow subscription to AWS API calls, and direction of these events into Kinesis Streams. This allows a unified, near real-time stream for all API calls, which can be analyzed with any tool(s) of your choosing downstream.

Reference: http://docs.aws.amazon.com/AmazonCloudWatch/latest/DeveloperGuide/EventTypes.html#api_event_type

NEW QUESTION 134

.....

Thank You for Trying Our Product

* 100% Pass or Money Back

All our products come with a 90-day Money Back Guarantee.

* One year free update

You can enjoy free update one year. 24x7 online support.

* Trusted by Millions

We currently serve more than 30,000,000 customers.

* Shop Securely

All transactions are protected by VeriSign!

100% Pass Your AWS-Certified-DevOps-Engineer-Professional Exam with Our Prep Materials Via below:

<https://www.certleader.com/AWS-Certified-DevOps-Engineer-Professional-dumps.html>