

Microsoft

Exam Questions AZ-305

Designing Microsoft Azure Infrastructure Solutions



NEW QUESTION 1

- (Exam Topic 1)

How should the migrated databases DB1 and DB2 be implemented in Azure?

Database:

	▼
A single Azure SQL database	
Azure SQL Managed Instance	
An Azure SQL Database elastic pool	

Service tier:

	▼
Hyperscale	
Business Critical	
General Purpose	

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Table Description automatically generated

Box 1: SQL Managed Instance

Scenario: Once migrated to Azure, DB1 and DB2 must meet the following requirements:

- Maintain availability if two availability zones in the local Azure region fail.
- Fail over automatically.
- Minimize I/O latency.

The auto-failover groups feature allows you to manage the replication and failover of a group of databases on a server or all databases in a managed instance to another region. It is a declarative abstraction on top of the existing active geo-replication feature, designed to simplify deployment and management of geo-replicated databases at scale. You can initiate a geo-failover manually or you can delegate it to the Azure service based on a user-defined policy. The latter option allows you to automatically recover multiple related databases in a secondary region after a catastrophic failure or other unplanned event that results in full or partial loss of the SQL Database or SQL Managed Instance availability in the primary region.

Box 2: Business critical

SQL Managed Instance is available in two service tiers:

General purpose: Designed for applications with typical performance and I/O latency requirements. Business critical: Designed for applications with low I/O latency requirements and minimal impact of underlying maintenance operations on the workload.

Reference:

<https://docs.microsoft.com/en-us/azure/azure-sql/database/auto-failover-group-overview> <https://docs.microsoft.com/en-us/azure/azure-sql/managed-instance/sql-managed-instance-paas-overview>

NEW QUESTION 2

- (Exam Topic 1)

You need to configure an Azure policy to ensure that the Azure SQL databases have TDE enabled. The solution must meet the security and compliance requirements.

Which three actions should you perform in sequence? To answer, move the appropriate actions from the list of actions to the answer area and arrange them in the correct order.

Actions

Create an Azure policy definition that uses the deployIfNotExists effect.

Create a user-assigned managed identity.

Invoke a remediation task.

Create an Azure policy assignment.

Create an Azure policy definition that uses the Modify effect.

Answer Area

⏪

⏩

⏴

⏵

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

A picture containing text Description automatically generated
Scenario: All Azure SQL databases in the production environment must have Transparent Data Encryption (TDE) enabled.
Step 1: Create an Azure policy definition that uses the deployIfNotExists identity.
The first step is to define the roles that deployIfNotExists and modify needs in the policy definition to successfully deploy the content of your included template.
Step 2: Create an Azure policy assignment
When creating an assignment using the portal, Azure Policy both generates the managed identity and grants it the roles defined in roleDefinitionIds.
Step 3: Invoke a remediation task
Resources that are non-compliant to a deployIfNotExists or modify policy can be put into a compliant state through Remediation. Remediation is accomplished by instructing Azure Policy to run the deployIfNotExists effect or the modify operations of the assigned policy on your existing resources and subscriptions, whether that assignment is to a management group, a subscription, a resource group, or an individual resource.
During evaluation, the policy assignment with deployIfNotExists or modify effects determines if there are non-compliant resources or subscriptions. When non-compliant resources or subscriptions are found, the details are provided on the Remediation page.
Reference:
<https://docs.microsoft.com/en-us/azure/governance/policy/how-to/remediate-resources>

NEW QUESTION 3

- (Exam Topic 1)
You plan to migrate App1 to Azure.
You need to recommend a high-availability solution for App1. The solution must meet the resiliency requirements.
What should you include in the recommendation? To answer, select the appropriate options in the answer area.
NOTE: Each correct selection is worth one point.

Number of host groups:

1

2

3

6

Number of virtual machine scale sets:

0

1

3

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Graphical user interface, text, application, email Description automatically generated
Box 1: 3
Scenario: App1 must meet the following requirements:
> Be hosted in an Azure region that supports availability zones.
>

Maintain availability if two availability zones in the local Azure region fail.

A host group is a resource that represents a collection of dedicated hosts. You create a host group in a region and an availability zone, and add hosts to it.

Use Availability Zones for fault isolation

Availability zones are unique physical locations within an Azure region. Each zone is made up of one or more datacenters equipped with independent power, cooling, and networking. A host group is created in a single availability zone. Once created, all hosts will be placed within that zone. To achieve high availability across zones, you need to create multiple host groups (one per zone) and spread your hosts accordingly.

Box 2: 1

Scenario: App1 must meet the following requirements:

➤ Be hosted on Azure virtual machines that support automatic scaling.

An Azure virtual machine scale set can automatically increase or decrease the number of VM instances that run your application. This automated and elastic behavior reduces the management overhead to monitor and optimize the performance of your application.

Reference:

<https://docs.microsoft.com/en-us/azure/virtual-machines/dedicated-hosts>

<https://docs.microsoft.com/en-us/azure/virtual-machine-scale-sets/virtual-machine-scale-sets-autoscale-overview>

NEW QUESTION 4

- (Exam Topic 1)

You plan to migrate App1 to Azure.

You need to recommend a storage solution for App1 that meets the security and compliance requirements. Which type of storage should you recommend, and how should you recommend configuring the storage? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Answer Area

Storage account type:

	▼
Premium page blobs	
Premium file shares	
Standard general-purpose v2	

Configuration:

	▼
NFSv3	
Large file shares	
Hierarchical namespace	

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Text, table Description automatically generated

Box 1: Standard general-purpose v2

Standard general-purpose v2 supports Blob Storage.

Azure Storage provides data protection for Blob Storage and Azure Data Lake Storage Gen2. Scenario:

Litware identifies the following security and compliance requirements:

- Once App1 is migrated to Azure, you must ensure that new data can be written to the app, and the modification of new and existing data is prevented for a period of three years.
- On-premises users and services must be able to access the Azure Storage account that will host the data in App1.
- Access to the public endpoint of the Azure Storage account that will host the App1 data must be prevented.
- All Azure SQL databases in the production environment must have Transparent Data Encryption (TDE) enabled.
- App1 must NOT share physical hardware with other workloads. Box 2: NFSv3

Scenario: Plan: Migrate App1 to Azure virtual machines.

Blob storage now supports the Network File System (NFS) 3.0 protocol. This support provides Linux file system compatibility at object storage scale and prices and enables Linux clients to mount a container in Blob storage from an Azure Virtual Machine (VM) or a computer on-premises. Reference:

<https://docs.microsoft.com/en-us/azure/storage/blobs/data-protection-overview>

NEW QUESTION 5

- (Exam Topic 2)

You need to recommend a notification solution for the IT Support distribution group. What should you include in the recommendation?

- A. Azure Network Watcher
- B. an action group
- C. a SendGrid account with advanced reporting
- D. Azure AD Connect Health

Answer: D

Explanation:

References:

<https://docs.microsoft.com/en-us/azure/active-directory/hybrid/how-to-connect-health-operations>

NEW QUESTION 6

- (Exam Topic 2)

You need to recommend a strategy for migrating the database content of WebApp1 to Azure. What should you include in the recommendation?

- A. Use Azure Site Recovery to replicate the SQL servers to Azure.
- B. Use SQL Server transactional replication.
- C. Copy the BACPAC file that contains the Azure SQL database file to Azure Blob storage.
- D. Copy the VHD that contains the Azure SQL database files to Azure Blob storage

Answer: D

Explanation:

Before you upload a Windows virtual machine (VM) from on-premises to Azure, you must prepare the virtual hard disk (VHD or VHDX).

Scenario: WebApp1 has a web tier that uses Microsoft Internet Information Services (IIS) and a database tier that runs Microsoft SQL Server 2016. The web tier and the database tier are deployed to virtual machines that run on Hyper-V.

Reference:

<https://docs.microsoft.com/en-us/azure/virtual-machines/windows/prepare-for-upload-vhd-image>

NEW QUESTION 7

- (Exam Topic 2)

You need to recommend a data storage strategy for WebApp1. What should you include in in the recommendation?

- A. an Azure SQL Database elastic pool
- B. a vCore-based Azure SQL database
- C. an Azure virtual machine that runs SQL Server
- D. a fixed-size DTU AzureSQL database.

Answer: B

NEW QUESTION 8

- (Exam Topic 2)

You are evaluating the components of the migration to Azure that require you to provision an Azure Storage account.

For each of the following statements, select Yes if the statement is true. Otherwise, select No. NOTE: Each correct selection is worth one point.

Statements	Yes	No
You must provision an Azure Storage account for the SQL Server database migration.	<input type="radio"/>	<input type="radio"/>
You must provision an Azure Storage account for the Web site content storage.	<input type="radio"/>	<input type="radio"/>
You must provision an Azure Storage account for the Database metric monitoring.	<input type="radio"/>	<input type="radio"/>

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Statements	Yes	No
You must provision an Azure Storage account for the SQL Server database migration.	<input checked="" type="radio"/>	<input type="radio"/>
You must provision an Azure Storage account for the Web site content storage.	<input type="radio"/>	<input checked="" type="radio"/>
You must provision an Azure Storage account for the Database metric monitoring.	<input checked="" type="radio"/>	<input type="radio"/>

NEW QUESTION 9

- (Exam Topic 2)

To meet the authentication requirements of Fabrikam, what should you include in the solution? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Minimum number of Azure AD tenants:

	▼
0	
1	
2	
3	
4	

Minimum number of custom domains to add:

	▼
0	
1	
2	
3	
4	

Minimum number of conditional access policies to create:

	▼
0	
1	
2	
3	
4	

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Minimum number of Azure AD tenants:

	▼
0	
1	
2	
3	
4	

Minimum number of custom domains to add:

	▼
0	
1	
2	
3	
4	

Minimum number of conditional access policies to create:

	▼
0	
1	
2	
3	
4	

NEW QUESTION 10

- (Exam Topic 3)

You need to recommend a solution that meets the application development requirements. What should you include in the recommendation?

- A. an Azure Container Registry instance
- B. deployment slots
- C. Continuous Integration/Continuous Deployment (CI/CD) sources
- D. the Azure App Configuration service

Answer: B

NEW QUESTION 10

- (Exam Topic 3)

You need to recommend a solution that meets the data requirements for App1.

What should you recommend deploying to each availability zone that contains an instance of App1?

- A. an Azure Cosmos DB that uses multi-region writes
- B. an Azure Storage account that uses geo-zone-redundant storage (GZRS)
- C. an Azure Data Lake store that uses geo-zone-redundant storage (GZRS)
- D. an Azure SQL database that uses active geo-replication

Answer: A

NEW QUESTION 14

- (Exam Topic 3)

What should you recommend to meet the monitoring requirements for App2?

- A. Azure Application Insights
- B. Container insights
- C. Microsoft Sentinel
- D. VM insights

Answer: A

NEW QUESTION 17

- (Exam Topic 3)

What should you implement to meet the identity requirements? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Service:

	▼
Azure AD Identity Governance	
Azure AD Identity Protection	
Azure AD Privilege Access Management (PIM)	
Azure Automation	

Feature:

	▼
Access packages	
Access reviews	
Approvals	
Runbooks	

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Requirements: Identity Requirements

Contoso identifies the following requirements for managing Fabrikam access to resources:

Every month, an account manager at Fabrikam must review which Fabrikam users have access permissions to App1. Accounts that no longer need permissions must be removed as guests.

The solution must minimize development effort.

Box 1: The Azure AD Privileged Identity Management (PIM) When should you use access reviews?

Too many users in privileged roles: It's a good idea to check how many users have administrative access, how many of them are Global Administrators, and if there are any invited guests or partners that have not been removed after being assigned to do an administrative task. You can recertify the role assignment users in Azure AD roles such as Global Administrators, or Azure resources roles such as User Access Administrator in the Azure AD Privileged Identity Management (PIM) experience.

Box 2: Access reviews

Azure Active Directory (Azure AD) access reviews enable organizations to efficiently manage group memberships, access to enterprise applications, and role assignments. User's access can be reviewed on a regular basis to make sure only the right people have continued access.

Reference:

<https://docs.microsoft.com/en-us/azure/active-directory/governance/access-reviews-overview>

NEW QUESTION 19

- (Exam Topic 3)

You are evaluating whether to use Azure Traffic Manager and Azure Application Gateway to meet the connection requirements for App1.

What is the minimum numbers of instances required for each service? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Answer Area

Azure Traffic Manager:

1
2
3
6

Azure Application Gateway:

1
2
3
6

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Answer Area

Azure Traffic Manager:

1
2
3
6

Azure Application Gateway:

1
2
3
6

NEW QUESTION 21

- (Exam Topic 3)

You need to recommend a solution that meets the application development requirements. What should you include in the recommendation?

- A. the Azure App Configuration service
- B. Continuous Integration/Continuous Deployment (CI/CD) sources
- C. deployment slots
- D. an Azure Container Registry instance

Answer: C

NEW QUESTION 26

- (Exam Topic 4)

A company is planning on deploying an application onto Azure. The application will be based on the .Net core programming language. The application would be hosted using Azure Web apps. Below is part of the various requirements for the application

Give the ability to correlate Azure resource usage and the performance data with the actual application configuration and performance data

Give the ability to visualize the relationships between application components

Give the ability to track requests and exceptions to specific lines of code from within the application Give the ability to actually analyse how uses return to an application and see how often they only select a particular drop-down value

Which of the following service would be best suited for fulfilling the requirement of

“Give the ability to correlate Azure resource usage and the performance data with the actual application configuration and performance data”

- A. Azure Application Insights
- B. Azure Service Map
- C. Azure Log Analytics
- D. Azure Activity Log

Answer: C

NEW QUESTION 30

- (Exam Topic 4)

What two parameters would you recommend set up to ensure that the new IPSCustomers database will scale to meet the workload demands?

- A. Define the maximum of CPU cores
- B. Define the maximum resource limit per group of databases
- C. Define the maximum of Database Transaction Units
- D. Define the maximum of the allocated storage
- E. Define the maximum size for a database

Answer: CE

NEW QUESTION 31

- (Exam Topic 5)

Your organization has developed and deployed several Azure App Service Web and API applications. The applications use Azure Key Vault to store several authentication, storage account, and data encryption keys.

Several departments have the following requests to support the applications:

Department	Request
Security	<ul style="list-style-type: none"> Review membership of administrative roles and require to provide a justification for continued membership Get alerts about changes in administrator assignments. See a history of administrator activation, including which changes administrators made to Azure resources.
Development	<ul style="list-style-type: none"> Enable the applications to access Azure Key Vault and retrieve keys for use in code.
Quality Assurance	<ul style="list-style-type: none"> Receive temporary administrator access to create and configure additional Web and API applications in the test environment.

You need to recommend the appropriate Azure service for each department request.

What should you recommend? To answer, configure the appropriate options in the dialog box in the answer area.

NOTE: Each correct selection is worth one point.

Department	Azure Service
Security	<div>▼</div> <div> Azure AD Privileged Identity Management Azure AD Managed Service Identity Azure AD Connect Azure AD Identity Protection </div>
Development	<div>▼</div> <div> Azure AD Privileged Identity Management Azure AD Managed Service Identity Azure AD Connect Azure AD Identity Protection </div>
Quality Assurance	<div>▼</div> <div> Azure AD Privileged Identity Management Azure AD Managed Service Identity Azure AD Connect Azure AD Identity Protection </div>

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Text Description automatically generated with medium confidence
<https://docs.microsoft.com/en-us/azure/active-directory/managed-identities-azure-resources/overview>

NEW QUESTION 32

- (Exam Topic 5)

You plan to deploy an application named App1 that will run in containers on Azure Kubernetes Service (AKS) clusters. The AKS clusters will be distributed across four Azure regions.

You need to recommend a storage solution to ensure that updated container images are replicated automatically to all the Azure regions hosting the AKS clusters. Which storage solution should you recommend?

- A. Azure Cache for Redis
- B. Premium SKU Azure Container Registry
- C. Azure Content Delivery Network (CON)
- D. geo-redundant storage (GRS) accounts

Answer: B

NEW QUESTION 37

- (Exam Topic 5)

You have an Azure subscription that contains the resources shown in the following table.

Name	Type	Description
App1	Azure App Service app	None
Workspace1	Log Analytics workspace	Configured to use a pay-as-you-go pricing tier
App1Logs	Log Analytics table	Hosted in Workspace1 Configured to use the Analytics Logs data plan

Log files from App1 are ingested to App 1 Logs. An average of 120 GB of log data is ingested per day. You configure an Azure Monitor alert that will be triggered if

the App1 logs contain error messages.


You need to minimize the Log Analytics costs associated with App1. The solution must meet the following requirements:

- Ensure that all the log files from App1 are ingested to App 1 Logs.
- Minimize the impact on the Azure Monitor alert.

Which resource should you modify, and which modification should you perform? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Answer Area



Resource: App1
App1Logs
Workspace1

Modification: Change to a commitment pricing tier.
Change to the Basic Logs data plan.
Set a daily cap.

- A. Mastered
B. Not Mastered

Answer: A

Explanation:

A screenshot of a computer Description automatically generated

NEW QUESTION 39

- (Exam Topic 5)


You plan to use Azure SQL as a database platform.

You need to recommend an Azure SQL product and service tier that meets the following requirements:

- Automatically scales compute resources based on the workload demand
- Provides per second billing

What should you recommend? To answer, select the appropriate options in the answer area. NOTE: Each correct selection is worth one point.

Answer Area



Azure SQL product: An Azure SQL Database elastic pool
A single Azure SQL database
An Azure SQL Database elastic pool
Azure SQL Managed Instance

Service tier: Business Critical
Basic
Business Critical
General Purpose
Hyperscale
Standard

- A. Mastered
B. Not Mastered

Answer: A

Explanation:

A screenshot of a computer Description automatically generated

"Serverless is a compute tier for single databases in Azure SQL Database that automatically scales compute based on workload demand and bills for the amount of compute used per second. The serverless compute tier is available in the General Purpose service tier and currently in preview in the Hyperscale service tier."

<https://learn.microsoft.com/en-us/azure/azure-sql/database/serverless-tier-overview>

NEW QUESTION 41

- (Exam Topic 5)

You are designing an app that will be hosted on Azure virtual machines that run Ubuntu. The app will use a third-party email service to send email messages to users. The third-party email service requires that the app authenticate by using an API key.

You need to recommend an Azure Key Vault solution for storing and accessing the API key. The solution must minimize administrative effort.

What should you recommend using to store and access the key? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.
Answer Area

Storage:

Secret

Certificate

Key

Secret

Access:

A managed service identity (MSI)

An API token

A managed service identity (MSI)

A service principal

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:
Answer Area

Storage:

Secret

Certificate

Key

Secret

Access:

A managed service identity (MSI)

An API token

A managed service identity (MSI)


A service principal

NEW QUESTION 44

- (Exam Topic 5)
You need to design an architecture to capture the creation of users and the assignment of roles. The captured data must be stored in Azure Cosmos DB.
Which Azure services should you include in the design? To answer, drag the appropriate services to the correct targets. Each service may be used once, more than once, or not at all. You may need to drag the split bar between panes or scroll to view content.
NOTE: Each correct selection is worth one point.

Azure Services

Answer Area



- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Diagram Description automatically generated

* 1. AAD audit log -> Event Hub (other two choices, LAW, storage, but not available in this question) <https://docs.microsoft.com/en-us/azure/active-directory/reports-monitoring/tutorial-azure-monitor-stream-logs-t>

* 2. Azure function has the Event hub trigger and Cosmos output binding

* a. Event Hub trigger for function

<https://docs.microsoft.com/en-us/azure/azure-functions/functions-bindings-event-hubs-trigger?tabs=csharp>

NEW QUESTION 47

- (Exam Topic 5)

Your company plans to deploy various Azure App Service instances that will use Azure SQL databases. The App Service instances will be deployed at the same time as the Azure SQL databases.

The company has a regulatory requirement to deploy the App Service instances only to specific Azure regions. The resources for the App Service instances must reside in the same region.

You need to recommend a solution to meet the regulatory requirement.

Solution: You recommend using an Azure policy to enforce the location of resource groups. Does this meet the goal?

A. Yes

B. No

Answer: A

NEW QUESTION 49

- (Exam Topic 5)

You have an application named App1. App1 generates log files that must be archived for five years. The log files must be readable by App1 but must not be modified.

Which storage solution should you recommend for archiving?

A. Ingest the log files into an Azure Log Analytics workspace

B. Use an Azure Blob storage account and a time-based retention policy

C. Use an Azure Blob storage account configured to use the Archive access tier

D. Use an Azure file share that has access control enabled

Answer: B

Explanation:

Immutable storage for Azure Blob storage enables users to store business-critical data objects in a WORM (Write Once, Read Many) state.

Immutable storage supports:

Time-based retention policy support: Users can set policies to store data for a specified interval. When a time-based retention policy is set, blobs can be created and read, but not modified or deleted. After the retention period has expired, blobs can be deleted but not overwritten.

Reference:

<https://docs.microsoft.com/en-us/azure/storage/blobs/storage-blob-immutable-storage>

NEW QUESTION 54

- (Exam Topic 5)

Your company deploys several virtual machines on-premises and to Azure. ExpressRoute is deployed and configured for on-premises to Azure connectivity.

Several virtual machines exhibit network connectivity issues.

You need to analyze the network traffic to identify whether packets are being allowed or denied from Azure to the virtual machines.

Solution: Install and configure the Azure Monitoring agent and the Dependency Agent on all the virtual machines. Use VM insights in Azure Monitor to analyze the network traffic.

Does this meet the goal?

A. Yes

B. No

Answer: B

NEW QUESTION 55

- (Exam Topic 5)

You have an Azure subscription that contains a Basic Azure virtual WAN named Virtual/WAN1 and the virtual hubs shown in the following table.

Name	Azure region
Hub1	US East
Hub2	US West

You have an ExpressRoute circuit in the US East region.

You need to create an ExpressRoute association to VirtualWAN1. What should you do first?

A. Upgrade VirtualWAN1 to Standard.

B. Create a gateway on Hub1.

C. Create a hub virtual network in US East.

D. Enable the ExpressRoute premium add-on.

Answer: A

Explanation:

US East and US West are in the same geopolitical region so there is no need for enabling ExpressRoute premium add-on <https://docs.microsoft.com/en-us/azure/virtual-wan/virtual-wan-about#basicstandard>

The current config of virtual WAN is only Basic as given, so it can connect to only site to site VPN, to connect to express route it needs to be upgraded from basic to standard.

<https://docs.microsoft.com/en-us/azure/virtual-wan/virtual-wan-about>

<https://docs.microsoft.com/en-us/azure/virtual-wan/virtual-wan-about>

NEW QUESTION 56

- (Exam Topic 5)

You have to deploy an Azure SQL database named db1 for your company. The databases must meet the following security requirements

When IT help desk supervisors query a database table named customers, they must be able to see the full number of each credit card

When IT help desk operators query a database table named customers, they must only see the last four digits of each credit card number

A column named Credit Card rating in the customers table must never appear in plain text in the database system. Only client applications must be able to decrypt the information that is stored in this column

Which of the following can be implemented for the Credit Card rating column security requirement?

- A. Always Encrypted
- B. Azure Advanced Threat Protection
- C. Transparent Data Encryption
- D. Dynamic Data Masking

Answer: A

Explanation:

<https://docs.microsoft.com/en-us/sql/relational-databases/security/encryption/always-encrypted-database-engine>

NEW QUESTION 60

- (Exam Topic 5)

You have an Azure AD tenant that contains a management group named MG1. You have the Azure subscriptions shown in the following table.

Name	Management group
Sub1	MG1
Sub2	MG1
Sub3	Tenant Root Group

The subscriptions contain the resource groups shown in the following table.

Name	Subscription
RG1	Sub1
RG2	Sub2
RG3	Sub3

The subscription contains the Azure AD security groups shown in the following table.

Name	Member of
Group1	Group3
Group2	Group3
Group3	None

The subscription contains the user accounts shown in the following table.

Name	Member of
User1	Group1
User2	Group2
User3	Group1, Group2

You perform the following actions:

- Assign User3 the Contributor role for Sub1.
- Assign Group1 the Virtual Machine Contributor role for MG1.
- Assign Group3 the Contributor role for the Tenant Root Group.

For each of the following statements, select Yes if the statement is true. Otherwise, select No. NOTE: Each correct selection is worth one point.

Answer Area

Statements	Yes	No
User1 can create a new virtual machine in RG1.	<input type="radio"/>	<input type="radio"/>
User2 can grant permissions to Group2.	<input type="radio"/>	<input type="radio"/>
User3 can create a storage account in RG2.	<input type="radio"/>	<input type="radio"/>

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Answer Area

Statements	Yes	No
User1 can create a new virtual machine in RG1.	<input type="radio"/>	<input checked="" type="radio"/>
User2 can grant permissions to Group2.	<input checked="" type="radio"/>	<input type="radio"/>
User3 can create a storage account in RG2.	<input checked="" type="radio"/>	<input type="radio"/>

NEW QUESTION 62

- (Exam Topic 5)

A company has an existing web application that runs on virtual machines (VMs) in Azure.

You need to ensure that the application is protected from SQL injection attempts and uses a layer-7 load balancer. The solution must minimize disruption to the code for the existing web application.

What should you recommend? To answer, drag the appropriate values to the correct items. Each value may be used once, more than once, or not at all. You may need to drag the split bar between panes or scroll to view content.

NOTE: Each correct selection is worth one point.

Values

Web Application Firewall (WAF)

Azure Application Gateway

Azure Load Balancer

Azure Traffic Manager

SSL offloading

URL-based content routing

Answer Area

Item	Value
Azure service	
Feature	

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Graphical user interface, text, application Description automatically generated

Box 1: Azure Application Gateway

Azure Application Gateway provides an application delivery controller (ADC) as a service. It offers various layer 7 load-balancing capabilities for your applications.

Box 2: Web Application Firwewall (WAF)

Application Gateway web application firewall (WAF) protects web applications from common vulnerabilities and exploits.

This is done through rules that are defined based on the OWASP core rule sets 3.0 or 2.2.9.

There are rules that detects SQL injection attacks. References:

https://docs.microsoft.com/en-us/azure/application-gateway/application-gateway-faq https://docs.microsoft.com/en-us/azure/application-gateway/waf-overview

NEW QUESTION 65

- (Exam Topic 5)

You have an Azure Load Balancer named LB1 that balances requests to five Azure virtual machines. You need to develop a monitoring solution for LB1. The solution must generate an alert when any of the following conditions are met:

- > A virtual machine is unavailable.
- > Connection attempts exceed 50,000 per minute.

Which signal should you include in the solution for each condition? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

An unavailable virtual machine:

	▼
Byte Count	
Data Path Availability	
Health Probe Status	
Packet Count	
SYN Count	

More than 50,000 connection attempts per minute:

	▼
Byte Count	
Data Path Availability	
Health Probe Status	
Packet Count	
SYN Count	

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Graphical user interface, text, application Description automatically generated

Box 1: Data path availability

Standard Load Balancer continuously exercises the data path from within a region to the load balancer front end, all the way to the SDN stack that supports your VM. As long as healthy instances remain, the measurement follows the same path as your application's load-balanced traffic. The data path that your customers use is also validated. The measurement is invisible to your application and does not interfere with other operations.

Note: Load balancer distributes inbound flows that arrive at the load balancer's front end to backend pool instances. These flows are according to configured load-balancing rules and health probes. The backend pool instances can be Azure Virtual Machines or instances in a virtual machine scale set.

Box 2: SYN count

SYN (synchronize) count: Standard Load Balancer does not terminate Transmission Control Protocol (TCP) connections or interact with TCP or UDP packet flows. Flows and their handshakes are always between the source and the VM instance. To better troubleshoot your TCP protocol scenarios, you can make use of SYN packets counters to understand how many TCP connection attempts are made. The metric reports the number of TCP SYN packets that were received.

Reference:

<https://docs.microsoft.com/en-us/azure/load-balancer/load-balancer-standard-diagnostics>

NEW QUESTION 70

- (Exam Topic 5)

You have the Azure resources shown in the following table.

Name	Type	Location
US-Central-Firewall-policy	Azure Firewall policy	Central US
US-East-Firewall-policy	Azure Firewall policy	East US
EU-Firewall-policy	Azure Firewall policy	West Europe
USEastfirewall	Azure Firewall	Central US
USWestfirewall	Azure Firewall	East US
EUFirewall	Azure Firewall	West Europe

You need to deploy a new Azure Firewall policy that will contain mandatory rules for all Azure Firewall deployments. The new policy will be configured as a parent policy for the existing policies.

What is the minimum number of additional Azure Firewall policies you should create?

- A. 1
- B. 2
- C. 3

Answer: B

Explanation:

Firewall policies work across regions and subscriptions. Place all your global configurations in the parent policy.

Note: Policies can be created in a hierarchy. You can create a parent/global policy that will contain configurations and rules that will apply to all/a number of firewall instances. Then you create a child policy that inherits from the parent; note that rules changes in the parent instantly appear in the child. The child is associated

with a firewall and applies configurations/rules from the parent policy and the child policy instantly to the firewall.
Reference: <https://aidanfinn.com/?p=22006>

NEW QUESTION 72

- (Exam Topic 5)

You are designing an Azure web app.

You plan to deploy the web app to the North Europe Azure region and the West Europe Azure region. You need to recommend a solution for the web app. The solution must meet the following requirements:

- Users must always access the web app from the North Europe region, unless the region fails.
- The web app must be available to users if an Azure region is unavailable.
- Deployment costs must be minimized.

What should you include in the recommendation? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Request routing method:

▼
A Traffic Manager profile
Azure Application Gateway
Azure Load Balancer

Request routing configuration:

▼
Cookie-based session affinity
Performance traffic routing
Priority traffic routing
Weighted traffic routing

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Graphical user interface, text, application, chat or text message Description automatically generated
<https://docs.microsoft.com/en-us/azure/traffic-manager/traffic-manager-routing-methods#priority-traffic-routing>

NEW QUESTION 76

- (Exam Topic 5)

You have an Azure subscription that contains a virtual network named VNET1 and 10 virtual machines. The virtual machines are connected to VNET1.

You need to design a solution to manage the virtual machines from the internet. The solution must meet the following requirements:

- Incoming connections to the virtual machines must be authenticated by using Azure Multi-Factor Authentication (MFA) before network connectivity is allowed.
- Incoming connections must use TLS and connect to TCP port 443.
- The solution must support RDP and SSH.

What should you include in the solution? To answer, select the appropriate options in the answer area. NOTE: Each correct selection is worth one point.

Answer Area

To provide access to virtual machines on VNET1, use:

Azure Bastion
Just-in-time (JIT) VM access
Azure Web Application Firewall (WAF) in Azure Front Door

To enforce Azure MFA, use:

An Azure Identity Governance access package
A Conditional Access policy that has the Cloud apps assignment set to Azure Windows VM Sign-In
A Conditional Access policy that has the Cloud apps assignment set to Microsoft Azure Management

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Answer Area

To provide access to virtual machines on VNET1, use:

Azure Bastion
Just-in-time (JIT) VM access
Azure Web Application Firewall (WAF) in Azure Front Door

To enforce Azure MFA, use:

An Azure Identity Governance access package
A Conditional Access policy that has the Cloud apps assignment set to Azure Windows VM Sign-In
A Conditional Access policy that has the Cloud apps assignment set to Microsoft Azure Management

NEW QUESTION 79

- (Exam Topic 5)

You are designing an app that will include two components. The components will communicate by sending messages via a queue. You need to recommend a solution to process the messages by using a First in, First out (FIFO) pattern. What should you include in the recommendation?

- A. storage queues with a custom metadata setting
- B. Azure Service Bus queues with sessions enabled
- C. Azure Service Bus queues with partitioning enabled
- D. storage queues with a stored access policy

Answer: B

NEW QUESTION 83

- (Exam Topic 5)

You plan to create an Azure environment that will contain a root management group and 10 child management groups. Each child management group will contain five Azure subscriptions. You plan to have between 10 and 30 resource groups in each subscription.

You need to design an Azure governance solution. The solution must meet the following requirements:

- Use Azure Blueprints to control governance across all the subscriptions and resource groups.
- Ensure that Blueprints-based configurations are consistent across all the subscriptions and resource groups.
- Minimize the number of blueprint definitions and assignments.

What should you include in the solution? To answer, select the appropriate options in the answer area. NOTE: Each correct selection is worth one point.

Level at which to define the blueprints:

The child management groups
The root management group
The subscriptions

Level at which to create the blueprint assignments:

The child management groups
The root management group
The subscriptions

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

- * 1. Root management group
- * 2. The subscriptions

Reference: <https://docs.microsoft.com/en-us/azure/governance/blueprints/create-blueprint-portal> Assign a blueprint After a blueprint has been published, it can be assigned to a subscription. Assign the blueprint that you created to one of the subscriptions under your management group hierarchy. If the blueprint is saved to a subscription, it can only be assigned to that subscription.

NEW QUESTION 85

- (Exam Topic 5)

Your company has an Azure Web App that runs via the Premium App Service Plan. A development team will be using the Azure Web App. You have to configure the Azure Web app so that it can fulfil the below requirements.

Provide the ability to switch the web app from the current version to a newer version

Provide developers with the ability to test newer versions of the application before the switch to the newer version occurs

Ensure that the application version can be rolled back Minimize downtime

Which of the following can be used for this requirement?

- A. Create a new App Service Plan
- B. Make use of deployment slots
- C. Map a custom domain
- D. Backup the Azure Web App

Answer: B

NEW QUESTION 87

- (Exam Topic 5)

Your company currently has an application that is hosted on their on-premises environment. The application currently connects to two databases in the on-premises environment. The databases are named whizlabdb1 and whizlabdb2.

You have to move the databases onto Azure. The databases have to support server-side transactions across both of the databases.

Solution: You decide to deploy the databases to an Azure SQL database-managed instance. Would this fulfill the requirement?

- A. Yes
- B. No

Answer: A

NEW QUESTION 90

- (Exam Topic 5)

You are designing a message application that will run on an on-premises Ubuntu virtual machine. The application will use Azure Storage queues.

You need to recommend a processing solution for the application to interact with the storage queues. The solution must meet the following requirements:

- Create and delete queues daily.
- Be scheduled by using a CRON job.
- Upload messages every five minutes.

What should developers use to interact with the queues?

- A. Azure CLI
- B. AzCopy
- C. Azure Data Factory
- D. .NET Core

Answer: D

Explanation:

Reference:

<https://docs.microsoft.com/en-us/azure/storage/queues/storage-tutorial-queues>

NEW QUESTION 92

- (Exam Topic 5)

Your company, named Contoso, Ltd., implements several Azure logic apps that have HTTP triggers. The logic apps provide access to an on-premises web service.

Contoso establishes a partnership with another company named Fabrikam. IncL

Fabrikam does not have an existing Azure Active Directory (Azure AD) tenant and uses third-party OAuth 2.0 identity management to authenticate its users.

I Developers at Fabrikam plan to use a subset of the logic apps to build applications that will integrate with the on-premises web service of Contoso.

You need to design a solution to provide the Fabrikam developers with access to the logic apps. The solution must meet the following requirements:

- Requests to the logic apps from the developers must be limited to lower rates than the requests from the users at Contoso.
- The developers must be able to rely on their existing OAuth 2.0 provider to gain access to the logic apps.
- The solution must NOT require changes to the logic apps.
- The solution must NOT use Azure AD guest accounts. What should you include in the solution?

- A. Azure AD business-to-business (B2B)
- B. Azure AD Application Proxy
- C. Azure Front Door
- D. Azure API Management

Answer: B

Explanation:

API Management helps organizations publish APIs to external, partner, and internal developers to unlock the potential of their data and services.

You can secure API Management using the OAuth 2.0 client credentials flow. Reference:

<https://docs.microsoft.com/en-us/azure/api-management/api-management-key-concepts> <https://docs.microsoft.com/en-us/azure/api-management/api-management-features> <https://docs.microsoft.com/en-us/azure/api-management/api-management-howto-protect-backend-with-aad#ena>

NEW QUESTION 96

- (Exam Topic 5)

You have an Azure subscription. The subscription contains an app that is hosted in the East US, Central Europe, and East Asia regions.

You need to recommend a data-tier solution for the app. The solution must meet the following requirements: ➤ Support multiple consistency levels.

- Be able to store at least 1 TB of data.
- Be able to perform read and write operations in the Azure region that is local to the app instance. What should you include in the recommendation?

- A. an Azure Cosmos DB database
- B. a Microsoft SQL Server Always On availability group on Azure virtual machines
- C. an Azure SQL database in an elastic pool
- D. Azure Table storage that uses geo-redundant storage (GRS) replication

Answer: A

Explanation:

Azure Cosmos DB approaches data consistency as a spectrum of choices. This approach includes more options than the two extremes of strong and eventual consistency. You can choose from five well-defined levels on the consistency spectrum.

With Cosmos DB any write into any region must be replicated and committed to all configured regions within the account.

Reference:

<https://docs.microsoft.com/en-us/azure/cosmos-db/consistency-levels-tradeoffs>

NEW QUESTION 101

- (Exam Topic 5)

You are designing an Azure solution.

The network traffic for the solution must be securely distributed by providing the following features:

- HTTPS protocol
- Round robin routing
- SSL offloading

You need to recommend a load balancing option. What should you recommend?

- A. Azure Load Balancer
- B. Azure Traffic Manager
- C. Azure Internal Load Balancer (ILB)
- D. Azure Application Gateway

Answer: D

Explanation:

If you are looking for Transport Layer Security (TLS) protocol termination ("SSL offload") or per-HTTP/HTTPS request, application-layer processing, review Application Gateway.

Application Gateway is a layer 7 load balancer, which means it works only with web traffic (HTTP, HTTPS, WebSocket, and HTTP/2). It supports capabilities such as SSL termination, cookie-based session affinity, and round robin for load-balancing traffic. Load Balancer load-balances traffic at layer 4 (TCP or UDP).

References:

<https://docs.microsoft.com/en-us/azure/application-gateway/application-gateway-faq>

NEW QUESTION 106

- (Exam Topic 5)

Your company plans to publish APIs for its services by using Azure API Management. You discover that service responses include the ASP.NET-Version header. You need to recommend a solution to remove ASP.NET-Version from the response of the published APIs. What should you include in the recommendation?

- A. a new product
- B. a modification to the URL scheme
- C. a new policy
- D. a new revision

Answer: C

Explanation:

References:

<https://docs.microsoft.com/en-us/azure/api-management/transform-api>

NEW QUESTION 109

- (Exam Topic 5)

You have a multi-tier app named Appl and an Azure SQL database named SQL I. The backend service Of Appl writes data to Users use the Appl client to read the data from SQL 1.

During periods of high utilization the users experience delays retrieving the data. You need to minimize how long it takes for data requests.

What should you include in the solution?

- A. Azure Synapse Analytics
- B. Azure Content Delivery Network (CON)
- C. Azure Data Factory
- D. Azure Cache for Redis

Answer: D

NEW QUESTION 112



- (Exam Topic 5)

Your company identifies the following business continuity and disaster recovery objectives for virtual machines that host sales, finance, and reporting application in the company's on-premises data center.

- The finance application requires that data be retained for seven years. In the event of a disaster, the application must be able to run from Azure. The recovery in objective (RTO) is 10 minutes,
- The reporting application must be able to recover point in-time data al a daily granularity. The RTO is eight hours.
- The sales application must be able to fail over to second on-premises data center.

You need to recommend which Azure services meet the business community and disaster recovery objectives. The solution must minimize costs.

What should you recommend for each application? To answer, drag the appropriate services to the correct application. Each service may be used owe. More than once not at an You may need to drag the spin bar between panes or scroll 10 view content.

Actions		Answer Area
Azure Backup only	 	Sales: Service or Services
Azure Site Recovery only		Finance: Service or Services
Azure Site Recovery and Azure Backup		Reporting: Service or Services

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

- 1) Sales: Azure Site Recovery only
- 2) Finance: Azure Site Recovery and Azure Backup
- 3) Reporting: Azure Backup only

NEW QUESTION 115

- (Exam Topic 5)

Your on-premises network contains a file server named Server1 that stores 500 GB of data. You need to use Azure Data Factory to copy the data from Server1 to

Azure Storage.
 You add a new data factory.
 What should you do next? To answer, select the appropriate options in the answer area. NOTE: Each correct selection is worth one point.

From Server1:

▼

Install an Azure File Sync agent
 Install a self-hosted integration runtime
 Install the File Server Resource Manager role service

From the data factory:

▼

Create a pipeline
 Create an import/export job
 Provision an Azure-SQL Server Integration Services (SSIS) integration runtime

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:
 Graphical user interface, text, application, email Description automatically generated
 Box 1: Install a self-hosted integration runtime
 The Integration Runtime is a customer-managed data integration infrastructure used by Azure Data Factory to provide data integration capabilities across different network environments.
 Box 2: Create a pipeline
 With ADF, existing data processing services can be composed into data pipelines that are highly available and managed in the cloud. These data pipelines can be scheduled to ingest, prepare, transform, analyze, and publish data, and ADF manages and orchestrates the complex data and processing dependencies
 References:
<https://docs.microsoft.com/en-us/azure/machine-learning/team-data-science-process/move-sql-azure-adf>

NEW QUESTION 120

- (Exam Topic 5)
 You have an Azure subscription that contains the resources shown in the following table.

Name	Type	Kind	Location
storage1	Azure Storage account	Storage	East US
storage2	Azure Storage account	StorageV2	East US
Workspace1	Azure Log Analytics workspace	<i>Not applicable</i>	East US
Workspace2	Azure Log Analytics workspace	<i>Not applicable</i>	East US
Hub1	Azure event hub	<i>Not applicable</i>	East US

You create an Azure SQL database named DB1 that is hosted in the East US region.
 To DB1, you add a diagnostic setting named Settings1. Settings1 archives SQLInsights to storage1 and sends SQLInsights to Workspace1.
 For each of the following statements, select Yes if the statement is true. Otherwise, select No. NOTE: Each correct selections is worth one point.

Statements	Yes	No
You can add a new diagnostic setting that archives SQLInsights logs to storage2.	<input type="radio"/>	<input type="radio"/>
You can add a new diagnostic setting that sends SQLInsights logs to Workspace2.	<input type="radio"/>	<input type="radio"/>
You can add a new diagnostic setting that sends SQLInsights logs to Hub1.	<input type="radio"/>	<input type="radio"/>

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:
 Box 1: Yes
 Box 2: Yes
 Box 3: Yes
 For more information on Azure SQL diagnostics , you can visit the below link
<https://docs.microsoft.com/en-us/azure/azure-sql/database/metrics-diagnostic-telemetry-logging-streaming-expo>

NEW QUESTION 125

- (Exam Topic 5)
You have an on-premises file server that stores 2 TB of data files.
You plan to move the data files to Azure Blob storage in the Central Europe region.
You need to recommend a storage account type to store the data files and a replication solution for the storage account. The solution must meet the following requirements:

- > Be available if a single Azure datacenter fails.
- > Support storage tiers.
- > Minimize cost.

What should you recommend? To answer, select the appropriate options in the answer area. NOTE: Each correct selection is worth one point.

Account type:

Blob storage

Storage (general purpose v1)

StorageV2 (general purpose v2)

Replication solution:

Geo-redundant storage (GRS)

Zone-redundant storage (ZRS)

Locally-redundant storage (LRS)

Read-access geo-redundant storage (RA-GRS)

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:
Graphical user interface, text, application, chat or text message Description automatically generated
Account Type: StorageV2
Replication solution: Zone-redundant storage (ZRS)

NEW QUESTION 127

- (Exam Topic 5)
You have an app that generates 50,000 events daily.
You plan to Stream the events to an Azure event hub and use Event Hubs Capture to implement cold path processing Of the events Output Of Event Hubs Capture will be consumed by a reporting system.
You need to identify which type of Azure storage must be provisioned to support Event Hubs Capture, and which inbound data format the reporting system must support.
What should you identify? To answer, select the appropriate options in the answer area. NOTE: Each correct selection is worth one point.

Storage type:

Azure Data Lake Storage Gen2

Premium block blobs

Premium file shares

Data format:

Apache Parquet

Avro

JSON

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Storage type:

Data format:

NEW QUESTION 131

- (Exam Topic 5)

You need to deploy an instance of SQL Server on Azure Virtual Machines. The solution must meet the following requirements:

- Support 15,000 disk IOPS.
- Support SR-IOV.
- Minimize costs.

What should you include in the solution? To answer, select the appropriate options in the answer area. NOTE: Each correct selection is worth one point.

Answer Area

Virtual machine series:

Disk type:

- A. Mastered
B. Not Mastered

Answer: A

Explanation:

Answer Area

Virtual machine series:

Disk type:

NEW QUESTION 135

- (Exam Topic 5)

Your company deploys several Linux and Windows virtual machines (VMs) to Azure. The VMs are deployed with the Microsoft Dependency Agent and the Log Analytics Agent installed by using Azure VM extensions. On-premises connectivity has been enabled by using Azure ExpressRoute. You need to design a solution to monitor the VMs.

Which Azure monitoring services should you use? To answer, select the appropriate Azure monitoring services in the answer area.

NOTE: Each correct selection is worth one point.

Scenario	Azure Monitoring Service
Analyze Network Security Group (NSG) flow logs for VMs attempting Internet access.	<div><div></div><div>Azure Traffic Analytics</div><div>Azure ExpressRoute Monitor</div><div>Azure Service Endpoint Monitor</div><div>Azure DNS Analytics</div></div>
Visualize the VMs with their different processes and dependencies on other computers and external processes.	<div><div></div><div>Azure Service Map</div><div>Azure Activity Log</div><div>Azure Service Health</div><div>Azure Advisor</div></div>

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Graphical user interface, text, application Description automatically generated

Box 1: Azure Traffic Analytics

Traffic Analytics is a cloud-based solution that provides visibility into user and application activity in cloud networks. Traffic analytics analyzes Network Watcher network security group (NSG) flow logs to provide insights into traffic flow in your Azure cloud. With traffic analytics, you can:

- Identify security threats to, and secure your network, with information such as open-ports, applications attempting internet access, and virtual machines (VM) connecting to rogue networks.
- Visualize network activity across your Azure subscriptions and identify hot spots.
- Understand traffic flow patterns across Azure regions and the internet to optimize your network deployment for performance and capacity.
- Pinpoint network misconfigurations leading to failed connections in your network.

Box 2: Azure Service Map

Service Map automatically discovers application components on Windows and Linux systems and maps the communication between services. With Service Map, you can view your servers in the way that you think of them: as interconnected systems that deliver critical services. Service Map shows connections between servers, processes, inbound and outbound connection latency, and ports across any TCP-connected architecture, with no configuration required other than the installation of an agent.

References:

<https://docs.microsoft.com/en-us/azure/network-watcher/traffic-analytics>


<https://docs.microsoft.com/en-us/azure/azure-monitor/insights/service-map>

NEW QUESTION 140

- (Exam Topic 5)

Your company develops a web service that is deployed to an Azure virtual machine named VM1. The web service allows an API to access real-time data from VM1.

The current virtual machine deployment is shown in the Deployment exhibit. (Click the Deployment tab).



The chief technology officer (CTO) sends you the following email message: “Our developers have deployed the web service to a virtual machine named VM1. Testing has shown that the API is accessible from VM1 and VM2. Our partners must be able to connect to the API over the Internet. Partners will use this data in applications that they develop.”

You deploy an Azure API Management (APIM) service. The relevant API Management configuration is shown in the API exhibit. (Click the API tab.)

Virtual network ☐ Off ☒ External ☐ Internal

LOCATION	VIRTUAL NETWORK	SUBNET
West Europe	VNet1	ProdSubnet

For each of the following statements, select Yes if the statement is true. Otherwise, select No.

NOTE: Each correct selection is worth one point.

Statements	Yes	No
The API is available to partners over the Internet.	<input type="radio"/>	<input type="radio"/>
The APIM instance can access real-time data from VM1.	<input type="radio"/>	<input type="radio"/>
A VPN gateway is required for partner access.	<input type="radio"/>	<input type="radio"/>

- A. Mastered
B. Not Mastered

Answer: A

Explanation:

Graphical user interface, text, application Description automatically generated

Reference:

<https://docs.microsoft.com/en-us/azure/api-management/api-management-using-with-vnet>

NEW QUESTION 144

- (Exam Topic 5)

You have to design a Data Engineering solution for your company. The company currently has an Azure subscription. They also have application data hosted in a database on a Microsoft SQL Server hosted in their on-premises data center server. They want to implement the following requirements Transfer transactional data from the on-premises SQL server onto a data warehouse in Azure. Data needs to be transferred every day in the night as a scheduled job

A managed Spark cluster needs to be in place for data engineers to perform analysis on the data stored in the SQL data warehouse. Here the data engineers should have the ability to develop notebooks in Scale, R and Python.

They also need to have a data lake store in place for the ingestion of data from multiple data sources Which of the following would the use for hosting the data warehouse in Azure?

- A. Azure Data Factory
B. Azure Databricks
C. Azure Data Lake Gen2 Storage accounts
D. Azure Synapse Analytics

Answer: D

NEW QUESTION 149

- (Exam Topic 5)

You need to deploy resources to host a stateless web app in an Azure subscription. The solution must meet the following requirements:

- Provide access to the full .NET framework.
- Provide redundancy if an Azure region fails.
- Grant administrators access to the operating system to install custom application dependencies. Solution: You deploy an Azure virtual machine scale set that uses autoscaling.

Does this meet the goal?

- A. Yes
B. No

Answer: B

Explanation:

Instead, you should deploy two Azure virtual machines to two Azure regions, and you create a Traffic Manager profile.

NEW QUESTION 154

- (Exam Topic 5)

You ate designing a SQL database solution. The solution will include 20 databases that will be 20 GB each and have varying usage patterns. You need to recommend a database platform to host the databases. The solution must meet the following requirements:

- The compute resources allocated to the databases must scale dynamically.
- The solution must meet an SLA of 99.99% uptime.
- The solution must have reserved capacity.
- Compute charges must be minimized.

What should you include in the recommendation?

- A. 20 databases on a Microsoft SQL server that runs on an Azure virtual machine
B. 20 instances of Azure SQL Database serverless
C. 20 databases on a Microsoft SQL server that runs on an Azure virtual machine in an availability set
D. an elastic pool that contains 20 Azure SQL databases

Answer: D

Explanation:

Azure SQL Database elastic pools are a simple, cost-effective solution for managing and scaling multiple databases that have varying and unpredictable usage demands. The databases in an elastic pool are on a single server and share a set number of resources at a set price. Elastic pools in Azure SQL Database enable SaaS developers to optimize the price performance for a group of databases within a prescribed budget while delivering performance elasticity for each database. Guaranteed 99.995 percent uptime for SQL Database Reference:
<https://docs.microsoft.com/en-us/azure/azure-sql/database/elastic-pool-overview> <https://azure.microsoft.com/en-us/pricing/details/sql-database/elastic/>
<https://www.azure.cn/en-us/support/sla/virtual-machines/>
<https://techcommunity.microsoft.com/t5/azure-sql/optimize-price-performance-with-compute-auto-scaling-in-az>

NEW QUESTION 155

- (Exam Topic 5)

Your company has an app named App1 that uses data from the on-premises Microsoft SQL Server databases shown in the following table.

Name	Size
DB1	450 GB
DB2	250 GB
DB3	300 GB
DB4	50 GB

App1 and the data are used on the first day of the month only. The data is not expected to grow more than 3% each year. The company is rewriting App1 as an Azure web app and plans to migrate all the data to Azure. You need to migrate the data to Azure SQL Database. The solution must minimize costs. Which service tier should you use?

- A. vCore-based Business Critical
- B. vCore-based General Purpose
- C. DTU-based Standard
- D. DTU-based Basic

Answer: C

Explanation:

DTU-based Standard supports databases up to 1 TB in size. Reference:
<https://docs.microsoft.com/en-us/azure/azure-sql/database/service-tiers-dtu>

NEW QUESTION 158

- (Exam Topic 5)

You are designing a large Azure environment that will contain many subscriptions. You plan to use Azure Policy as part of a governance solution. To which three scopes can you assign Azure Policy definitions? Each correct answer presents a complete solution.
NOTE: Each correct selection is worth one point.

- A. management groups
- B. subscriptions
- C. Azure Active Directory (Azure AD) tenants
- D. resource groups
- E. Azure Active Directory (Azure AD) administrative units
- F. compute resources

Answer: ADE

Explanation:

Azure Policy evaluates resources in Azure by comparing the properties of those resources to business rules. Once your business rules have been formed, the policy definition or initiative is assigned to any scope of resources that Azure supports, such as management groups, subscriptions, resource groups, or individual resources.

Reference:
<https://docs.microsoft.com/en-us/azure/governance/policy/overview>

NEW QUESTION 162

- (Exam Topic 5)

You have an app named App1 that uses two on-premises Microsoft SQL Server databases named DB1 and DB2. You plan to migrate DB1 and DB2 to Azure.

You need to recommend an Azure solution to host DB1 and DB2. The solution must meet the following requirements:

- Support server-side transactions across DB1 and DB2.
- Minimize administrative effort to update the solution. What should you recommend?

- A. two SQL Server databases on an Azure virtual machine
- B. two Azure SQL databases on different Azure SQL Database servers
- C. two Azure SQL databases in an elastic pool
- D. two Azure SQL databases on the same Azure SQL Database managed instance

Answer: D

Explanation:

When both the database management system and client are under the same ownership (e.g. when SQL Server is deployed to a virtual machine), transactions are available and the lock duration can be controlled. Reference: <https://docs.particular.net/nservicebus/azure/understanding-transactionality-in-azure>

NEW QUESTION 165

- (Exam Topic 5)

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

Your company deploys several virtual machines on-premises and to Azure. ExpressRoute is being deployed and configured for on-premises to Azure connectivity. Several virtual machines exhibit network connectivity issues.

You need to analyze the network traffic to identify whether packets are being allowed or denied to the virtual machines.

Solution: Use Azure Traffic Analytics in Azure Network Watcher to analyze the network traffic. Does this meet the goal?

- A. Yes
- B. No

Answer: B

Explanation:

Instead use Azure Network Watcher IP Flow Verify, which allows you to detect traffic filtering issues at a VM level.

Note: IP flow verify checks if a packet is allowed or denied to or from a virtual machine. The information consists of direction, protocol, local IP, remote IP, local port, and remote port. If the packet is denied by a security group, the name of the rule that denied the packet is returned. While any source or destination IP can be chosen, IP flow verify helps administrators quickly diagnose connectivity issues from or to the internet and from or to the on-premises environment.

Reference:

<https://docs.microsoft.com/en-us/azure/network-watcher/network-watcher-ip-flow-verify-overview> <https://docs.microsoft.com/en-us/azure/network-watcher/traffic-analytics>

NEW QUESTION 168

- (Exam Topic 5)

You plan to store data in Azure Blob storage for many years. The stored data will be accessed rarely.

You need to ensure that the data in Blob storage is always available for immediate access. The solution must minimize storage costs.

Which storage tier should you use?

- A. Cool
- B. Archive
- C. Hot

Answer: A

Explanation:

Azure cool tier is equivalent to the Amazon S3 Infrequent Access (S3-IA) storage in AWS that provides a low cost high performance storage for infrequently access data.

Note: Azure's cool storage tier, also known as Azure cool Blob storage, is for infrequently-accessed data that needs to be stored for a minimum of 30 days.

Typical use cases include backing up data before tiering to archival systems, legal data, media files, system audit information, datasets used for big data analysis and more.

The storage cost for this Azure cold storage tier is lower than that of hot storage tier. Since it is expected that the data stored in this tier will be accessed less frequently, the data access charges are high when compared to hot tier. There are no additional changes required in your applications as these tiers can be accessed using APIs in the same manner that you access Azure storage.

References:

<https://cloud.netapp.com/blog/low-cost-storage-options-on-azure>

NEW QUESTION 171

- (Exam Topic 5)

You have an Azure subscription. The subscription contains Azure virtual machines that run Windows Server 2016 and Linux.

You need to use Azure Log Analytics design an alerting strategy for security-related events.

Which Log Analytics tables should you query? To answer, drag the appropriate tables to the correct log types. Each value may be used once, more than once, or not at all. You may need to drag the split bar between panes or scroll to view content.

NOTE: Each correct selection is worth one point.

Tables	Answer Area	
AzureActivity	Events from Windows event logs: <table><tr><td>Table</td></tr></table>	Table
Table		
AzureDiagnostics	Events from Linux system logging: <table><tr><td>Table</td></tr></table>	Table
Table		
Event		
Syslog		

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Graphical user interface, table Description automatically generated with medium confidence

<https://docs.microsoft.com/en-us/azure/azure-monitor/platform/log-analytics-agent>

Windows Event logs --> Information sent to the Windows event logging system. Syslog --> Information sent to the Linux event logging system.

NEW QUESTION 175

- (Exam Topic 5)

You have 100 Microsoft SQL Server integration Services (SSIS) packages that are configured to use 10 on-premises SQL Server databases as their destinations.

You plan to migrate the 10 on-premises databases to Azure SQL Database

You need to recommend a solution to host the SSIS packages in Azure. The solution must ensure that the packages can target the SQL Database instances as their destinations.

What should you include in the recommendation?

- A. SQL Server Migration Assistant (SSMA)
- B. Azure Data Catalog
- C. Data Migration Assistant
- D. Azure Data Factory

Answer: C

Explanation:

<https://docs.microsoft.com/bs-cyrl-ba/azure/sql-database/sql-database-managed-instance-migrate>

Quote from that page "Azure SQL Database and SQL Server databases in an Azure Virtual Machine. DMS is the recommended method of migration for your enterprise workloads.

If you use SQL Server Integration Services (SSIS) on your SQL Server on premises, DMS does not yet support migrating SSIS catalog (SSISDB) that stores SSIS packages, but you can provision Azure-SSIS Integration Runtime (IR) in Azure Data Factory (ADF) that will create a new SSISDB in a managed instance and then you can redeploy your packages to it, see Create Azure-SSIS IR in ADF.

To learn more about this scenario and configuration steps for DMS, see Migrate your on-premises database to managed instance using DMS."

<https://docs.microsoft.com/en-us/azure/data-factory/how-to-migrate-ssis-job-ssms>

NEW QUESTION 180

- (Exam Topic 5)

You have an Azure web app named App1 and an Azure key vault named KV1. App1 stores database connection strings in KV1.

App1 performs the following types of requests to KV1:

- > Get
- > List
- > Wrap
- > Delete
- > Unwrap
- > Backup
- > Decrypt
- > Encrypt

You are evaluating the continuity of service for App1.

You need to identify the following if the Azure region that hosts KV1 becomes unavailable:

- > To where will KV1 fail over?
- > During the failover, which request type will be unavailable?

What should you identify? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

To where will KV1 fail over?

A server in the same Availability Set
A server in the same fault domain
A server in the same paired region
A virtual machine in a scale set

During the failover, which request type will be unavailable?

Backup
Decrypt
Delete
Encrypt
Get
List
Unwrap
Wrap

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Table Description automatically generated

Box 1: A server in the same paired region

The contents of your key vault are replicated within the region and to a secondary region at least 150 miles away, but within the same geography to maintain high durability of your keys and secrets.

Box 2: Delete

During failover, your key vault is in read-only mode. Requests that are supported in this mode are:

- > List certificates
- > Get certificates
- > List secrets
- > Get secrets
- > List keys
- > Get (properties of) keys
- > Encrypt
- > Decrypt
- > Wrap
- > Unwrap
- > Verify
- > Sign
- > Backup

Reference:

<https://docs.microsoft.com/en-us/azure/key-vault/general/disaster-recovery-guidance>

NEW QUESTION 184

- (Exam Topic 5)

You plan to deploy multiple instances of an Azure web app across several Azure regions.

You need to design an access solution for the app. The solution must meet the following replication requirements;

- Support rate limiting.
- Balance requests between all instances.
- Ensure that users can access the app in the event of a regional outage. Solution: You use Azure Traffic Manager to provide access to the app. Does this meet the goal?

- A. Yes
- B. No

Answer: B

NEW QUESTION 186

- (Exam Topic 5)

Your company deploys several virtual machines on-premises and to Azure. ExpressRoute is deployed and configured for on-premises to Azure connectivity. Several virtual machines exhibit network connectivity issues.

You need to analyze the network traffic to identify whether packets are being allowed or denied from the Azure virtual machines to the on-premises virtual machines.

Solution: Use Azure Advisor. Does this meet the goal?

- A. Yes
- B. No

Answer: B

NEW QUESTION 190

- (Exam Topic 5)

You need to recommend a data storage solution that meets the following requirements:

- Ensures that applications can access the data by using a REST connection
- Hosts 20 independent tables of varying sizes and usage patterns
- Automatically replicates the data to a second Azure region
- Minimizes costs

What should you recommend?

- A. an Azure SQL Database elastic pool that uses active geo-replication
- B. tables in an Azure Storage account that use read-access geo-redundant storage (RA-GRS)
- C. an Azure SQL database that uses active geo-replication
- D. tables in an Azure Storage account that use geo-redundant storage (GRS)

Answer: D

NEW QUESTION 193

- (Exam Topic 5)

You have an Azure Active Directory (Azure AD) tenant named contoso.com that has a security group named Group1. Group1 is configured for assigned membership. Group1 has 50 members, including 20 guest users.

You need to recommend a solution for evaluating the membership of Group1. The solution must meet the following requirements:

- The evaluation must be repeated automatically every three months
- Every member must be able to report whether they need to be in Group1
- Users who report that they do not need to be in Group1 must be removed from Group1 automatically

- Users who do not report whether they need to be in Group1 must be removed from Group1 automatically. What should you include in the recommendation?
- A. implement Azure AD Identity Protection.
 B. Change the Membership type of Group1 to Dynamic User.
 C. Implement Azure AD Privileged Identity Management.
 D. Create an access review.

Answer: D

Explanation:

<https://docs.microsoft.com/en-us/azure/active-directory/governance/access-reviews-overview#learn-about-access-reviews>

Have reviews recur periodically: You can set up recurring access reviews of users at set frequencies such as weekly, monthly, quarterly or annually, and the reviewers will be notified at the start of each review. Reviewers can approve or deny access with a friendly interface and with the help of smart recommendations. An administrator creates an access review of Group C with 50 member users and 25 guest users. Makes it a self-review. 50 licenses for each user as self-reviewers.*

<https://docs.microsoft.com/en-us/azure/active-directory/governance/access-reviews-overview#example-license-requirements>

There are 4 requirements and every single one is only met by access reviews.

<https://docs.microsoft.com/en-us/azure/active-directory/governance/access-reviews-overview#when-should-you-review-access>

Dynamic User is needed if a user must be automatically granted access on the basis of its attributes (department, job title, location, etc.)

<https://techcommunity.microsoft.com/t5/itops-talk-blog/dynamic-groups-in-azure-ad-and-microsoft-365/ba-p/22>

Implementing Azure AD PIM is no solution and absolutely not necessary for access reviews. <https://docs.microsoft.com/en-us/azure/active-directory/governance/access-reviews-overview#where-do-you-create-access-reviews>

NEW QUESTION 194

- (Exam Topic 5)

You have the Free edition of a hybrid Azure Active Directory (Azure AD) tenant. The tenant uses password hash synchronization.

You need to recommend a solution to meet the following requirements:

- Prevent Active Directory domain user accounts from being locked out as the result of brute force attacks targeting Azure AD user accounts.
- Block legacy authentication attempts to Azure AD integrated apps.
- Minimize costs.

What should you recommend for each requirement? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

To protect against brute force attacks:

Azure AD Password Protection

Conditional access policies

Pass-through authentication

Smart lockout

To block legacy authentication attempts:

Azure AD Application Proxy

Azure AD Password Protection

Conditional access policies

Enable Security defaults

- A. Mastered
 B. Not Mastered

Answer: A

Explanation:

Graphical user interface, text, application Description automatically generated

Box 1: Smart lockout

Smart lockout helps lock out bad actors that try to guess your users' passwords or use brute-force methods to get in. Smart lockout can recognize sign-ins that come from valid users and treat them differently than ones of attackers and other unknown sources. Attackers get locked out, while your users continue to access their accounts and be productive.

Box 2: Conditional access policies

If your environment is ready to block legacy authentication to improve your tenant's protection, you can accomplish this goal with Conditional Access.

How can you prevent apps using legacy authentication from accessing your tenant's resources? The recommendation is to just block them with a Conditional Access policy. If necessary, you allow only certain users and specific network locations to use apps that are based on legacy authentication.

Reference:

<https://docs.microsoft.com/en-us/azure/active-directory/authentication/howto-password-smart-lockout> <https://docs.microsoft.com/en-us/azure/active-directory/conditional-access/block-legacy-authentication>

NEW QUESTION 198

- (Exam Topic 5)

You have five .NET Core applications that run on 10 Azure virtual machines in the same subscription.

You need to recommend a solution to ensure that the applications can authenticate by using the same Azure Active Directory (Azure AD) identity. The solution must meet the following requirements:

- Ensure that the applications can authenticate only when running on the 10 virtual machines.

➤ Minimize administrative effort.

What should you include in the recommendation? To answer, select the appropriate options in the answer area. NOTE: Each correct selection is worth one point.

To provision the Azure AD identity:

Create a system-assigned Managed Service Identity

Create a user-assigned Managed Service Identity

Register each application in Azure AD

To authenticate request a token by using:

An Azure AD v1.0 endpoint

An Azure AD v2.0 endpoint

An Azure Instance Metadata Service Identity

OAuth2 endpoint

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:
Graphical user interface, text, application, email Description automatically generated

NEW QUESTION 201

- (Exam Topic 5)
You plan to archive 10 TB of on-premises data files to Azure.
You need to recommend a data archival solution. The solution must minimize the cost of storing the data files. Which Azure Storage account type should you include in the recommendation?

- A. Standard StorageV2 (general purpose v2)
- B. Standard Storage (general purpose v1)
- C. Premium StorageV2 (general purpose v2)
- D. Premium Storage (general purpose v1)

Answer: A

Explanation:
Standard StorageV2 supports the Archive access tier, which would be the cheapest solution. Reference:
<https://docs.microsoft.com/en-us/azure/storage/common/storage-introduction>

NEW QUESTION 204

- (Exam Topic 5)
Your company has two on-premises sites in New York and Los Angeles and Azure virtual networks in the East US Azure region and the West US Azure region.
Each on-premises site has Azure ExpressRoute circuits to both regions.
You need to recommend a solution that meets the following requirements:

- Outbound traffic to the Internet from workloads hosted on the virtual networks must be routed through the closest available on-premises site.
- If an on-premises site fails, traffic from the workloads on the virtual networks to the Internet must reroute automatically to the other site.

What should you include in the recommendation? To answer, select the appropriate options in the answer area. NOTE: Each correct selection is worth one point.

Answer Area

Routing from the virtual networks to the on-premises locations must be configured by using:

Azure default routes

Border Gateway Protocol (BGP)

User-defined routes

The automatic routing configuration following a failover must be handled by using:

Border Gateway Protocol (BGP)

Hot Standby Routing Protocol (HSRP)

Virtual Router Redundancy Protocol (VRRP)

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:
Graphical user interface, text, application, email Description automatically generated

An on-premises network gateway can exchange routes with an Azure virtual network gateway using the border gateway protocol (BGP). Using BGP with an Azure virtual network gateway is dependent on the type you selected when you created the gateway. If the type you selected were: ExpressRoute: You must use BGP to advertise on-premises routes to the Microsoft Edge router. You cannot create user-defined routes to force traffic to the ExpressRoute virtual network gateway if you deploy a virtual network gateway deployed as type: ExpressRoute. You can use user-defined routes for forcing traffic from the Express Route to, for example, a Network Virtual Appliance.

<https://docs.microsoft.com/ja-jp/azure/expressroute/designing-for-disaster-recovery-with-expressroute-privatepe> <https://docs.microsoft.com/en-us/azure/expressroute/expressroute-optimize-routing#suboptimal-routing-from-cu>

NEW QUESTION 209

- (Exam Topic 5)

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You plan to deploy multiple instances of an Azure web app across several Azure regions.

You need to design an access solution for the app. The solution must meet the following replication requirements:

- Support rate limiting.
- Balance requests between all instances.
- Ensure that users can access the app in the event of a regional outage. Solution: You use Azure Application Gateway to provide access to the app. Does this meet the goal?

- A. Yes
- B. No

Answer: B

NEW QUESTION 213

- (Exam Topic 5)

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

Your company has deployed several virtual machines (VMs) on-premises and to Azure. Azure ExpressRoute has been deployed and configured for on-premises to Azure connectivity.

Several VMs are exhibiting network connectivity issues.

You need to analyze the network traffic to determine whether packets are being allowed or denied to the VMs. Solution: Install and configure the Microsoft Monitoring Agent and the Dependency Agent on all VMs. Use the Wire Data solution in Azure Monitor to analyze the network traffic.

Does the solution meet the goal?

- A. Yes
- B. No

Answer: B

Explanation:

Instead use Azure Network Watcher to run IP flow verify to analyze the network traffic.

Note: Wire Data looks at network data at the application level, not down at the TCP transport layer. The solution doesn't look at individual ACKs and SYN's.

Reference:

<https://docs.microsoft.com/en-us/azure/network-watcher/network-watcher-monitoring-overview> <https://docs.microsoft.com/en-us/azure/network-watcher/network-watcher-ip-flow-verify-overview>

NEW QUESTION 218

- (Exam Topic 5)

You have an Azure subscription that contains multiple storage accounts. You assign Azure Policy definitions to the storage accounts.

You need to recommend a solution to meet the following requirements:

- Trigger on-demand Azure Policy compliance scans.
- Raise Azure Monitor non-compliance alerts by querying logs collected by Log Analytics.

What should you recommend for each requirement? To answer, select the appropriate options in the answer area. NOTE: Each correct selection is worth one point.

Answer Area

To trigger the compliance scans, use:

The Azure Command-Line Interface (CLI)
▼

An Azure template

The Azure Command-Line Interface (CLI)

The Azure portal

To generate the non-compliance alerts, configure diagnostic settings for the:

Log Analytics workspace
▼

Azure activity logs

Log Analytics workspace

Storage accounts

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:
Answer Area

To trigger the compliance scans, use:

The Azure Command-Line Interface (CLI)

An Azure template

The Azure Command-Line Interface (CLI)

The Azure portal

To generate the non-compliance alerts, configure diagnostic settings for the:

Log Analytics workspace

Azure activity logs

Log Analytics workspace

Storage accounts

NEW QUESTION 222

- (Exam Topic 5)

You are designing a microservices architecture that will support a web application.

The solution must meet the following requirements:

- Allow independent upgrades to each microservice
- Deploy the solution on-premises and to Azure
- Set policies for performing automatic repairs to the microservices
- Support low-latency and hyper-scale operations

You need to recommend a technology. What should you recommend?

- A. Azure Service Fabric
- B. Azure Container Service
- C. Azure Container Instance
- D. Azure Virtual Machine Scale Set

Answer: A

Explanation:

<https://docs.microsoft.com/en-us/azure/service-fabric/service-fabric-overview>

NEW QUESTION 226

- (Exam Topic 5)

You have two app registrations named App1 and App2 in Azure AD. App1 supports role-based access control (RBAC) and includes a role named Writer.

You need to ensure that when App2 authenticates to access App1, the tokens issued by Azure AD include the Writer role claim.

Which blade should you use to modify each app registration? To answer, drag the appropriate blades to the correct app registrations. Each blade may be used once, more than once, or not at all. You may need to drag the split bar between panes or scroll to view content.

NOTE: Each correct selection is worth one point.

Blades

Answer Area

API permissions

App roles

Token configuration

App1: Blade

App2: Blade

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Blades

Answer Area

API permissions

App roles

Token configuration

App1: App roles

App2: API permissions

NEW QUESTION 229

- (Exam Topic 5)

The application will host video files that range from 50 MB to 12 GB. The application will use certificate-based authentication and will be available to users on the internet.

You need to recommend a storage option for the video files. The solution must provide the fastest read performance and must minimize storage costs.

What should you recommend?

- A. Azure Files
- B. Azure Data Lake Storage Gen2
- C. Azure Blob Storage
- D. Azure SQL Database

Answer: C

Explanation:

Blob Storage: Stores large amounts of unstructured data, such as text or binary data, that can be accessed from anywhere in the world via HTTP or HTTPS. You can use Blob storage to expose data publicly to the world, or to store application data privately.

Max file in Blob Storage. 4.77 TB. Reference:

<https://docs.microsoft.com/en-us/azure/architecture/solution-ideas/articles/digital-media-video>

NEW QUESTION 231

- (Exam Topic 5)

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

Your company plans to deploy various Azure App Service instances that will use Azure SQL databases. The App Service instances will be deployed at the same time as the Azure SQL databases.

The company has a regulatory requirement to deploy the App Service instances only to specific Azure regions. The resources for the App Service instances must reside in the same region.

You need to recommend a solution to meet the regulatory requirement.

Solution: You recommend using an Azure policy to enforce the resource group location. Does this meet the goal?

- A. Yes
- B. No

Answer: A

Explanation:

Azure Resource Policy Definitions can be used which can be applied to a specific Resource Group with the App Service instances.

Reference:

<https://docs.microsoft.com/en-us/azure/governance/policy/overview>

NEW QUESTION 233

- (Exam Topic 5)

You have an Azure subscription.

Your on-premises network contains a file server named Server1. Server 1 stores 5 TB of company files that are accessed rarely.

You plan to copy the files to Azure Storage.

You need to implement a storage solution for the files that meets the following requirements:

- The files must be available within 24 hours of being requested.
- Storage costs must be minimized.

Which two possible storage solutions achieve this goal? Each correct answer presents a complete solution. NOTE: Each correct selection is worth one point.

- A. Create a general-purpose v1 storage account
- B. Create a blob container and copy the files to the blob container.
- C. Create a general-purpose v2 storage account that is configured for the Hot default access tier
- D. Create a blob container, copy the files to the blob container, and set each file to the Archive access tier.
- E. Create a general-purpose v1 storage account
- F. Create a file share in the storage account and copy the files to the file share.
- G. Create a general-purpose v2 storage account that is configured for the Cool default access tier
- H. Create a file share in the storage account and copy the files to the file share.
- I. Create an Azure Blob storage account that is configured for the Cool default access tier
- J. Create a blob container, copy the files to the blob container, and set each file to the Archive access tier.

Answer: BE

Explanation:

<https://docs.microsoft.com/en-us/azure/storage/blobs/manage-access-tier?tabs=portal>

NEW QUESTION 238

- (Exam Topic 5)

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

Your company plans to deploy various Azure App Service instances that will use Azure SQL databases. The App Service instances will be deployed at the same time as the Azure SQL databases.

The company has a regulatory requirement to deploy the App Service instances only to specific Azure regions. The resources for the App Service instances must reside in the same region.

You need to recommend a solution to meet the regulatory requirement.

Solution: You recommend creating resource groups based on locations and implementing resource locks on the resource groups.

Does this meet the goal?

- A. Yes
- B. No

Answer: B

Explanation:

Resource locks are not used for compliance purposes. Resource locks prevent changes from being made to resources.

Reference:

<https://docs.microsoft.com/en-us/azure/azure-resource-manager/management/lock-resources>

NEW QUESTION 239

- (Exam Topic 5)

You have an Azure AD tenant.

You plan to deploy Azure Cosmos DB databases that will use the SQL API.

You need to recommend a solution to provide specific Azure AD user accounts with read access to the Cosmos DB databases.

What should you include in the recommendation?

- A. a resource token and an Access control (1AM) role assignment
- B. certificates and Azure Key Vault
- C. master keys and Azure Information Protection policies
- D. shared access signatures (SAS) and Conditional Access policies

Answer: A

NEW QUESTION 242

- (Exam Topic 5)

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You have an Azure Storage account that contains two 1-GB data files named File1 and File2. The data files are set to use the archive access tier.

You need to ensure that File1 is accessible immediately when a retrieval request is initiated. Solution: For File1, you set Access tier to Cool.

Does this meet the goal?

- A. Yes
- B. No

Answer: A

Explanation:

The data in the cool tier is "considered / intended to be stored for 30 days". But this is not a must. You can store data indefinitely in the cool tier. The mentioned reference (see below) even gives an example of large scientific or otherwise large data which is stored for long duration in the cool tier.

<https://docs.microsoft.com/en-us/azure/storage/blobs/storage-blob-storage-tiers?tabs=azure-portal>

NEW QUESTION 245

- (Exam Topic 5)

You have an Azure subscription that contains an Azure SQL database.

You are evaluating whether to use Azure reservations on the Azure SQL database. Which tool should you use to estimate the potential savings?

- A. The Purchase reservations blade in the Azure portal
- B. The Advisor blade in the Azure portal
- C. The SQL database blade in the Azure portal

Answer: A

Explanation:

Buy reserved capacity

- > Sign in to the Azure portal.
- > Select All services > Reservations.
- > Select Add and then in the Purchase Reservations pane, select SQL Database to purchase a new reservation for SQL Database.
- > Fill in the required fields. Existing databases in SQL Database and SQL Managed Instance that match the attributes you select qualify to get the reserved capacity discount. The actual number of databases or managed instances that get the discount depends on the scope and quantity selected. Graphical user interface, text Description automatically generated

Select the product you want to purchase

SQL Reserved vCores provide a significant discount over pay-as-you-go prices by allowing you to pre-pay for the future use of compute capacity for your Azure SQL Database (PaaS) deployments. Additional software costs will still apply. For SQL Server on Azure VMs (IaaS), purchase Reserved Virtual Machines instances. [Learn More](#)

* Scope: Single resource group
 * Subscription: Finance App - Test
 * Resource Group: cloud-shell-storage-westus

Filter by name:
 Region: West US 2
 Term: One Year
+ Add Filter
Reset filters

PERFORMANCE TIER	REGION	TERM	DEPLOYMENT TYPE
SQL Database Managed Instance Business Critical - Compute Gen4	West US 2	One Year	SQL Database Managed Instance
SQL Database Managed Instance Business Critical - Compute Gen5	West US 2	One Year	SQL Database Managed Instance
SQL Database Managed Instance General Purpose - Compute Gen4	West US 2	One Year	SQL Database Managed Instance
SQL Database Managed Instance General Purpose - Compute Gen5	West US 2	One Year	SQL Database Managed Instance
SQL Database Single/Elastic Pool Business Critical - Compute Gen4	West US 2	One Year	SQL Database Single/Elastic Pool
SQL Database Single/Elastic Pool Business Critical - Compute Gen5	West US 2	One Year	SQL Database Single/Elastic Pool
SQL Database Single/Elastic Pool General Purpose - Compute Gen4	West US 2	One Year	SQL Database Single/Elastic Pool
SQL Database Single/Elastic Pool General Purpose - Compute Gen5	West US 2	One Year	SQL Database Single/Elastic Pool

Select
Cancel

Price per unit: <UnitPrice>
34% Estimated savings

- Review the cost of the capacity reservation in the Costs section.
- Select Purchase.
- Select View this Reservation to see the status of your purchase. Reference: <https://docs.microsoft.com/en-us/azure/azure-sql/database/reserved-capacity-overview>

NEW QUESTION 247

- (Exam Topic 5)

You have a resource group named RG1 that contains the objects shown in the following table.

Name	Type	Location
ASP-RG1	App Service plan	East US
KV1	Azure Key Vault	East US
KV2	Azure Key Vault	West Europe
App1	Azure Logic Apps	West US

You need to configure permissions so that App1 can copy all the secrets from KV1 to KV2. App1 currently has the Get permission for the secrets in KV1.

Which additional permissions should you assign to App1? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Permission to assign so that App1 can copy the secrets from KV1:

Add
Backup
Create
List
Unwrap Key

Permission to assign so that App1 can copy the secrets to KV2:

Create
Import
List
Wrap Key

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Graphical user interface, text, application Description automatically generated

Box 1: List

Get: Gets the specified Azure key vault.

List: The List operation gets information about the vaults associated with the subscription. Box 2: Create

Create Or Update: Create or update a key vault in the specified subscription. Reference:

<https://docs.microsoft.com/en-us/rest/api/keyvault/>

NEW QUESTION 249

- (Exam Topic 5)

Your company deploys an Azure App Service Web App.

During testing the application fails under load. The application cannot handle more than 100 concurrent user sessions. You enable the Always On feature. You also configure auto-scaling to increase counts from two to 10 based on HTTP queue length.

You need to improve the performance of the application.

Which solution should you use for each application scenario? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Scenario	Solution
Store content close to end users.	<div><div></div><div>Azure Redis Cache</div><div>Azure Traffic Manager</div><div>Azure Content Delivery Network</div><div>Azure Application Gateway</div></div>
Store content close to the application.	<div><div></div><div>Azure Redis Cache</div><div>Azure Traffic Manager</div><div>Azure Content Delivery Network</div><div>Azure Application Gateway</div></div>

A. Mastered

B. Not Mastered

Answer: A

Explanation:

Graphical user interface, text Description automatically generated with medium confidence

Box 1: Content Delivery Network

A content delivery network (CDN) is a distributed network of servers that can efficiently deliver web content to users. CDNs store cached content on edge servers in point-of-presence (POP) locations that are close to end users, to minimize latency.

Azure Content Delivery Network (CDN) offers developers a global solution for rapidly delivering

high-bandwidth content to users by caching their content at strategically placed physical nodes across the world. Azure CDN can also accelerate dynamic content, which cannot be cached, by leveraging various network optimizations using CDN POPs. For example, route optimization to bypass Border Gateway Protocol (BGP).

Box 2: Azure Redis Cache

Azure Cache for Redis is based on the popular software Redis. It is typically used as a cache to improve the performance and scalability of systems that rely heavily on backend data-stores. Performance is improved by temporarily copying frequently accessed data to fast storage located close to the application. With Azure Cache for Redis, this fast storage is located in-memory with Azure Cache for Redis instead of being loaded from disk by a database.

References:

<https://docs.microsoft.com/en-us/azure/azure-cache-for-redis/cache-overview>

NEW QUESTION 254

- (Exam Topic 5)

You plan to deploy an Azure Databricks Data Science & Engineering workspace and ingest data into the workspace.

Where should you persist the ingested data?

A. Azure Files

B. Azure Data Lake

C. Azure SQL Database

D. Azure Cosmos DB

Answer: B

Explanation:

The Azure Databricks Data Science & Engineering data lands in a data lake for long term persisted storage, in Azure Blob Storage or Azure Data Lake Storage.

Reference:

<https://docs.microsoft.com/en-us/azure/databricks/scenarios/what-is-azure-databricks-ws>

NEW QUESTION 255

- (Exam Topic 5)

You have an Azure subscription.

You need to deploy an Azure Kubernetes Service (AKS) solution that will use Windows Server 2019 nodes.

The solution must meet the following requirements:

Minimize the time it takes to provision compute resources during scale-out operations. Support autoscaling of Windows Server containers.

Which scaling option should you recommend?

- A. cluster autoscaler
- B. horizontal pod autoscaler
- C. Kubernetes version 1.20.2 or newer
- D. Virtual nodes with Virtual Kubelet ACI


Answer: D

Explanation:

Azure Container Instances (ACI) lets you quickly deploy container instances without additional infrastructure overhead. When you connect with AKS, ACI becomes a secured, logical extension of your AKS cluster. The virtual nodes component, which is based on Virtual Kubelet, is installed in your AKS cluster that presents ACI as a virtual Kubernetes node. Kubernetes can then schedule pods that run as ACI instances through virtual nodes, not as pods on VM nodes directly in your AKS cluster.

Your application requires no modification to use virtual nodes. Deployments can scale across AKS and ACI and with no delay as cluster autoscaler deploys new nodes in your AKS cluster.

Diagram Description automatically generated



Note: AKS clusters can scale in one of two ways:

> The cluster autoscaler watches for pods that can't be scheduled on nodes because of resource constraints.

The cluster then automatically increases the number of nodes.

> The horizontal pod autoscaler uses the Metrics Server in a Kubernetes cluster to monitor the resource demand of pods. If an application needs more resources, the number of pods is automatically increased to meet the demand.

Reference:

<https://docs.microsoft.com/en-us/azure/aks/concepts-scale5>

NEW QUESTION 260

- (Exam Topic 5)

You have an Azure Active Directory (Azure AD) tenant that syncs with an on-premises Active Directory domain.

You have an internal web app named WebApp1 that is hosted on-premises. WebApp1 uses Integrated Windows authentication.

Some users work remotely and do NOT have VPN access to the on-premises network.

You need to provide the remote users with single sign-on (SSO) access to WebApp1.

Which two features should you include in the solution? Each correct answer presents part of the solution.

NOTE: Each correct selection is worth one point.

- A. Azure AD Application Proxy
- B. Azure AD Privileged Identity Management (PIM)
- C. Conditional Access policies
- D. Azure Arc
- E. Azure AD enterprise applications
- F. Azure Application Gateway

Answer: AC

Explanation:

A: Application Proxy is a feature of Azure AD that enables users to access on-premises web applications from a remote client. Application Proxy includes both the Application Proxy service which runs in the cloud, and the Application Proxy connector which runs on an on-premises server.

You can configure single sign-on to an Application Proxy application.

C: Microsoft recommends using Application Proxy with pre-authentication and Conditional Access policies for remote access from the internet. An approach to provide Conditional Access for intranet use is to modernize applications so they can directly authenticate with AAD.

Reference:

<https://docs.microsoft.com/en-us/azure/active-directory/app-proxy/application-proxy-config-sso-how-to> <https://docs.microsoft.com/en-us/azure/active-directory/app-proxy/application-proxy-deployment-plan>

NEW QUESTION 264

- (Exam Topic 5)

You have an Azure App Service web app named Webapp1 that connects to an Azure SQL database named DB1. Webapp1 and DB1 are deployed to the East US Azure region.

You need to ensure that all the traffic between Webapp1 and DB1 is sent via a private connection. What should you do? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Answer Area

Create a virtual network that contains at least:

1 subnet
2 subnets
3 subnets

From the virtual network, configure name resolution to use:

A private DNS zone
A public DNS zone
The Azure DNS Private Resolver

- A. Mastered
B. Not Mastered

Answer: A

Explanation:

Answer Area

Create a virtual network that contains at least:

1 subnet
2 subnets
3 subnets

From the virtual network, configure name resolution to use:

A private DNS zone
A public DNS zone
The Azure DNS Private Resolver

NEW QUESTION 266

- (Exam Topic 5)

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

Your company has deployed several virtual machines (VMs) on-premises and to Azure. Azure ExpressRoute has been deployed and configured for on-premises to Azure connectivity.

Several VMs are exhibiting network connectivity issues.

You need to analyze the network traffic to determine whether packets are being allowed or denied to the VMs. Solution: Use the Azure Advisor to analyze the network traffic.

Does the solution meet the goal?

- A. Yes
B. No

Answer: B

Explanation:

Instead use Azure Network Watcher to run IP flow verify to analyze the network traffic.

Note: Advisor is a personalized cloud consultant that helps you follow best practices to optimize your Azure deployments. It analyzes your resource configuration and usage telemetry and then recommends solutions that can help you improve the cost effectiveness, performance, high availability, and security of your Azure resources.

With Advisor, you can:

Get proactive, actionable, and personalized best practices recommendations.

Improve the performance, security, and high availability of your resources, as you identify opportunities to reduce your overall Azure spend.

Get recommendations with proposed actions inline. Reference:

<https://docs.microsoft.com/en-us/azure/advisor/advisor-overview>

NEW QUESTION 267

- (Exam Topic 5)

You are designing a SQL database solution. The solution will include 20 databases that will be 20 GB each and have varying usage patterns. You need to recommend a database platform to host the databases. The solution must meet the following requirements:

- The compute resources allocated to the databases must scale dynamically.
- The solution must meet an SLA of 99.99% uptime.
- The solution must have reserved capacity.
- Compute charges must be minimized.

What should you include in the recommendation?

- A. 20 databases on a Microsoft SQL server that runs on an Azure virtual machine
B. 20 instances of Azure SQL Database serverless
C. 20 databases on a Microsoft SQL server that runs on an Azure virtual machine in an availability set
D. an elastic pool that contains 20 Azure SQL databases

Answer: D

Explanation:

Azure SQL Database elastic pools are a simple, cost-effective solution for managing and scaling multiple databases that have varying and unpredictable usage demands. The databases in an elastic pool are on a single server and share a set number of resources at a set price. Elastic pools in Azure SQL Database enable SaaS developers to optimize the price performance for a group of databases within a prescribed budget while delivering performance elasticity for each database. Guaranteed 99.995 percent uptime for SQL Database Reference:

<https://docs.microsoft.com/en-us/azure/azure-sql/database/elastic-pool-overview> <https://azure.microsoft.com/en-us/pricing/details/sql-database/elastic/>

<https://www.azure.cn/en-us/support/sla/virtual-machines/>

<https://techcommunity.microsoft.com/t5/azure-sql/optimize-price-performance-with-compute-auto-scaling-in-az>

NEW QUESTION 271

- (Exam Topic 5)

The developers at your company are building a containerized Python Django app.

You need to recommend platform to host the app. The solution must meet the following requirements:

- Support autoscaling.
- Support continuous deployment from an Azure Container Registry.
- Provide built-in functionality to authenticate app users by using Azure Active Directory (Azure AD). Which platform should you include in the recommendation?

- A. Azure Container instances
- B. an Azure App Service instance that uses containers
- C. Azure Kubernetes Service (AKS)

Answer: C

Explanation:

To keep up with application demands in Azure Kubernetes Service (AKS), you may need to adjust the number of nodes that run your workloads. The cluster autoscaler component can watch for pods in your cluster that can't be scheduled because of resource constraints. When issues are detected, the number of nodes in a node pool is increased to meet the application demand.

Azure Container Registry is a private registry for hosting container images. It integrates well with orchestrators like Azure Container Service, including Docker Swarm, DC/OS, and the new Azure Kubernetes service.

Moreover, ACR provides capabilities such as Azure Active Directory-based authentication, webhook support, and delete operations.

Reference:

<https://docs.microsoft.com/en-us/azure/aks/cluster-autoscaler>

<https://medium.com/velotio-perspectives/continuous-deployment-with-azure-kubernetes-service-azurecontainer-registry-jenkins-ca337940151b>

NEW QUESTION 276

- (Exam Topic 5)

You plan to migrate on-premises MySQL databases to Azure Database for MySQL Flexible Server.

You need to recommend a solution for the Azure Database for MySQL Flexible Server configuration. The solution must meet the following requirements:

- The databases must be accessible if a datacenter fails.
- Costs must be minimized.

Which compute tier should you recommend?

- A. Burstable
- B. General Purpose
- C. Memory Optimized

Answer: C

NEW QUESTION 280

- (Exam Topic 5)

You are designing an application that will use Azure Linux virtual machines to analyze video files. The files will be uploaded from corporate offices that connect to Azure by using ExpressRoute.

You plan to provision an Azure Storage account to host the files.

You need to ensure that the storage account meets the following requirements:

- Supports video files of up to 7 TB
- Provides the highest availability possible
- Ensures that storage is optimized for the large video files
- Ensures that files from the on-premises network are uploaded by using ExpressRoute

How should you configure the storage account? To answer, select the appropriate options in the answer area. NOTE: Each correct selection is worth one point.

Answer Area

Storage account type:

Premium file shares

Premium page blobs

Standard general-purpose v2

Data redundancy:

Geo-redundant storage (GRS)

Locally-redundant storage (LRS)

Zone-redundant storage (ZRS)

These are the selections for Data redundancy

Networking:

Azure Route Server

A private endpoint

A service endpoint

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:
Answer Area

Storage account type:

Premium file shares

Premium page blobs

Standard general-purpose v2

Data redundancy:

Geo-redundant storage (GRS)

Locally-redundant storage (LRS)

Zone-redundant storage (ZRS)

These are the selections for Data redundancy

Networking:

Azure Route Server

A private endpoint

A service endpoint

NEW QUESTION 284

- (Exam Topic 5)

You plan to deploy Azure Databricks to support a machine learning application. Data engineers will mount an Azure Data Lake Storage account to the Databricks file system. Permissions to folders are granted directly to the data engineers.

You need to recommend a design for the planned Databrick deployment. The solution must meet the following requirements:

- Ensure that the data engineers can only access folders to which they have permissions.
- Minimize development effort.
- Minimize costs.

What should you include in the recommendation? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Answer Area

Databricks SKU:

Premium

Standard

Cluster configuration:

Credential passthrough

Managed identities

MLflow

A runtime that contains Photon

Secret scope

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Box 1: Standard

Choose Standard to minimize costs. Box 2: Credential passthrough

Athenticate automatically to Azure Data Lake Storage Gen1 (ADLS Gen1) and Azure Data Lake Storage Gen2 (ADLS Gen2) from Azure Databricks clusters using the same Azure Active Directory (Azure AD) identity that you use to log into Azure Databricks. When you enable Azure Data Lake Storage credential passthrough for your cluster, commands that you run on that cluster can read and write data in Azure Data Lake Storage without requiring you to configure service principal credentials for access to storage.

Reference:

<https://docs.microsoft.com/en-us/azure/databricks/security/credential-passthrough/adls-passthrough>

NEW QUESTION 286

- (Exam Topic 5)

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

Your company plans to deploy various Azure App Service instances that will use Azure SQL databases. The App Service instances will be deployed at the same time as the Azure SQL databases.

The company has a regulatory requirement to deploy the App Service instances only to specific Azure regions. The resources for the App Service instances must reside in the same region.

You need to recommend a solution to meet the regulatory requirement.

Solution: You recommend using an Azure policy initiative to enforce the location. Does this meet the goal?

A. Yes

B. No

Answer: A

Explanation:

Azure Resource Policy Definitions can be used which can be applied to a specific Resource Group with the App Service instances.

Reference:

<https://docs.microsoft.com/en-us/azure/governance/policy/overview>

NEW QUESTION 290

- (Exam Topic 5)

Your company has the divisions shown in the following table.

Division	Azure subscription	Azure Active Directory (Azure AD) tenant
East	Sub1, Sub2	East.contoso.com
West	Sub3, Sub4	West.contoso.com

You plan to deploy a custom application to each subscription. The application will contain the following: ➤ A resource group

➤ An Azure web app

➤ Custom role assignments

➤ An Azure Cosmos DB account

You need to use Azure Blueprints to deploy the application to each subscription.

What is the minimum number of objects required to deploy the application? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Management groups:

1

2

3

4

Blueprint definitions:

1

2

3

4

Blueprint assignments:

1

2

3

4

- A. Mastered
B. Not Mastered

Answer: A

Explanation:

Box 1: 2

One management group for East, and one for West.

When creating a blueprint definition, you'll define where the blueprint is saved. Blueprints can be saved to a management group or subscription that you have Contributor access to. If the location is a management group, the blueprint is available to assign to any child subscription of that management group.

Box 2: 2

Box 3: 4

One assignment for each subscription.

"Assigning a blueprint definition to a management group means the assignment object exists at the management group. The deployment of artifacts still targets a subscription. To perform a management group assignment, the Create Or Update REST API must be used and the request body must include a value for properties.scope to define the target subscription."

<https://docs.microsoft.com/en-us/azure/governance/blueprints/overview#blueprint-assignment>

NEW QUESTION 295

- (Exam Topic 5)

You plan to move a web application named App1 from an on-premises data center to Azure. App1 depends on a custom COM component that is installed on the host server.

You need to recommend a solution to host App1 in Azure. The solution must meet the following requirements:

- App1 must be available to users if an Azure data center becomes unavailable.
- Costs must be minimized.

What should you include in the recommendation?

- A. In two Azure regions, deploy a load balancer and a virtual machine scale set.
B. In two Azure regions, deploy a Traffic Manager profile and a web app.
C. In two Azure regions, deploy a load balancer and a web app.
D. Deploy a load balancer and a virtual machine scale set across two availability zones.

Answer: D

Explanation:

(<https://docs.microsoft.com/en-us/dotnet/azure/migration/app-service#com-and-com-components>)

Azure App Service does not allow the registration of COM components on the platform. If your app makes use of any COM components, these need to be rewritten in managed code and deployed with the site or application. <https://docs.microsoft.com/en-us/dotnet/azure/migration/app-service>

"Azure App Service with Windows Containers If your app cannot be migrated directly to App Service, consider App Service using Windows Containers, which enables usage of the GAC, COM components, MSIs, full access to .NET FX APIs, DirectX, and more."

NEW QUESTION 296

- (Exam Topic 5)

You plan to deploy multiple instances of an Azure web app across several Azure regions.

You need to design an access solution for the app. The solution must meet the following replication requirements:

- Support rate limiting
- Balance requests between all instances.
- Ensure that users can access the app in the event of a regional outage Solution: You use Azure Load Balancer to provide access to the app. Does this meet the goal?

- A. Yes
B. No

Answer: B

NEW QUESTION 297

- (Exam Topic 5)

You have an Azure subscription that contains a custom application named Application1. Application1 was developed by an external company named Fabric, Ltd. Developers at Fabrikam were assigned role-based access control (RBAC) permissions to the Application1 components. All users are licensed for the Microsoft 365 E5 plan.

You need to recommend a solution to verify whether the Fabric developers still require permissions to Application1. The solution must meet the following requirements.

- * To the manager of the developers, send a monthly email message that lists the access permissions to Application1.
- * If the manager does not verify access permission, automatically revoke that permission.
- * Minimize development effort. What should you recommend?

- A. In Azure Active Directory (AD) Privileged Identity Management, create a custom role assignment for the Application1 resources
B. Create an Azure Automation runbook that runs the Get-AzureADUserAppRoleAssignment cmdlet
C. Create an Azure Automation runbook that runs the Get-AzureRmRoleAssignment cmdlet
D. In Azure Active Directory (Azure AD), create an access review of Application1

Answer: D

Explanation:

<https://docs.microsoft.com/en-us/azure/active-directory/governance/manage-user-access-with-access-reviews> Azure Active Directory (Azure AD) access reviews enable organizations to efficiently manage group

memberships, access to enterprise applications, and role assignments. User's access can be reviewed on a regular basis to make sure only the right people have continued access. Have reviews recur periodically: You can set up recurring access reviews of users at set frequencies such as weekly, monthly, quarterly or annually, and the reviewers will be notified at the start of each review. Reviewers can approve or deny access with a friendly interface and with the help of smart recommendations.

Why are access reviews important?

"Azure AD enables you to collaborate with users from inside your organization and with external users. Users can join groups, invite guests, connect to cloud apps, and work remotely from their work or personal devices. The convenience of using self-service has led to a need for better access management capabilities."

NEW QUESTION 300

- (Exam Topic 5)

You plan to migrate data to Azure.

The IT department at your company identifies the following requirements:

- The storage must support 1 PB of data.
- The data must be stored in blob storage.
- The storage must support three levels of subfolders.
- The storage must support access control lists (ACLs).

You need to meet the requirements. What should you use?

- A. a premium storage account that is configured for block blobs
- B. a general purpose v2 storage account that has hierarchical namespace enabled
- C. a premium storage account that is configured for page blobs
- D. a premium storage account that is configured for files shares and supports large file shares

Answer: B

Explanation:

Microsoft recommends that you use a GPv2 storage account for most scenarios. It supports up to 5 PB, and blob storage including Data Lake storage.

Note: A key mechanism that allows Azure Data Lake Storage Gen2 to provide file system performance at object storage scale and prices is the addition of a hierarchical namespace. This allows the collection of objects/files within an account to be organized into a hierarchy of directories and nested subdirectories in the same way that the file system on your computer is organized. With a hierarchical namespace enabled, a storage account becomes capable of providing the scalability and cost-effectiveness of object storage, with file system semantics that are familiar to analytics engines and frameworks.

References:

<https://docs.microsoft.com/en-us/azure/storage/common/storage-account-overview> <https://docs.microsoft.com/en-us/azure/storage/blobs/data-lake-storage-namespace>

NEW QUESTION 304

.....

Thank You for Trying Our Product

We offer two products:

1st - We have Practice Tests Software with Actual Exam Questions

2nd - Questions and Answers in PDF Format

AZ-305 Practice Exam Features:

- * AZ-305 Questions and Answers Updated Frequently
- * AZ-305 Practice Questions Verified by Expert Senior Certified Staff
- * AZ-305 Most Realistic Questions that Guarantee you a Pass on Your FirstTry
- * AZ-305 Practice Test Questions in Multiple Choice Formats and Updatesfor 1 Year

100% Actual & Verified — Instant Download, Please Click
[Order The AZ-305 Practice Test Here](#)