

Exam Questions 2V0-21.20

Professional VMware vSphere 7.x

<https://www.2passeasy.com/dumps/2V0-21.20/>



NEW QUESTION 1

Which vSphere feature provides for continuous local data center availability? (Choose the best answer.)

- A. vSphere Fault Tolerance
- B. Cross vCenter Migration
- C. vSphere Storage vMotion
- D. vSphere Replication

Answer: A

NEW QUESTION 2

Which two performance tools can be used to monitor virtual machines outside the guest operating system? (Choose two.)

- A. vCenter Server performance charts
- B. Task Manager
- C. top
- D. esxtop
- E. Perfmon

Answer: AE

NEW QUESTION 3

Which type of network adapter is designed to provide connectivity to hosts and handle the standard system traffic of vSphere vMotion? (Choose the best answer.)

- A. VMkernel port
- B. VXLAN virtual tunnel end point (VXLAN VTEP)
- C. Virtual machine network interface card (VMNIC)
- D. VM network

Answer: A

NEW QUESTION 4


An IT department is experiencing random hardware failures that are costing the company money. The CIO is looking for technical support beyond traditional break/fix with enhanced visibility and proactive insights into the environment at no additional cost. Which VMware service meets the needs of the CIO? (Choose the best answer.)

- A. VMware Global Support Services
- B. VMware Premier Support
- C. VMware Skyline
- D. vRealize Operations Manager

Answer: C

NEW QUESTION 5

Refer to the exhibit.



Which two migration methods can an administrator use to move virtual machines from the SA-Dev cluster to the SA-Compute cluster? (Choose two.)

- A. Cold migration of compute resource only
- B. Cold migration of storage only
- C. Hot migration of compute resource and storage resource
- D. Hot migration of compute resource only
- E. Cold migration of compute resource and storage resource

Answer: CE

NEW QUESTION 6

An administrator is unable to manage certificates with the vSphere Client.

What is another supported option that can be used to manage certificates? (Choose the best answer.)

- A. vCenter Server Management Interface
- B. Command Line Interface
- C. vRealize Operations Manager
- D. Cloud Builder

Answer: B

NEW QUESTION 7

What is the minimum number of ESXi hosts required to support vCenter High Availability? (Choose the best answer.)

- A. 6
- B. 3
- C. 2
- D. 4

Answer: B

NEW QUESTION 8

An administrator wants to implement virtual machine encryption.

Which component encrypts the virtual machine files? (Choose the best answer.)

- A. Certificate
- B. Data encryption key (DEK)
- C. Key encryption key (KEK)
- D. Key management server (KMS)

Answer: BC

NEW QUESTION 9

A new vSphere 7.0 environment is deployed with the following:

- A single vCenter Server
- Two vSAN clusters
- A vSAN default storage policy

Which statement is true regarding virtual disk availability in this environment? (Choose the best answer.)

- A. Replicas will be placed on different disk groups but can be placed on the same host.
- B. All stripes will be placed on different disk groups and cannot be placed on the same host.
- C. Each virtual disk will have four replicas of data.
- D. Each virtual disk will have two replicas of data.

Answer: D

NEW QUESTION 10

Which action is supported over a VMkernel vMotion TCP/IP stack? (Choose the best answer.)

- A. Hot migrations
- B. Fault tolerance protection
- C. Virtual machine cloning
- D. Snapshot creation

Answer: B

NEW QUESTION 10

How does vSphere handle memory allocation during the instant clone process? (Choose the best answer.)

- A. The first child virtual machine serves as a memory snapshot for any subsequent child virtual machines.
- B. An identical clone of the parent virtual machine's memory is created for each child virtual machine
- C. Memory is shared among all child virtual machines using a delta disk.
- D. A unique memory pool is created per child virtual machine using copy-on-write.

Answer: B

Explanation:

https://docs.vmware.com/en/VMware-vSphere/7.0/com.vmware.vsphere.vm_admin.doc/GUID-853B1E2B-76C

NEW QUESTION 13

An administrator is configuring ESXi host behavior before and during the remediation process. Which remediation setting is supported only on select hardware platforms? (Choose the best answer.)

- A. VM migration
- B. HA admission control
- C. Maintenance mode failures
- D. Quick Boot

Answer: D

NEW QUESTION 15

ESXi provides VLAN support by assigning a VLAN ID to which component? (Choose the best answer.)

- A. Virtual standard switch
- B. Physical network interface card (NIC)
- C. Virtual distributed switch
- D. Port group

Answer: D

NEW QUESTION 16

A single host is manually configured to company standards.

Which option would an administrator select to capture this configuration for future use? (Choose the best answer.)

- A. Extract Host Profile
- B. Reset Host Customizations
- C. Attach Host Profile
- D. Import Host Profile

Answer: A

Explanation:

[https://docs.vmware.com/en/VMware-vSphere/7.0/com.vmware.esxi.install.doc/GUID-4D8EDD07-6C77-4845-](https://docs.vmware.com/en/VMware-vSphere/7.0/com.vmware.esxi.install.doc/GUID-4D8EDD07-6C77-4845-https://docs.vmware.com/en/VMware-vSphere/7.0/com.vmware.vsphere.hostprofiles.doc/GUID-4D3909C5-A3) <https://docs.vmware.com/en/VMware-vSphere/7.0/com.vmware.vsphere.hostprofiles.doc/GUID-4D3909C5-A3>

NEW QUESTION 19

Which two VMware features are supported in a virtual machine using Intel Software Guard Extensions (Intel SGX) technology? (Choose two.)

- A. Fault tolerance
- B. vSphere vMotion
- C. VM encryption
- D. Virtual machine suspend and resume
- E. Storage I/O Control

Answer: CE

Explanation:

<https://docs.vmware.com/en/VMware-vSphere/7.0/com.vmware.vsphere.security.doc/GUID-EF552A5E-744B-4>

NEW QUESTION 21

Which feature is a pre-requisite for configuring admission control on a cluster? (Choose the best answer.)

- A. vSphere Enhanced vMotion Compatibility (EVC)
- B. vSphere High Availability (HA)
- C. vSphere Fault Tolerance
- D. vSphere Distributed Resource Scheduler (DRS)

Answer: B

Explanation:

<https://docs.vmware.com/en/VMware-vSphere/7.0/com.vmware.vsphere.avail.doc/GUID-C4059DB9-D673-45C>

NEW QUESTION 26

What is a pre-requisite for configuring virtualization-based security (VBS)? (Choose the best answer.)

- A. Change the firmware type from UEFI to Legacy BIOS
- B. Change the firmware type from Legacy BIOS to UEFI
- C. Use Windows Server 2012
- D. Use Windows Server 2008 R2

Answer: B

NEW QUESTION 27

An administrator is investigating the reason for a virtual machine restarting. In the vmware.log file, the administrator finds the following error:

```
svga | I120: WinBSOD: ( 1) 'A problem has been detected and Windows has
been shut down to prevent damage'
svga | I120: WinBSOD: ( 2) 'to your computer.'
svga | I120: WinBSOD: ( 4) 'If this is the first time you've seen this
Stop error screen,'
svga | I120: WinBSOD: ( 5) 'restart your computer. If this screen
appears again, follow'
svga | I120: WinBSOD: ( 6) 'these steps:'
svga | I120: WinBSOD: ( 8) 'Disable or uninstall any anti-virus, disk
defragmentation'
svga | I120: WinBSOD: ( 9) 'or backup utilities. Check your hard drive
configuration,'
svga | I120: WinBSOD: (10) 'and check for any updated drivers. Run
CHKDSK /F to check'
svga | I120: WinBSOD: (11) 'for hard drive corruption, and then restart
your computer.'
svga | I120: WinBSOD: (13) 'Technical information:'
svga | I120: WinBSOD: (15) '*** STOP: 0x00000024
(0x000000000001904FB, 0xFFFFF880069B2CE8, 0xFFFFF880069B2540,0'
svga | I120: WinBSOD: (16) 'xFFFFF880014F5FA2)
```

What is a likely cause of this virtual machine restart? (Choose the best answer.)

- A. Guest operating system fault
- B. User or API request to shut down guest operating system
- C. High Availability
- D. User or API request to restart guest operating system

Answer: A

NEW QUESTION 28

An administrator wants to create a master copy of an existing virtual machine (VM) named “TestApp” and deploy VMs from this master copy whenever a user requests one.

Which method can the administrator use to create a master copy of TestApp? (Choose the best answer.)

- A. Deploy from an Open Virtual Machine Format (OVF) template
- B. Convert a template to a VM
- C. Clone the VM to a template
- D. Create a new VM

Answer: A

NEW QUESTION 30

An administrator receives an escalation to investigate a low disk space alarm on a datastore. The administrator discovers that a snapshot has been accidentally taken on a production, write-intensive database server. The snapshot has grown to nearly 1 TB in size in less than an hour and continues growing every second. Which behavior should the administrator expect while deleting the snapshot? (Choose the best answer.)

- A. ESXi will create a virtual RAM disk to cache ongoing database write activity; performance impact will be limited.
- B. ESXi will commit the snapshot delta disk into the base disk; ongoing database write activity could result in long stun times.
- C. ESXi will merge the snapshot delta disk into the base disk; the virtual machine will be briefly stunned.
- D. ESXi will instantly switch from the base disk to the snapshot delta disk with no performance impact.

Answer: B

Explanation:

<https://kb.vmware.com/s/article/1002836>

NEW QUESTION 32

An administrator is asked to deploy a virtual machine (VM) that can sniff packets for the Security team. Which setting must be set to “accept” on the VM’s port group? (Choose the best answer.)

- A. Promiscuous mode
- B. Forged transmits
- C. MAC address changes
- D. Traffic shaping

Answer: A

NEW QUESTION 33

An administrator can attach a baseline to which two inventory objects? (Choose two.)

- A. Resource pools
- B. Data centers
- C. Datastores
- D. Templates
- E. ESXi hosts

Answer: DE

Explanation:

<https://docs.vmware.com/en/VMware-vSphere/6.0/com.vmware.vsphere.upgrade.doc/GUID-5EA28531-0813-4>

NEW QUESTION 37

A virtual machine with a single 100 GB virtual machine disk file has a single 20 GB snapshot. The virtual machine is powered off.

How much additional free space on the datastore is required to delete the snapshot, committing the snapshot delta disk to the base disk? (Choose the best answer.)

- A. 0 GB
- B. 100 GB
- C. 20 GB
- D. 120 GB

Answer: A

NEW QUESTION 38

An administrator is tasked with planning an upgrade of a VMware vSphere environment to version 7.0. The platform consists of 80 ESXi hosts, logically divided into 10 clusters. The tasks will be completed by another operations team within the company.

The hardware is consistent and a single embedded vCenter Server 6.7 appliance is managing the environment. Which statement is true regarding a suitable upgrade approach? (Choose the best answer.)

- A. The vCenter Server can be upgraded using a pre-configured customized JSON template.
- B. The ESXi hosts can only be upgraded using the Graphical User Interface Installer.
- C. Auto-deploy must be used to upgrade the large scale environment.
- D. A new Platform Services Controller must be deployed first.

Answer: C

NEW QUESTION 39

Refer to the exhibit.

```
9:04:41am up 5 min, 637 worlds, 4 VMs, 6 vCPUs; CPU load average: 0.33, 0.09, 0.00
PCPU USED (%): 89 90 95 97 AVG: 92
PCPU UTIL (%): 88 89 94 96 AVG: 92
```

ID	GID NAME	NWLD	%USED	%RUN	%SYS	%WAIT	%VMWAIT	%RDY	%IDLE	%OVLAP	%CSTP	%MLMTD	%SWPWT
8	8 helper	294	0.00	400.00	0.00	28784.56	-	400.00	0.00	400.00	0.00	0.00	0.00
1	1 system	152	1.35	31.90	0.15	14796.04	-	373.34	0.00	0.29	0.00	0.00	41.54
14865	14865 Linux2	7	73.32	74.45	0.07	582.88	0.32	50.48	0.11	0.20	0.00	0.00	0.00
14873	14873 Win1	9	115.74	116.08	0.00	743.07	16.52	45.26	23.51	0.36	5.66	0.00	0.00
14881	14881 Win2	9	104.23	104.40	0.00	759.42	16.44	43.60	41.62	0.35	2.63	0.00	0.00
14895	14895 Linux1	7	67.84	69.86	0.00	605.51	0.00	32.46	0.00	0.08	0.00	0.00	0.00
5485	5485 hostd.66720	21	2.30	2.30	0.00	2100.00	-	2.16	0.00	0.00	0.00	0.00	0.00
5233	5233 rhttpproxy.6668	14	0.29	0.30	0.01	1400.00	-	0.93	0.00	0.00	0.00	0.00	0.00
9	9 drivers	12	0.00	0.00	0.00	1200.00	-	0.21	0.00	0.00	0.00	0.00	0.00
10	10 ft	4	0.00	0.00	0.00	399.89	-	0.20	0.00	0.00	0.00	0.00	0.00
1012	1012 vmsyslogd.65822	3	0.13	0.14	0.00	300.00	-	0.16	0.00	0.00	0.00	0.00	0.00
14857	14857 esxtop.68027	1	2.78	3.89	0.00	97.10	-	0.13	0.00	0.00	0.00	0.00	0.00
14777	14777 sshd.68017	1	0.07	0.07	0.00	100.00	-	0.07	0.00	0.00	0.00	0.00	0.00

What does the %RDY for the Win1 virtual machine indicate? (Choose the best answer.)

- A. High CPU wait time
- B. Low CPU usage
- C. High CPU contention
- D. Low CPU contention

Answer: C

NEW QUESTION 43

A company has a vSphere environment consisting of the following characteristics:

- > A content library named 'CORP' is published at corporate headquarters on a vCenter Server named 'vcenterCorp'.
- > A regional data center contains a set of hosts managed by a vCenter Server named vcenterR1.
- > vcenterR1 subscribes to the CORP content library.

The administrator wants to create a new virtual machine image to use on vcenterR1. What are two possible ways the administrator can accomplish this task? (Choose two.)

- A. Configure vcenterR1 to download all library content immediately.
- B. Upload the new image to the CORP library on vcenterR1.
- C. Publish the CORP content library on vcenterR1.
- D. Upload the new image to the CORP library on vcenterCorp.
- E. Upload the new image to a local content library on vcenterR1.

Answer: AD

Explanation:

https://docs.vmware.com/en/VMware-vSphere/6.5/com.vmware.vsphere.vm_admin.doc/GUID-254B2CE8-20A

NEW QUESTION 44

Which privilege is required to run the esxtop utility? (Choose the best answer.)

- A. Root user
- B. vStatsUser
- C. vStatsAdmin
- D. Administrator

Answer: A

NEW QUESTION 46

An administrator wants to configure vCenter Server High Availability so that each node is located in a different data center. Which requirement must be met? (Choose the best answer.)

- A. Each node must be configured with at least three network adapters.
- B. Network latency between the nodes must be less than 10 milliseconds.
- C. All nodes must be located on a vSAN datastore in each data center.
- D. A vCenter Server license must be assigned to each node.

Answer: B

Explanation:

<https://docs.vmware.com/en/VMware-vSphere/7.0/com.vmware.vsphere.avail.doc/GUID-8FD87389-8CC9-429>

NEW QUESTION 49

An administrator is tasked with upgrading an existing VMware vSphere 6.5 environment to version 7.0. There are existing VMFS3 and VMFS5 datastores in the environment.

Which two statements are true regarding this upgrade? (Choose two.)

- A. VMFS5 is no longer supported with ESXi 7.0.
- B. VMFS3 is no longer supported with ESXi 7.0.
- C. An ESXi 7.0 host can automatically upgrade a VMFS5 datastore.
- D. An ESXi 7.0 host will automatically upgrade a VMFS3 datastore when discovered.
- E. A VMFS3 datastore cannot be upgraded; a new VMFS6 datastore is required.

Answer: BD

Explanation:

<https://docs.vmware.com/en/VMware-vSphere/7.0/com.vmware.vsphere.storage.doc/GUID-DAD74662-E09E-4>

NEW QUESTION 53

Which two vSphere features enable remote site availability? (Choose two.)

- A. Proactive High Availability
- B. vSphere Fault Tolerance
- C. Cross vCenter Migration
- D. vSphere vMotion
- E. vSphere Replication

Answer: AE

Explanation:

<https://docs.vmware.com/en/VMware-vSphere/6.5/com.vmware.vsphere.virtualsan.doc/GUID-1BDC7194-67A7>

<https://www.vmware.com/mena/products/vsphere/replication.html#:~:text=vSphere%20Replication%20is%20a>

NEW QUESTION 56

What is a minimum disk controller requirement for VMware vSAN? (Choose the best answer.)

- A. A disk controller in JBOD mode
- B. A disk controller in pass-through or RAID 1 mode
- C. A disk controller in pass-through or RAID 5 mode
- D. A disk controller in pass-through or RAID 0 mode

Answer: D

NEW QUESTION 61

When deploying a vCenter Server Appliance, which two single sign-on (SSO)-related options are presented to an administrator? (Choose two.)

- A. Create a vCenter Enhanced Linked Mode group
- B. Create a vCenter Single Sign-On domain
- C. Join an existing vCenter Single Sign-On domain
- D. Repoint to another domain
- E. Reset Single Sign-On password

Answer: BC

NEW QUESTION 62

What is the foundation of a software-defined data center (SDDC)? (Choose the best answer.)

- A. vRealize Operations Manager
- B. vSphere
- C. vSAN
- D. NSX

Answer: B

NEW QUESTION 64

What can an administrator use to partition limited CPU and memory resources between two departments? (Choose the best answer.)

- A. vSphere distributed switch
- B. vSphere High Availability
- C. vCenter folders
- D. Resource pools

Answer: D

NEW QUESTION 66

An administrator is deploying a vCenter Server Appliance and wants to join an existing vCenter Single Sign-On domain.

The administrator gathers the following information:

- FQDN of the vCenter Single Sign-On server to join
- Domain name of the vCenter Single Sign-On server being joined
- Password of the vCenter Single Sign-On server administrator account.

What other information is needed to join the existing vCenter Single Sign-On domain? (Choose the best answer.)

- A. vSphere Client port
- B. Lightweight Directory Access Protocol (LDAP) port
- C. Single Sign-On (SSO) port
- D. HTTPS port

Answer: A

NEW QUESTION 68

A vSphere environment is configured with 1 Gigabit Ethernet for vSphere vMotion. The application team is complaining that when they try to migrate a powered-on virtual machine, the progress is slow and unsuccessful the majority of the time.

Which two recommendations should the administrator make to improve vSphere vMotion performance? (Choose two.)

- A. Use at least two port groups.
- B. Use vSphere Storage I/O Control (SIOC).
- C. Use 10 Gigabit Ethernet or above.
- D. Use Link Aggregation Control Protocol (LACP) on the port group.
- E. Disable vSphere Fault Tolerance.

Answer: CD

Explanation:

https://docs.vmware.com/en/VMware-vSphere/6.5/com.vmware.vsphere.vm_admin.doc/GUID-254B2CE8-20A

NEW QUESTION 73

An administrator is utilizing Network I/O Control (NIOC) to allocate bandwidth utilization on a physical 10 Gbps adapter.

What is the maximum amount of bandwidth that can be reserved? (Choose the best answer.)

- A. 2.5 Gbps
- B. 10 Gbps
- C. 5.0 Gbps
- D. 7.5 Gbps

Answer: D

NEW QUESTION 77

What are two minimum disk requirements for a vSAN hybrid disk group configuration? (Choose two.)

- A. At least one magnetic data disk
- B. At least one SATADOM device
- C. At least two magnetic data disks
- D. At least one flash device
- E. At least two flash devices

Answer: CD

NEW QUESTION 82

Which feature can an administrator configure to have a copy of critical virtual machines in another cluster? (Choose the best answer.)

- A. vSphere Storage vMotion
- B. vSphere Fault Tolerance
- C. vSphere Replication
- D. Instant Clone

Answer: D

NEW QUESTION 84

In a vSphere High Availability (vSphere HA) cluster, which condition can be detected by datastore heartbeating? (Choose the best answer.)

- A. Fault tolerance virtual machine (VM) failover
- B. Network isolation
- C. Virtual machine (VM) disk failure
- D. Datastore All Paths Down (APD) event

Answer: B

NEW QUESTION 87

What is the server virtualization product that combines the ESXi hypervisor and the vCenter Server? (Choose the best answer.)

- A. NSX
- B. vRealize Operations Manager
- C. vSphere
- D. vSAN

Answer: C

NEW QUESTION 90

.....

THANKS FOR TRYING THE DEMO OF OUR PRODUCT

Visit Our Site to Purchase the Full Set of Actual 2V0-21.20 Exam Questions With Answers.

We Also Provide Practice Exam Software That Simulates Real Exam Environment And Has Many Self-Assessment Features. Order the 2V0-21.20 Product From:

<https://www.2passeasy.com/dumps/2V0-21.20/>

Money Back Guarantee

2V0-21.20 Practice Exam Features:

- * 2V0-21.20 Questions and Answers Updated Frequently
- * 2V0-21.20 Practice Questions Verified by Expert Senior Certified Staff
- * 2V0-21.20 Most Realistic Questions that Guarantee you a Pass on Your FirstTry
- * 2V0-21.20 Practice Test Questions in Multiple Choice Formats and Updatesfor 1 Year