

LPI

Exam Questions 101-500

LPIC-1 Exam 101 - Part 1 of 2 - version 5.0



NEW QUESTION 1

- (Exam Topic 1)

Which command will display messages from the kernel that were output during the normal boot sequence? dmesg, /bin/dmesg

- A. Mastered
- B. Not Mastered

Answer: A

NEW QUESTION 2

- (Exam Topic 1)

During a system boot cycle, what is the program that is run after the BIOS completes its tasks?

- A. The bootloader
- B. The inetd program
- C. The init program
- D. The kernel

Answer: A

NEW QUESTION 3

- (Exam Topic 1)

Which of the following commands will write a message to the terminals of all logged in users?

- A. bcast
- B. mesg
- C. print
- D. wall
- E. yell

Answer: D

NEW QUESTION 4

- (Exam Topic 1)

Which of the following commands reboots the system when using SysV init? (Choose TWO correct answers.)

- A. shutdown -r now
- B. shutdown -r "rebooting"
- C. telinit 6
- D. telinit 0
- E. shutdown -k now "rebooting"

Answer: AC

NEW QUESTION 5

- (Exam Topic 1)

Which run levels should never be declared as the default run level when using SysV init? (Choose TWO correct answers.)

- A. 1
- B. 3
- C. 5
- D. 6

Answer: AE

NEW QUESTION 6

- (Exam Topic 2)

Which Debian package management tool asks the configuration questions for a specific already installed package just as if the package were being installed for the first time? (Specify ONLY the command without any path or parameters.)

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

dpkg-reconfigure

NEW QUESTION 7

- (Exam Topic 2)

To prevent users from being able to fill up the / partition, the _____ directory should be on a separate partition if possible because it is world writeable.

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

/tmp, tmp

NEW QUESTION 8

- (Exam Topic 2)

What is the difference between the --remove and the --purge action with the dpkg command?

- A. --remove removes the program, --purge also removes the config files
- B. --remove only removes the program, --purge only removes the config files
- C. --remove removes a package, --purge also removes all packages dependent on it
- D. --remove removes only the package file itself, --purge removes all files related to the package

Answer: A

NEW QUESTION 9

- (Exam Topic 2)

What can the Logical Volume Manager (LVM) be used for? (Choose THREE correct answers.)

- A. To create RAID 9 arrays.
- B. To dynamically change the size of logical volumes.
- C. To encrypt logical volumes.
- D. To create snapshots.
- E. To dynamically create or delete logical volumes.

Answer: BDE

NEW QUESTION 10

- (Exam Topic 2)

Which of the following commands updates the linker cache of shared libraries?

- A. mkcache
- B. soconfig
- C. mkldconfig
- D. lddconfig
- E. ldconfig

Answer: E

NEW QUESTION 10

- (Exam Topic 3)

The /etc/____ file lists currently mounted devices.

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

mtab

NEW QUESTION 11

- (Exam Topic 3)

Which of the following commands displays the contents of a gzip compressed tar archive?

- A. gzip archive.tar | tar xvf -
- B. tar ztf archive.tar
- C. gzip -d archive.tar | tar tvf -
- D. tar cf archive.tar

Answer: B

NEW QUESTION 13

- (Exam Topic 3)

In Bash, inserting 1>&2 after a command redirects

- A. standard error to standard input.
- B. standard input to standard error.
- C. standard output to standard error.
- D. standard error to standard output.
- E. standard output to standard input.

Answer: C

NEW QUESTION 16

- (Exam Topic 3)

In the vi editor, which of the following commands will copy the current line into the vi buffer?

- A. c
- B. cc
- C. 1c
- D. yy
- E. 1y

Answer: D

NEW QUESTION 18

- (Exam Topic 3)

Which of the following files, located in the user home directory, is used to store the Bash history?

- A. .bash_history
- B. .bash_histfile
- C. .history
- D. .bashrc_history
- E. .history_bash

Answer: A

NEW QUESTION 20

- (Exam Topic 3)

What command will generate a list of user names from /etc/passwd along with their login shell?

- A. column -s : 1,7 /etc/passwd
- B. chop -c 1,7 /etc/passwd
- C. colrm 1,7 /etc/passwd
- D. cut -d: -f1,7 /etc/passwd

Answer: D

NEW QUESTION 25

- (Exam Topic 3)

What is the effect of the egrep command when the -v option is used?

- A. It enables color to highlight matching parts.
- B. It only outputs non-matching lines.
- C. It shows the command's version information.
- D. It changes the output order showing the last matching line first.

Answer: B

NEW QUESTION 29

- (Exam Topic 3)

Which of the following commands prints a list of usernames (first column) and their primary group (fourth column) from the /etc/passwd file?

- A. fmt -f 1,4 /etc/passwd
- B. split -c 1,4 /etc/passwd
- C. cut -d : -f 1,4 /etc/passwd
- D. paste -f 1,4 /etc/passwd

Answer: C

NEW QUESTION 31

- (Exam Topic 3)

Which of the following commands replaces each occurrence of 'bob' in the file letter with 'Bob' and writes the result to the file newsletter?

- A. sed '/bob/Bob' letter > newsletter
- B. sed s/bob/Bob/ letter < newsletter
- C. sed's/bob/Bob' letter > newsletter
- D. sed 's/bob/Bob/g' letter > newsletter
- E. sed 's/bob, Bob/' letter > newsletter

Answer: D

NEW QUESTION 35

- (Exam Topic 3)

Which of the following commands prints all files and directories within the /tmp directory or its subdirectories which are also owned by the user root? (Choose TWO correct answers.)

- A. find /tmp -uid root -print
- B. find -path /tmp -uid root
- C. find /tmp -user root -print

- D. find /tmp -user root
- E. find -path /tmp -user root -print

Answer: CD

NEW QUESTION 38

- (Exam Topic 3)

Which of the following characters can be combined with a separator string in order to read from the current input source until the separator string, which is on a separate line and without any trailing spaces, is reached?

- A. <<
- B. <|
- C. !<
- D. &<

Answer: A

NEW QUESTION 41

- (Exam Topic 3)

When running the command

```
sed -e "s/a/b/" /tmp/file >/tmp/file
```

While /tmp/file contains data, why is /tmp/file empty afterwards?

- A. The file order is incorrec
- B. The destination file must be mentioned before the command to ensure redirection.
- C. The command sed did not match anything in that file therefore the output is empty.
- D. When the shell establishes the redirection it overwrites the target file before the redirected command starts and opens itfor reading.
- E. Redirection for shell commands do not work using the > characte
- F. It only works using the | character instead.

Answer: C

NEW QUESTION 44

- (Exam Topic 3)

Which of the following are valid stream redirection operators within Bash? (Choose THREE correct answers.)

- A. <
- B. <<<
- C. >
- D. >>>
- E. %>

Answer: ABC

NEW QUESTION 49

- (Exam Topic 3)

What is the output of the following command? echo "Hello World" | tr -d aieou

- A. Hello World
- B. eoo
- C. Hll Wrld
- D. eoo Hll Wrld

Answer: C

NEW QUESTION 50

- (Exam Topic 3)

Which of the following explanations are valid reasons to run a command in the background of your shell?

- A. The command does not need to execute immediately.
- B. The command has to run immediately but the user needs to log out.
- C. The system is being shut down and the command needs to restart execution immediately after the reboot.
- D. The command can run at a lower priority than normal commands run on the command line.

Answer: B

NEW QUESTION 52

- (Exam Topic 3)

Regarding the command: nice -5 /usr/bin/prog

Which of the following statements is correct?

- A. /usr/bin/prog is executed with a nice level of -5.
- B. /usr/bin/prog is executed with a nice level of 5.
- C. /usr/bin/prog is executed with a priority of -5.
- D. /usr/bin/prog is executed with a priority of 5.

Answer: B

NEW QUESTION 55

- (Exam Topic 3)

What does the + symbol mean in the following grep regular expression: `grep '^d[aei]\+d$' /usr/share/dict/words`

- A. Match the preceding character set ([aei]) one or more times.
- B. Match the preceding character set ([aei]) zero or more times.
- C. Match the preceding character set ([aei]) zero or one times.
- D. Match a literal + symbol.

Answer: A

NEW QUESTION 56

- (Exam Topic 4)

Which of the following commands instructs SysVinit to reload its configuration file?

- A. reinit
- B. initreload
- C. telinit 7
- D. telinit q
- E. init reinit

Answer: D

NEW QUESTION 59

- (Exam Topic 4)

After moving data to a new filesystem, how can the former path of the data be kept intact in order to avoid reconfiguration of existing applications? (Choose TWO correct answers.)

- A. By creating an ACL redirection from the old to the new path of the data.
- B. By creating a hard link from the old to the new path of the data.
- C. By creating a symbolic link from the old to the new path of the data.
- D. By running the command `touch` on the old path.
- E. By mounting the new filesystem on the original path of the data.

Answer: CE

NEW QUESTION 60

- (Exam Topic 4)

Which of the following statements describes a difference between GNU GRUB Legacy and GRUB 2?

- A. GRUB 2 no longer requires a configuration file.
- B. Partition numbers start at 0 in GRUB Legacy and 1 in GRUB 2.
- C. `grub-mkconfig` only works with GRUB Legacy if the `--version 1` option is used.
- D. The configuration files `menu.lst` (and `grub.conf`) have been replaced with `grub.config`.

Answer: B

NEW QUESTION 61

- (Exam Topic 4)

What do the permissions `-rwsr-xr-x` mean for a binary file when it is executed as a command?

- A. The command is `SetUID` and it will be executed with the effective rights of the owner.
- B. The command will be executed with the effective rights of the group instead of the owner.
- C. The execute flag is not set for the owner.
- D. Therefore the `SetUID` flag is ignored.
- E. The command will be executed with the effective rights of the owner and group.

Answer: C

NEW QUESTION 66

- (Exam Topic 4)

Which of the following statements is correct for a command line ending with a `&` character?

- A. The command's output is redirected to `/dev/null`.
- B. The result of the command defines if the next command will be run.
- C. The command is run in background of the current shell.
- D. The command is run as a direct child of the `init` process.

Answer: C

NEW QUESTION 70

- (Exam Topic 4)

Which of the following commands prints a list of available package updates when using RPM-based package management?

- A. `dpkg list`
- B. `yum list`

- C. dpkg check-update
- D. yum check-update
- E. yum list-update

Answer: D

NEW QUESTION 74

- (Exam Topic 4)

Which of the following Linux filesystems preallocates a fixed number of inodes at the filesystem's make/creation time and does NOT generate them as needed? (Choose TWO correct answers.)

- A. ext3
- B. JFS
- C. ext2
- D. XFS
- E. procfs

Answer: AC

NEW QUESTION 75

- (Exam Topic 4)

Which of the following options must be passed to a filesystem's entry in /etc/fstab in order to mount the file system without root privileges?

- A. auto
- B. norestrict
- C. noauto
- D. user

Answer: D

NEW QUESTION 76

- (Exam Topic 4)

Which command reads and displays the current contents of the Kernel Ring Buffer on the command line? (Specify ONLY the command without any path or parameters.)

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

dmesg

NEW QUESTION 80

- (Exam Topic 4)

Which of the following commands will change the quota for a specific user?

- A. edquota
- B. repquota
- C. quota -e
- D. quota

Answer: A

NEW QUESTION 81

- (Exam Topic 4)

Where does the BIOS search for a bootloader?

- A. On all connected storage media regardless of the boot device order.
- B. On all connected storage media in the defined boot device order.
- C. Only on hard disk drives in the defined boot device order.
- D. Only on the last added storage media.
- E. The BIOS is not responsible to search for a valid bootloader.

Answer: B

NEW QUESTION 84

- (Exam Topic 4)

What is the process ID number of the init process on a SysV init based system?

- A. -1
- B. 1
- C. It is different with each reboot.
- D. It is set to the current run level.

Answer: C

NEW QUESTION 86

- (Exam Topic 4)

What is the purpose of the xargs command?

- A. It passes arguments to an X server.
- B. It reads standard input (STDIN) and builds up command lines to execute.
- C. It helps shellscripts take variable argument lists.
- D. It asks a question, graphically, and returns the answer to the shell.
- E. It allows users to specify long options for commands that normally only accept short options.

Answer: B

NEW QUESTION 90

- (Exam Topic 4)

Which of the following partition types is used for Linux swap spaces when partitioning hard disk drives?

- A. 82
- B. 83
- C. 8e
- D. fd
- E. 7

Answer: B

NEW QUESTION 93

- (Exam Topic 4)

Which of the following shell commands makes the already defined variable TEST visible to new child processes? (Choose two.)

- A. visible TEST
- B. declare +x TEST
- C. declare -x TEST
- D. export TEST
- E. export -v TEST

Answer: D

NEW QUESTION 95

- (Exam Topic 4)

What does the command grub-install /dev/sda do?

- A. GRUB creates partitions on the device/dev/sda to be used with Linux.
- B. GRUB sets the default BIOS boot device to/dev/sda.
- C. GRUB installs all required files and configures the boot loader on device/dev/sda.
- D. GRUB recompiles the Linux Kernel and installs it on the Master Boot Record of device/dev/sda.

Answer: C

NEW QUESTION 100

- (Exam Topic 4)

Which of the following pieces of information of an existing file is changed when a hard link pointing to that file is created?

- A. File size
- B. Modify timestamp
- C. Link count
- D. Inode number
- E. Permissions

Answer: C

NEW QUESTION 101

- (Exam Topic 4)

In compliance with the FHS, in which of the following directories are documentation files found?

- A. /usr/share/documentation
- B. /usr/local/share/documentation
- C. /var/share/doc
- D. /usr/share/doc
- E. /etc/share/doc

Answer: C

NEW QUESTION 102

- (Exam Topic 4)

Which of the following commands can be used to create a new file that is 100kB in size?

- A. dd

- B. file
- C. mkfile
- D. touch

Answer: A

NEW QUESTION 105

- (Exam Topic 4)

How is a symbolic link called bar.conf pointing to foo.conf created?

- A. ln -s foo.conf bar.conf
- B. ln foo.conf bar.conf
- C. ln -s bar.conf foo.conf
- D. ln bar.conf foo.conf

Answer: A

NEW QUESTION 107

- (Exam Topic 4)

Which of the following commands shows the definition of a given shell command?

- A. where
- B. stat
- C. type
- D. case

Answer: C

NEW QUESTION 111

- (Exam Topic 4)

What command changes the nice level of a running process? (Specify ONLY the command without any path or parameters)

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

renice

NEW QUESTION 115

- (Exam Topic 4)

Which command will uninstall a package but leave its configuration files in case the package is re-installed?

- A. dpkg -s pkgname
- B. dpkg -L pkgname
- C. dpkg -P pkgname
- D. dpkg -r pkgname

Answer: D

NEW QUESTION 119

- (Exam Topic 4)

Which of the following commands are common Linux commands for file management? (Choose three correct answers.)

- A. copy
- B. mv
- C. move
- D. cp
- E. mkdir

Answer: BDE

NEW QUESTION 124

- (Exam Topic 4)

Which of the following commands creates an ext3 filesystem on /dev/sdb1? (Choose TWO correct answers.)

- A. /sbin/mke2fs -j /dev/sdb1
- B. /sbin/mkfs -t ext3 /dev/sdb1
- C. /sbin/mkfs -c ext3 /dev/sdb1
- D. /sbin/mke3fs -j /dev/sdb1

Answer: AB

NEW QUESTION 125

- (Exam Topic 5)

Consider the following directory:

drwxrwxr-x 2 root sales 4096 Jan 1 15:21 sales

Which command ensures new files created within the directory sales are owned by the group sales? (Choose two.)

- A. chmod g+s sales
- B. setpol -R newgroup=sales sales
- C. chgrp -p sales sales
- D. chown --persistent *.sales sales
- E. chmod 2775 sales

Answer: CE

NEW QUESTION 126

- (Exam Topic 5)

Which command must be entered before exiting vi to save the current file as filea.txt?

- A. %s filea.txt
- B. %w filea.txt
- C. :save filea.txt
- D. :w filea.txt
- E. :s filea.txt

Answer: D

NEW QUESTION 128

- (Exam Topic 5)

Which of the following directories on a 64 bit Linux system typically contain shared libraries? (Choose two.)

- A. ~/.lib64/
- B. /usr/lib64/
- C. /var/lib64/
- D. /lib64/
- E. /opt/lib64/

Answer: AD

NEW QUESTION 129

- (Exam Topic 5)

A faulty kernel module is causing issues with a network interface card. Which of the following actions ensures that this module is not loaded automatically when the system boots?

- A. Using lsmod --remove --autoclean without specifying the name of a specific module
- B. Using modinfo -k followed by the name of the offending module
- C. Using modprobe -r followed by the name of the offending module
- D. Adding a blacklist line including the name of the offending module to the file/etc/modprobe.d/blacklist.conf
- E. Deleting the kernel module's directory from the file system and recompiling the kernel, including its modules

Answer: D

NEW QUESTION 131

- (Exam Topic 5)

Which of the following commands lists the dependencies of the RPM package file foo.rpm?

- A. rpm -qpR foo.rpm
- B. rpm -dep foo
- C. rpm -ld foo.rpm
- D. rpm -R foo.rpm
- E. rpm -pD foo

Answer: A

NEW QUESTION 132

- (Exam Topic 5)

Which command displays the current disk space usage for all mounted file systems? (Specify ONLY the command without any path or parameters.)

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

du

NEW QUESTION 135

- (Exam Topic 5)

Which of the following regular expressions represents a single upper-case letter?

- A. :UPPER:
- B. [A-Z]
- C. !a-z
- D. %C
- E. {AZ}

Answer: B

NEW QUESTION 140

- (Exam Topic 5)

What is the first program the Linux kernel starts at boot time when using System V init?

- A. /lib/init.so
- B. /proc/sys/kernel/init
- C. /etc/rc.d/rcinit
- D. /sbin/init
- E. /boot/init

Answer: D

NEW QUESTION 145

- (Exam Topic 5)

Which command uninstalls a package but keeps its configuration files in case the package is re-installed?

- A. dpkg -s pkgname
- B. dpkg -L pkgname
- C. dpkg -P pkgname
- D. dpkg -v pkgname
- E. dpkg -r pkgname

Answer: E

NEW QUESTION 150

- (Exam Topic 5)

What is true regarding the command

ls > files

if files does not exist?

- A. The output of ls is printed to the terminal
- B. files is created and contains the output of ls
- C. An error message is shown and ls is not executed
- D. The command files is executed and receives the output of ls
- E. Any output of ls is discarded

Answer: B

NEW QUESTION 153

- (Exam Topic 5)

Which of the following commands displays the output of the foo command on the screen and also writes it to a file called /tmp/foodata?

- A. foo | less /tmp/foodata
- B. foo | cp /tmp/foodata
- C. foo > /tmp/foodata
- D. foo | tee /tmp/foodata
- E. foo > stdout >> /tmp/foodata

Answer: D

NEW QUESTION 154

When in Normal mode invi, which character can be used to begin a reverse search of the text?

- A. A.?B./C.FD.r

Answer: A

NEW QUESTION 155

.....

Thank You for Trying Our Product

We offer two products:

1st - We have Practice Tests Software with Actual Exam Questions

2nd - Questions and Answers in PDF Format

101-500 Practice Exam Features:

- * 101-500 Questions and Answers Updated Frequently
- * 101-500 Practice Questions Verified by Expert Senior Certified Staff
- * 101-500 Most Realistic Questions that Guarantee you a Pass on Your First Try
- * 101-500 Practice Test Questions in Multiple Choice Formats and Updates for 1 Year

100% Actual & Verified — Instant Download, Please Click
[Order The 101-500 Practice Test Here](#)