

Exam Questions OGEA-102

TOGAF Enterprise Architecture Part 2 Exam (English)

<https://www.2passeasy.com/dumps/OGEA-102/>



NEW QUESTION 1

Please read this scenario prior to answering the question

You have been appointed as senior architect working for an autonomous driving technology development company. The mission of the company is to build an industry leading unified technology and software platform to support connected cars and autonomous driving.

The company uses the TOGAF Standard as the basis for its Enterprise Architecture (EA) framework. Architecture development within the company follows the purpose-based EA Capability model as described in the TOGAF Series Guide: A Practitioners' Approach to Developing Enterprise Architecture Following the TOGAF® ADM.

An architecture to support strategy has been completed defining a long-range Target Architecture with a roadmap spanning five years. This has identified the need for a portfolio of projects over the next two years. The portfolio includes development of travel assistance systems using swarm data from vehicles on the road.

The current phase of architecture development is focused on the Business Architecture which needs to support the core travel assistance services that the company plans to provide. The core services will manage and process the swarm data generated by vehicles, paving the way for autonomous driving in the future.

The presentation and access to different variations of data that the company plans to offer through its platform poses an architecture challenge. The application portfolio needs to interact securely with various third-party cloud services, and V2X (Vehicle-to-Everything) service providers in many countries to be able to manage the data at scale. The security of V2X is a key concern for the stakeholders. Regulators have stated that the user's privacy be always protected, for example, so that the drivers' journey cannot be tracked or reconstructed by compiling data sent or received by the car.

Refer to the scenario

You have been asked to describe the risk and security considerations you would include in the current phase of the architecture development?

Based on the TOGAF standard which of the following is the best answer?

- A. You will focus on the relationship with the third parties required for the travel assistance systems and define a trust framework
- B. This will describe the relationship with each part
- C. Digital certificates are a key part of the framework and will be used to create trust between parties
- D. You will monitor legal and regulatory changes across all the countries to keep the trust framework in compliance.
- E. You will perform a qualitative risk assessment for the data assets exchanged with partner
- F. This will deliver a set of priorities, high to medium to low, based on identified threats, the likelihood of occurrence, and the impact if it did occur
- G. Using the priorities, you would then develop a Business Risk Model which will detail the risk strategy including classifications to determine what mitigation is enough.
- H. You will focus on data quality as it is a key factor in risk management
- I. You will identify the datasets that need to be safeguarded
- J. For each dataset, you will assign ownership and responsibility for the quality of data needed
- K. A security classification will be defined and applied to each dataset
- L. The dataset owner will then be able to authorize processes that are trusted for a certain activity on the dataset under certain circumstances.
- M. You will create a security domain model so that assets with the same level can be managed under one security policy
- N. Since data is being shared across partners, you will establish a security federation to include the
- O. This would include contractual arrangements, and a definition of the responsibility areas for the data exchanged, as well as security implications
- P. You would undertake a risk assessment determining risks relevant to specific data assets.

Answer: D

Explanation:

A security domain model is a technique that can be used to define the security requirements and policies for the architecture. A security domain is a grouping of assets that share a common level of security and trust. A security policy is a set of rules and procedures that govern the access and protection of the assets within a security domain. A security domain model can help to identify the security domains, the assets within each domain, the security policies for each domain, and the relationships and dependencies between the domains¹

Since the data is being shared across partners, a security federation is needed to establish a trust relationship and a common security framework among the different parties. A security federation is a collection of security domains that have agreed to interoperate under a set of shared security policies and standards. A security federation can enable secure data exchange and collaboration across organizational boundaries, while preserving the autonomy and privacy of each party. A security federation requires contractual arrangements, and a definition of the responsibility areas for the data exchanged, as well as security implications²

A risk assessment is a process that identifies, analyzes, and evaluates the risks that may affect the architecture. A risk assessment can help to determine the likelihood and impact of the threats and vulnerabilities that may compromise the security and privacy of the data assets. A risk assessment can also help to prioritize and mitigate the risks, and to monitor and review the risk situation³

Therefore, the best answer is D, because it describes the risk and security considerations that would be included in the current phase of the architecture development, which is focused on the Business Architecture. The answer covers the security domain model, the security federation, and the risk assessment techniques that are relevant to the scenario.

References: 1: The TOGAF Standard, Version 9.2, Part III: ADM Guidelines and Techniques, Chapter 35: Security Architecture and the ADM 2: The TOGAF Standard, Version 9.2, Part IV: Architecture Content Framework, Chapter 38: Security Architecture 3: The TOGAF Standard, Version 9.2, Part III: ADM Guidelines and Techniques, Chapter 32: Risk Management

NEW QUESTION 2

Please read this scenario prior to answering the question

Your role is that of a senior architect, reporting to the Chief Enterprise Architect, at a medium-sized company with 400 employees. The nature of the business is such that the data and the information stored on the company systems is their major asset and is highly confidential.

The company employees travel extensively for work and must communicate over public infrastructure using message encryption, VPNs, and other standard safeguards. The company has invested in cybersecurity awareness training for all its staff. However, it is recognized that even with good education as well as system security, there is a dependency on third-party suppliers of infrastructure and software.

The company uses the TOGAF standard as the method and guiding framework for its Enterprise Architecture (EA) practice. The CTO is the sponsor of the activity. The Chief Security Officer (CSO) has noted an increase in ransomware (malicious software used in ransom demands) attacks on companies with a similar profile.

The CSO recognizes that no matter how much is spent on education, and support, it is likely just a matter of time before the company suffers a significant attack that could completely lock them out of their information assets.

A risk assessment has been done and the company has sought cyber insurance that includes ransomware coverage. The quotation for this insurance is hugely expensive. The CTO has recently read a survey that stated that one in four organizations paying ransoms were still unable to recover their data, while nearly as many were able to recover the data without paying a ransom. The CTO has concluded that taking out cyber insurance in case they need to pay a ransom is not an option.

Refer to the scenario

You have been asked to describe the steps you would take to improve the resilience of the current architecture?

Based on the TOGAF standard which of the following is the best answer?

- A. You would determine business continuity requirements, and undertake a gap analysis of the current Enterprise Architecture
- B. You would make recommendations for change requirements to address the situation and create a change request
- C. You would manage a meeting of the Architecture Board to assess and approve the change request

- D. Once approved you would produce a new Request for Architecture Work to activate an ADM cycle to carry out a project to define the change.
- E. You would monitor for technology changes from your existing suppliers that could improve resilience. You would prepare and run a disaster recovery planning exercise for a ransomware attack and analyze the performance of the current Enterprise Architectur
- F. Using the findings, you would prepare a gap analysis of the current Enterprise Architectur
- G. You would prepare change requests to address identified gap
- H. You would add the changes implemented to the Architecture Repository.
- I. You would ensure that the company has in place up-to-date processes for managing change to the current Enterprise Architectur
- J. Based on the scope of the concerns raised you recommend that this be managed at the infrastructure leve
- K. Changes should be made to the baseline description of the Technology Architectur
- L. The changes should be approved by the Architecture Board and implemented by change management techniques.
- M. You would request an Architecture Compliance Review with the scope to examine the company's resilience to ransomware attack
- N. You would identify the departments involved and have them nominate representative
- O. You would then tailor checklists to address the requirement for increased resilienc
- P. You would circulate to the nominated representatives for them to complet
- Q. You would then review the completed checklists, identifying and resolving issue
- R. You would then determine and present your recommendations.

Answer: A

Explanation:

Business continuity is the ability of an organization to maintain essential functions during and after a disaster or disruption. Business continuity requirements are the specifications and criteria that define the acceptable level of performance and availability of the business processes and services in the event of a disaster or disruption. A gap analysis is a technique that compares the current state of the architecture with the desired state, and identifies the gaps or differences that need to be addressed. A change request is a formal proposal for an amendment to some product or system, such as the architecture. A Request for Architecture Work is a document that describes the scope, approach, and expected outcomes of an architecture project¹²³

The best answer is A, because it describes the steps that would improve the resilience of the current architecture, which is the ability to withstand and recover from a ransomware attack or any other disruption. The steps are:

- Determine the business continuity requirements, which specify the minimum acceptable level of performance and availability of the business processes and services in case of a ransomware attack. This would involve identifying the critical business functions, the recovery time objectives, the recovery point objectives, and the dependencies and resources needed for recovery.
- Undertake a gap analysis of the current Enterprise Architecture, which compares the current state of the architecture with the desired state based on the business continuity requirements. This would involve assessing the strengths and weaknesses of the current architecture, the risks and opportunities for improvement, and the gaps or differences that need to be addressed.
- Make recommendations for change requirements to address the situation and create a change request.

This would involve proposing solutions and alternatives to close the gaps, enhance the resilience, and mitigate the risks of the current architecture. The change request would document the rationale, scope, impact, and benefits of the proposed changes, and seek approval from the relevant stakeholders.

- Manage a meeting of the Architecture Board to assess and approve the change request. The Architecture Board is a governance body that oversees the architecture work and ensures compliance with the architecture principles, standards, and goals. The meeting would involve presenting the change request, discussing the pros and cons, resolving any issues or conflicts, and obtaining the approval or rejection of the change request.
- Once approved, produce a new Request for Architecture Work to activate an ADM cycle to carry out a

project to define the change. The Request for Architecture Work would describe the scope, approach, and expected outcomes of the architecture project that would implement the approved change request. The Request for Architecture Work would initiate a new cycle of the Architecture Development Method (ADM), which is the core process of the TOGAF standard that guides the development and management of the enterprise architecture.

References: 1: The TOGAF Standard, Version 9.2, Part III: ADM Guidelines and Techniques, Chapter 33: Business Scenarios 2: The TOGAF Standard, Version 9.2, Part III: ADM Guidelines and Techniques, Chapter 30: Gap Analysis 3: The TOGAF Standard, Version 9.2, Part III: ADM Guidelines and Techniques, Chapter 31: Architecture Change Management : The TOGAF Standard, Version 9.2, Part II: Architecture Development Method (ADM), Chapter 7: Request for Architecture Work : The TOGAF Standard, Version 9.2, Part III:

ADM Guidelines and Techniques, Chapter 34: Business Transformation Readiness Assessment : The TOGAF Standard, Version 9.2, Part III: ADM Guidelines and Techniques, Chapter 30: Gap Analysis : The TOGAF Standard, Version 9.2, Part III: ADM Guidelines and Techniques, Chapter 31: Architecture Change Management : The TOGAF Standard, Version 9.2, Part VI: Architecture Capability Framework, Chapter 50: Architecture Governance : The TOGAF Standard, Version 9.2, Part II: Architecture Development Method (ADM), Chapter 7: Request for Architecture Work

NEW QUESTION 3

Please read this scenario prior to answering the question

You have been appointed as Chief Enterprise Architect (CEA). reporting to the Chief Technical Officer (CTO), of a company established as a separate operating entity by a major automotive manufacturer. The mission of the company is to build a new industry leading unified technology and software platform for electric vehicles.

The company uses the TOGAF Standard as the basis for its Enterprise Architecture (EA) framework, and architecture development follows the purpose-based EA Capability model as described in the TOGAF Series Guide: A Practitioners' Approach to Developing Enterprise Architecture Following the TOGAF® ADM.

An end-to-end Target Architecture has been completed with a roadmap for change over a five-year period. The new platform will be a cross-functional effort between hardware and software teams, with significant changes over the old platform. It is expected to be developed in several stages over three years. The EA team has inherited the architecture for the previous generation hardware and software automotive platform, some of which can be carried over to the new unified platform. The EA team has started to define the new platform, including defining which parts of the architecture to carry forward.

Enough of the Business Architecture has been defined, so that work can commence on the Information Systems and Technology Architectures. Those need to be defined to support the core business services that the company plans to provide. The core services will feature an innovative approach with swarm data generated by vehicles, paving the way for autonomous driving in the future.

The presentation and access to different variations of data that the company plans to offer through its platform pose an architecture challenge. The application portfolio and supporting infrastructure need to interact with various existing cloud services and data

Refer to the scenario

You have been asked what approach should be taken to determine and organize the work to deliver the requested architectures?

Based on the TOGAF standard which of the following is the best answer?

- A. You would look outside the enterprise to research data models and application portfolios of leading big data businesse
- B. You would develop just enough applications, data, and technology architecture to identify option
- C. For each project this should include identification of candidate architecture and solution building block
- D. You will identify solution providers, perform a readiness assessment, and assess the viability and fitness of the solution option
- E. You will then document the draft Implementation and Migration plan.
- F. You would refer to the end-to-end Target Architecture for guidance and directio
- G. The first objective should be to identify projects, dependencies and synergies, then prioritize before initiating the project
- H. You will develop high-level architecture description

- I. For each project you would estimate effort size, identify reference architectures, and candidate building block
- J. You will identify the resource needs considering cost and value
- K. You will document options, risks, and controls to enable viability analysis and trade-off with the stakeholders.
- L. You will revisit ADM Phase
- M. identifying the stakeholders and creating a new Architecture Vision. You will update the Stakeholder map produced for the strategic architecture so it reflects the stakeholders who are now the most relevant to the projects that are to be developed
- N. You would then ask the CTO to make some decisions about the Architecture Roadmap, and update the Implementation and Migration Plan to reflect the decisions.
- O. You will research leading data businesses, developing high-level Target Data, Application and Technology Architecture
- P. You would review the Architecture Vision in order to estimate the level of detail, time, and breadth of the ADM cycle phases that will be needed to develop the architecture
- Q. You will identify and cost major work packages, and then develop an Architecture Roadmap
- R. You would then seek approval by the Architecture Board and initiate the project.

Answer: B

Explanation:

The Target Architecture is a description of the future state of the architecture that addresses the business goals and drivers, and satisfies the stakeholder requirements and concerns. The Target Architecture is developed through the Architecture Development Method (ADM), which is the core process of the TOGAF standard that guides the development and management of the enterprise architecture. The Target Architecture is typically divided into four domains: Business, Data, Application, and Technology. The Target Architecture also includes a roadmap for change, which defines the Transition Architectures, the Capability Increments, and the work packages that enable the transition from the Baseline Architecture to the Target Architecture¹²

The best answer is B, because it describes the approach that should be taken to determine and organize the work to deliver the requested architectures, which are the Information Systems and Technology Architectures. The answer covers the following steps:

- Refer to the end-to-end Target Architecture for guidance and direction. The end-to-end Target Architecture provides the overall vision, scope, and objectives of the architecture work, and the alignment with the business strategy and goals. The end-to-end Target Architecture also provides the high-level definitions and principles for the four architecture domains, and the roadmap for change that outlines the major milestones and deliverables.
- Identify projects, dependencies and synergies, then prioritize before initiating the projects. Projects are the units of work that implement the architecture work packages, which are the sets of actions or tasks that are required to implement a specific part of the architecture. Dependencies are the relationships and constraints that affect the order or priority of the projects, such as logical, temporal, or resource dependencies. Synergies are the benefits or advantages that result from the combination or coordination of the projects, such as cost savings, efficiency gains, or innovation opportunities. Prioritization is the process of ranking the projects according to their importance, urgency, or value, and assigning resources and schedules accordingly.
- Develop high-level architecture descriptions. High-level architecture descriptions are the outputs of the architecture development phases (B, C, and D) of the ADM cycle, which describe the Business, Data, Application, and Technology Architectures in terms of the Architecture Building Blocks (ABBs) and the Solution Building Blocks (SBBs), which are reusable components of business, IT, or architectural capability. High-level architecture descriptions also include the Architecture Views, which are representations of the system of interest from the perspective of one or more stakeholders and their concerns.
- For each project, estimate effort size, identify reference architectures, and candidate building blocks.

Effort size is the measure of the amount of work, time, or resources required to complete a project. Effort size can be estimated using various techniques, such as analogy, expert judgment, parametric, or bottom-up. Reference architectures are standardized architectures that provide a common framework and vocabulary for a specific domain or industry. Reference architectures can be used as a source of best practices, patterns, and models for the architecture development.

Candidate building blocks are the potential ABBs or SBBs that can be used to implement the architecture. Candidate building blocks can be identified from the Architecture Repository, which is a collection of architecture assets, such as models, patterns, principles, standards, and guidelines.

- Identify the resource needs considering cost and value. Resource needs are the specifications and criteria that define the acceptable level and quality of the resources required to complete the project, such as human, financial, physical, or technological resources. Resource needs can be identified by analyzing the scope, complexity, and dependencies of the project, and the availability, capability, and suitability of the resources. Cost and value are the factors that influence the allocation and utilization of the resources, such as the budget, the return on investment, the benefits, or the risks.
- Document options, risks, and controls to enable viability analysis and trade-off with the stakeholders.

Options are the alternative ways of achieving the project objectives, such as different solutions, technologies, vendors, or approaches. Risks are the effects of uncertainty on the project objectives, such as threats or opportunities. Controls are the measures or actions that are taken to prevent, reduce, or mitigate the risks, such as policies, procedures, or standards. Viability analysis is the process of evaluating and comparing the options, risks, and controls, and determining the feasibility, suitability, and desirability of each option. Trade-off is the decision outcome that balances and reconciles the multiple, often conflicting, requirements and concerns of the stakeholders, and ensures alignment with the Architecture Vision and the Architecture Principles.

References: 1: The TOGAF Standard, Version 9.2, Part II: Architecture Development Method (ADM), Chapter 5: Introduction to the ADM 2: The TOGAF Standard, Version 9.2, Part IV: Architecture Content Framework, Chapter 36: Building Blocks : The TOGAF Standard, Version 9.2, Part II: Architecture Development Method (ADM), Chapter 18: Phase A: Architecture Vision : The TOGAF Standard, Version 9.2, Part II: Architecture Development Method (ADM), Chapter 19: Phase B: Business Architecture : The TOGAF Standard, Version 9.2, Part II: Architecture Development Method (ADM), Chapter 20: Phase C: Information Systems Architectures : The TOGAF Standard, Version 9.2, Part II: Architecture Development Method (ADM), Chapter 21: Phase F: Migration Planning : The TOGAF Standard, Version 9.2, Part III: ADM Guidelines and Techniques, Chapter 23: Architecture Principles : The TOGAF Standard, Version 9.2, Part III: ADM Guidelines and Techniques, Chapter 30: Trade-Off Analysis : The TOGAF Standard, Version 9.2, Part VI: Architecture Capability Framework, Chapter 46: Tools for Architecture Development : The TOGAF Standard, Version 9.2, Part VI: Architecture Capability Framework, Chapter 47: Architecture Board : The TOGAF Standard, Version 9.2, Part VI: Architecture Capability Framework, Chapter 48: Architecture Compliance : The TOGAF Standard, Version 9.2, Part VI: Architecture Capability Framework, Chapter 49: Architecture Contract : The TOGAF Standard, Version 9.2, Part VI: Architecture Capability Framework, Chapter 50: Architecture Governance : The TOGAF Standard, Version 9.2, Part VI: Architecture Capability Framework, Chapter 51: Architecture Maturity Models : The TOGAF Standard, Version 9.2, Part VI: Architecture Capability Framework, Chapter 52: Architecture Skills Framework

NEW QUESTION 4

Please read this scenario prior to answering the question

Your role is consultant to the Lead Architect within a multinational company that manufactures electronic components. The company has several manufacturing divisions located worldwide and a complex supply chain. After a recent study, senior management have stated a concern about business efficiency considering the company's multiple data centers and duplication of applications.

The company has a mature Enterprise Architecture (EA) practice and uses the TOGAF architecture development method in its EA practice. In addition to the EA program, the company has several management frameworks in use, including business planning, project/portfolio management, and operations management. The EA program is sponsored by the CIO.

A strategic architecture has been defined to improve the ability to meet customer demand and improve management of the supply chain. The strategic architecture includes the consolidation of multiple Enterprise Resource Planning (ERP) applications that have been operating independently in the divisions' production facilities.

Each division has completed the Architecture Definition documentation to meet its own specific manufacturing requirements. The enterprise architects have defined a set of work packages that address the gaps identified. They have identified the value produced, effort required, and dependencies between work packages to reach a target architecture that would integrate a new ERP environment into the company.

Because of the risks posed by change from the current environment, the architects have recommended that a phased approach occurs to implement the target architecture with several transition states. The overall implementation process is estimated to take several years.

Refer to the scenario

You have been asked what the next steps are for the migration planning. Based on the TOGAF standard which of the following is the best answer?

- A. You conduct a series of Compliance Assessments to ensure that the architecture is being implemented according to the contract
- B. The Compliance Assessment should verify that the implementation team is using the proper development methodology
- C. It should include deployment of monitoring tools and ensure that performance targets are being met
- D. If they are not met, then you would identify changes to performance requirements and update those in the Implementation and Migration Plan.
- E. You place the Architecture Definition Document under configuration control
- F. This will ensure that the architecture remains relevant and responsive to the needs of the enterprise
- G. You would identify the development resources to undertake the project
- H. You would then produce an Implementation Governance Model to manage the lessons learned prior to finalizing the plan
- I. You recommend that lessons learned be applied as changes to the architecture without review.
- J. You estimate the business value for each project by applying the Business Value Assessment Technique to prioritize the implementation projects and project increments
- K. The assessment should focus on return on investment and performance evaluation criteria that can be used to monitor the progress of the architecture transformation
- L. You would confirm and plan a series of Transition Architecture phases using an Architecture Definition Increments Table that lists the projects.
- M. You assess how the Implementation and Migration plan impacts the other frameworks in use in the organization
- N. Minimally, you ensure that the plan is coordinated with the business planning, project/portfolio management and operations management framework
- O. You would then assign a business value to each work package, considering available resources and strategic fit
- P. You then use the work packages to identify projects that will be in the Implementation and Migration Plan

Answer: C

Explanation:

The Business Value Assessment Technique is a technique that can be used to estimate and compare the business value of the projects and project increments that implement the architecture work packages, which are the sets of actions or tasks that are required to implement a specific part of the architecture. The business value is the measure of the benefits or advantages that the project or project increment delivers to the business, such as increased revenue, reduced costs, improved quality, or enhanced customer satisfaction¹

The steps for applying the Business Value Assessment Technique are:

➤ Identify the criteria and factors that are relevant to the business value assessment, such as costs, benefits, risks, and opportunities. The criteria and factors should be aligned with the business goals and drivers that motivate the architecture work, and the stakeholder requirements and concerns that influence the architecture work.

➤ Assign weights and scores to the criteria and factors, using various methods, such as expert judgment, historical data, or analytical models. The weights and scores should reflect the importance and performance of the criteria and factors, and the trade-offs and preferences of the stakeholders.

➤ Calculate the business value for each project or project increment, using various techniques, such as net present value, return on investment, or balanced scorecard. The business value should indicate the expected or actual outcomes and impacts of the project or project increment on the business.

➤ Prioritize the implementation projects and project increments, based on the business value and other considerations, such as dependencies, resources, or risks. The prioritization should determine the order or sequence of the projects and project increments, and the allocation and utilization of the resources.

Therefore, the best answer is C, because it describes the next steps for the migration planning, which are the activities that support the transition from the Baseline Architecture to the Target Architecture. The answer covers the Business Value Assessment Technique, which is relevant to the scenario.

References: 1: The TOGAF Standard, Version 9.2, Part III: ADM Guidelines and Techniques, Chapter 28: Business Value Assessment Technique : The TOGAF Standard, Version 9.2, Part II: Architecture Development Method (ADM), Chapter 18: Phase A: Architecture Vision : The TOGAF Standard, Version 9.2, Part II: Architecture Development Method (ADM), Chapter 21: Phase F: Migration Planning : The TOGAF Standard, Version 9.2, Part IV: Architecture Content Framework, Chapter 36: Building Blocks

NEW QUESTION 5

Please read this scenario prior to answering the question

You are serving as the Lead Architect for an Enterprise Architecture team within a leading multinational biotechnology company. The company works in three major industries, including healthcare, crop production, and agriculture. Your team works within the healthcare division.

The healthcare division is developing a new vaccine, and has to demonstrate its effectiveness and safety in a set of clinical trials that satisfy the regulatory requirements of the relevant health authorities. The clinical trials are undertaken by its research laboratories at multiple facilities worldwide. In addition to internal research and development activities, the healthcare division is also involved in publicly funded collaborative research projects with industrial and academic partners.

The Enterprise Architecture team has been engaged in an architecture project to develop a secure system that will allow the healthcare researchers to share information more easily about their clinical trials, and work more collaboratively across the organization and also with its partners. This system will also connect with external partners.

The Enterprise Architecture team uses the TOGAF ADM with extensions required to support healthcare manufacturing practices and laboratory practices. Due to the highly sensitive nature of the information that is managed, special care has been taken to ensure that each architecture domain considers the security and privacy issues that are relevant.

The Vice President for Worldwide Clinical Research is the sponsor of the Enterprise Architecture activity. She has stated that disruptions must be minimized for the clinical trials, and that the rollout must be undertaken incrementally.

Refer to the scenario

You have been asked to recommend the approach to identify the work packages for an incremental rollout meeting the requirements.

Based on the TOGAF standard which of the following is the best answer?

- A. You recommend that the Solution Building Blocks from a Consolidated Gaps, Solutions and Dependencies Matrix be grouped into a set of work package
- B. Using the matrix as a planning tool, regroup the work packages to account for dependencies
- C. Sequence the work packages into the Capability Increments needed to achieve the Target Architecture, so that the implementation team can schedule the rollout one region at a time to minimize disruption
- D. Document the work packages for the Enterprise Architecture using a Transition Architecture State Evolution Table.
- E. You recommend that a Consolidated Gap
- F. Solutions and Dependencies Matrix is used as a planning tool for creating work package
- G. For each gap classify whether the solution is either a new development, purchased solution, or based on an existing product
- H. Group the similar solutions together to define the work package
- I. Regroup the work packages into a set of Capability Increments to transition to the Target Architecture considering the schedule for clinical trials, and document in an Architecture Definition Increments Table.
- J. You recommend that an Implementation Factor Catalog is drawn up to indicate actions and constraints.A Consolidated Gap
- K. Solutions and Dependencies Matrix should also be created
- L. For each gap
- M. identify a proposed solution and classify it as new development, purchased solution, or based on an existing product

- N. Group similar activities together to form work package
- O. Identify dependencies between work packages factoring in the clinical trial schedule
- P. Regroup the work packages into a set of Capability Increments scheduled into a series of Transition Architectures.
- Q. You recommend that the set of required Solution Building Blocks be determined by identifying those which need to be developed and which need to be procure
- R. Eliminate any duplicate
- S. Group the remaining Solution Building Blocks together to create the work packages using a CRUD (create, read, update, delete) matri
- T. Rank the work packages and select the most cost-effective options for inclusion in a series of Transition Architecture
- . Schedule the roll out of the work packages to be sequential across the geographic regions.

Answer: B

Explanation:

A Consolidated Gaps, Solutions and Dependencies Matrix is a technique that can be used to create work packages for an incremental rollout of the architecture. A work package is a set of actions or tasks that are required to implement a specific part of the architecture. A work package can be associated with one or more Architecture Building Blocks (ABBs) or Solution Building Blocks (SBBs), which are reusable components of business, IT, or architectural capability. A work package can also be associated with one or more Capability Increments, which are defined, discrete portions of the overall capability that deliver business value. A Capability Increment can be realized by one or more Transition Architectures, which are intermediate states of the architecture that enable the transition from the Baseline Architecture to the Target Architecture¹²³

The steps for creating work packages using this technique are:

- For each gap between the Baseline Architecture and the Target Architecture, identify a proposed solution and classify it as new development, purchased solution, or based on an existing product. A gap is a difference or deficiency in the current state of the architecture that needs to be addressed by the future state of the architecture. A solution is a way of resolving a gap by implementing one or more ABBs or SBBs.
- Group similar solutions together to define the work packages. Similar solutions are those that have common characteristics, such as functionality, technology, vendor, or location.
- Identify dependencies between work packages, such as logical, temporal, or resource dependencies.

Dependencies indicate the order or priority of the work packages, and the constraints or risks that may affect their implementation.

- Regroup the work packages into a set of Capability Increments to transition to the Target Architecture.

Capability Increments should be defined based on the business value, effort, and risk associated with each work package, and the schedule and objectives of the clinical trials. Capability Increments should also be aligned with the Architecture Vision and the Architecture Principles.

- Document the work packages and the Capability Increments in an Architecture Definition Increments Table, which shows the mapping between the work packages, the ABBs, the SBBs, and the Capability Increments. The table also shows the dependencies, assumptions, and issues related to each work package and Capability Increment.

Therefore, the best answer is B, because it describes the approach to identify the work packages for an incremental rollout meeting the requirements, using the Consolidated Gaps, Solutions and Dependencies Matrix as a planning tool.

References: 1: The TOGAF Standard, Version 9.2, Part III: ADM Guidelines and Techniques, Chapter 30: Gap Analysis 2: The TOGAF Standard, Version 9.2, Part IV: Architecture Content Framework, Chapter 36: Building Blocks 3: The TOGAF Standard, Version 9.2, Part III: ADM Guidelines and Techniques, Chapter 31 Architecture Change Management : The TOGAF Standard, Version 9.2, Part II: Architecture Development Method (ADM), Chapter 23: Phase E: Opportunities and Solutions : The TOGAF Standard, Version 9.2, Part II: Architecture Development Method (ADM), Chapter 21: Phase F: Migration Planning : The TOGAF Standard, Version 9.2, Part II: Architecture Development Method (ADM), Chapter 18: Phase A: Architecture Vision : The TOGAF Standard, Version 9.2, Part III: ADM Guidelines and Techniques, Chapter 23: Architecture Principles

NEW QUESTION 6

Please read this scenario prior to answering the question

You are the Lead Enterprise Architect at a major agribusiness company. The company's main annual harvest is lentils, a highly valued food grown worldwide. The lentil parasite, broomrape, has been an increasing concern for many years and is now becoming resistant to chemical controls. In addition, changes in climate favor the propagation and growth of the parasite. As a result, the parasite cannot realistically be exterminated, and it has become pandemic, with lentil yields falling globally.

The CEO appreciates the seriousness of the situation and has set out a change in direction that is effectively a new business for the company. There are opportunities for new products, and new markets. The company will use the fields for another harvest and will cease to process third-party lentils. Thus, the target market will change, and the end-products will be different and more varied. This is a major decision and the CEO has stated a desire to repurpose rather than replace so as to manage the risks and limit the costs.

The company has a mature Enterprise Architecture practice based in its headquarters and uses the TOGAF standard as the method and guiding framework. The practice has an established Architecture Capability, and uses iteration for architecture development. The CIO is the sponsor of the activity.

The CIO has assigned the Enterprise Architecture team to this activity. At this stage there is no shared vision, or requirements.

Refer to the scenario

You have been asked to propose the best approach for architecture development to realize the CEO's change in direction for the company.

Based on the TOGAF standard which of the following is the best answer?

- A. You propose that the team focus on architecture definition, with emphasis on defining the change parameters to support this new business strategy that the CEO has identifie
- B. Once understood, the team will be in the best position to identify the requirements, drivers, issues, and constraints for the chang
- C. You would ensure that the architecture development addresses non-functional requirements to assure that the target architecture is robust and secure.
- D. You propose that this engagement define the baseline Technology Architecture first in order to assess the current infrastructure capacity and capability for the compan
- E. Then the focus should be on transition planning and incremental architecture deploymen
- F. This will identify requirements to ensure that the projects are sequenced in an optimal fashion so as to realize the change.
- G. You propose that the priority is to understand and bring structure to the definition of the chang
- H. The team should focus iteration cycles on a baseline first approach to architecture development, and then transition plannin
- I. This will identify what needs to change in order to transition from the baseline to the target, and can be used to work out in detail what the shared vision is for the change.
- J. You propose that the team focus its iteration cycles on architecture development by going through the architecture definition phases (B-D) with a baseline first approac
- K. This will support the change in direction as stated by the CE
- L. It will ensure that the change can be defined in a structured manner and address the requirements needed to realize the change.

Answer: C

Explanation:

Explanation

Based on the TOGAF standard, this answer is the best approach for architecture development to realize the CEO's change in direction for the company. The reason is as follows:

- The scenario describes a major business transformation that requires a clear understanding of the current and future states of the enterprise, as well as the gaps and opportunities for change. Therefore, the priority is to understand and bring structure to the definition of the change, rather than focusing on the implementation details or the technology aspects.
- The team should use the TOGAF ADM as the method and guiding framework for architecture development, and adapt it to suit the specific needs and context of the enterprise. The team should also leverage the existing Architecture Capability and the Architecture Repository to reuse and integrate relevant architecture assets and resources.
- The team should focus iteration cycles on a baseline first approach to architecture development, which means starting with the definition of the Baseline Architecture in each domain (Business, Data, Application, and Technology), and then defining the Target Architecture in each domain. This will help to identify the current and desired states of the enterprise, and to perform a gap analysis to determine what needs to change in order to achieve the business goals and objectives.
- The team should then focus on transition planning, which involves identifying and prioritizing the work packages, projects, and activities that will deliver the change. The team should also create an Architecture Roadmap and an Implementation and Migration Plan that will guide the execution and governance of the change.
- The team should use the Architecture Vision phase and the Requirements Management phase to work out in detail what the shared vision is for the change, and to capture and validate the stakeholder requirements and expectations. The team should also use the Architecture Governance framework to ensure the quality, consistency, and compliance of the architecture work.

References: : The TOGAF Standard, Version 9.2 - Architecture Development Method : The TOGAF Stand Version 9.2 - Architecture Vision : The TOGAF Standard, Version 9.2 - Requirements Management : [The TOGAF Standard, Version 9.2 - Architecture Governance]

NEW QUESTION 10

.....

THANKS FOR TRYING THE DEMO OF OUR PRODUCT

Visit Our Site to Purchase the Full Set of Actual OGEA-102 Exam Questions With Answers.

We Also Provide Practice Exam Software That Simulates Real Exam Environment And Has Many Self-Assessment Features. Order the OGEA-102 Product From:

<https://www.2passeasy.com/dumps/OGEA-102/>

Money Back Guarantee

OGEA-102 Practice Exam Features:

- * OGEA-102 Questions and Answers Updated Frequently
- * OGEA-102 Practice Questions Verified by Expert Senior Certified Staff
- * OGEA-102 Most Realistic Questions that Guarantee you a Pass on Your FirstTry
- * OGEA-102 Practice Test Questions in Multiple Choice Formats and Updatesfor 1 Year