

## AWS-Certified-Data-Engineer-Associate Dumps

### AWS Certified Data Engineer - Associate (DEA-C01)

<https://www.certleader.com/AWS-Certified-Data-Engineer-Associate-dumps.html>



**NEW QUESTION 1**

A company uses Amazon Athena for one-time queries against data that is in Amazon S3. The company has several use cases. The company must implement permission controls to separate query processes and access to query history among users, teams, and applications that are in the same AWS account. Which solution will meet these requirements?

- A. Create an S3 bucket for each use cas
- B. Create an S3 bucket policy that grants permissions to appropriate individual IAM user
- C. Apply the S3 bucket policy to the S3 bucket.
- D. Create an Athena workgroup for each use cas
- E. Apply tags to the workgrou
- F. Create an IAM policy that uses the tags to apply appropriate permissions to the workgroup.
- G. Create an IAM role for each use cas
- H. Assign appropriate permissions to the role for each use cas
- I. Associate the role with Athena.
- J. Create an AWS Glue Data Catalog resource policy that grants permissions to appropriate individual IAM users for each use cas
- K. Apply the resource policy to the specific tables that Athena uses.

**Answer:** B

**Explanation:**

Athena workgroups are a way to isolate query execution and query history among users, teams, and applications that share the same AWS account. By creating a workgroup for each use case, the company can control the access and actions on the workgroup resource using resource-level IAM permissions or identity-based IAM policies. The company can also use tags to organize and identify the workgroups, and use them as conditions in the IAM policies to grant or deny permissions to the workgroup. This solution meets the requirements of separating query processes and access to query history among users, teams, and applications that are in the same AWS account. References:

? Athena Workgroups

? IAM policies for accessing workgroups

? Workgroup example policies

**NEW QUESTION 2**

A media company uses software as a service (SaaS) applications to gather data by using third-party tools. The company needs to store the data in an Amazon S3 bucket. The company will use Amazon Redshift to perform analytics based on the data. Which AWS service or feature will meet these requirements with the LEAST operational overhead?

- A. Amazon Managed Streaming for Apache Kafka (Amazon MSK)
- B. Amazon AppFlow
- C. AWS Glue Data Catalog
- D. Amazon Kinesis

**Answer:** B

**Explanation:**

Amazon AppFlow is a fully managed integration service that enables you to securely transfer data between SaaS applications and AWS services like Amazon S3 and AmazonRedshift. Amazon AppFlow supports many SaaS applications as data sources and targets, and allows you to configure data flows with a few clicks. Amazon AppFlow also provides features such as data transformation, filtering, validation, and encryption to prepare and protect your data. Amazon AppFlow meets the requirements of the media company with the least operational overhead, as it eliminates the need to write code, manage infrastructure, or monitor data pipelines. References:

? Amazon AppFlow

? Amazon AppFlow | SaaS Integrations List

? Get started with data integration from Amazon S3 to Amazon Redshift using AWS Glue interactive sessions

**NEW QUESTION 3**

A company stores datasets in JSON format and .csv format in an Amazon S3 bucket. The company has Amazon RDS for Microsoft SQL Server databases, Amazon DynamoDB tables that are in provisionedcapacity mode, and an Amazon Redshift cluster. A data engineering team must develop a solution that will give data scientists the ability to query all data sources by using syntax similar to SQL. Which solution will meet these requirements with the LEAST operational overhead?

- A. Use AWS Glue to crawl the data source
- B. Store metadata in the AWS Glue Data Catalog
- C. Use Amazon Athena to query the data
- D. Use SQL for structured data source
- E. Use PartiQL for data that is stored in JSON format.
- F. Use AWS Glue to crawl the data source
- G. Store metadata in the AWS Glue Data Catalog
- H. Use Redshift Spectrum to query the data
- I. Use SQL for structured data source
- J. Use PartiQL for data that is stored in JSON format.
- K. Use AWS Glue to crawl the data source
- L. Store metadata in the AWS Glue Data Catalog
- M. Use AWS Glue jobs to transform data that is in JSON format to Apache Parquet or .csv format
- N. Store the transformed data in an S3 bucket
- O. Use Amazon Athena to query the original and transformed data from the S3 bucket.
- P. Use AWS Lake Formation to create a data lake
- Q. Use Lake Formation jobs to transform the data from all data sources to Apache Parquet format
- R. Store the transformed data in an S3 bucket
- S. Use Amazon Athena or Redshift Spectrum to query the data.

**Answer:** A

**Explanation:**

The best solution to meet the requirements of giving data scientists the ability to query all data sources by using syntax similar to SQL with the least operational overhead is to use AWS Glue to crawl the data sources, store metadata in the AWS Glue Data Catalog, use Amazon Athena to query the data, use SQL for structured data sources, and use PartiQL for data that is stored in JSON format.

AWS Glue is a serverless data integration service that makes it easy to prepare, clean, enrich, and move data between data stores<sup>1</sup>. AWS Glue crawlers are processes that connect to a data store, progress through a prioritized list of classifiers to determine the schema for your data, and then create metadata tables in the Data Catalog<sup>2</sup>. The Data Catalog is a persistent metadata store that contains table definitions, job definitions, and other control information to help you manage your AWS Glue components<sup>3</sup>. You can use AWS Glue to crawl the data sources, such as Amazon S3, Amazon RDS for Microsoft SQL Server, and Amazon DynamoDB, and store the metadata in the Data Catalog.

Amazon Athena is a serverless, interactive query service that makes it easy to analyze data directly in Amazon S3 using standard SQL or Python<sup>4</sup>. Amazon Athena also supports PartiQL, a SQL-compatible query language that lets you query, insert, update, and delete data from semi-structured and nested data, such as JSON. You can use Amazon Athena to query the data from the Data Catalog using SQL for structured data sources, such as .csv files and relational databases, and PartiQL for data that is stored in JSON format. You can also use Athena to query data from other data sources, such as Amazon Redshift, using federated queries.

Using AWS Glue and Amazon Athena to query all data sources by using syntax similar to SQL is the least operational overhead solution, as you do not need to provision, manage, or scale any infrastructure, and you pay only for the resources you use. AWS Glue charges you based on the compute time and the data processed by your crawlers and ETL jobs<sup>1</sup>. Amazon Athena charges you based on the amount of data scanned by your queries. You can also reduce the cost and improve the performance of your queries by using compression, partitioning, and columnar formats for your data in Amazon S3.

Option B is not the best solution, as using AWS Glue to crawl the data sources, store metadata in the AWS Glue Data Catalog, and use Redshift Spectrum to query the data, would incur more costs and complexity than using Amazon Athena. Redshift Spectrum is a feature of Amazon Redshift, a fully managed data warehouse service, that allows you to query and join data across your data warehouse and your data lake using standard SQL. While Redshift Spectrum is powerful and useful for many data warehousing scenarios, it is not necessary or cost-effective for querying all data sources by using syntax similar to SQL. Redshift Spectrum charges you based on the amount of data scanned by your queries, which is similar to Amazon Athena, but it also requires you to have an Amazon Redshift cluster, which charges you based on the node type, the number of nodes, and the duration of the cluster<sup>5</sup>. These costs can add up quickly, especially if you have large volumes of data and complex queries. Moreover, using Redshift Spectrum would introduce additional latency and complexity, as you would have to provision and manage the cluster, and create an external schema and database for the data in the Data Catalog, instead of querying it directly from Amazon Athena.

Option C is not the best solution, as using AWS Glue to crawl the data sources, store metadata in the AWS Glue Data Catalog, use AWS Glue jobs to transform data that is in JSON format to Apache Parquet or .csv format, store the transformed data in an S3 bucket, and use Amazon Athena to query the original and transformed data from the S3 bucket, would incur more costs and complexity than using Amazon Athena with PartiQL. AWS Glue jobs are ETL scripts that you can write in Python or Scala to transform your data and load it to your target data store. Apache Parquet is a columnar storage format that can improve the performance of analytical queries by reducing the amount of data that needs to be scanned and providing efficient compression and encoding schemes<sup>6</sup>. While using AWS Glue jobs and Parquet can improve the performance and reduce the cost of your queries, they would also increase the complexity and the operational overhead of the data pipeline, as you would have to write, run, and monitor the ETL jobs, and store the transformed data in a separate location in Amazon S3. Moreover, using AWS Glue jobs and Parquet would introduce additional latency, as you would have to wait for the ETL jobs to finish before querying the transformed data.

Option D is not the best solution, as using AWS Lake Formation to create a data lake, use Lake Formation jobs to transform the data from all data sources to Apache Parquet format, store the transformed data in an S3 bucket, and use Amazon Athena or Redshift Spectrum to query the data, would incur more costs and complexity than using Amazon Athena with PartiQL. AWS Lake Formation is a service that helps you centrally govern, secure, and globally share data for analytics and machine learning<sup>7</sup>. Lake Formation jobs are ETL jobs that you can create and run using the Lake Formation console or API. While using Lake Formation and Parquet can improve the performance and reduce the cost of your queries, they would also increase the complexity and the operational overhead of the data pipeline, as you would have to create, run, and monitor the Lake Formation jobs, and store the transformed data in a separate location in Amazon S3. Moreover, using Lake Formation and Parquet would introduce additional latency, as you would have to wait for the Lake Formation jobs to finish before querying the transformed data. Furthermore, using Redshift Spectrum to query the data would also incur the same costs and complexity as mentioned in option B. References:

- ? What is Amazon Athena?
- ? Data Catalog and crawlers in AWS Glue
- ? AWS Glue Data Catalog
- ? Columnar Storage Formats
- ? AWS Certified Data Engineer - Associate DEA-C01 Complete Study Guide
- ? AWS Glue Schema Registry
- ? What is AWS Glue?
- ? Amazon Redshift Serverless
- ? Amazon Redshift provisioned clusters
- ? [Querying external data using Amazon Redshift Spectrum]
- ? [Using stored procedures in Amazon Redshift]
- ? [What is AWS Lambda?]
- ? [PartiQL for Amazon Athena]
- ? [Federated queries in Amazon Athena]
- ? [Amazon Athena pricing]
- ? [Top 10 performance tuning tips for Amazon Athena]
- ? [AWS Glue ETL jobs]
- ? [AWS Lake Formation jobs]

**NEW QUESTION 4**

A company maintains an Amazon Redshift provisioned cluster that the company uses for extract, transform, and load (ETL) operations to support critical analysis tasks. A sales team within the company maintains a Redshift cluster that the sales team uses for business intelligence (BI) tasks.

The sales team recently requested access to the data that is in the ETL Redshift cluster so the team can perform weekly summary analysis tasks. The sales team needs to join data from the ETL cluster with data that is in the sales team's BI cluster.

The company needs a solution that will share the ETL cluster data with the sales team without interrupting the critical analysis tasks. The solution must minimize usage of the computing resources of the ETL cluster.

Which solution will meet these requirements?

- A. Set up the sales team BI cluster as a consumer of the ETL cluster by using Redshift data sharing.
- B. Create materialized views based on the sales team's requirement
- C. Grant the sales team direct access to the ETL cluster.
- D. Create database views based on the sales team's requirement
- E. Grant the sales team direct access to the ETL cluster.
- F. Unload a copy of the data from the ETL cluster to an Amazon S3 bucket every week
- G. Create an Amazon Redshift Spectrum table based on the content of the ETL cluster.

**Answer: A**



**Explanation:**

Redshift data sharing is a feature that enables you to share live data across different Redshift clusters without the need to copy or move data. Data sharing provides secure and governed access to data, while preserving the performance and concurrency benefits of Redshift. By setting up the sales team BI cluster as a consumer of the ETL cluster, the company can share the ETL cluster data with the sales team without interrupting the critical analysis tasks. The solution also minimizes the usage of the computing resources of the ETL cluster, as the data sharing does not consume any storage space or compute resources from the producer cluster. The other options are either not feasible or not efficient. Creating materialized views or database views would require the sales team to have direct access to the ETL cluster, which could interfere with the critical analysis tasks. Unloading a copy of the data from the ETL cluster to an Amazon S3 bucket every week would introduce additional latency and cost, as well as create data inconsistency issues. References:

? Sharing data across Amazon Redshift clusters

? AWS Certified Data Engineer - Associate DEA-C01 Complete Study Guide, Chapter 2: Data Store Management, Section 2.2: Amazon Redshift

**NEW QUESTION 5**

A company stores petabytes of data in thousands of Amazon S3 buckets in the S3 Standard storage class. The data supports analytics workloads that have unpredictable and variable data access patterns.

The company does not access some data for months. However, the company must be able to retrieve all data within milliseconds. The company needs to optimize S3 storage costs.

Which solution will meet these requirements with the LEAST operational overhead?

- A. Use S3 Storage Lens standard metrics to determine when to move objects to more cost-optimized storage classes
- B. Create S3 Lifecycle policies for the S3 buckets to move objects to cost-optimized storage classes
- C. Continue to refine the S3 Lifecycle policies in the future to optimize storage costs.
- D. Use S3 Storage Lens activity metrics to identify S3 buckets that the company accesses infrequently
- E. Configure S3 Lifecycle rules to move objects from S3 Standard to the S3 Standard-Infrequent Access (S3 Standard-IA) and S3 Glacier storage classes based on the age of the data.
- F. Use S3 Intelligent-Tiering
- G. Activate the Deep Archive Access tier.
- H. Use S3 Intelligent-Tiering
- I. Use the default access tier.

**Answer: D**

**Explanation:**

S3 Intelligent-Tiering is a storage class that automatically moves objects between four access tiers based on the changing access patterns. The default access tier consists of two tiers: Frequent Access and Infrequent Access. Objects in the Frequent Access tier have the same performance and availability as S3 Standard, while objects in the Infrequent Access tier have the same performance and availability as S3 Standard-IA. S3 Intelligent-Tiering monitors the access patterns of each object and moves them between the tiers accordingly, without any operational overhead or retrieval fees. This solution can optimize S3 storage costs for data with unpredictable and variable access patterns, while ensuring millisecond latency for data retrieval. The other solutions are not optimal or relevant for this requirement. Using S3 Storage Lens standard metrics and activity metrics can provide insights into the storage usage and access patterns, but they do not automate the data movement between storage classes. Creating S3 Lifecycle policies for the S3 buckets can move objects to more cost-optimized storage classes, but they require manual configuration and maintenance, and they may incur retrieval fees for data that is accessed unexpectedly. Activating the Deep Archive Access tier for S3 Intelligent-Tiering can further reduce the storage costs for data that is rarely accessed, but it also increases the retrieval time to 12 hours, which does not meet the requirement of millisecond latency. References:

? S3 Intelligent-Tiering

? S3 Storage Lens

? S3 Lifecycle policies

? [AWS Certified Data Engineer - Associate DEA-C01 Complete Study Guide]

**NEW QUESTION 6**

A company created an extract, transform, and load (ETL) data pipeline in AWS Glue. A data engineer must crawl a table that is in Microsoft SQL Server. The data engineer needs to extract, transform, and load the output of the crawl to an Amazon S3 bucket. The data engineer also must orchestrate the data pipeline.

Which AWS service or feature will meet these requirements MOST cost-effectively?

- A. AWS Step Functions
- B. AWS Glue workflows
- C. AWS Glue Studio
- D. Amazon Managed Workflows for Apache Airflow (Amazon MWAA)

**Answer: B**

**Explanation:**

AWS Glue workflows are a cost-effective way to orchestrate complex ETL jobs that involve multiple crawlers, jobs, and triggers. AWS Glue workflows allow you to visually monitor the progress and dependencies of your ETL tasks, and automatically handle errors and retries. AWS Glue workflows also integrate with other AWS services, such as Amazon S3, Amazon Redshift, and AWS Lambda, among others, enabling you to leverage these services for your data processing workflows. AWS Glue workflows are serverless, meaning you only pay for the resources you use, and you don't have to manage any infrastructure.

AWS Step Functions, AWS Glue Studio, and Amazon MWAA are also possible options for orchestrating ETL pipelines, but they have some drawbacks compared to AWS Glue workflows. AWS Step Functions is a serverless function orchestrator that can handle different types of data processing, such as real-time, batch, and stream processing. However, AWS Step Functions requires you to write code to define your state machines, which can be complex and error-prone. AWS Step Functions also charges you for every state transition, which can add up quickly for large-scale ETL pipelines.

AWS Glue Studio is a graphical interface that allows you to create and run AWS Glue ETL jobs without writing code. AWS Glue Studio simplifies the process of building, debugging, and monitoring your ETL jobs, and provides a range of pre-built transformations and connectors. However, AWS Glue Studio does not support workflows, meaning you cannot orchestrate multiple ETL jobs or crawlers with dependencies and triggers. AWS Glue Studio also does not support streaming data sources or targets, which limits its use cases for real-time data processing.

Amazon MWAA is a fully managed service that makes it easy to run open-source versions of Apache Airflow on AWS and build workflows to run your ETL jobs and data pipelines. Amazon MWAA provides a familiar and flexible environment for data engineers who are familiar with Apache Airflow, and integrates with a range of AWS services such as Amazon EMR, AWS Glue, and AWS Step Functions. However, Amazon MWAA is not serverless, meaning you have to provision and pay for the resources you need, regardless of your usage. Amazon MWAA also requires you to write code to define your DAGs, which can be challenging and time-consuming for complex ETL pipelines. References:

? AWS Glue Workflows

? AWS Step Functions

? AWS Glue Studio

? Amazon MWAA

? AWS Certified Data Engineer - Associate DEA-C01 Complete Study Guide

### NEW QUESTION 7

A data engineer needs to use an Amazon QuickSight dashboard that is based on Amazon Athena queries on data that is stored in an Amazon S3 bucket. When the data engineer connects to the QuickSight dashboard, the data engineer receives an error message that indicates insufficient permissions. Which factors could cause the permissions-related errors? (Choose two.)

- A. There is no connection between QuickSight and Athena.
- B. The Athena tables are not cataloged.
- C. QuickSight does not have access to the S3 bucket.
- D. QuickSight does not have access to decrypt S3 data.
- E. There is no IAM role assigned to QuickSight.

**Answer:** CD

#### Explanation:

QuickSight does not have access to the S3 bucket and QuickSight does not have access to decrypt S3 data are two possible factors that could cause the permissions-related errors. Amazon QuickSight is a business intelligence service that allows you to create and share interactive dashboards based on various data sources, including Amazon Athena. Amazon Athena is a serverless query service that allows you to analyze data stored in Amazon S3 using standard SQL. To use an Amazon QuickSight dashboard that is based on Amazon Athena queries on data that is stored in an Amazon S3 bucket, you need to grant QuickSight access to both Athena and S3, as well as any encryption keys that are used to encrypt the S3 data. If QuickSight does not have access to the S3 bucket or the encryption keys, it will not be able to read the data from Athena and display it on the dashboard, resulting in an error message that indicates insufficient permissions.

The other options are not factors that could cause the permissions-related errors. Option A, there is no connection between QuickSight and Athena, is not a factor, as QuickSight supports Athena as a native data source, and you can easily create a connection between them using the QuickSight console or the API. Option B, the Athena tables are not cataloged, is not a factor, as QuickSight can automatically discover the Athena tables that are cataloged in the AWS Glue Data Catalog, and you can also manually specify the Athena tables that are not cataloged. Option E, there is no IAM role assigned to QuickSight, is not a factor, as QuickSight requires an IAM role to access any AWS data sources, including Athena and S3, and you can create and assign an IAM role to QuickSight using the QuickSight console or the API. References:

? Using Amazon Athena as a Data Source

? Granting Amazon QuickSight Access to AWS Resources

? Encrypting Data at Rest in Amazon S3

### NEW QUESTION 8

A company uses Amazon Athena to run SQL queries for extract, transform, and load (ETL) tasks by using Create Table As Select (CTAS). The company must use Apache Spark instead of SQL to generate analytics.

Which solution will give the company the ability to use Spark to access Athena?

- A. Athena query settings
- B. Athena workgroup
- C. Athena data source
- D. Athena query editor

**Answer:** C

#### Explanation:

Athena data source is a solution that allows you to use Spark to access Athena by using the Athena JDBC driver and the Spark SQL interface. You can use the Athena data source to create Spark DataFrames from Athena tables, run SQL queries on the DataFrames, and write the results back to Athena. The Athena data source supports various data formats, such as CSV, JSON, ORC, and Parquet, and also supports partitioned and bucketed tables. The Athena data source is a cost-effective and scalable way to use Spark to access Athena, as it does not require any additional infrastructure or services, and you only pay for the data scanned by Athena.

The other options are not solutions that give the company the ability to use Spark to access Athena. Option A, Athena query settings, is a feature that allows you to configure various parameters for your Athena queries, such as the output location, the encryption settings, the query timeout, and the workgroup. Option B, Athena workgroup, is a feature that allows you to isolate and manage your Athena queries and resources, such as the query history, the query notifications, the query concurrency, and the query cost. Option D, Athena query editor, is a feature that allows you to write and run SQL queries on Athena using the web console or the API. None of these options enable you to use Spark instead of SQL to generate analytics on Athena. References:

? Using Apache Spark in Amazon Athena

? Athena JDBC Driver

? Spark SQL

? Athena query settings

? [Athena workgroups]

? [Athena query editor]

### NEW QUESTION 9

A data engineer must orchestrate a data pipeline that consists of one AWS Lambda function and one AWS Glue job. The solution must integrate with AWS services.

Which solution will meet these requirements with the LEAST management overhead?

- A. Use an AWS Step Functions workflow that includes a state machine
- B. Configure the state machine to run the Lambda function and then the AWS Glue job.
- C. Use an Apache Airflow workflow that is deployed on an Amazon EC2 instance
- D. Define a directed acyclic graph (DAG) in which the first task is to call the Lambda function and the second task is to call the AWS Glue job.
- E. Use an AWS Glue workflow to run the Lambda function and then the AWS Glue job.
- F. Use an Apache Airflow workflow that is deployed on Amazon Elastic Kubernetes Service (Amazon EKS). Define a directed acyclic graph (DAG) in which the first task is to call the Lambda function and the second task is to call the AWS Glue job.

**Answer:** A

#### Explanation:

AWS Step Functions is a service that allows you to coordinate multiple AWS services into serverless workflows. You can use Step Functions to create state

machines that define the sequence and logic of the tasks in your workflow. Step Functions supports various types of tasks, such as Lambda functions, AWS Glue jobs, Amazon EMR clusters, Amazon ECS tasks, etc. You can use Step Functions to monitor and troubleshoot your workflows, as well as to handle errors and retries.

Using an AWS Step Functions workflow that includes a state machine to run the Lambda function and then the AWS Glue job will meet the requirements with the least management overhead, as it leverages the serverless and managed capabilities of Step Functions. You do not need to write any code to orchestrate the tasks in your workflow, as you can use the Step Functions console or the AWS Serverless Application Model (AWS SAM) to define and deploy your state machine. You also do not need to provision or manage any servers or clusters, as Step Functions scales automatically based on the demand.

The other options are not as efficient as using an AWS Step Functions workflow. Using an Apache Airflow workflow that is deployed on an Amazon EC2 instance or on Amazon Elastic Kubernetes Service (Amazon EKS) will require more management overhead, as you will need to provision, configure, and maintain the EC2 instance or the EKS cluster, as well as the Airflow components. You will also need to write and maintain the Airflow DAGs to orchestrate the tasks in your workflow. Using an AWS Glue workflow to run the Lambda function and then the AWS Glue job will not work, as AWS Glue workflows only support AWS Glue jobs and crawlers as tasks, not Lambda functions. References:

? AWS Step Functions

? AWS Glue

? AWS Certified Data Engineer - Associate DEA-C01 Complete Study Guide, Chapter 6: Data Integration and Transformation, Section 6.3: AWS Step Functions

#### NEW QUESTION 10

A company uses Amazon RDS for MySQL as the database for a critical application. The database workload is mostly writes, with a small number of reads.

A data engineer notices that the CPU utilization of the DB instance is very high. The high CPU utilization is slowing down the application. The data engineer must reduce the CPU utilization of the DB Instance.

Which actions should the data engineer take to meet this requirement? (Choose two.)

- A. Use the Performance Insights feature of Amazon RDS to identify queries that have high CPU utilization
- B. Optimize the problematic queries.
- C. Modify the database schema to include additional tables and indexes.
- D. Reboot the RDS DB instance once each week.
- E. Upgrade to a larger instance size.
- F. Implement caching to reduce the database query load.

**Answer:** AE

#### Explanation:

Amazon RDS is a fully managed service that provides relational databases in the cloud. Amazon RDS for MySQL is one of the supported database engines that you can use to run your applications. Amazon RDS provides various features and tools to monitor and optimize the performance of your DB instances, such as Performance Insights, Enhanced Monitoring, CloudWatch metrics and alarms, etc.

Using the Performance Insights feature of Amazon RDS to identify queries that have high CPU utilization and optimizing the problematic queries will help reduce the CPU utilization of the DB instance. Performance Insights is a feature that allows you to analyze the load on your DB instance and determine what is causing performance issues. Performance Insights collects, analyzes, and displays database performance data using an interactive dashboard. You can use Performance Insights to identify the top SQL statements, hosts, users, or processes that are consuming the most CPU resources. You can also drill down into the details of each query and see the execution plan, wait events, locks, etc. By using Performance Insights, you can pinpoint the root cause of the high CPU utilization and optimize the queries accordingly. For example, you can rewrite the queries to make them more efficient, add or remove indexes, use prepared statements, etc. Implementing caching to reduce the database query load will also help reduce the CPU utilization of the DB instance. Caching is a technique that allows you to store frequently accessed data in a fast and scalable storage layer, such as Amazon ElastiCache. By using caching, you can reduce the number of requests that hit your database, which in turn reduces the CPU load on your DB instance. Caching also improves the performance and availability of your application, as it reduces the latency and increases the throughput of your data access. You can use caching for various scenarios, such as storing session data, user preferences, application configuration, etc. You can also use caching for read-heavy workloads, such as displaying product details, recommendations, reviews, etc.

The other options are not as effective as using Performance Insights and caching. Modifying the database schema to include additional tables and indexes may or may not improve the CPU utilization, depending on the nature of the workload and the queries. Adding more tables and indexes may increase the complexity and overhead of the database, which may negatively affect the performance. Rebooting the RDS DB instance once each week will not reduce the CPU utilization, as it will not address the underlying cause of the high CPU load. Rebooting may also cause downtime and disruption to your application. Upgrading to a larger instance size may reduce the CPU utilization, but it will also increase the cost and complexity of your solution. Upgrading may also not be necessary if you can optimize the queries and reduce the database load by using caching. References:

? Amazon RDS

? Performance Insights

? Amazon ElastiCache

? [AWS Certified Data Engineer - Associate DEA-C01 Complete Study Guide], Chapter 3: Data Storage and Management, Section 3.1: Amazon RDS

#### NEW QUESTION 10

A financial services company stores financial data in Amazon Redshift. A data engineer wants to run real-time queries on the financial data to support a web-based trading application. The data engineer wants to run the queries from within the trading application.

Which solution will meet these requirements with the LEAST operational overhead?

- A. Establish WebSocket connections to Amazon Redshift.
- B. Use the Amazon Redshift Data API.
- C. Set up Java Database Connectivity (JDBC) connections to Amazon Redshift.
- D. Store frequently accessed data in Amazon S3. Use Amazon S3 Select to run the queries.

**Answer:** B

#### Explanation:

The Amazon Redshift Data API is a built-in feature that allows you to run SQL queries on Amazon Redshift data with web services-based applications, such as AWS Lambda, Amazon SageMaker notebooks, and AWS Cloud9. The Data API does not require a persistent connection to your database, and it provides a secure HTTP endpoint and integration with AWS SDKs. You can use the endpoint to run SQL statements without managing connections. The Data API also supports both Amazon Redshift provisioned clusters and Redshift Serverless workgroups. The Data API is the best solution for running real-time queries on the financial data from within the trading application, as it has the least operational overhead compared to the other options.

Option A is not the best solution, as establishing WebSocket connections to Amazon Redshift would require more configuration and maintenance than using the Data API. WebSocket connections are also not supported by Amazon Redshift clusters or serverless workgroups.

Option C is not the best solution, as setting up JDBC connections to Amazon Redshift would also require more configuration and maintenance than using the Data API. JDBC connections are also not supported by Redshift Serverless workgroups.

Option D is not the best solution, as storing frequently accessed data in Amazon S3 and using Amazon S3 Select to run the queries would introduce additional latency and complexity than using the Data API. Amazon S3 Select is also not optimized for real-time queries, as it scans the entire object before returning the



results. References:

? Using the Amazon Redshift Data API

? Calling the Data API

? Amazon Redshift Data API Reference

? AWS Certified Data Engineer - Associate DEA-C01 Complete Study Guide

### NEW QUESTION 13

A financial company wants to implement a data mesh. The data mesh must support centralized data governance, data analysis, and data access control. The company has decided to use AWS Glue for data catalogs and extract, transform, and load (ETL) operations.

Which combination of AWS services will implement a data mesh? (Choose two.)

A. Use Amazon Aurora for data storag

B. Use an Amazon Redshift provisioned cluster for data analysis.

C. Use Amazon S3 for data storag

D. Use Amazon Athena for data analysis.

E. Use AWS Glue DataBrewfor centralized data governance and access control.

F. Use Amazon RDS for data storag

G. Use Amazon EMR for data analysis.

H. Use AWS Lake Formation for centralized data governance and access control.

**Answer:** BE

### Explanation:

A data mesh is an architectural framework that organizes data into domains and treats data as products that are owned and offered for consumption by different teams<sup>1</sup>. A data mesh requires a centralized layer for data governance and access control, as well as a distributed layer for data storage and analysis. AWS Glue can provide data catalogs and ETL operations for the data mesh, but it cannot provide data governance and access control by itself<sup>2</sup>. Therefore, the company needs to use another AWS service for this purpose. AWS Lake Formation is a service that allows you to create, secure, and manage data lakes on AWS<sup>3</sup>. It integrates with AWS Glue and other AWS services to provide centralized data governance and access control for the data mesh. Therefore, option E is correct. For data storage and analysis, the company can choose from different AWS services depending on their needs and preferences. However, one of the benefits of a data mesh is that it enables data to be stored and processed in a decoupled and scalable way<sup>1</sup>. Therefore, using serverless or managed services that can handle large volumes and varieties of data is preferable. Amazon S3 is a highly scalable, durable, and secure object storage service that can store any type of data. Amazon Athena is a serverless interactive query service that can analyze data in Amazon S3 using standard SQL. Therefore, option B is a good choice for data storage and analysis in a data mesh. Option A, C, and D are not optimal because they either use relational databases that are not suitable for storing diverse and unstructured data, or they require more management and provisioning than serverless services. References:

? 1: What is a Data Mesh? - Data Mesh Architecture Explained - AWS

? 2: AWS Glue - Developer Guide

? 3: AWS Lake Formation - Features

? [4]: Design a data mesh architecture using AWS Lake Formation and AWS Glue

? [5]: Amazon S3 - Features

? [6]: Amazon Athena - Features

### NEW QUESTION 18

A data engineer needs to build an extract, transform, and load (ETL) job. The ETL job will process daily incoming .csv files that users upload to an Amazon S3 bucket. The size of each S3 object is less than 100 MB.

Which solution will meet these requirements MOST cost-effectively?

A. Write a custom Python applicatio

B. Host the application on an Amazon Elastic Kubernetes Service (Amazon EKS) cluster.

C. Write a PySpark ETL scrip

D. Host the script on an Amazon EMR cluster.

E. Write an AWS Glue PySpark jo

F. Use Apache Spark to transform the data.

G. Write an AWS Glue Python shell jo

H. Use pandas to transform the data.

**Answer:** D

### Explanation:

AWS Glue is a fully managed serverless ETL service that can handle various data sources and formats, including .csv files in Amazon S3. AWS Glue provides two types of jobs: PySpark and Python shell. PySpark jobs use Apache Spark to process large-scale data in parallel, while Python shell jobs use Python scripts to process small-scale data in a single execution environment. For this requirement, a Python shell job is more suitable and cost-effective, as the size of each S3 object is less than 100 MB, which does not require distributed processing. A Python shell job can use pandas, a popular Python library for data analysis, to transform the .csv data as needed. The other solutions are not optimal or relevant for this requirement. Writing a custom Python application and hosting it on an Amazon EKS cluster would require more effort and resources to set up and manage the Kubernetes environment, as well as to handle the data ingestion and transformation logic. Writing a PySpark ETL script and hosting it on an Amazon EMR cluster would also incur more costs and complexity to provision and configure the EMR cluster, as well as to use Apache Spark for processing small data files. Writing an AWS Glue PySpark job would also be less efficient and economical than a Python shell job, as it would involve unnecessary overhead and charges for using Apache Spark for small data files. References:

? AWS Glue

? Working with Python Shell Jobs

? pandas

? [AWS Certified Data Engineer - Associate DEA-C01 Complete Study Guide]

### NEW QUESTION 22

A data engineer needs to create an AWS Lambda function that converts the format of data from .csv to Apache Parquet. The Lambda function must run only if a user uploads a .csv file to an Amazon S3 bucket.

Which solution will meet these requirements with the LEAST operational overhead?

A. Create an S3 event notification that has an event type of s3:ObjectCreated:\*. Use a filter rule to generate notifications only when the suffix includes .cs

B. Set the Amazon Resource Name (ARN) of the Lambda function as the destination for the event notification.

C. Create an S3 event notification that has an event type of s3:ObjectTagging:\* for objects that have a tag set to .cs

- D. Set the Amazon Resource Name (ARN) of the Lambda function as the destination for the event notification.
- E. Create an S3 event notification that has an event type of s3:\*. Use a filter rule to generate notifications only when the suffix includes .cs
- F. Set the Amazon Resource Name (ARN) of the Lambda function as the destination for the event notification.
- G. Create an S3 event notification that has an event type of s3:ObjectCreated:\*. Use a filter rule to generate notifications only when the suffix includes .cs
- H. Set an Amazon Simple Notification Service (Amazon SNS) topic as the destination for the event notificatio
- I. Subscribe the Lambda function to the SNS topic.

**Answer:** A

**Explanation:**

Option A is the correct answer because it meets the requirements with the least operational overhead. Creating an S3 event notification that has an event type of s3:ObjectCreated:\* will trigger the Lambda function whenever a new object is created in the S3 bucket. Using a filter rule to generate notifications only when the suffix includes .csv will ensure that the Lambda function only runs for .csv files. Setting the ARN of the Lambda function as the destination for the event notification will directly invoke the Lambda function without any additional steps.

Option B is incorrect because it requires the user to tag the objects with .csv, which adds an extra step and increases the operational overhead.

Option C is incorrect because it uses an event type of s3:\*, which will trigger the Lambda function for any S3 event, not just object creation. This could result in unnecessary invocations and increased costs.

Option D is incorrect because it involves creating and subscribing to an SNS topic, which adds an extra layer of complexity and operational overhead.

References:

? AWS Certified Data Engineer - Associate DEA-C01 Complete Study Guide, Chapter 3: Data Ingestion and Transformation, Section 3.2: S3 Event Notifications and Lambda Functions, Pages 67-69

? Building Batch Data Analytics Solutions on AWS, Module 4: Data Transformation, Lesson 4.2: AWS Lambda, Pages 4-8

? AWS Documentation Overview, AWS Lambda Developer Guide, Working with AWS Lambda Functions, Configuring Function Triggers, Using AWS Lambda with Amazon S3, Pages 1-5

**NEW QUESTION 24**

A company receives a daily file that contains customer data in .xls format. The company stores the file in Amazon S3. The daily file is approximately 2 GB in size.

A data engineer concatenates the column in the file that contains customer first names and the column that contains customer last names. The data engineer needs to determine the number of distinct customers in the file.

Which solution will meet this requirement with the LEAST operational effort?

- A. Create and run an Apache Spark job in an AWS Glue notebook
- B. Configure the job to read the S3 file and calculate the number of distinct customers.
- C. Create an AWS Glue crawler to create an AWS Glue Data Catalog of the S3 fil
- D. Run SQL queries from Amazon Athena to calculate the number of distinct customers.
- E. Create and run an Apache Spark job in Amazon EMR Serverless to calculate the number of distinct customers.
- F. Use AWS Glue DataBrew to create a recipe that uses the COUNT\_DISTINCT aggregate function to calculate the number of distinct customers.

**Answer:** D

**Explanation:**

AWS Glue DataBrew is a visual data preparation tool that allows you to clean, normalize, and transform data without writing code. You can use DataBrew to create recipes that define the steps to apply to your data, such as filtering, renaming, splitting, or aggregating columns. You can also use DataBrew to run jobs that execute the recipes on your data sources, such as Amazon S3, Amazon Redshift, or Amazon Aurora. DataBrew integrates with AWS Glue Data Catalog, which is a centralized metadata repository for your data assets<sup>1</sup>.

The solution that meets the requirement with the least operational effort is to use AWS Glue DataBrew to create a recipe that uses the COUNT\_DISTINCT aggregate function to calculate the number of distinct customers. This solution has the following advantages:

? It does not require you to write any code, as DataBrew provides a graphical user

interface that lets you explore, transform, and visualize your data. You can use DataBrew to concatenate the columns that contain customer first names and last names, and then use the COUNT\_DISTINCT aggregate function to count the number of unique values in the resulting column<sup>2</sup>.

? It does not require you to provision, manage, or scale any servers, clusters, or notebooks, as DataBrew is a fully managed service that handles all the infrastructure for you. DataBrew can automatically scale up or down the compute resources based on the size and complexity of your data and recipes<sup>1</sup>.

? It does not require you to create or update any AWS Glue Data Catalog entries, as

DataBrew can automatically create and register the data sources and targets in the Data Catalog. DataBrew can also use the existing Data Catalog entries to access the data in S3 or other sources<sup>3</sup>.

Option A is incorrect because it suggests creating and running an Apache Spark job in an AWS Glue notebook. This solution has the following disadvantages:

? It requires you to write code, as AWS Glue notebooks are interactive development environments that allow you to write, test, and debug Apache Spark code using Python or Scala. You need to use the Spark SQL or the Spark DataFrame API to read the S3 file and calculate the number of distinct customers.

? It requires you to provision and manage a development endpoint, which is a serverless Apache Spark environment that you can connect to your notebook. You need to specify the type and number of workers for your development endpoint, and monitor its status and metrics.

? It requires you to create or update the AWS Glue Data Catalog entries for the S3 file, either manually or using a crawler. You need to use the Data Catalog as a metadata store for your Spark job, and specify the database and table names in your code.

Option B is incorrect because it suggests creating an AWS Glue crawler to create an AWS Glue Data Catalog of the S3 file, and running SQL queries from Amazon Athena to calculate the number of distinct customers. This solution has the following disadvantages:

? It requires you to create and run a crawler, which is a program that connects to your data store, progresses through a prioritized list of classifiers to determine the schema for your data, and then creates metadata tables in the Data Catalog. You need to specify the data store, the IAM role, the schedule, and the output database for your crawler.

? It requires you to write SQL queries, as Amazon Athena is a serverless interactive query service that allows you to analyze data in S3 using standard SQL. You need to use Athena to concatenate the columns that contain customer first names and last names, and then use the COUNT(DISTINCT) aggregate function to count the number of unique values in the resulting column.

Option C is incorrect because it suggests creating and running an Apache Spark job in Amazon EMR Serverless to calculate the number of distinct customers. This solution has the following disadvantages:

? It requires you to write code, as Amazon EMR Serverless is a service that allows you to run Apache Spark jobs on AWS without provisioning or managing any infrastructure. You need to use the Spark SQL or the Spark DataFrame API to read the S3 file and calculate the number of distinct customers.

? It requires you to create and manage an Amazon EMR Serverless cluster, which is a fully managed and scalable Spark environment that runs on AWS Fargate. You need to specify the cluster name, the IAM role, the VPC, and the subnet for your cluster, and monitor its status and metrics.

? It requires you to create or update the AWS Glue Data Catalog entries for the S3 file, either manually or using a crawler. You need to use the Data Catalog as a metadata store for your Spark job, and specify the database and table names in your code.

References:

? 1: AWS Glue DataBrew - Features

? 2: Working with recipes - AWS Glue DataBrew

? 3: Working with data sources and data targets - AWS Glue DataBrew



- ? [4]: AWS Glue notebooks - AWS Glue
- ? [5]: Development endpoints - AWS Glue
- ? [6]: Populating the AWS Glue Data Catalog - AWS Glue
- ? [7]: Crawlers - AWS Glue
- ? [8]: Amazon Athena - Features
- ? [9]: Amazon EMR Serverless - Features
- ? [10]: Creating an Amazon EMR Serverless cluster - Amazon EMR
- ? [11]: Using the AWS Glue Data Catalog with Amazon EMR Serverless - Amazon EMR

**NEW QUESTION 27**

A company has used an Amazon Redshift table that is named Orders for 6 months. The company performs weekly updates and deletes on the table. The table has an interleaved sort key on a column that contains AWS Regions.

The company wants to reclaim disk space so that the company will not run out of storage space. The company also wants to analyze the sort key column.

Which Amazon Redshift command will meet these requirements?

- A. VACUUM FULL Orders
- B. VACUUM DELETE ONLY Orders
- C. VACUUM REINDEX Orders
- D. VACUUM SORT ONLY Orders

**Answer: C**

**Explanation:**

Amazon Redshift is a fully managed, petabyte-scale data warehouse service that enables fast and cost-effective analysis of large volumes of data. Amazon Redshift uses columnar storage, compression, and zone maps to optimize the storage and performance of data. However, over time, as data is inserted, updated, or deleted, the physical storage of data can become fragmented, resulting in wasted disk space and degraded query performance. To address this issue, Amazon Redshift provides the VACUUM command, which reclaims disk space and resorts rows in either a specified table or all tables in the current schema<sup>1</sup>.

The VACUUM command has four options: FULL, DELETE ONLY, SORT ONLY, and REINDEX. The option that best meets the requirements of the question is VACUUM REINDEX, which re-sorts the rows in a table that has an interleaved sort key and rewrites the table to a new location on disk. An interleaved sort key is a type of sort key that gives equal weight to each column in the sort key, and stores the rows in a way that optimizes the performance of queries that filter by multiple columns in the sort key. However, as data is added or changed, the interleaved sort order can become skewed, resulting in suboptimal query performance. The VACUUM REINDEX option restores the optimal interleaved sort order and reclaims disk space by removing deleted rows. This option also analyzes the sort key column and updates the table statistics, which are used by the query optimizer to generate the most efficient query execution plan<sup>23</sup>.

The other options are not optimal for the following reasons:

? A. VACUUM FULL Orders. This option reclaims disk space by removing deleted rows and resorts the entire table. However, this option is not suitable for tables that have an interleaved sort key, as it does not restore the optimal interleaved sort order. Moreover, this option is the most resource-intensive and time-consuming, as it rewrites the entire table to a new location on disk.

? B. VACUUM DELETE ONLY Orders. This option reclaims disk space by removing deleted rows, but does not resort the table. This option is not suitable for tables that have any sort key, as it does not improve the query performance by restoring the sort order. Moreover, this option does not analyze the sort key column and update the table statistics.

? D. VACUUM SORT ONLY Orders. This option resorts the entire table, but does not reclaim disk space by removing deleted rows. This option is not suitable for tables that have an interleaved sort key, as it does not restore the optimal interleaved sort order. Moreover, this option does not analyze the sort key column and update the table statistics.

References:

- ? 1: Amazon Redshift VACUUM
- ? 2: Amazon Redshift Interleaved Sorting
- ? 3: Amazon Redshift ANALYZE

**NEW QUESTION 32**

A company uses an on-premises Microsoft SQL Server database to store financial transaction data. The company migrates the transaction data from the on-premises database to AWS at the end of each month. The company has noticed that the cost to migrate data from the on-premises database to an Amazon RDS for SQL Server database has increased recently.

The company requires a cost-effective solution to migrate the data to AWS. The solution must cause minimal downtime for the applications that access the database.

Which AWS service should the company use to meet these requirements?

- A. AWS Lambda
- B. AWS Database Migration Service (AWS DMS)
- C. AWS Direct Connect
- D. AWS DataSync

**Answer: B**

**Explanation:**

AWS Database Migration Service (AWS DMS) is a cloud service that makes it possible to migrate relational databases, data warehouses, NoSQL databases, and other types of data stores to AWS quickly, securely, and with minimal downtime and zero data loss<sup>1</sup>. AWS DMS supports migration between 20-plus database and analytics engines, such as Microsoft SQL Server to Amazon RDS for SQL Server<sup>2</sup>. AWS DMS takes over many of the difficult or tedious tasks involved in a migration project, such as capacity analysis, hardware and software procurement, installation and administration, testing and debugging, and ongoing replication and monitoring<sup>1</sup>. AWS DMS is a cost-effective solution, as you only pay for the compute resources and additional log storage used during the migration process<sup>2</sup>. AWS DMS is the best solution for the company to migrate the financial transaction data from the on-premises Microsoft SQL Server database to AWS, as it meets the requirements of minimal downtime, zero data loss, and low cost.

Option A is not the best solution, as AWS Lambda is a serverless compute service that lets you run code without provisioning or managing servers, but it does not provide any built-in features for database migration. You would have to write your own code to extract, transform, and load the data from the source to the target, which would increase the operational overhead and complexity.

Option C is not the best solution, as AWS Direct Connect is a service that establishes a dedicated network connection from your premises to AWS, but it does not provide any built-in features for database migration. You would still need to use another service or tool to perform the actual data transfer, which would increase the cost and complexity.

Option D is not the best solution, as AWS DataSync is a service that makes it easy to transfer data between on-premises storage systems and AWS storage services, such as Amazon S3, Amazon EFS, and Amazon FSx for Windows File Server, but it does not support Amazon RDS for SQL Server as a target. You would have to use another service or tool to migrate the data from Amazon S3 to Amazon RDS for SQL Server, which would increase the latency and complexity.

References:

? Database Migration - AWS Database Migration Service - AWS  
? What is AWS Database Migration Service?  
? AWS Database Migration Service Documentation  
? AWS Certified Data Engineer - Associate DEA-C01 Complete Study Guide

**NEW QUESTION 37**

A company is migrating on-premises workloads to AWS. The company wants to reduce overall operational overhead. The company also wants to explore serverless options.

The company's current workloads use Apache Pig, Apache Oozie, Apache Spark, Apache Hbase, and Apache Flink. The on-premises workloads process petabytes of data in seconds. The company must maintain similar or better performance after the migration to AWS.

Which extract, transform, and load (ETL) service will meet these requirements?

- A. AWS Glue
- B. Amazon EMR
- C. AWS Lambda
- D. Amazon Redshift

**Answer:** A

**Explanation:**

AWS Glue is a fully managed serverless ETL service that can handle petabytes of data in seconds. AWS Glue can run Apache Spark and Apache Flink jobs without requiring any infrastructure provisioning or management. AWS Glue can also integrate with Apache Pig, Apache Oozie, and Apache Hbase using AWS Glue Data Catalog and AWS Glue workflows. AWS Glue can reduce the overall operational overhead by automating the data discovery, data preparation, and data loading processes. AWS Glue can also optimize the cost and performance of ETL jobs by using AWS Glue Job Bookmarking, AWS Glue Crawlers, and AWS Glue Schema Registry. References:

- ? AWS Glue
- ? AWS Glue Data Catalog
- ? AWS Glue Workflows
- ? [AWS Glue Job Bookmarking]
- ? [AWS Glue Crawlers]
- ? [AWS Glue Schema Registry]
- ? [AWS Certified Data Engineer - Associate DEA-C01 Complete Study Guide]

**NEW QUESTION 42**

A data engineer must build an extract, transform, and load (ETL) pipeline to process and load data from 10 source systems into 10 tables that are in an Amazon Redshift database. All the source systems generate .csv, JSON, or Apache Parquet files every 15 minutes. The source systems all deliver files into one Amazon S3 bucket. The file sizes range from 10 MB to 20 GB. The ETL pipeline must function correctly despite changes to the data schema.

Which data pipeline solutions will meet these requirements? (Choose two.)

- A. Use an Amazon EventBridge rule to run an AWS Glue job every 15 minute
- B. Configure the AWS Glue job to process and load the data into the Amazon Redshift tables.
- C. Use an Amazon EventBridge rule to invoke an AWS Glue workflow job every 15 minute
- D. Configure the AWS Glue workflow to have an on-demand trigger that runs an AWS Glue crawler and then runs an AWS Glue job when the crawler finishes running successfull
- E. Configure the AWS Glue job to process and load the data into the Amazon Redshift tables.
- F. Configure an AWS Lambda function to invoke an AWS Glue crawler when a file is loaded into the S3 bucke
- G. Configure an AWS Glue job to process and load the data into the Amazon Redshift table
- H. Create a second Lambda function to run the AWS Glue jo
- I. Create an Amazon EventBridge rule to invoke the second Lambda function when the AWS Glue crawler finishes running successfully.
- J. Configure an AWS Lambda function to invoke an AWS Glue workflow when a file is loaded into the S3 bucke
- K. Configure the AWS Glue workflow to have an on-demand trigger that runs an AWS Glue crawler and then runs an AWS Glue job when the crawler finishes running successfull
- L. Configure the AWS Glue job to process and load the data into the Amazon Redshift tables.
- M. Configure an AWS Lambda function to invoke an AWS Glue job when a file is loaded into the S3 bucke
- N. Configure the AWS Glue job to read the files from the S3 bucket into an Apache Spark DataFram
- O. Configure the AWS Glue job to also put smaller partitions of the DataFrame into an Amazon Kinesis Data Firehose delivery strea
- P. Configure the delivery stream to load data into the Amazon Redshift tables.

**Answer:** AB

**Explanation:**

Using an Amazon EventBridge rule to run an AWS Glue job or invoke an AWS Glue workflow job every 15 minutes are two possible solutions that will meet the requirements. AWS Glue is a serverless ETL service that can process and load data from various sources to various targets, including Amazon Redshift. AWS Glue can handle different data formats, such as CSV, JSON, and Parquet, and also support schema evolution, meaning it can adapt to changes in the data schema over time. AWS Glue can also leverage Apache Spark to perform distributed processing and transformation of large datasets. AWS Glue integrates with Amazon EventBridge, which is a serverless event bus service that can trigger actions based on rules and schedules. By using an Amazon EventBridge rule, you can invoke an AWS Glue job or workflow every 15 minutes, and configure the job or workflow to run an AWS Glue crawler and then load the data into the Amazon Redshift tables. This way, you can build a cost-effective and scalable ETL pipeline that can handle data from 10 source systems and function correctly despite changes to the data schema.

The other options are not solutions that will meet the requirements. Option C, configuring an AWS Lambda function to invoke an AWS Glue crawler when a file is loaded into the S3 bucket, and creating a second Lambda function to run the AWS Glue job, is not a feasible solution, as it would require a lot of Lambda invocations and coordination. AWS Lambda has some limits on the execution time, memory, and concurrency, which can affect the performance and reliability of the ETL pipeline. Option D, configuring an AWS Lambda function to invoke an AWS Glue workflow when a file is loaded into the S3 bucket, is not a necessary solution, as you can use an Amazon EventBridge rule to invoke the AWS Glue workflow directly, without the need for a Lambda function. Option E, configuring an AWS Lambda function to invoke an AWS Glue job when a file is loaded into the S3 bucket, and configuring the AWS Glue job to put smaller partitions of the DataFrame into an Amazon Kinesis Data Firehose delivery stream, is not a cost-effective solution, as it would incur additional costs for Lambda invocations and data delivery. Moreover, using Amazon Kinesis Data Firehose to load data into Amazon Redshift is not suitable for frequent and small batches of data, as it can cause performance issues and data fragmentation. References:

- ? AWS Glue
- ? Amazon EventBridge
- ? Using AWS Glue to run ETL jobs against non-native JDBC data sources

? [AWS Lambda quotas]  
? [Amazon Kinesis Data Firehose quotas]

**NEW QUESTION 46**

A manufacturing company collects sensor data from its factory floor to monitor and enhance operational efficiency. The company uses Amazon Kinesis Data Streams to publish the data that the sensors collect to a data stream. Then Amazon Kinesis Data Firehose writes the data to an Amazon S3 bucket. The company needs to display a real-time view of operational efficiency on a large screen in the manufacturing facility. Which solution will meet these requirements with the LOWEST latency?

- A. Use Amazon Managed Service for Apache Flink (previously known as Amazon Kinesis Data Analytics) to process the sensor data
- B. Use a connector for Apache Flink to write data to an Amazon Timestream database
- C. Use the Timestream database as a source to create a Grafana dashboard.
- D. Configure the S3 bucket to send a notification to an AWS Lambda function when any new object is created
- E. Use the Lambda function to publish the data to Amazon Aurora
- F. Use Aurora as a source to create an Amazon QuickSight dashboard.
- G. Use Amazon Managed Service for Apache Flink (previously known as Amazon Kinesis Data Analytics) to process the sensor data
- H. Create a new Data Firehose delivery stream to publish data directly to an Amazon Timestream database
- I. Use the Timestream database as a source to create an Amazon QuickSight dashboard.
- J. Use AWS Glue bookmarks to read sensor data from the S3 bucket in real time
- K. Publish the data to an Amazon Timestream database
- L. Use the Timestream database as a source to create a Grafana dashboard.

**Answer:** C

**Explanation:**

This solution will meet the requirements with the lowest latency because it uses Amazon Managed Service for Apache Flink to process the sensor data in real time and write it to Amazon Timestream, a fast, scalable, and serverless time series database. Amazon Timestream is optimized for storing and analyzing time series data, such as sensor data, and can handle trillions of events per day with millisecond latency. By using Amazon Timestream as a source, you can create an Amazon QuickSight dashboard that displays a real-time view of operational efficiency on a large screen in the manufacturing facility. Amazon QuickSight is a fully managed business intelligence service that can connect to various data sources, including Amazon Timestream, and provide interactive visualizations and insights.

The other options are not optimal for the following reasons:

? A. Use Amazon Managed Service for Apache Flink (previously known as Amazon Kinesis Data Analytics) to process the sensor data. Use a connector for Apache Flink to write data to an Amazon Timestream database. Use the Timestream database as a source to create a Grafana dashboard. This option is similar to option C, but it uses Grafana instead of Amazon QuickSight to create the dashboard. Grafana is an open source visualization tool that can also connect to Amazon Timestream, but it requires additional steps to set up and configure, such as deploying a Grafana server on Amazon EC2, installing the Amazon Timestream plugin, and creating an IAM role for Grafana to access Timestream. These steps can increase the latency and complexity of the solution.

? B. Configure the S3 bucket to send a notification to an AWS Lambda function when any new object is created. Use the Lambda function to publish the data to Amazon Aurora. Use Aurora as a source to create an Amazon QuickSight dashboard. This option is not suitable for displaying a real-time view of operational efficiency, as it introduces unnecessary delays and costs in the data pipeline. First, the sensor data is written to an S3 bucket by Amazon Kinesis Data Firehose, which can have a buffering interval of up to 900 seconds. Then, the S3 bucket sends a notification to a Lambda function, which can incur additional invocation and execution time. Finally, the Lambda function publishes the data to Amazon Aurora, a relational database that is not optimized for time series data and can have higher storage and performance costs than Amazon Timestream.

? D. Use AWS Glue bookmarks to read sensor data from the S3 bucket in real time.

Publish the data to an Amazon Timestream database. Use the Timestream database as a source to create a Grafana dashboard. This option is also not suitable for displaying a real-time view of operational efficiency, as it uses AWS Glue bookmarks to read sensor data from the S3 bucket. AWS Glue bookmarks are a feature that helps AWS Glue jobs and crawlers keep track of the data that has already been processed, so that they can resume from where they left off. However, AWS Glue jobs and crawlers are not designed for real-time data processing, as they can have a minimum frequency of 5 minutes and a variable start-up time. Moreover, this option also uses Grafana instead of Amazon QuickSight to create the dashboard, which can increase the latency and complexity of the solution.

References:

- ? 1: Amazon Managed Streaming for Apache Flink
- ? 2: Amazon Timestream
- ? 3: Amazon QuickSight
- ? : Analyze data in Amazon Timestream using Grafana
- ? : Amazon Kinesis Data Firehose
- ? : Amazon Aurora
- ? : AWS Glue Bookmarks
- ? : AWS Glue Job and Crawler Scheduling

**NEW QUESTION 51**

A financial company wants to use Amazon Athena to run on-demand SQL queries on a petabyte-scale dataset to support a business intelligence (BI) application. An AWS Glue job that runs during non-business hours updates the dataset once every day. The BI application has a standard data refresh frequency of 1 hour to comply with company policies.

A data engineer wants to cost optimize the company's use of Amazon Athena without adding any additional infrastructure costs.

Which solution will meet these requirements with the LEAST operational overhead?

- A. Configure an Amazon S3 Lifecycle policy to move data to the S3 Glacier Deep Archive storage class after 1 day
- B. Use the query result reuse feature of Amazon Athena for the SQL queries.
- C. Add an Amazon ElastiCache cluster between the BI application and Athena.
- D. Change the format of the files that are in the dataset to Apache Parquet.

**Answer:** B

**Explanation:**

The best solution to cost optimize the company's use of Amazon Athena without adding any additional infrastructure costs is to use the query result reuse feature of Amazon Athena for the SQL queries. This feature allows you to run the same query multiple times without incurring additional charges, as long as the underlying data has not changed and the query results are still in the query result location in Amazon S3. This feature is useful for scenarios where you have a petabyte-scale dataset that is updated infrequently, such as once a day, and you have a BI application that runs the same queries repeatedly, such as every hour. By using the query result reuse feature, you can reduce the amount of data scanned by your queries and save on the cost of running Athena. You can enable or disable this feature at the workgroup level or at the individual query level.

Option A is not the best solution, as configuring an Amazon S3 Lifecycle policy to move data to the S3 Glacier Deep Archive storage class after 1 day would not



cost optimize the company's use of Amazon Athena, but rather increase the cost and complexity. Amazon S3 Lifecycle policies are rules that you can define to automatically transition objects between different storage classes based on specified criteria, such as the age of the object<sup>2</sup>. S3 Glacier Deep Archive is the lowest-cost storage class in Amazon S3, designed

for long-term data archiving that is accessed once or twice in a year<sup>3</sup>. While moving data to S3 Glacier Deep Archive can reduce the storage cost, it would also increase the retrieval cost and latency, as it takes up to 12 hours to restore the data from S3 Glacier Deep Archive<sup>3</sup>. Moreover, Athena does not support querying data that is in S3 Glacier or S3 Glacier Deep Archive storage classes<sup>4</sup>. Therefore, using this option would not meet the requirements of running on-demand SQL queries on the dataset.

Option C is not the best solution, as adding an Amazon ElastiCache cluster between the BI application and Athena would not cost optimize the company's use of Amazon Athena, but rather increase the cost and complexity. Amazon ElastiCache is a service that offers fully managed in-memory data stores, such as Redis and Memcached, that can improve the performance and scalability of web applications by caching frequently accessed data. While using ElastiCache can reduce the latency and load on the BI application, it would not reduce the amount of data scanned by Athena, which is the main factor that determines the cost of running Athena. Moreover, using ElastiCache would introduce additional infrastructure costs and operational overhead, as you would have to provision, manage, and scale the ElastiCache cluster, and integrate it with the BI application and Athena. Option D is not the best solution, as changing the format of the files that are in the dataset to Apache Parquet would not cost optimize the company's use of Amazon Athena without adding any additional infrastructure costs, but rather increase the complexity. Apache Parquet is a columnar storage format that can improve the performance of analytical queries by reducing the amount of data that needs to be scanned and providing efficient compression and encoding schemes. However, changing the format of the files that are in the dataset to Apache Parquet would require additional processing and transformation steps, such as using AWS Glue or Amazon EMR to convert the files from their original format to Parquet, and storing the converted files in a separate location in Amazon S3. This would increase the complexity and the operational overhead of the data pipeline, and also incur additional costs for using AWS Glue or Amazon EMR. References:

? Query result reuse

? Amazon S3 Lifecycle

? S3 Glacier Deep Archive

? Storage classes supported by Athena

? [What is Amazon ElastiCache?]

? [Amazon Athena pricing]

? [Columnar Storage Formats]

? AWS Certified Data Engineer - Associate DEA-C01 Complete Study Guide

### NEW QUESTION 55

A data engineer uses Amazon Redshift to run resource-intensive analytics processes once every month. Every month, the data engineer creates a new Redshift provisioned cluster. The data engineer deletes the Redshift provisioned cluster after the analytics processes are complete every month. Before the data engineer deletes the cluster each month, the data engineer unloads backup data from the cluster to an Amazon S3 bucket.

The data engineer needs a solution to run the monthly analytics processes that does not require the data engineer to manage the infrastructure manually.

Which solution will meet these requirements with the LEAST operational overhead?

A. Use Amazon Step Functions to pause the Redshift cluster when the analytics processes are complete and to resume the cluster to run new processes every month.

B. Use Amazon Redshift Serverless to automatically process the analytics workload.

C. Use the AWS CLI to automatically process the analytics workload.

D. Use AWS CloudFormation templates to automatically process the analytics workload.

**Answer: B**

### Explanation:

Amazon Redshift Serverless is a new feature of Amazon Redshift that enables you to run SQL queries on data in Amazon S3 without provisioning or managing any clusters. You can use Amazon Redshift Serverless to automatically process the analytics workload, as it scales up and down the compute resources based on the query demand, and charges you only for the resources consumed. This solution will meet the requirements with the least operational overhead, as it does not require the data engineer to create, delete, pause, or resume any Redshift clusters, or to manage any infrastructure manually. You can use the Amazon Redshift Data API to run queries from the AWS CLI, AWS SDK, or AWS Lambda functions<sup>12</sup>.

The other options are not optimal for the following reasons:

? A. Use Amazon Step Functions to pause the Redshift cluster when the analytics processes are complete and to resume the cluster to run new processes every month. This option is not recommended, as it would still require the data engineer to create and delete a new Redshift provisioned cluster every month, which can incur additional costs and time. Moreover, this option would require the data engineer to use Amazon Step Functions to orchestrate the workflow of pausing and resuming the cluster, which can add complexity and overhead.

? C. Use the AWS CLI to automatically process the analytics workload. This option is vague and does not specify how the AWS CLI is used to process the analytics workload. The AWS CLI can be used to run queries on data in Amazon S3 using Amazon Redshift Serverless, Amazon Athena, or Amazon EMR, but each of these services has different features and benefits. Moreover, this option does not address the requirement of not managing the infrastructure manually, as the data engineer may still need to provision and configure some resources, such as Amazon EMR clusters or Amazon Athena workgroups.

? D. Use AWS CloudFormation templates to automatically process the analytics workload. This option is also vague and does not specify how AWS CloudFormation templates are used to process the analytics workload. AWS CloudFormation is a service that lets you model and provision AWS resources using templates. You can use AWS CloudFormation templates to create and delete a Redshift provisioned cluster every month, or to create and configure other AWS resources, such as Amazon EMR, Amazon Athena, or Amazon Redshift Serverless. However, this option does not address the requirement of not managing the infrastructure manually, as the data engineer may still need to write and maintain the AWS CloudFormation templates, and to monitor the status and performance of the resources.

References:

? 1: Amazon Redshift Serverless

? 2: Amazon Redshift Data API

? : Amazon Step Functions

? : AWS CLI

? : AWS CloudFormation

### NEW QUESTION 59

A company is developing an application that runs on Amazon EC2 instances. Currently, the data that the application generates is temporary. However, the company needs to persist the data, even if the EC2 instances are terminated.

A data engineer must launch new EC2 instances from an Amazon Machine Image (AMI) and configure the instances to preserve the data.

Which solution will meet this requirement?

A. Launch new EC2 instances by using an AMI that is backed by an EC2 instance store volume that contains the application data

B. Apply the default settings to the EC2 instances.

C. Launch new EC2 instances by using an AMI that is backed by a root Amazon Elastic Block Store (Amazon EBS) volume that contains the application data

D. Apply the default settings to the EC2 instances.

- E. Launch new EC2 instances by using an AMI that is backed by an EC2 instance store volume
- F. Attach an Amazon Elastic Block Store (Amazon EBS) volume to contain the application data
- G. Apply the default settings to the EC2 instances.
- H. Launch new EC2 instances by using an AMI that is backed by an Amazon Elastic Block Store (Amazon EBS) volume
- I. Attach an additional EC2 instance store volume to contain the application data
- J. Apply the default settings to the EC2 instances.

**Answer: C**

**Explanation:**

Amazon EC2 instances can use two types of storage volumes: instance store volumes and Amazon EBS volumes. Instance store volumes are ephemeral, meaning they are only attached to the instance for the duration of its life cycle. If the instance is stopped, terminated, or fails, the data on the instance store volume is lost. Amazon EBS volumes are persistent, meaning they can be detached from the instance and attached to another instance, and the data on the volume is preserved. To meet the requirement of persisting the data even if the EC2 instances are terminated, the data engineer must use Amazon EBS volumes to store the application data. The solution is to launch new EC2 instances by using an AMI that is backed by an EC2 instance store volume, which is the default option for most AMIs. Then, the data engineer must attach an Amazon EBS volume to each instance and configure the application to write the data to the EBS volume. This way, the data will be saved on the EBS volume and can be accessed by another instance if needed. The data engineer can apply the default settings to the EC2 instances, as there is no need to modify the instance type, security group, or IAM role for this solution. The other options are either not feasible or not optimal. Launching new EC2 instances by using an AMI that is backed by an EC2 instance store volume that contains the application data (option A) or by using an AMI that is backed by a root Amazon EBS volume that contains the application data (option B) would not work, as the data on the AMI would be outdated and overwritten by the new instances. Attaching an additional EC2 instance store volume to contain the application data (option D) would not work, as the data on the instance store volume would be lost if the instance is terminated. References:

? Amazon EC2 Instance Store

? Amazon EBS Volumes

? AWS Certified Data Engineer - Associate DEA-C01 Complete Study Guide, Chapter 2: Data Store Management, Section 2.1: Amazon EC2

**NEW QUESTION 61**

A company maintains multiple extract, transform, and load (ETL) workflows that ingest data from the company's operational databases into an Amazon S3 based data lake. The ETL workflows use AWS Glue and Amazon EMR to process data.

The company wants to improve the existing architecture to provide automated orchestration and to require minimal manual effort.

Which solution will meet these requirements with the LEAST operational overhead?

- A. AWS Glue workflows
- B. AWS Step Functions tasks
- C. AWS Lambda functions
- D. Amazon Managed Workflows for Apache Airflow (Amazon MWAA) workflows

**Answer: A**

**Explanation:**

AWS Glue workflows are a feature of AWS Glue that enable you to create and visualize complex ETL pipelines using AWS Glue components, such as crawlers, jobs, triggers, and development endpoints. AWS Glue workflows provide automated orchestration and require minimal manual effort, as they handle dependency resolution, error handling, state management, and resource allocation for your ETL workflows. You can use AWS Glue workflows to ingest data from your operational databases into your Amazon S3 based data lake, and then use AWS Glue and Amazon EMR to process the data in the data lake. This solution will meet the requirements with the least operational overhead, as it leverages the serverless and fully managed nature of AWS Glue, and the scalability and flexibility of Amazon EMR.

The other options are not optimal for the following reasons:

? B. AWS Step Functions tasks. AWS Step Functions is a service that lets you coordinate multiple AWS services into serverless workflows. You can use AWS Step Functions tasks to invoke AWS Glue and Amazon EMR jobs as part of your ETL workflows, and use AWS Step Functions state machines to define the logic and flow of your workflows. However, this option would require more manual effort than AWS Glue workflows, as you would need to write JSON code to define your state machines, handle errors and retries, and monitor the execution history and status of your workflows.

? C. AWS Lambda functions. AWS Lambda is a service that lets you run code without provisioning or managing servers. You can use AWS Lambda functions to trigger AWS Glue and Amazon EMR jobs as part of your ETL workflows, and use AWS Lambda event sources and destinations to orchestrate the flow of your workflows. However, this option would also require more manual effort than AWS Glue workflows, as you would need to write code to implement your business logic, handle errors and retries, and monitor the invocation and execution of your Lambda functions. Moreover, AWS Lambda functions have limitations on the execution time, memory, and concurrency, which may affect the performance and scalability of your ETL workflows.

? D. Amazon Managed Workflows for Apache Airflow (Amazon MWAA) workflows.

Amazon MWAA is a managed service that makes it easy to run open source Apache Airflow on AWS. Apache Airflow is a popular tool for creating and managing complex ETL pipelines using directed acyclic graphs (DAGs). You can use Amazon MWAA workflows to orchestrate AWS Glue and Amazon EMR jobs as part of your ETL workflows, and use the Airflow web interface to visualize and monitor your workflows. However, this option would have more operational overhead than AWS Glue workflows, as you would need to set up and configure your Amazon MWAA environment, write Python code to define your DAGs, and manage the dependencies and versions of your Airflow plugins and operators.

References:

? 1: AWS Glue Workflows

? 2: AWS Glue and Amazon EMR

? 3: AWS Step Functions

? : AWS Lambda

? : Amazon Managed Workflows for Apache Airflow

**NEW QUESTION 63**

A company is migrating a legacy application to an Amazon S3 based data lake. A data engineer reviewed data that is associated with the legacy application. The data engineer found that the legacy data contained some duplicate information.

The data engineer must identify and remove duplicate information from the legacy application data.

Which solution will meet these requirements with the LEAST operational overhead?

- A. Write a custom extract, transform, and load (ETL) job in Python
- B. Use the `DataFrame.drop_duplicates()` function by importing the Pandas library to perform data deduplication.
- C. Write an AWS Glue extract, transform, and load (ETL) job
- D. Use the `FindMatches` machine learning (ML) transform to transform the data to perform data deduplication.
- E. Write a custom extract, transform, and load (ETL) job in Python
- F. Import the Python `dedupe` library

- G. Use the dedupe library to perform data deduplication.
- H. Write an AWS Glue extract, transform, and load (ETL) job.
- I. Import the Python dedupe library.
- J. Use the dedupe library to perform data deduplication.

**Answer: B**

**Explanation:**

AWS Glue is a fully managed serverless ETL service that can handle data deduplication with minimal operational overhead. AWS Glue provides a built-in ML transform called FindMatches, which can automatically identify and group similar records in a dataset. FindMatches can also generate a primary key for each group of records and remove duplicates. FindMatches does not require any coding or prior ML experience, as it can learn from a sample of labeled data provided by the user. FindMatches can also scale to handle large datasets and optimize the cost and performance of the ETL job. References:

? AWS Glue

? FindMatches ML Transform

? AWS Certified Data Engineer - Associate DEA-C01 Complete Study Guide

**NEW QUESTION 64**

A healthcare company uses Amazon Kinesis Data Streams to stream real-time health data from wearable devices, hospital equipment, and patient records.

A data engineer needs to find a solution to process the streaming data. The data engineer needs to store the data in an Amazon Redshift Serverless warehouse.

The solution must support near real-time analytics of the streaming data and the previous day's data. Which solution will meet these requirements with the LEAST operational overhead?

- A. Load data into Amazon Kinesis Data Firehose.
- B. Load the data into Amazon Redshift.
- C. Use the streaming ingestion feature of Amazon Redshift.
- D. Load the data into Amazon S3. Use the COPY command to load the data into Amazon Redshift.
- E. Use the Amazon Aurora zero-ETL integration with Amazon Redshift.

**Answer: B**

**Explanation:**

The streaming ingestion feature of Amazon Redshift enables you to ingest data from streaming sources, such as Amazon Kinesis Data Streams, into Amazon Redshift tables in near real-time. You can use the streaming ingestion feature to process the streaming data from the wearable devices, hospital equipment, and patient records. The streaming ingestion feature also supports incremental updates, which means you can append new data or update existing data in the Amazon Redshift tables. This way, you can store the data in an Amazon Redshift Serverless warehouse and support near real-time analytics of the streaming data and the previous day's data. This solution meets the requirements with the least operational overhead, as it does not require any additional services or components to ingest and process the streaming data. The other options are either not feasible or not optimal. Loading data into Amazon Kinesis Data Firehose and then into Amazon Redshift (option A) would introduce additional latency and cost, as well as require additional configuration and management. Loading data into Amazon S3 and then using the COPY command to load the data into Amazon Redshift (option C) would also introduce additional latency and cost, as well as require additional storage space and ETL logic. Using the Amazon Aurora zero-ETL integration with Amazon Redshift (option D) would not work, as it requires the data to be stored in Amazon Aurora first, which is not the case for the streaming data from the healthcare company. References:

? Using streaming ingestion with Amazon Redshift

? AWS Certified Data Engineer - Associate DEA-C01 Complete Study Guide, Chapter 3: Data Ingestion and Transformation, Section 3.5: Amazon Redshift Streaming Ingestion

**NEW QUESTION 65**

A company uses Amazon RDS to store transactional data. The company runs an RDS DB instance in a private subnet. A developer wrote an AWS Lambda function with default settings to insert, update, or delete data in the DB instance.

The developer needs to give the Lambda function the ability to connect to the DB instance privately without using the public internet.

Which combination of steps will meet this requirement with the LEAST operational overhead? (Choose two.)

- A. Turn on the public access setting for the DB instance.
- B. Update the security group of the DB instance to allow only Lambda function invocations on the database port.
- C. Configure the Lambda function to run in the same subnet that the DB instance uses.
- D. Attach the same security group to the Lambda function and the DB instance.
- E. Include a self-referencing rule that allows access through the database port.
- F. Update the network ACL of the private subnet to include a self-referencing rule that allows access through the database port.

**Answer: CD**

**Explanation:**

To enable the Lambda function to connect to the RDS DB instance privately without using the public internet, the best combination of steps is to configure the Lambda function to run in the same subnet that the DB instance uses, and attach the same security group to the Lambda function and the DB instance. This way, the Lambda function and the DB instance can communicate within the same private network, and the security group can allow traffic between them on the database port. This solution has the least operational overhead, as it does not require any changes to the public access setting, the network ACL, or the security group of the DB instance.

The other options are not optimal for the following reasons:

? A. Turn on the public access setting for the DB instance. This option is not recommended, as it would expose the DB instance to the public internet, which can compromise the security and privacy of the data. Moreover, this option would not enable the Lambda function to connect to the DB instance privately, as it would still require the Lambda function to use the public internet to access the DB instance.

? B. Update the security group of the DB instance to allow only Lambda function invocations on the database port. This option is not sufficient, as it would only modify the inbound rules of the security group of the DB instance, but not the outbound rules of the security group of the Lambda function. Moreover, this option would not enable the Lambda function to connect to the DB instance privately, as it would still require the Lambda function to use the public internet to access the DB instance.

? E. Update the network ACL of the private subnet to include a self-referencing rule

that allows access through the database port. This option is not necessary, as the network ACL of the private subnet already allows all traffic within the subnet by default. Moreover, this option would not enable the Lambda function to connect to the DB instance privately, as it would still require the Lambda function to use the public internet to access the DB instance.

References:

? 1: Connecting to an Amazon RDS DB instance

? 2: Configuring a Lambda function to access resources in a VPC



? 3: Working with security groups  
? : Network ACLs

**NEW QUESTION 70**

A company currently stores all of its data in Amazon S3 by using the S3 Standard storage class.

A data engineer examined data access patterns to identify trends. During the first 6 months, most data files are accessed several times each day. Between 6 months and 2 years, most data files are accessed once or twice each month. After 2 years, data files are accessed only once or twice each year.

The data engineer needs to use an S3 Lifecycle policy to develop new data storage rules. The new storage solution must continue to provide high availability. Which solution will meet these requirements in the MOST cost-effective way?

- A. Transition objects to S3 One Zone-Infrequent Access (S3 One Zone-IA) after 6 month
- B. Transfer objects to S3 Glacier Flexible Retrieval after 2 years.
- C. Transition objects to S3 Standard-Infrequent Access (S3 Standard-IA) after 6 month
- D. Transfer objects to S3 Glacier Flexible Retrieval after 2 years.
- E. Transition objects to S3 Standard-Infrequent Access (S3 Standard-IA) after 6 month
- F. Transfer objects to S3 Glacier Deep Archive after 2 years.
- G. Transition objects to S3 One Zone-Infrequent Access (S3 One Zone-IA) after 6 month
- H. Transfer objects to S3 Glacier Deep Archive after 2 years.

**Answer: C**

**Explanation:**

To achieve the most cost-effective storage solution, the data engineer needs to use an S3 Lifecycle policy that transitions objects to lower-cost storage classes based on their access patterns, and deletes them when they are no longer needed. The storage classes should also provide high availability, which means they should be resilient to the loss of data in a single Availability Zone<sup>1</sup>. Therefore, the solution must include the following steps:

? Transition objects to S3 Standard-Infrequent Access (S3 Standard-IA) after 6 months. S3 Standard-IA is designed for data that is accessed less frequently, but requires rapid access when needed. It offers the same high durability, throughput, and low latency as S3 Standard, but with a lower storage cost and a retrieval fee<sup>2</sup>.

Therefore, it is suitable for data files that are accessed once or twice each month. S3 Standard-IA also provides high availability, as it stores data redundantly across multiple Availability Zones<sup>1</sup>.

? Transfer objects to S3 Glacier Deep Archive after 2 years. S3 Glacier Deep Archive is the lowest-cost storage class that offers secure and durable storage for data that is rarely accessed and can tolerate a 12-hour retrieval time. It is ideal for long-term archiving and digital preservation<sup>3</sup>. Therefore, it is suitable for data files that are accessed only once or twice each year. S3 Glacier Deep Archive also provides high availability, as it stores data across at least three geographically dispersed Availability Zones<sup>1</sup>.

? Delete objects when they are no longer needed. The data engineer can specify an expiration action in the S3 Lifecycle policy to delete objects after a certain period of time. This will reduce the storage cost and comply with any data retention policies.

Option C is the only solution that includes all these steps. Therefore, option C is the correct answer.

Option A is incorrect because it transitions objects to S3 One Zone-Infrequent Access (S3 One Zone-IA) after 6 months. S3 One Zone-IA is similar to S3 Standard-IA, but it stores data in a single Availability Zone. This means it has a lower availability and durability than S3 Standard-IA, and it is not resilient to the loss of data in a single Availability Zone<sup>1</sup>. Therefore, it does not provide high availability as required.

Option B is incorrect because it transfers objects to S3 Glacier Flexible Retrieval after 2 years. S3 Glacier Flexible Retrieval is a storage class that offers secure and durable storage for data that is accessed infrequently and can tolerate a retrieval time of minutes to hours. It is more expensive than S3 Glacier Deep Archive, and it is not suitable for data that is accessed only once or twice each year<sup>3</sup>. Therefore, it is not the most cost-effective option.

Option D is incorrect because it combines the errors of option A and B. It transitions objects to S3 One Zone-IA after 6 months, which does not provide high availability, and it transfers objects to S3 Glacier Flexible Retrieval after 2 years, which is not the most cost-effective option.

References:

? 1: Amazon S3 storage classes - Amazon Simple Storage Service

? 2: Amazon S3 Standard-Infrequent Access (S3 Standard-IA) - Amazon Simple Storage Service

? 3: Amazon S3 Glacier and S3 Glacier Deep Archive - Amazon Simple Storage Service

? [4]: Expiring objects - Amazon Simple Storage Service

? [5]: Managing your storage lifecycle - Amazon Simple Storage Service

? [6]: Examples of S3 Lifecycle configuration - Amazon Simple Storage Service

? [7]: Amazon S3 Lifecycle further optimizes storage cost savings with new features

- What's New with AWS

**NEW QUESTION 72**

A retail company has a customer data hub in an Amazon S3 bucket. Employees from many countries use the data hub to support company-wide analytics. A governance team must ensure that the company's data analysts can access data only for customers who are within the same country as the analysts.

Which solution will meet these requirements with the LEAST operational effort?

- A. Create a separate table for each country's customer data
- B. Provide access to each analyst based on the country that the analyst serves.
- C. Register the S3 bucket as a data lake location in AWS Lake Formation
- D. Use the Lake Formation row-level security features to enforce the company's access policies.
- E. Move the data to AWS Regions that are close to the countries where the customers are
- F. Provide access to each analyst based on the country that the analyst serves.
- G. Load the data into Amazon Redshift
- H. Create a view for each country
- I. Create separate IAM roles for each country to provide access to data from each country
- J. Assign the appropriate roles to the analysts.

**Answer: B**

**Explanation:**

AWS Lake Formation is a service that allows you to easily set up, secure, and manage data lakes. One of the features of Lake Formation is row-level security, which enables you to control access to specific rows or columns of data based on the identity or role of the user. This feature is useful for scenarios where you need to restrict access to sensitive or regulated data, such as customer data from different countries. By registering the S3 bucket as a data lake location in Lake Formation, you can use the Lake Formation console or APIs to define and apply row-level security policies to the data in the bucket. You can also use Lake Formation blueprints to automate the ingestion and transformation of data from various sources into the data lake. This solution requires the least operational effort compared to the other options, as it does not involve creating or moving data, or managing multiple tables, views, or roles. References:

? AWS Lake Formation

? Row-Level Security

? AWS Certified Data Engineer - Associate DEA-C01 Complete Study Guide, Chapter 4: Data Lakes and Data Warehouses, Section 4.2: AWS Lake Formation

#### NEW QUESTION 75

A company wants to implement real-time analytics capabilities. The company wants to use Amazon Kinesis Data Streams and Amazon Redshift to ingest and process streaming data at the rate of several gigabytes per second. The company wants to derive near real-time insights by using existing business intelligence (BI) and analytics tools.

Which solution will meet these requirements with the LEAST operational overhead?

- A. Use Kinesis Data Streams to stage data in Amazon S3. Use the COPY command to load data from Amazon S3 directly into Amazon Redshift to make the data immediately available for real-time analysis.
- B. Access the data from Kinesis Data Streams by using SQL queries
- C. Create materialized views directly on top of the stream
- D. Refresh the materialized views regularly to query the most recent stream data.
- E. Create an external schema in Amazon Redshift to map the data from Kinesis Data Streams to an Amazon Redshift object
- F. Create a materialized view to read data from the stream
- G. Set the materialized view to auto refresh.
- H. Connect Kinesis Data Streams to Amazon Kinesis Data Firehose
- I. Use Kinesis Data Firehose to stage the data in Amazon S3. Use the COPY command to load the data from Amazon S3 to a table in Amazon Redshift.

**Answer: C**

#### Explanation:

This solution meets the requirements of implementing real-time analytics capabilities with the least operational overhead. By creating an external schema in Amazon Redshift, you can access the data from Kinesis Data Streams using SQL queries without having to load the data into the cluster. By creating a materialized view on top of the stream, you can store the results of the query in the cluster and make them available for analysis. By setting the materialized view to auto refresh, you can ensure that the view is updated with the latest data from the stream at regular intervals. This way, you can derive near real-time insights by using existing BI and analytics tools. References:

? Amazon Redshift streaming ingestion

? Creating an external schema for Amazon Kinesis Data Streams

? Creating a materialized view for Amazon Kinesis Data Streams

#### NEW QUESTION 78

A data engineer is configuring an AWS Glue job to read data from an Amazon S3 bucket. The data engineer has set up the necessary AWS Glue connection details and an associated IAM role. However, when the data engineer attempts to run the AWS Glue job, the data engineer receives an error message that indicates that there are problems with the Amazon S3 VPC gateway endpoint.

The data engineer must resolve the error and connect the AWS Glue job to the S3 bucket. Which solution will meet this requirement?

- A. Update the AWS Glue security group to allow inbound traffic from the Amazon S3 VPC gateway endpoint.
- B. Configure an S3 bucket policy to explicitly grant the AWS Glue job permissions to access the S3 bucket.
- C. Review the AWS Glue job code to ensure that the AWS Glue connection details include a fully qualified domain name.
- D. Verify that the VPC's route table includes inbound and outbound routes for the Amazon S3 VPC gateway endpoint.

**Answer: D**

#### Explanation:

The error message indicates that the AWS Glue job cannot access the Amazon S3 bucket through the VPC endpoint. This could be because the VPC's route table does not have the necessary routes to direct the traffic to the endpoint. To fix this, the data engineer must verify that the route table has an entry for the Amazon S3 service prefix (com.amazonaws.region.s3) with the target as the VPC endpoint ID. This will allow the AWS Glue job to use the VPC endpoint to access the S3 bucket without going through the internet or a NAT gateway. For more information, see Gateway endpoints. References:

? Troubleshoot the AWS Glue error "VPC S3 endpoint validation failed"

? Amazon VPC endpoints for Amazon S3

? [AWS Certified Data Engineer - Associate DEA-C01 Complete Study Guide]

#### NEW QUESTION 80

A data engineer needs to use AWS Step Functions to design an orchestration workflow. The workflow must parallel process a large collection of data files and apply a specific transformation to each file.

Which Step Functions state should the data engineer use to meet these requirements?

- A. Parallel state
- B. Choice state
- C. Map state
- D. Wait state

**Answer: C**

#### Explanation:

Option C is the correct answer because the Map state is designed to process a collection of data in parallel by applying the same transformation to each element. The Map state can invoke a nested workflow for each element, which can be another state machine or a Lambda function. The Map state will wait until all the parallel executions are completed before moving to the next state.

Option A is incorrect because the Parallel state is used to execute multiple branches of logic concurrently, not to process a collection of data. The Parallel state can have different branches with different logic and states, whereas the Map state has only one branch that is applied to each element of the collection.

Option B is incorrect because the Choice state is used to make decisions based on a comparison of a value to a set of rules. The Choice state does not process any data or invoke any nested workflows.

Option D is incorrect because the Wait state is used to delay the state machine from continuing for a specified time. The Wait state does not process any data or invoke any nested workflows.

References:

? AWS Certified Data Engineer - Associate DEA-C01 Complete Study Guide, Chapter 5: Data Orchestration, Section 5.3: AWS Step Functions, Pages 131-132

? Building Batch Data Analytics Solutions on AWS, Module 5: Data Orchestration, Lesson 5.2: AWS Step Functions, Pages 9-10

? AWS Documentation Overview, AWS Step Functions Developer Guide, Step Functions Concepts, State Types, Map State, Pages 1-3

**NEW QUESTION 84**

A company receives call logs as Amazon S3 objects that contain sensitive customer information. The company must protect the S3 objects by using encryption. The company must also use encryption keys that only specific employees can access. Which solution will meet these requirements with the LEAST effort?

- A. Use an AWS CloudHSM cluster to store the encryption key
- B. Configure the process that writes to Amazon S3 to make calls to CloudHSM to encrypt and decrypt the object
- C. Deploy an IAM policy that restricts access to the CloudHSM cluster.
- D. Use server-side encryption with customer-provided keys (SSE-C) to encrypt the objects that contain customer information
- E. Restrict access to the keys that encrypt the objects.
- F. Use server-side encryption with AWS KMS keys (SSE-KMS) to encrypt the objects that contain customer information
- G. Configure an IAM policy that restricts access to the KMS keys that encrypt the objects.
- H. Use server-side encryption with Amazon S3 managed keys (SSE-S3) to encrypt the objects that contain customer information
- I. Configure an IAM policy that restricts access to the Amazon S3 managed keys that encrypt the objects.

**Answer:** C

**Explanation:**

Option C is the best solution to meet the requirements with the least effort because server-side encryption with AWS KMS keys (SSE-KMS) is a feature that allows you to encrypt data at rest in Amazon S3 using keys managed by AWS Key Management Service (AWS KMS). AWS KMS is a fully managed service that enables you to create and manage encryption keys for your AWS services and applications. AWS KMS also allows you to define granular access policies for your keys, such as who can use them to encrypt and decrypt data, and under what conditions. By using SSE-KMS, you can protect your S3 objects by using encryption keys that only specific employees can access, without having to manage the encryption and decryption process yourself.

Option A is not a good solution because it involves using AWS CloudHSM, which is a service that provides hardware security modules (HSMs) in the AWS Cloud. AWS CloudHSM allows you to generate and use your own encryption keys on dedicated hardware that is compliant with various standards and regulations. However, AWS CloudHSM is not a fully managed service and requires more effort to set up and maintain than AWS KMS. Moreover, AWS CloudHSM does not integrate with Amazon S3, so you have to configure the process that writes to S3 to make calls to CloudHSM to encrypt and decrypt the objects, which adds complexity and latency to the data protection process. Option B is not a good solution because it involves using server-side encryption with customer-provided keys (SSE-C), which is a feature that allows you to encrypt data at rest in Amazon S3 using keys that you provide and manage yourself. SSE-C requires you to send your encryption key along with each request to upload or retrieve an object. However, SSE-C does not provide any mechanism to restrict access to the keys that encrypt the objects, so you have to implement your own key management and access control system, which adds more effort and risk to the data protection process.

Option D is not a good solution because it involves using server-side encryption with Amazon S3 managed keys (SSE-S3), which is a feature that allows you to encrypt data at rest in Amazon S3 using keys that are managed by Amazon S3. SSE-S3 automatically encrypts and decrypts your objects as they are uploaded and downloaded from S3. However, SSE-S3 does not allow you to control who can access the encryption keys or under what conditions. SSE-S3 uses a single encryption key for each S3 bucket, which is shared by all users who have access to the bucket. This means that you cannot restrict access to the keys that encrypt the objects by specific employees, which does not meet the requirements.

References:

- ? AWS Certified Data Engineer - Associate DEA-C01 Complete Study Guide
- ? Protecting Data Using Server-Side Encryption with AWS KMS—Managed Encryption Keys (SSE-KMS) - Amazon Simple Storage Service
- ? What is AWS Key Management Service? - AWS Key Management Service
- ? What is AWS CloudHSM? - AWS CloudHSM
- ? Protecting Data Using Server-Side Encryption with Customer-Provided Encryption Keys (SSE-C) - Amazon Simple Storage Service
- ? Protecting Data Using Server-Side Encryption with Amazon S3-Managed Encryption Keys (SSE-S3) - Amazon Simple Storage Service

**NEW QUESTION 88**

.....



## Thank You for Trying Our Product

\* 100% Pass or Money Back

All our products come with a 90-day Money Back Guarantee.

\* One year free update

You can enjoy free update one year. 24x7 online support.

\* Trusted by Millions

We currently serve more than 30,000,000 customers.

\* Shop Securely

All transactions are protected by VeriSign!

**100% Pass Your AWS-Certified-Data-Engineer-Associate Exam with Our Prep Materials Via below:**

<https://www.certleader.com/AWS-Certified-Data-Engineer-Associate-dumps.html>