



**Microsoft**

## **Exam Questions AZ-400**

Microsoft Azure DevOps Solutions (beta)

#### NEW QUESTION 1

Note: This question part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You integrate a cloud-hosted Jenkins server and a new Azure DevOps deployment. You need Azure DevOps to send a notification to Jenkins when a developer commits changes to a branch in Azure Repos.

Solution: You add a trigger to the build pipeline. Does this meet the goal?

- A. Yes
- B. NO

**Answer: B**

#### Explanation:

You can create a service hook for Azure DevOps Services and TFS with Jenkins. References:

<https://docs.microsoft.com/en-us/azure/devops/service-hooks/services/jenkins>

#### NEW QUESTION 2

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You have an approval process that contains a condition. The condition requires that releases be approved by a team leader before they are deployed.

You have a policy stating that approvals must occur within eight hours.

You discover that deployments only fail if the approvals take longer than two hours. You need to ensure that the deployments only fail if the approvals take longer than eight hours.

Solution: From Post-deployment conditions, you modify the Timeout setting for post-deployment approvals.

Does this meet the goal?

- A. Yes
- B. NO

**Answer: B**

#### NEW QUESTION 3

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You have an approval process that contains a condition. The condition requires that releases be approved by a team leader before they are deployed.

You have a policy stating that approvals must occur within eight hours.

You discover that deployments fail if the approvals take longer than two hours. You need to ensure that the deployments only fail if the approvals take longer than eight hours.

Solution: From Post-deployment conditions, you modify the Time between reevaluation of gates option.

Does this meet the goal?

- A. Yes
- B. No

**Answer: B**

#### Explanation:

Use a gate From Pre-deployment conditions instead. References: <https://docs.microsoft.com/en-us/azure/devops/pipelines/release/approvals/gates>

#### NEW QUESTION 4

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You have an approval process that contains a condition. The condition requires that releases be approved by a team leader before they are deployed.

You have a policy stating that approvals must occur within eight hours.

You discover that deployments fail if the approvals take longer than two hours. You need to ensure that the deployments only fail if the approvals take longer than eight hours.

Solution: From Pre-deployment conditions, you modify the Timeout setting for predeployment approvals.

Does this meet the goal?

- A. Yes
- B. No

**Answer: B**

#### Explanation:

Use a gate instead of an approval instead.

References: <https://docs.microsoft.com/en-us/azure/devops/pipelines/release/approvals/gates>

#### NEW QUESTION 5

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

Your company has a prefect in Azure DevOps for a new web application. You need to ensure that when code is checked in, a build runs automatically.  
Solution: from the Triggers tab of the build pipeline, you select Enable continuous integration  
Does the meet the goal?

- A. Yes
- B. No

**Answer: B**

**Explanation:**

In Visual Designer you enable continuous integration (CI) by:

„hSelect the Triggers tab.

„hEnable Continuous integration.

A continuous integration trigger on a build pipeline indicates that the system should automatically queue a new build whenever a code change is committed.

References:

<https://docs.microsoft.com/en-us/azure/devops/pipelines/get-started-designer>

**NEW QUESTION 6**

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen

Your company has a project in Azure DevOps for a new web application. You need to ensure that when code is checked in, a build runs automatically.

Solution: From the Continuous deployment trigger settings of the release pipeline, you enable the Pull request trigger setting.

Does the meet the goal?

- A. Yes
- B. No

**Answer: B**

**Explanation:**

In Visual Designer you enable continuous integration (CI) by:

„hSelect the Triggers tab.

„hEnable Continuous integration. References:

<https://docs.microsoft.com/en-us/azure/devops/pipelines/get-started-designer>

**NEW QUESTION 7**

You plan to create an image that will contain a .NET Core application.

You have a Dockerfile file that contains the following code. (Line numbers are included for reference only.)

```
01 FROM microsoft/dotnet:2.1-sdk
02 COPY ./
03 RUN dotnet publish -c Release -o out
04 FROM microsoft/dotnet:2.1-sdk
05 COPY -from=0 /out /
06 WORKDIR /
07 ENTRYPOINT ["dotnet", "appl.dll"]
```

You need to ensure that the image is as small as possible when the image is built. Which line should you modify in the file?

- A. 1
- B. 3
- C. 4
- D. 7

**Answer: A**

**Explanation:**

Multi-stage builds (in Docker 17.05 or higher) allow you to drastically reduce the size of your final image, without struggling to reduce the number of intermediate layers and files.

With multi-stage builds, you use multiple FROM statements in your Dockerfile. Each FROM instruction can use a different base, and each of them begins a new stage of the build. You can selectively copy artifacts from one stage to another, leaving behind everything you don't want in the final image.

References: <https://docs.docker.com/develop/develop-images/multistage-build/#usemulti-stage-builds>

**NEW QUESTION 8**

Your company has a hybrid cloud between Azure and Azure Stack.

The company uses Azure DevOps for its CI/CD pipelines. Some applications are built by using Erlang and Hack.

You need to ensure that Erlang and Hack are supported as part of the build strategy across the hybrid cloud. The solution must minimize management overhead.

What should you use to execute the build pipeline?

- A. AzureDevOps self-hosted agents on Azure DevTest Labs virtual machines.
- B. AzureDevOps self-hosted agents on virtual machine that run on Azure Stack
- C. AzureDevOps self-hosted agents on Hyper-V virtual machines
- D. a Microsoft-hosted agent

**Answer: B**

**Explanation:**

Azure Stack offers virtual machines (VMs) as one type of an on-demand, scalable computing resource. You can choose a VM when you need more control over the computing environment.

References: <https://docs.microsoft.com/en-us/azure/azure-stack/user/azure-stackQuestions& Answers PDF P-11 compute-overview>

**NEW QUESTION 9**

You are automating the build process for a Java-based application by using Azure DevOps.

You need to add code coverage testing and publish the outcomes to the pipeline. What should you use?

- A. Cobertura
- B. Bullseye Coverage
- C. MSTest
- D. Coverlet

**Answer:** A

**Explanation:**

Use Publish Code Coverage Results task in a build pipeline to publish code coverage results to Azure Pipelines or TFS, which were produced by a build in Cobertura or JaCoCo format.

References: <https://docs.microsoft.com/enus/azure/devops/pipelines/tasks/test/publish-code-coverage-results>

**NEW QUESTION 10**

You need to recommend a Docker container build strategy that meets the following requirements

1. Minimizes image sizes

2. Minimizes the security surface area of the final image What should you include in the recommendation?

- A. multi-stage builds
- B. single-stage builds
- C. PowerShell Desired State Configuration (DSC)
- D. Docker Swarm

**Answer:** A

**Explanation:**

Multi-stage builds are a new feature requiring Docker 17.05 or higher on the daemon and client. Multistage builds are useful to anyone who has struggled to optimize Dockerfiles while keeping them easy to read and maintain. References: <https://docs.docker.com/develop/develop-images/multistage-build/>

**NEW QUESTION 10**

HOTSPOT

You have a project Azure DevOps.



You plan to create a build pipeline that will deploy resources by using Azure Resource Manager templates. The templates will reference secrets stored in Azure Key Vault.

You need to ensure that you can dynamically generate the resource ID of the key vault during template deployment.

What should you include in the template? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

```

"resources": [
{
  "apiversion": "2018-05-01",
  "name" : "secrets",
  "type": 
  "properties": {
    "mode" : "Incremental",
     : {
      "deployment"
      "template"
      "templateLink"
    }
  }
},
{
  "contentVersion" : "1.0.0.0",
  "uri" : "[uri(parameters('_artifactsLocation'),
concat('./nested/sqlserver.json',
parameters('_artifactsLocationSasToken')))]"
},
"parameters": {
  "secret": {
    "reference": {
      "keyVault": {
        "id": "[resourceId(parameters('vaultSubscription'),
parameters('vaultResourceGroupName'),
'Microsoft.KeyVault/vaults',
parameters('vaultName'))]"
      },
      "secretName": "[parameters('secretName')]"
    }
  }
}
],


```

- A. Mastered
- B. Not Mastered

**Answer:** A

**Explanation:**

```

"resources": [
{
  "apiversion": "2018-05-01",
  "name" : "secrets",
  "type": 
  "properties": {
    "mode" : "Incremental",
     : {
      "deployment"
      "template"
      "templateLink"
    }
  }
},
{
  "contentVersion" : "1.0.0.0",
  "uri" : "[uri(parameters('_artifactsLocation'),
concat('./nested/sqlserver.json',
parameters('_artifactsLocationSasToken')))]"
},

```





**Answer:** A

**Explanation:**

Box 1: Lead time

Lead time measures the total time elapsed from the creation of work items to their completion.

Box 2: Cycle time

Cycle time measures the time it takes for your team to complete work items once they begin actively working on them.

Box 3: Burndown

Burndown charts focus on remaining work within a specific time period. Incorrect Answers:

Velocity provides a useful metric for these activities: Support sprint planning

Forecast future sprints and the backlog items that can be completed

A guide for determining how well the team estimates and meets their planned

commitments References:

<https://docs.microsoft.com/en-us/azure/devops/report/dashboards/velocityguidance?view=vsts>

<https://docs.microsoft.com/en-us/azure/devops/report/dashboards/cycle-time-andlead-time?view=vsts>

<https://docs.microsoft.com/en-us/azure/devops/report/dashboards/configureburndown-burnup-widgets?view=vsts>

**NEW QUESTION 21**

HOTSPOT

Your company uses Team Foundation Server 2013 (TFS 2013). You plan to migrate to Azure DevOps.

You need to recommend a migration strategy that meets the following requirements:

„hPreserves the dates of Team Foundation Version Control changesets

„hPreserves the changes dates of work items revisions

„hMinimizes migration effort

„hMigrates all TFS artifacts

What should you recommend? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

On the TFS server:

- Install the TFS Java SDK.
- Upgrade TFS to the most recent RTW release.
- Upgrade to the most recent version of PowerShell Core.

To perform the migration:

- Copy the assets manually.
- Use public API-based tools.
- Use the TFS Database Import Service.
- Use the TFS Integration Platform.

- A. Mastered
- B. Not Mastered

**Answer:** A

**Explanation:**

Box 1: Upgrade TFS to the most recent RTM release.

One of the major prerequisites for migrating your Team Foundation Server database is to get your database schema version as close as possible to what is currently deployed in Azure DevOps Services.

Box 2: Use the TFS Database Import Service

In Phase 3 of your migration project, you will work on upgrading your Team Foundation Server to one of the supported versions for the Database Import Service in Azure DevOps Services.

References: Team Foundation Server to Azure DevOps Services Migration Guide

**NEW QUESTION 22**

DRAG DROP

Your company plans to deploy an application to the following endpoints:

¡E Ten virtual machines hosted in Azure.

¡E Ten virtual machines hosted in an on-premises data center environment All the virtual machines have the- Azure Pipelines agent.

You need to implement a release strategy for deploying the application to the endpoints.

What should you recommend using to deploy the application to the endpoints? To answer, drag the appropriate components to the correct endpoint.

Each component may be used once, more than once, or not at all. You may need to drag the split bar between panes or soon to view content

NOTE: Each correct selection n worth one point.

Components	Answer Area
A deployment group	
A management group	1 en virtual machines hosted in Azure: <input type="text"/>
A resource group	Ten virtual machines hosted in an on-premises data center environment: <input type="text"/>
Application roles	

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Box 1: A deployment group

When authoring an Azure Pipelines or TFS Release pipeline, you can specify the deployment targets for a job using a deployment group.

If the target machines are Azure VMs, you can quickly and easily prepare them by installing the Azure Pipelines Agent Azure VM extension on each of the VMs, or by using the Azure Resource Group Deployment task in your release pipeline to create a deployment group dynamically.

Box 2: A deployment group

References: <https://docs.microsoft.com/enus/ azure/devops/pipelines/release/deployment-groups>

NEW QUESTION 25

DRAG DROP

You need to configure access to Azure DevOps Agent pools to meet the forwarding requirements:

- 1E Use a project agent pool when authoring build release pipelines.
- 1E View the agent pool and agents of the organization.
- 1E Use the principle of least privilege.

Which role memberships are required for the Azure 0e%0os organization and the project? To answer, drag the appropriate role membership to the correct targets. Each role membership may be used once, more than once, or not at all. You may need to drag the split bar between panes or scroll to content

NOTE: Each correct selection is worth one point.

Roles	Answer Area
Administrator	
Reader	Organization: <input type="text"/>
Service Account	Project: <input type="text"/>
User	

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Box 1: Reader

Members of the Reader role can view the organization agent pool as well as agents. You typically use this to add operators that are responsible for monitoring the agents and their health.

Box 2: Service account

Members of the Service account role can use the organization agent pool to create a project agent pool in a project. If you follow the guidelines above for creating new project agent pools,

you typically do not have to add any members here. Incorrect Answers:

In addition to all the permissions given the Reader and the Service Account role, members of the administrator role can register or unregister agents from the organization agent pool. They can also refer to the organization agent pool when creating a project agent pool in a project. Finally, they can also manage membership for all roles of the organization agent pool. The user that created the organization agent pool is automatically added to the Administrator role for that pool.

References: <https://docs.microsoft.com/en-us/azure/devops/pipelines/agents/poolsqueues>



NEW QUESTION 28  
HOTSPOT

You are configuring a release pipeline in Azure DevOps as shown in the exhibit.



Use the drop-down menus to select the answer choice that answers each question based on the information presented in the graphic.  
NOTE: Each correct selection is worth one point.

How many stages have triggers set?

0  
1  
2  
3  
4  
5  
6  
7

Which component should you modify to enable continuous delivery?

The Development stage  
The Internal Review stage  
The Production stage  
The Web Application artifact

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Box 1: 5  
There are five stages: Development, QA, Pre-production, Load Test and Production. They all have triggers.  
Box 2: The Internal Review stage  
References: <https://docs.microsoft.com/enus/ azure/devops/pipelines/release/triggers>

NEW QUESTION 29

You have a brand policy in a project in Azure DevOps. The policy requires that code always builds successfully.  
You need to ensure that a specific user can always merge change to the master branch, even if the code fails to compile. The solution must use the principle of least privilege.  
What should you do?

- A. From the Security setting of the repository, modify the access control tor the user.
- B. From the Security settings of the branch, modify the access control for the user.
- C. Add the user to the Build Administrators group,
- D. Add the user to the Project Administrators group

Answer: B

Explanation:

In some cases, you need to bypass policy requirements so you can push changes to the branch directly or complete a pull request even if branch policies are not satisfied. For these situations, grant the desired permission from the previous list to a user or group. You can scope this permission to an entire project, a repo, or a single branch. Manage this permission along the with other Git permissions. References: <https://docs.microsoft.com/en-us/azure/devops/repos/git/branchpolicies>

NEW QUESTION 30

Your company uses a Git repository in Azure Repos lo manage the source code of a web application. The master branch is protected from direct updates. Developers work on new features in the topic branches. Because of the high volume of requested features, it is difficult to follow the history of the changes to the master branch. You need to enforce a pull request merge strategy. The strategy must meet the following requirements:  
jE Consolidate commit histories  
jE Merge tie changes into a tingle commit  
Which merge strategy should you use in the branch policy?

- A. Git fetch
- B. no-fast-forward merge

- C. squash merge
- D. fast-forward merge

**Answer:** C

**Explanation:**

Squash merging is a merge option that allows you to condense the Git history of topic branches when you complete a pull request. Instead of each commit on the topic branch being added to the history of the default branch, a squash merge takes all the file changes and adds them to a single new commit on the default branch. A simple way to think about this is that squash merge gives you just the file changes, and a regular merge gives you the file changes and the commit history. Note: Squash merging keeps your default branch histories clean and easy to follow without demanding any workflow changes on your team. Contributors to the topic branch work how they want in the topic branch, and the default branches keep a linear history through the use of squash merges. The commit history of a master branch updated with squash merges will have one commit for each merged branch. You can step through this history commit by commit to find out exactly when work was done.

References: <https://docs.microsoft.com/en-us/azure/devops/repos/git/merging-withQuestions>  
& Answers PDF P-43 squash

**NEW QUESTION 31**

Your company uses cloud-hosted Jenkins for builds.

You need to ensure that Jenkins can retrieve source code from Azure Repos. Which three actions should you perform? Each correct answer presents part of the solution

NOTE: Each correct answer selection is worth one point

- A. Add the Team Foundation Server (TFS) plug-in to Jenkins.
- B. Create a personal access token in your Azure DevOps account.
- C. Create a webhook in Jenkins.
- D. Add a domain to your Jenkins account.
- E. Create a service hook in Azure DevOps.

**Answer:** ABE

**Explanation:**

References:

<https://blogs.msdn.microsoft.com/devops/2017/04/25/vsts-visual-studio-teamservices-integration-with-jenkins/>

<http://www.aisoftwarellc.com/blog/post/how-to-setup-automated-builds-usingjenkins-and-visual-studio-team-foundation-server/2044>

**NEW QUESTION 33**

Your company is concerned that when developers introduce open source Libraries, it creates licensing compliance issues.

You need to add an automated process to the build pipeline to detect when common open source libraries are added to the code base.

What should you use?

- A. Code Style
- B. Microsoft Visual SourceSafe
- C. Black Duck
- D. Jenkins

**Answer:** C

**Explanation:**

Secure and Manage Open Source Software

Black Duck helps organizations identify and mitigate open source security, license compliance and code-quality risks across application and container portfolios.

Black Duck Hub and its plugin for Team Foundation Server (TFS) allows you to automatically find and fix open source security vulnerabilities during the build process, so you can proactively manage risk. The integration allows you to receive alerts and fail builds when any Black Duck Hub policy violations are met.

Note: WhiteSource would also be a good answer, but it is not an option here. References:

<https://marketplace.visualstudio.com/items?itemName=black-duck-software.hub-tfs>

**NEW QUESTION 36**

HOTSPOT

Your company is building a new web application.

You plan to collect feedback from pilot users on the features being delivered. All the pilot users have a corporate computer that has Google Chrome and the Microsoft Test & Feedback extension installed. The pilot users will test the application by using Chrome.

You need to identify which access levels are required to ensure that developers can request and gather feedback from the pilot users. The solution must use the principle of least privilege.

Which access levels in Azure DevOps should you identify? To answer, select the appropriate options in the answer area

NOTE: Each correct selection is worth one point.

Developers:

Pilot users:

- A. Mastered
- B. Not Mastered

**Answer:** A

**Explanation:**

Box 1: Basic

Assign Basic to users with a TFS CAL, with a Visual Studio Professional subscription, and to users for whom you are paying for Azure Boards & Repos in an organization.

Box 2: Stakeholder

Assign Stakeholders to users with no license or subscriptions who need access to a limited set of features.

Note:

You assign users or groups of users to one of the following access levels: Basic: provides access to most features

VS Enterprise: provides access to premium features

Stakeholders: provides partial access, can be assigned to unlimited users for free References: <https://docs.microsoft.com/enus/azure/devops/organizations/security/access-levels?view=vsts>

**NEW QUESTION 37**

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

Your company has a project in Azure DevOps for a new web application. You need to ensure that when code is checked in, a build runs automatically.

Solution: From the Pre-deployment conditions settings of the release pipeline, you select After stage.

Does this meet the goal?

A. Yes

B. No

**Answer:** B

**Explanation:**

Instead, In Visual Designer you enable continuous integration (CI) by:

„hSelect the Triggers tab.

„hEnable Continuous integration. References:

<https://docs.microsoft.com/en-us/azure/devops/pipelines/get-started-designer>

**NEW QUESTION 42**

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You have an approval process that contains a condition. The condition requires that releases be approved by a team leader before they are deployed.

You have a policy stating that approvals must occur within eight hours.

You discover that deployment fail if the approvals take longer than two hours. You need to ensure that the deployments only fail if the approvals take longer than eight hours.

Solution: From Pre-deployment conditions, you modify the Time between reevaluation of gates option.

Does this meet the goal?

A. Yes

B. No

**Answer:** A

**Explanation:**

Gates allow automatic collection of health signals from external services, and then promote the release when all the signals are successful at the same time or stop the deployment on timeout. Typically, gates are used in connection with incident management, problem management, change management, monitoring, and external approval systems.

References: <https://docs.microsoft.com/enus/azure/devops/pipelines/release/approvals/gates>

Approvals and gates give you additional control over the start and completion of the deployment pipeline. Each stage in a release pipeline can be configured with predeployment and post-deployment conditions that can include waiting for users to

manually approve or reject deployments, and checking with other automated systems until specific conditions are verified.

**NEW QUESTION 45**

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You plan to create a release pipeline that will deploy Azure resources by using Azure Resource Manager templates. The release pipeline will create the following resources:

„hTwo resource groups

„hFour Azure virtual machines in one resource group

„hTwo Azure SQL databases in other resource group

You need to recommend a solution to deploy the resources.

Solution: Create two standalone templates, each of which will deploy the resources in its respective group.

Does this meet the goal?

A. Yes

B. No

**Answer:** B

**Explanation:**

Use a main template and two linked templates.

References: <https://docs.microsoft.com/en-us/azure/azure-resourcemanager/resource-group-linked-templates>

#### NEW QUESTION 46

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You plan to create a release pipeline that will deploy Azure resources by using Azure Resource Manager templates. The release pipeline will create the following resources:

„hTwo resource groups

„hFour Azure virtual machines in one resource group

„hTwo Azure SQL databases in other resource group

You need to recommend a solution to deploy the resources.

Solution: Create a main template that has two linked templates, each of which will deploy the resource in its respective group.

Does this meet the goal?

A. Yes

B. No

**Answer: A**

#### Explanation:

To deploy your solution, you can use either a single template or a main template with many related templates. The related template can be either a separate file that is linked to from the main template, or a template that is nested within the main template.

References: <https://docs.microsoft.com/en-us/azure/azure-resourcemanager/resource-group-linked-templates>

#### NEW QUESTION 47

Your company is concerned that when developers introduce open source libraries, it creates licensing compliance issues.

You need to add an automated process to the build pipeline to detect when common open source libraries are added to the code base.

What should you use?

A. Microsoft Visual SourceSafe

B. PDM

C. WhiteSource

D. OWASP ZAP

**Answer: C**

#### Explanation:

WhiteSource is the leader in continuous open source software security and compliance management. WhiteSource integrates into your build process, irrespective of your programming languages, build tools, or development environments. It works automatically, continuously, and silently in the background, checking the security, licensing, and quality of your open source components against WhiteSource constantly-updated definitive database of open source repositories.

Azure DevOps integration with WhiteSource Bolt will enable you to:

„hDetect and remedy vulnerable open source components.

„hGenerate comprehensive open source inventory reports per project or build.

„hEnforce open source license compliance, including dependencies and licenses.

„hIdentify outdated open source libraries with recommendations to update. References: <https://www.azuredevopslabs.com/labs/vstsextend/WhiteSource/>

#### NEW QUESTION 48

Your company is building a new solution in Java.

The company currently uses a SonarQube server to analyze the code of .NET solutions.

You need to analyze and monitor the code quality of the Java solution. Which task types should you add to the build pipeline?

A. Octopus

B. Chef

C. Maven

D. Grunt

**Answer: A**

#### NEW QUESTION 52

Your company has a project in Azure DevOps.

You need to ensure that when there are multiple builds pending deployment only the most recent build is deployed.

What should you use?

A. deployment queue settings

B. deployment conditions

C. release gates

D. pull request triggers

**Answer: A**

#### NEW QUESTION 56

DRAG DROP

You plan to use Azure Kubernetes Service (AKS) to host containers deployed from images hosted in a Docker Trusted Registry.

You need to recommend a solution for provisioning and connecting to AKS. The solution must ensure that AKS is RBAC-enabled and uses a custom service principal.

Which three commands should you recommend be run in sequence? To answer, move the appropriate commands from the list of commands to the answer area and arrange them in the correct order.



Commands

kubectl create

az role assignment create

az aks get-credentials

az ad sp create-for-rbac

az aks create

Answer Area

1

2

3

>

<

⬆

⬇

- A. Mastered  
B. Not Mastered

Answer: A

Explanation:

Commands

kubectl create

az role assignment create

Answer Area

1

2

3

>

<

⬆

⬇

az aks create

az aks get-credentials

az ad sp create-for-rbac

NEW QUESTION 61

HOTSPOT

How should you configure the release retention policy for the investment planning applications suite? To answer, select the appropriate options in the answer area.  
NOTE: Each correct selection is worth one point.

Global release:

Set the default retention policy to 30 days.

Set the maximum retention policy to 30 days.

Set the stage retention policy to 30 days.

Set the stage retention policy to 60 days.

Production stage:

Set the default retention policy to 30 days.

Set the maximum retention policy to 60 days.

Set the stage retention policy to 30 days.

Set the stage retention policy to 60 days.

- A. Mastered  
B. Not Mastered

Answer: A

Explanation:

Scenario: By default, all releases must remain available for 30 days, except for production releases, which must be kept for 60 days.  
Box 1: Set the default retention policy to 30 days  
The Global default retention policy sets the default retention values for all the build pipelines. Authors of build pipelines can override these values.  
Box 2: Set the stage retention policy to 60 days  
You may want to retain more releases that have been deployed to specific stages. References: <https://docs.microsoft.com/enus/azure/devops/pipelines/policies/retention>

NEW QUESTION 65

Where should the build and release agents for the investment planning applications suite run? To answer, select the appropriate options in the answer area  
NOTE: Each correct selection is worth one point.

- A. Mastered  
B. Not Mastered

Answer: A

Explanation:

## Answer Area

Build agent: A source control system

Release agent: The developers' computers

### Case Study: 2 Overview

#### Existing Environment

This is a case study Case studies are not limed separately. You can use as much exam time at you would like to complete each case. However there may be additional case studies and sections on this exam. You must manage your time to ensure that you are able to complete all questions included on this exam in the time provided.

To answer the questions included in a case study, you will need to reference information that is provided m the case study Case studies might contain exhibits and other resources that provide more information about the scenario that is described in the case study. Each question is independent of the other questions in this case study.

At the end of the case study, a review screen will appear. This screen allows you to review your answers and to mate changes before you move to the next section of the exam, After you begin a new section, you cannot return to this section.

To start the case study

To display the first question in this case study, click the Next button. Use the buttons in the left pane to explore the content of the case study before you answer the questions. Clicking these buttons displays information such as business requirements, existing environment and problem statements. If the case study has an All Information tab, note that the information displayed on identical to the Information displayed on the subsequent tabs. When you are ready to answer a question, click the question button to return to the question.

#### Requirements

Contoso plans to improve its IT development and operations processes implementing Azue DevOps principles. Contoso has an Azure subscription and creates an Azure DevOPs organization.

The Azure DevOps organization includes:

„hThe Docker extension

„hA deployment pool named Pool7 that contains 10 Azure virtual machines that run Windows Server 2016.

The Azure subscription contains an Azure Automation account. Planned Changes

Contoso plans to create projects in Azure DevOps as shown in the following table.

Project name	Project details
Project 1	Project1 will provide support for incremental builds and third-party SDK components
Project 2	Project2 will use an automatic build policy. A small team of developers named Team2 will work independently on changes to the project. The Team2 members will not have permissions to Project2.
Project 3	Project3 will be integrated with SonarQube
Project 4	Project4 will provide support for a build pipeline that creates a Docker image and pushes the image to the Azure Container Registry. Project4 will use an existing Dockerfile.
Project 5	Project5 will contain a Git repository in Azure Reports and a continuous integration trigger that will initiate a build in response to any change except for changes within /folder1 of the repository.
Project 6	Project6 will provide support for build and deployment pipelines. Deployment will be allowed only if the number of current work items representing active software bugs is 0.
Project 7	Project7 will contain a target deployment group named Group7 that maps to Pool7. Project7 will use Azure Automation State Configuration to maintain the desired state of the computers in Group7.

#### Technical Requirements

Contoso identities the following technical requirements:

¡E Implement build agents rot Project 1.

¡E Whenever possible, use Azure resources

¡E Avoid using deprecated technologies

¡E Implement a code flow strategy for Project2 that will:

¡E Enable Team 2 to submit pull requests for Project2.

¡E Enable Team 2 to work independently on changes to a copy of Project?

¡E Ensure that any intermediary changes performed by Tram2 on a copy of Project2 will be subject to the same restrictions as the ones defied in the build policy of Project2.

¡E Whenever possible. Implement automation and minimize administrative effort.

¡E Implement Protect3, Project5, Project6, and Project7 based on the planned changes.

¡E Implement Project4 and configure the project to push Docker images to Azure Container Reentry.

### NEW QUESTION 69

#### DRAG DROP

You need to configure Azure Automation for the computers in Pool7.

Which three actions should you perform in sequence? To answer, move the appropriate actions from the list of actions to the answer area and arrange them m the correct order.

Actions

Run the New-AzureRmResourceGroupDeployment Azure PowerShell cmdlet.

Create an Azure Resource Manager template file that has an extension of .json.

Run the Import-AzureRmAutomationDscConfiguration Azure PowerShell cmdlet.

Run the start-AzureRmAutomationDscCompilationJob Azure PowerShell cmdlet.

Create a Desired State Configuration (DSC) configuration file that has an extension of .ps1.

Answer Area

1

2

3

>

<

^

v

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Actions

Run the New-AzureRmResourceGroupDeployment Azure PowerShell cmdlet.

Create an Azure Resource Manager template file that has an extension of .json.

Answer Area

1

2

3

>

<

Create a Desired State Configuration (DSC) configuration file that has an extension of .ps1.

Run the Import-AzureRmAutomationDscConfiguration Azure PowerShell cmdlet.

Run the start-AzureRmAutomationDscCompilationJob Azure PowerShell cmdlet.

^

v

NEW QUESTION 70

.....

## Thank You for Trying Our Product

### We offer two products:

1st - We have Practice Tests Software with Actual Exam Questions

2nd - Questons and Answers in PDF Format

### AZ-400 Practice Exam Features:

- \* AZ-400 Questions and Answers Updated Frequently
- \* AZ-400 Practice Questions Verified by Expert Senior Certified Staff
- \* AZ-400 Most Realistic Questions that Guarantee you a Pass on Your FirstTry
- \* AZ-400 Practice Test Questions in Multiple Choice Formats and Updatesfor 1 Year

**100% Actual & Verified — Instant Download, Please Click**  
**[Order The AZ-400 Practice Test Here](#)**