

Exam Questions 350-701

Implementing and Operating Cisco Security Core Technologies

<https://www.2passeasy.com/dumps/350-701/>



NEW QUESTION 1

Refer to the exhibit.

Interface	MAC Address	Method	Domain	Status	Fg Session ID
Gi4/15	0050.b6d4.8a60	dot1x	DATA	Auth	0A02198200001
Gi8/43	0024.c4fe.1832	dot1x	VOICE	Auth	0A02198200000
Gi10/25	0026.7391.bbd1	dot1x	DATA	Auth	0A02198200001
Gi8/28	0026.0b5e.51d5	dot1x	VOICE	Auth	0A02198200000
Gi4/13	0025.4593.e575	dot1x	VOICE	Auth	0A02198200000
Gi10/23	0025.8418.217f	dot1x	VOICE	Auth	0A02198200000
Gi7/4	0025.8418.1bc7	dot1x	VOICE	Auth	0A02198200000
Gi7/7	0026.0b5e.50fb	dot1x	VOICE	Auth	0A02198200000
Gi8/14	c85b.7604.fa1d	dot1x	DATA	Auth	0A02198200001
Gi10/29	0026.0b5e.528a	dot1x	VOICE	Auth	0A02198200000
Gi4/2	0026.0b5e.4f9f	dot1x	VOICE	Auth	0A02198200000
Gi10/30	0025.4593.e5ac	dot1x	VOICE	Auth	0A02198200000
Gi8/29	68bd.aba5.2e44	dot1x	VOICE	Auth	0A02198200001
Gi7/4	54ee.75db.d766	dot1x	DATA	Auth	0A02198200001
Gi2/34	e804.62eb.a658	dot1x	VOICE	Auth	0A02198200000
Gi10/22	482a.e307.d9c8	dot1x	DATA	Auth	0A02198200001
Gi9/22	0007.b00c.8c35	mab	DATA	Auth	0A02198200000

Which command was used to generate this output and to show which ports are authenticating with dot1x or mab?

- A. show authentication registrations
- B. show authentication method
- C. show dot1x all
- D. show authentication sessions

Answer: B

NEW QUESTION 2

Which policy represents a shared set of features or parameters that define the aspects of a managed device that are likely to be similar to other managed devices in a deployment?

- A. group policy
- B. access control policy
- C. device management policy
- D. platform service policy

Answer: D

Explanation:

Reference: https://www.cisco.com/c/en/us/td/docs/security/firepower/622/configuration/guide/fpmc-config-guide-v622/platform_settings_policies_for_managed_devices.pdf

NEW QUESTION 3

Which two conditions are prerequisites for stateful failover for IPsec? (Choose two.)

- A. Only the IKE configuration that is set up on the active device must be duplicated on the standby device; the IPsec configuration is copied automatically.
- B. The active and standby devices can run different versions of the Cisco IOS software but must be the same type of device.
- C. The IPsec configuration that is set up on the active device must be duplicated on the standby device.
- D. Only the IPsec configuration that is set up on the active device must be duplicated on the standby device; the IKE configuration is copied automatically.
- E. The active and standby devices must run the same version of the Cisco IOS software and must be the same type of device.

Answer: BC

Explanation:

Reference: https://www.cisco.com/c/en/us/td/docs/ios-xml/ios/sec_conn_vpnav/configuration/15-mt/sec-vpn-availability-15-mt-book/sec-state-fail-ipsec.html

NEW QUESTION 4

What two mechanisms are used to redirect users to a web portal to authenticate to ISE for guest services? (Choose two.)

- A. TACACS+
- B. central web auth
- C. single sign-on
- D. multiple factor auth
- E. local web auth

Answer: BE

Explanation:

Reference: https://www.cisco.com/c/en/us/td/docs/security/ise/2-2/admin_guide/b_ise_admin_guide_22/b_ise_admin_guide_22_chapter_01110.html

NEW QUESTION 5

Which deployment model is the most secure when considering risks to cloud adoption?

- A. public cloud
- B. hybrid cloud
- C. community cloud
- D. private cloud

Answer: D

NEW QUESTION 6

What does the Cloudlock Apps Firewall do to mitigate security concerns from an application perspective?

- A. It allows the administrator to quarantine malicious files so that the application can function, just not maliciously.
- B. It discovers and controls cloud apps that are connected to a company's corporate environment.
- C. It deletes any application that does not belong in the network.
- D. It sends the application information to an administrator to act on.

Answer: B

Explanation:

Reference: <https://www.cisco.com/c/en/us/products/security/cloudlock/index.html#~features>

NEW QUESTION 7

Which exfiltration method does an attacker use to hide and encode data inside DNS requests and queries?

- A. DNS tunneling
- B. DNSCrypt
- C. DNS security
- D. DNSSEC

Answer: A

Explanation:

Reference: <https://learn-umbrella.cisco.com/cloud-security/dns-tunneling>

NEW QUESTION 8

Which algorithm provides encryption and authentication for data plane communication?

- A. AES-GCM
- B. SHA-96
- C. AES-256
- D. SHA-384

Answer: A

NEW QUESTION 9

Refer to the exhibit.

```
snmp-server group SNMP v3 auth access 15
```

What does the number 15 represent in this configuration?

- A. privilege level for an authorized user to this router
- B. access list that identifies the SNMP devices that can access the router
- C. interval in seconds between SNMPv3 authentication attempts
- D. number of possible failed attempts until the SNMPv3 user is locked out

Answer: B

NEW QUESTION 10

Which network monitoring solution uses streams and pushes operational data to provide a near real-time view of activity?

- A. SNMP
- B. SMTP
- C. syslog
- D. model-driven telemetry

Answer: D

Explanation:

Reference: <https://developer.cisco.com/docs/ios-xe/#!streaming-telemetry-quick-start-guide>

NEW QUESTION 10

Which solution protects hybrid cloud deployment workloads with application visibility and segmentation?

- A. Nexus
- B. Stealthwatch
- C. Firepower
- D. Tetration

Answer: D

Explanation:

Reference: <https://www.cisco.com/c/en/us/solutions/security/secure-data-center-solution/index.html#~products>

NEW QUESTION 13

Which statement about the configuration of Cisco ASA NetFlow v9 Secure Event Logging is true?

- A. To view bandwidth usage for NetFlow records, the QoS feature must be enabled.
- B. A sysopt command can be used to enable NSEL on a specific interface.
- C. NSEL can be used without a collector configured.
- D. A flow-export event type must be defined under a policy.

Answer: D

NEW QUESTION 18

What is a language format designed to exchange threat intelligence that can be transported over the TAXII protocol?

- A. STIX
- B. XMPP
- C. pxGrid
- D. SMTP

Answer: A

Explanation:

Reference: https://www.cisco.com/c/en/us/td/docs/security/web_security/scancenter/administrator/guide/b_ScanCenter_Administrator_Guide/b_ScanCenter_Administrator_Guide_chapter_0100011.pdf

NEW QUESTION 20

What are two list types within AMP for Endpoints Outbreak Control? (Choose two.)

- A. blocked ports
- B. simple custom detections
- C. command and control
- D. allowed applications
- E. URL

Answer: BD

Explanation:

Reference: <https://docs.amp.cisco.com/en/en/A4E/AMP%20for%20Endpoints%20User%20Guide.pdf> chapter 2

NEW QUESTION 25

For which two conditions can an endpoint be checked using ISE posture assessment? (Choose two.)

- A. computer identity
- B. Windows service
- C. user identity
- D. Windows firewall
- E. default browser

Answer: BC

NEW QUESTION 28

Which Cisco product provides proactive endpoint protection and allows administrators to centrally manage the deployment?

- A. NGFW
- B. AMP
- C. WSA
- D. ESA

Answer: B

NEW QUESTION 31

Which statement about IOS zone-based firewalls is true?

- A. An unassigned interface can communicate with assigned interfaces
- B. Only one interface can be assigned to a zone.
- C. An interface can be assigned to multiple zones.
- D. An interface can be assigned only to one zone.

Answer: D

Explanation:

Reference: <https://www.cisco.com/c/en/us/support/docs/security/ios-firewall/98628-zone-design-guide.html>

NEW QUESTION 36

Which two behavioral patterns characterize a ping of death attack? (Choose two.)

- A. The attack is fragmented into groups of 16 octets before transmission.
- B. The attack is fragmented into groups of 8 octets before transmission.
- C. Short synchronized bursts of traffic are used to disrupt TCP connections.
- D. Malformed packets are used to crash systems.
- E. Publicly accessible DNS servers are typically used to execute the attack.

Answer: BD

Explanation:

Reference: https://en.wikipedia.org/wiki/Ping_of_death

NEW QUESTION 41

Under which two circumstances is a CoA issued? (Choose two.)

- A. A new authentication rule was added to the policy on the Policy Service node.
- B. An endpoint is deleted on the Identity Service Engine server.
- C. A new Identity Source Sequence is created and referenced in the authentication policy.
- D. An endpoint is profiled for the first time.
- E. A new Identity Service Engine server is added to the deployment with the Administration persona.

Answer: BD

Explanation:

Reference: https://www.cisco.com/en/US/docs/security/ise/1.0/user_guide/ise10_prof_pol.html

NEW QUESTION 46

Which solution combines Cisco IOS and IOS XE components to enable administrators to recognize applications, collect and send network metrics to Cisco Prime and other third-party management tools, and prioritize application traffic?

- A. Cisco Security Intelligence
- B. Cisco Application Visibility and Control
- C. Cisco Model Driven Telemetry
- D. Cisco DNA Center

Answer: B

NEW QUESTION 48

Which technology must be used to implement secure VPN connectivity among company branches over a private IP cloud with any-to-any scalable connectivity?

- A. DMVPN
- B. FlexVPN
- C. IPsec DVTI
- D. GET VPN

Answer: D

NEW QUESTION 51

What is the primary role of the Cisco Email Security Appliance?

- A. Mail Submission Agent
- B. Mail Transfer Agent
- C. Mail Delivery Agent
- D. Mail User Agent

Answer: B

NEW QUESTION 52

Which two features of Cisco DNA Center are used in a Software Defined Network solution? (Choose two.)

- A. accounting
- B. assurance
- C. automation
- D. authentication
- E. encryption

Answer: BC

Explanation:

Reference: <https://www.cisco.com/c/en/us/products/cloud-systems-management/dna-center/index.html>

NEW QUESTION 54

What is a required prerequisite to enable malware file scanning for the Secure Internet Gateway?

- A. Enable IP Layer enforcement.
- B. Activate the Advanced Malware Protection license
- C. Activate SSL decryption.
- D. Enable Intelligent Proxy.

Answer: D

NEW QUESTION 57

On which part of the IT environment does DevSecOps focus?

- A. application development
- B. wireless network
- C. data center
- D. perimeter network

Answer: A

NEW QUESTION 61

Which two request of REST API are valid on the Cisco ASA Platform? (Choose two.)

- A. put
- B. options
- C. get
- D. push
- E. connect

Answer: AC

Explanation:

Reference: <https://www.cisco.com/c/en/us/td/docs/security/asa/api/qsg-asa-api.html>

NEW QUESTION 66

Which ASA deployment mode can provide separation of management on a shared appliance?

- A. DMZ multiple zone mode
- B. transparent firewall mode
- C. multiple context mode
- D. routed mode

Answer: C

NEW QUESTION 69

What can be integrated with Cisco Threat Intelligence Director to provide information about security threats, which allows the SOC to proactively automate responses to those threats?

- A. Cisco Umbrella
- B. External Threat Feeds
- C. Cisco Threat Grid
- D. Cisco Stealthwatch

Answer: C

NEW QUESTION 71

Refer to the exhibit.

```
Sysauthcontrol          Enabled
Dot1x Protocol Version    3

Dot1x Info for GigabitEthernet1/0/12
-----
PAE                      = AUTHENTICATOR
PortControl               = FORCE_AUTHORIZED
ControlDirection         = Both
HostMode                  = SINGLE_HOST
QuietPeriod               = 60
ServerTimeout             = 0
SuppTimeout               = 30
ReAuthMax                 = 2
MaxReq                    = 2
TxPeriod                  = 30
```

Which command was used to display this output?

- A. show dot1x all
- B. show dot1x
- C. show dot1x all summary

D. show dot1x interface gi1/0/12

Answer: A

Explanation:

Reference: https://www.cisco.com/c/en/us/td/docs/ios-xml/ios/sec_usr_8021x/configuration/x3e-3850/sec-user-8021x-xe-3e-3850-book/config-ieee-802x-pba.html

NEW QUESTION 76

How does Cisco Stealthwatch Cloud provide security for cloud environments?

- A. It delivers visibility and threat detection.
- B. It prevents exfiltration of sensitive data.
- C. It assigns Internet-based DNS protection for clients and servers.
- D. It facilitates secure connectivity between public and private networks.

Answer: A

Explanation:

<https://www.content.shi.com/SHIcom/ContentAttachmentImages/SharedResources/FBLP/Cisco/Cisco-091919-Simple-IT-Whitepaper.pdf>

NEW QUESTION 77

Which feature is configured for managed devices in the device platform settings of the Firepower Management Center?

- A. quality of service
- B. time synchronization
- C. network address translations
- D. intrusion policy

Answer: B

NEW QUESTION 78

Which two services must remain as on-premises equipment when a hybrid email solution is deployed? (Choose two.)

- A. DDoS
- B. antispam
- C. antivirus
- D. encryption
- E. DLP

Answer: DE

Explanation:

Reference: https://www.cisco.com/c/dam/en/us/td/docs/security/ces/overview_guide/Cisco_Cloud_Hybrid_Email_Security_Overview_Guide.pdf

NEW QUESTION 83

Which feature within Cisco Umbrella allows for the ability to inspect secure HTTP traffic?

- A. File Analysis
- B. SafeSearch
- C. SSL Decryption
- D. Destination Lists

Answer: C

NEW QUESTION 88

.....

THANKS FOR TRYING THE DEMO OF OUR PRODUCT

Visit Our Site to Purchase the Full Set of Actual 350-701 Exam Questions With Answers.

We Also Provide Practice Exam Software That Simulates Real Exam Environment And Has Many Self-Assessment Features. Order the 350-701 Product From:

<https://www.2passeasy.com/dumps/350-701/>

Money Back Guarantee

350-701 Practice Exam Features:

- * 350-701 Questions and Answers Updated Frequently
- * 350-701 Practice Questions Verified by Expert Senior Certified Staff
- * 350-701 Most Realistic Questions that Guarantee you a Pass on Your FirstTry
- * 350-701 Practice Test Questions in Multiple Choice Formats and Updatesfor 1 Year