



Microsoft

Exam Questions AI-102

Designing and Implementing an Azure AI Solution

About ExamBible

Your Partner of IT Exam

Found in 1998

ExamBible is a company specialized on providing high quality IT exam practice study materials, especially Cisco CCNA, CCDA, CCNP, CCIE, Checkpoint CCSE, CompTIA A+, Network+ certification practice exams and so on. We guarantee that the candidates will not only pass any IT exam at the first attempt but also get profound understanding about the certificates they have got. There are so many alike companies in this industry, however, ExamBible has its unique advantages that other companies could not achieve.

Our Advances

* 99.9% Uptime

All examinations will be up to date.

* 24/7 Quality Support

We will provide service round the clock.

* 100% Pass Rate

Our guarantee that you will pass the exam.

* Unique Gurantee

If you do not pass the exam at the first time, we will not only arrange FULL REFUND for you, but also provide you another exam of your claim, ABSOLUTELY FREE!

NEW QUESTION 1

- (Exam Topic 1)

You are developing the smart e-commerce project.

You need to implement autocompletion as part of the Cognitive Search solution.

Which three actions should you perform? Each correct answer presents part of the solution. (Choose three.) NOTE: Each correct selection is worth one point.

- A. Make API queries to the autocomplete endpoint and include suggesterName in the body.
- B. Add a suggester that has the three product name fields as source fields.
- C. Make API queries to the search endpoint and include the product name fields in the searchFields query parameter.
- D. Add a suggester for each of the three product name fields.
- E. Set the searchAnalyzer property for the three product name variants.
- F. Set the analyzer property for the three product name variants.

Answer: ABF

Explanation:

Scenario: Support autocompletion and autosuggestion based on all product name variants.

A: Call a suggester-enabled query, in the form of a Suggestion request or Autocomplete request, using an API. API usage is illustrated in the following call to the Autocomplete REST API.

POST /indexes/myxboxgames/docs/autocomplete?search&api-version=2020-06-30

```
{
  "search": "minecraf", "suggesterName": "sg"
}
```

B: In Azure Cognitive Search, typeahead or "search-as-you-type" is enabled through a suggester. A suggester provides a list of fields that undergo additional tokenization, generating prefix sequences to support matches on partial terms. For example, a suggester that includes a City field with a value for "Seattle" will have prefix combinations of "sea", "seat", "seatt", and "seattl" to support typeahead.

F: Use the default standard Lucene analyzer ("analyzer": null) or a language analyzer (for example, "analyzer": "en.Microsoft") on the field.

Reference:

<https://docs.microsoft.com/en-us/azure/search/index-add-suggesters>

NEW QUESTION 2

- (Exam Topic 2)

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You build a language model by using a Language Understanding service. The language model is used to search for information on a contact list by using an intent named FindContact.

A conversational expert provides you with the following list of phrases to use for training. Find contacts in London. Who do I know in Seattle?

Search for contacts in Ukraine.

You need to implement the phrase list in Language Understanding. Solution: You create a new intent for location.

Does this meet the goal?

- A. Yes
- B. No

Answer: A

Explanation:

An intent represents a task or action the user wants to perform. It is a purpose or goal expressed in a user's utterance.

Define a set of intents that corresponds to actions users want to take in your application. Reference: <https://docs.microsoft.com/en-us/azure/cognitive-services/luis/luis-concept-intent>

NEW QUESTION 3

- (Exam Topic 2)

You are building a chatbot by using the Microsoft Bot Framework Composer. You have the dialog design shown in the following exhibit.

AskForName > BeginDialog > Text
Show code

Prompt for text
Text input
Collection information - Ask for a word or sentence.
[Learn more](#)

Bot Asks User Input Other

Property ⓘ string ▼
username

Output Format ⓘ string ▼
ex. =toUpper(this.value), \$(toUpper(this.value))

Value ⓘ expression ▼
fx =coalesce(@user.Name,@personName)

Expected responses (intent:
#TextInput_Response_GH5FTe)

>

For each of the following statements, select Yes if the statement is true. Otherwise, select No.
 NOTE: Each correct selection is worth one point.

Answer Area

Statements

Yes No

user.name is an entity.

The dialog asks for a user name and a user age and assigns appropriate values to the user.name and user.age properties.

The chatbot attempts to take the first non-null entity value for userName or personName and assigns the value to user.name.

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Box 1: No
 User.name is a property.
 Box 2: Yes
 Box 3: Yes

The coalesce() function evaluates a list of expressions and returns the first non-null (or non-empty for string) expression.

Reference:

<https://docs.microsoft.com/en-us/composer/concept-language-generation> <https://docs.microsoft.com/en-us/azure/data-explorer/kusto/query/coalescefuction>

NEW QUESTION 4

- (Exam Topic 2)

You build a custom Form Recognizer model.

You receive sample files to use for training the model as shown in the following table.

Name	Type	Size
File1	PDF	20 MB
File2	MP4	100 MB
File3	JPG	20 MB
File4	PDF	100 MB
File5	GIF	1 MB
File6	JPG	40 MB

Which three files can you use to train the model? Each correct answer presents a complete solution. (Choose three.)

NOTE: Each correct selection is worth one point.

- A. File1
- B. File2
- C. File3
- D. File4
- E. File5
- F. File6

Answer: ACF

Explanation:

Input requirements

Form Recognizer works on input documents that meet these requirements:

Format must be JPG, PNG, PDF (text or scanned), or TIFF. Text-embedded PDFs are best because there's no possibility of error in character extraction and location.

File size must be less than 50 MB. Reference:

<https://docs.microsoft.com/en-us/azure/cognitive-services/form-recognizer/overview>

NEW QUESTION 5

- (Exam Topic 2)

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You create a web app named app1 that runs on an Azure virtual machine named vm1. Vm1 is on an Azure virtual network named vnet1.

You plan to create a new Azure Cognitive Search service named service1.

You need to ensure that app1 can connect directly to service1 without routing traffic over the public internet. Solution: You deploy service1 and a public endpoint to a new virtual network, and you configure Azure Private Link.

Does this meet the goal?

- A. Yes
- B. No

Answer: A

Explanation:

Reference:

<https://docs.microsoft.com/en-us/azure/private-link/private-link-overview>

NEW QUESTION 6

- (Exam Topic 2)

You have a web app that uses Azure Cognitive Search.

When reviewing billing for the app, you discover much higher than expected charges. You suspect that the query key is compromised.

You need to prevent unauthorized access to the search endpoint and ensure that users only have read only access to the documents collection. The solution must minimize app downtime.

Which three actions should you perform in sequence? To answer, move the appropriate actions from the list of actions to the answer area and arrange them in the correct order.

Actions

-
-
-
-
-
-

Answer Area



- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Graphical user interface, text Description automatically generated
 Reference:
<https://docs.microsoft.com/en-us/azure/search/search-security-api-keys>

NEW QUESTION 7

- (Exam Topic 2)

You are developing a call to the Face API. The call must find similar faces from an existing list named employeefaces. The employeefaces list contains 60,000 images.

How should you complete the body of the HTTP request? To answer, drag the appropriate values to the correct targets. Each value may be used once, more than once, or not at all. You may need to drag the split bar between panes or scroll to view content.

NOTE: Each correct selection is worth one point.

Values

-
-
-
-

Answer Area

```
{
  "faceId": "18c51a87-3a69-47a8-aedc-a54745f708a1",
  ,
  "maxNumOfCandidatesReturned": 1,
  "mode": 
}
```

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Box 1: LargeFaceListID

LargeFaceList: Add a face to a specified large face list, up to 1,000,000 faces.

Note: Given query face's faceId, to search the similar-looking faces from a faceId array, a face list or a large face list. A "faceListId" is created by FaceList - Create containing persistedFaceIds that will not expire. And a "largeFaceListId" is created by LargeFaceList - Create containing persistedFaceIds that will also not expire.

Reference:
<https://docs.microsoft.com/en-us/rest/api/faceapi/face/findsimilar>

NEW QUESTION 8

- (Exam Topic 2)

You successfully run the following HTTP request. POST

[https://management.azure.com/subscriptions/18c51a87-3a69-47a8-aedc-a54745f708a1/resourceGroups/RG1/pro](https://management.azure.com/subscriptions/18c51a87-3a69-47a8-aedc-a54745f708a1/resourceGroups/RG1/providers/Microsoft.CognitiveServices/accounts/Key2/regenerateKey?api-version=2017-04-18)

Body{"keyName": "Key2"} What is the result of the request?

- A. A key for Azure Cognitive Services was generated in Azure Key Vault.
- B. A new query key was generated.
- C. The primary subscription key and the secondary subscription key were rotated.
- D. The secondary subscription key was reset.

Answer: B

Explanation:

Accounts - Regenerate Key regenerates the specified account key for the specified Cognitive Services account. Syntax:
 POST [https://management.azure.com/subscriptions/{subscriptionId}/resourceGroups/{resourceGroupName}/](https://management.azure.com/subscriptions/{subscriptionId}/resourceGroups/{resourceGroupName}/providers/Microsoft.CognitiveServices/accounts/{accountName}/regenerateKey?api-version=2017-04-18)
 providers/Microsoft.CognitiveServices/accounts/{accountName}/regenerateKey?api-version=2017-04-18

Reference:

<https://docs.microsoft.com/en-us/rest/api/cognitiveservices/accountmanagement/accounts/regeneratekey>

NEW QUESTION 9

- (Exam Topic 2)

You are building an Azure WebJob that will create knowledge bases from an array of URLs.

You instantiate a QnAMakerClient object that has the relevant API keys and assign the object to a variable named client.

You need to develop a method to create the knowledge bases.

Which two actions should you include in the method? Each correct answer presents part of the solution.

NOTE: Each correct selection is worth one point.

- A. Create a list of FileDTO objects that represents data from the WebJob.
- B. Call the client
- C. Knowledgebas
- D. CreateAsync method.
- E. Create a list of QnADTO objects that represents data from the WebJob.
- F. Create a CreateKbDTO object.

Answer: AC

Explanation:

Reference:

<https://docs.microsoft.com/en-us/rest/api/cognitiveservices-qnamaker/qnamaker4.0/knowledgebase/create>

NEW QUESTION 10

- (Exam Topic 2)

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You develop an application to identify species of flowers by training a Custom Vision model. You receive images of new flower species.

You need to add the new images to the classifier.

Solution: You add the new images, and then use the Smart Labeler tool. Does this meet the goal?

- A. Yes
- B. No

Answer: B

Explanation:

The model need to be extended and retrained.

Note: Smart Labeler to generate suggested tags for images. This lets you label a large number of images more quickly when training a Custom Vision model.

NEW QUESTION 10

- (Exam Topic 2)

You are developing a webpage that will use the Video Indexer service to display videos of internal company meetings.

You embed the Player widget and the Cognitive Insights widget into the page. You need to configure the widgets to meet the following requirements:

- > Ensure that users can search for keywords.
- > Display the names and faces of people in the video.
- > Show captions in the video in English (United States).

How should you complete the URL for each widget? To answer, drag the appropriate values to the correct targets. Each value may be used once, more than once, or not at all. You may need to drag the split bar between panes or scroll to view content.

NOTE: Each correct selection is worth one point.

Values	Answer Area
en-US	<p>Cognitive Insights Widget</p> <p><code>https://www.videoindexer.ai/embed/insights/<accountId>/<videoId>/?widgets=</code> <input type="text" value="Value"/> <code>controls=</code> <input type="text" value="Value"/></p> <p>Player Widget</p> <p><code>https://www.videoindexer.ai/embed/player/<accountId>/<videoId>/? showcaptions=</code> <input type="text" value="Value"/> <code>captions=</code> <input type="text" value="Value"/></p>
false	
people,keywords	
people,search	
search	
true	

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Graphical user interface, text, application, Word, email Description automatically generated

NEW QUESTION 14

- (Exam Topic 2)

You are building a natural language model. You need to enable active learning. What should you do?

- A. Add show-all-intents=true to the prediction endpoint query.
- B. Enable speech priming.
- C. Add log=true to the prediction endpoint query.
- D. Enable sentiment analysis.

Answer: C

Explanation:

Reference:

<https://docs.microsoft.com/en-us/azure/cognitive-services/luis/luis-how-to-review-endpoint-utterances#log-user>

NEW QUESTION 16

- (Exam Topic 2)

You are developing a method that uses the Computer Vision client library. The method will perform optical character recognition (OCR) in images. The method has the following code.

```
public static async Task ReadImageUrl(ComputerVisionClient client, string urlFile)
{
    const int numberOfCharsInOperationId = 36;

    var txtHeaders = await client.ReadAsync(urlFile, language: "en");

    string opLocation = txtHeaders.OperationLocation;
    string operationId = opLocation.Substring(opLocation.Length -
        numberOfCharsInOperationId);

    ReadOperationResult results;

    results = await client.GetReadResultAsync(Guid.Parse(operationId));

    var textUrlFileResults = results.AnalyzeResult.ReadResults;
    foreach (ReadResult page in textUrlFileResults)
    {
        foreach (Line line in page.Lines)
        {
            Console.WriteLine(line.Text);
        }
    }
}
```

During testing, you discover that the call to the GetReadResultAsync method occurs before the read operation is complete.

You need to prevent the GetReadResultAsync method from proceeding until the read operation is complete. Which two actions should you perform? Each correct answer presents part of the solution. (Choose two.) NOTE: Each correct selection is worth one point.

- A. Remove the Guid.Parse(operationId) parameter.
- B. Add code to verify the results.Status value.
- C. Add code to verify the status of the txtHeaders.Status value.
- D. Wrap the call to GetReadResultAsync within a loop that contains a delay.

Answer: BD

Explanation:

Example code : do

```
{
    results = await client.GetReadResultAsync(Guid.Parse(operationId));
}
```

while ((results.Status == OperationStatusCodes.Running || results.Status == OperationStatusCodes.NotStarted)); Reference:

<https://github.com/Azure-Samples/cognitive-services-quickstart-code/blob/master/dotnet/ComputerVision/Comp>

NEW QUESTION 19

- (Exam Topic 2)

You are building a multilingual chatbot.

You need to send a different answer for positive and negative messages.

Which two Text Analytics APIs should you use? Each correct answer presents part of the solution. (Choose two.)

NOTE: Each correct selection is worth one point.

- A. Linked entities from a well-known knowledge base
- B. Sentiment Analysis
- C. Key Phrases
- D. Detect Language
- E. Named Entity Recognition

Answer: BD

Explanation:

B: The Text Analytics API's Sentiment Analysis feature provides two ways for detecting positive and negative sentiment. If you send a Sentiment Analysis request,

the API will return sentiment labels (such as "negative", "neutral" and "positive") and confidence scores at the sentence and document-level.
 D: The Language Detection feature of the Azure Text Analytics REST API evaluates text input for each document and returns language identifiers with a score that indicates the strength of the analysis.
 This capability is useful for content stores that collect arbitrary text, where language is unknown. Reference: <https://docs.microsoft.com/en-us/azure/cognitive-services/text-analytics/how-tos/text-analytics-how-to-sentiment-analysis?tabs=version-3-1>
<https://docs.microsoft.com/en-us/azure/cognitive-services/text-analytics/how-tos/text-analytics-how-to-language-detection>

NEW QUESTION 22

- (Exam Topic 2)

You are building a chatbot by using the Microsoft Bot Framework SDK.

You use an object named UserProfile to store user profile information and an object named ConversationData to store information related to a conversation.

You create the following state accessors to store both objects in state.

```
var userStateAccessors = _userState.CreateProperty<UserProfile>(nameof(UserProfile)); var conversationStateAccessors =
_conversationState.CreateProperty<ConversationData>(nameof(ConversationData));
```

The state storage mechanism is set to Memory Storage.

For each of the following statements, select Yes if the statement is true. Otherwise, select No.

NOTE: Each correct selection is worth one point.

Answer Area

Statements	Yes	No
The code will create and maintain the UserProfile object in the underlying storage layer.	<input type="radio"/>	<input type="radio"/>
The code will create and maintain the ConversationData object in the underlying storage layer.	<input type="radio"/>	<input type="radio"/>
The UserProfile and ConversationData objects will persist when the Bot Framework runtime terminates.	<input type="radio"/>	<input type="radio"/>

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Box 1: Yes

You create property accessors using the CreateProperty method that provides a handle to the BotState object. Each state property accessor allows you to get or set the value of the associated state property.

Box 2: Yes

Box 3: No

Before you exit the turn handler, you use the state management objects' SaveChangesAsync() method to write all state changes back to storage.

Reference:

<https://docs.microsoft.com/en-us/azure/bot-service/bot-builder-howto-v4-state>

NEW QUESTION 26

- (Exam Topic 2)

You plan to deploy a containerized version of an Azure Cognitive Services service that will be used for text analysis.

You configure <https://contoso.cognitiveservices.azure.com> as the endpoint URI for the service, and you pull the latest version of the Text Analytics Sentiment Analysis container.

You need to run the container on an Azure virtual machine by using Docker.

How should you complete the command? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Answer Area

```
docker run --rm -it -p 5000:5000 --memory 8g --cpus 1 \
```

▼ \

http://contoso.blob.core.windows.net
https://contoso.cognitiveservices.azure.com
mcr.microsoft.com/azure-cognitive-services/textanalytics/keyphrase
mcr.microsoft.com/azure-cognitive-services/textanalytics/sentiment

Eula=accept \

▼ \

Billing=

http://contoso.blob.core.windows.net
https://contoso.cognitiveservices.azure.com
mcr.microsoft.com/azure-cognitive-services/textanalytics/keyphrase
mcr.microsoft.com/azure-cognitive-services/textanalytics/sentiment

ApiKey=xxxxxxxxxxxxxxxxxxxxxx

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Box 1: mcr.microsoft.com/azure-cognitive-services/textanalytics/sentiment

To run the Sentiment Analysis v3 container, execute the following docker run command. `docker run --rm -it -p 5000:5000 --memory 8g --cpus 1 \`

`mcr.microsoft.com/azure-cognitive-services/textanalytics/sentiment \ Eula=accept \`

`Billing={ENDPOINT_URI} \`

`ApiKey={API_KEY}` is the endpoint for accessing the Text Analytics API. `https://<your-custom-subdomain>.cognitiveservices.azure.com`

Box 2: `https://contoso.cognitiveservices.azure.com`

`{ENDPOINT_URI}` is the endpoint for accessing the Text Analytics API:

`https://<your-custom-subdomain>.cognitiveservices.a` The endpoint for accessing the Text Analytics API. `zure.com`

Reference:

<https://docs.microsoft.com/en-us/azure/cognitive-services/text-analytics/how-tos/text-analytics-how-to-install-co>

NEW QUESTION 28

- (Exam Topic 2)

You need to build a chatbot that meets the following requirements:

- > Supports chat, knowledge base, and multilingual models
- > Performs sentiment analysis on user messages
- > Selects the best language model automatically

What should you integrate into the chatbot?

- A. QnA Maker, Language Understanding, and Dispatch
- B. Translator, Speech, and Dispatch
- C. Language Understanding, Text Analytics, and QnA Maker
- D. Text Analytics, Translator, and Dispatch

Answer: C

Explanation:

Language Understanding: An AI service that allows users to interact with your applications, bots, and IoT devices by using natural language.

QnA Maker is a cloud-based Natural Language Processing (NLP) service that allows you to create a natural conversational layer over your data. It is used to find the most appropriate answer for any input from your custom knowledge base (KB) of information.

Text Analytics: Mine insights in unstructured text using natural language processing (NLP)—no machine learning expertise required. Gain a deeper understanding of customer opinions with sentiment analysis. The Language Detection feature of the Azure Text Analytics REST API evaluates text input

Reference:

<https://azure.microsoft.com/en-us/services/cognitive-services/text-analytics/> <https://docs.microsoft.com/en-us/azure/cognitive-services/qnamaker/overview/overview>

NEW QUESTION 29


- (Exam Topic 2)

You have a Computer Vision resource named contoso1 that is hosted in the West US Azure region.

You need to use contoso1 to make a different size of a product photo by using the smart cropping feature. How should you complete the API URL? To answer, select the appropriate options in the answer area. NOTE: Each correct selection is worth one point.

```
curl -H "Ocp-Apim-Subscription-Key: xxx" /
```

```
-o "sample.png" -H "Content-Type: application/json" /
```



```
-d "{\"url\":\"https://upload.litwareinc.org/litware/bicycle.jpg\"}"
```

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Graphical user interface, text, application, Word Description automatically generated

Reference:

<https://westus.dev.cognitive.microsoft.com/docs/services/computer-vision-v3-2/operations/56f91f2e778daf14a4> <https://docs.microsoft.com/en-us/azure/cognitive-services/computer-vision/concept-generating-thumbnails#exam>

NEW QUESTION 32

- (Exam Topic 2)

You deploy a web app that is used as a management portal for indexing in Azure Cognitive Search. The app is configured to use the primary admin key.

During a security review, you discover unauthorized changes to the search index. You suspect that the primary access key is compromised.

You need to prevent unauthorized access to the index management endpoint. The solution must minimize downtime.

What should you do next?

- A. Regenerate the primary admin key, change the app to use the secondary admin key, and then regenerate the secondary admin key.
- B. Change the app to use a query key, and then regenerate the primary admin key and the secondary admin key.
- C. Regenerate the secondary admin key, change the app to use the secondary admin key, and then regenerate the primary key.
- D. Add a new query key, change the app to use the new query key, and then delete all the unused query keys.

Answer: A

Explanation:

Regenerate admin keys.

Two admin keys are created for each service so that you can rotate a primary key, using the secondary key for business continuity.

- * 1. In the Settings >Keys page, copy the secondary key.
- * 2. For all applications, update the API key settings to use the secondary key.
- * 3. Regenerate the primary key.
- * 4. Update all applications to use the new primary key.

Note: Two admin api-keys, referred to as primary and secondary keys in the portal, are automatically generated when the service is created and can be individually regenerated on demand. Having two keys allows you to roll over one key while using the second key for continued access to the service.

Reference:

<https://docs.microsoft.com/en-us/azure/search/search-security-api-keys#regenerate-admin-keys>

NEW QUESTION 37

- (Exam Topic 2)

You are building an Azure Cognitive Search custom skill. You have the following custom skill schema definition.

```
{
  "@odata.type": "#Microsoft.Skills.Custom.WebApiSkill",
  "description": "My custom skill description",
  "uri": "https://contoso-webskill.azurewebsites.net/api/process",
  "context": "/document/organizations/*",
  "inputs": [
    {
      "name": "companyName",
      "source": "/document/organizations/*"
    }
  ],
  "outputs": [
    {
      "name": "companyDescription",
    }
  ]
}
```

For each of the following statements, select Yes if the statement. Otherwise, select No.

NOTE: Each correct selection is worth one point.

Answer Area

Statements	Yes	No
CompanyDescription is available for indexing.	<input type="radio"/>	<input type="radio"/>
The definition calls a web API as part of the enrichment process.	<input type="radio"/>	<input type="radio"/>
The enrichment step is called only for the first organization under "/document/organizations".	<input type="radio"/>	<input type="radio"/>

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Box 1: Yes

Once you have defined a skillset, you must map the output fields of any skill that directly contributes values to a given field in your search index.

Box 2: Yes

The definition is a custom skill that calls a web API as part of the enrichment process. Box 3: No

For each organization identified by entity recognition, this skill calls a web API to find the description of that organization.

Reference:

<https://docs.microsoft.com/en-us/azure/search/cognitive-search-output-field-mapping>

NEW QUESTION 39

- (Exam Topic 2)

You build a bot by using the Microsoft Bot Framework SDK and the Azure Bot Service. You plan to deploy the bot to Azure.

You register the bot by using the Bot Channels Registration service.

Which two values are required to complete the deployment? Each correct answer presents part of the solution.

NOTE: Each correct selection is worth one point.

- A. botId
- B. tenantId
- C. appId
- D. objectId
- E. appSecret

Answer: CE

Explanation:

Reference:

<https://github.com/MicrosoftDocs/bot-docs/blob/live/articles/bot-service-quickstart-registration.md>

NEW QUESTION 43

.....

Relate Links

100% Pass Your AI-102 Exam with ExamBible Prep Materials

<https://www.exambible.com/AI-102-exam/>

Contact us

We are proud of our high-quality customer service, which serves you around the clock 24/7.

Viste - <https://www.exambible.com/>