

300-715 Dumps

Implementing and Configuring Cisco Identity Services Engine (SISE)

<https://www.certleader.com/300-715-dumps.html>



NEW QUESTION 1

What occurs when a Cisco ISE distributed deployment has two nodes and the secondary node is deregistered?


- A. The secondary node restarts.
- B. The primary node restarts.
- C. Both nodes restart.
- D. The primary node becomes standalone.

Answer: C

NEW QUESTION 2

DRAG DROP

Drag the steps to configure a Cisco ISE node as a primary administration node from the left into the correct order on the right.



- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Reference: https://www.cisco.com/en/US/docs/security/ise/1.0/user_guide/ise10_dis_deploy.html

NEW QUESTION 3

Which supplicant(s) and server(s) are capable of supporting EAP-CHAINING?

- A. Cisco Secure Services Client and Cisco Access Control Server
- B. Cisco AnyConnect NAM and Cisco Identity Service Engine
- C. Cisco AnyConnect NAM and Cisco Access Control Server
- D. Windows Native Supplicant and Cisco Identity Service Engine

Answer: B

Explanation:

Reference: <https://www.cisco.com/c/en/us/support/docs/wireless-mobility/eap-fast/200322-Understanding-EAP-FAST-and-Chaining-imp.html>

NEW QUESTION 4

Which two fields are available when creating an endpoint on the context visibility page of Cisco ISE? (Choose two.)

- A. Security Group Tag
- B. Endpoint Family
- C. Policy Assignment
- D. Identity Group Assignment
- E. IP Address

Answer: CD

Explanation:

Reference: https://www.cisco.com/c/en/us/td/docs/security/ise/2-2/admin_guide/b_ise_admin_guide_22/b_ise_admin_guide_22_chapter_010101.html

NEW QUESTION 5

What must be configured on the Cisco ISE authentication policy for unknown MAC addresses/identities for successful authentication?

- A. continue
- B. pass
- C. drop
- D. reject

Answer: A

NEW QUESTION 6

Refer to the exhibit.

```
Interface: GigabitEthernet2/0/36
MAC Address: 000e.84af.59af
Status: Authz Success
Domain: DATA
Oper host mode: single-host
Authorized By: Authentication Server
Vlan Policy: 10
Handle: 0xE0000000
Runnable methods list:
Method State
dot1x Authc Success
```

Which command is typed within the CLI of a switch to view the troubleshooting output?

- A. show authentication sessions mac 000e.84af.59af details
- B. show authentication registrations
- C. show authentication interface gigabitethernet2/0/36
- D. show authentication sessions method

Answer: A

NEW QUESTION 7

A network administrator has just added a front desk receptionist account to the Cisco ISE Guest Service sponsor group. Using the Cisco ISE Guest Sponsor Portal, which guest services can the receptionist provide?

- A. Keep track of guest user activities.
- B. Create and manage guest user accounts.
- C. Configure authorization settings for guest users.
- D. Authenticate guest users to Cisco ISE.

Answer: B

NEW QUESTION 8

What is needed to configure wireless guest access on the network?

- A. endpoint already profiled in ISE
- B. WEBAUTH ACL for redirection
- C. Captive Portal Bypass turned on
- D. valid user account in Active Directory

Answer: C

NEW QUESTION 9

Which two methods should a sponsor select to create bulk guest accounts from the sponsor portal? (Choose two.)

- A. Known
- B. Monthly
- C. Daily
- D. Imported
- E. Random

Answer: AE

Explanation:

Reference: https://www.cisco.com/c/en/us/td/docs/security/ise/1-3/sponsor_guide/b_spons_SponsorPortalUserGuide_13/b_spons_SponsorPortalUserGuide_13_chapter_01.html

NEW QUESTION 10

What is a valid guest portal type?

- A. Sponsor
- B. Sponsored-Guest
- C. Captive-Guest
- D. My Devices

Answer: B

Explanation:

Reference: https://www.cisco.com/c/en/us/td/docs/security/ise/1-3/admin_guide/b_ise_admin_guide_13/b_ise_admin_guide_sample_chapter_01111.html

NEW QUESTION 10

Which advanced option within a WLAN must be enabled to trigger Central Web Authentication for Wireless users on AireOS controller?

- A. DHCP server
- B. override Interface ACL
- C. static IP tunneling
- D. AAA override

Answer: D

Explanation:

Reference: https://www.cisco.com/c/en/us/td/docs/wireless/controller/7-4/configuration/guides/consolidated/b_cg74_CONSOLIDATED/b_cg74_CONSOLIDATED_chapter_010110111.html

NEW QUESTION 14

Which configuration is required in the Cisco ISE authentication policy to allow Central Web Authentication?

- A. MAB and if user not found, continue
- B. MAB and if authentication failed, continue
- C. Dot1x and if authentication failed, continue
- D. Dot1x and if user not found, continue

Answer: A

NEW QUESTION 15

What service can be enabled on the Cisco ISE node to identify the types of devices connecting to a network?

- A. profiling
- B. central web authentication
- C. MAB
- D. posture

Answer: A

Explanation:

Reference: https://www.cisco.com/c/en/us/td/docs/security/ise/2-1/admin_guide/b_ise_admin_guide_21/b_ise_admin_guide_20_chapter_010100.html

NEW QUESTION 18

Which statement about configuring certificates for BYOD is true?

- A. The SAN field is populated with the end user name.
- B. The CN field is populated with the endpoint host name.
- C. An endpoint certificate is mandatory for the Cisco ISE BYOD.
- D. An Android endpoint uses EST, whereas other operating systems use SCEP for enrollment.

Answer: C

NEW QUESTION 19

Which portal is used to customize the settings for a user to log in and download the compliance module?

- A. Client Provisioning
- B. Client Endpoint
- C. Client Profiling
- D. Client Guest

Answer: A

NEW QUESTION 23

What are two components of the posture requirement when configuring Cisco ISE posture? (Choose two.)

- A. Client Provisioning portal
- B. remediation actions
- C. updates
- D. access policy
- E. conditions

Answer: BE

NEW QUESTION 24

Which two task types are included in the Cisco ISE common tasks support for TACACS+ profiles? (Choose two.)

- A. ASA

- B. Firepower
- C. Shell
- D. WLC
- E. IOS

Answer: CD

Explanation:

Reference: https://www.cisco.com/c/en/us/td/docs/security/ise/2--1/admin_guide/b_ise_admin_guide_21/b_ise_admin_guide_20_chapter_0100010.html

NEW QUESTION 25

Which are two characteristics of TACACS+? (Choose two.)

- A. It separates authorization and authentication functions.
- B. It combines authorization and authentication functions.
- C. It uses UDP port 49.
- D. It encrypts the password only.
- E. It uses TCP port 49.

Answer: AE

Explanation:

Reference: <https://www.cisco.com/c/en/us/support/docs/security-vpn/remote-authentication-dial-user-service-radius/13838-10.html>

NEW QUESTION 29

A user reports that the RADIUS accounting packets are not being seen on the Cisco ISE server. Which command is the user missing in the switch's configuration?

- A. aaa accounting resource default start-stop group radius
- B. radius-server vsa send accounting
- C. aaa accounting network default start-stop group radius
- D. aaa accounting exec default start-stop group radius

Answer: B

Explanation:

Reference: https://www.cisco.com/en/US/docs/security/ise/1.0/user_guide/ise10_sw_cnfg.pdf

NEW QUESTION 33

What is a characteristic of the UDP protocol?

- A. UDP can detect when a server is down.
- B. UDP can detect when a server is slow.
- C. UDP offers best-effort delivery.
- D. UDP offers information about a non-existent server.

Answer: C

NEW QUESTION 38

.....

Thank You for Trying Our Product

* 100% Pass or Money Back

All our products come with a 90-day Money Back Guarantee.

* One year free update

You can enjoy free update one year. 24x7 online support.

* Trusted by Millions

We currently serve more than 30,000,000 customers.

* Shop Securely

All transactions are protected by VeriSign!

100% Pass Your 300-715 Exam with Our Prep Materials Via below:

<https://www.certleader.com/300-715-dumps.html>