

102-500 Dumps

LPIC-1 Exam 102 - Part 2 of 2 - version 5.0

<https://www.certleader.com/102-500-dumps.html>



NEW QUESTION 1

- (Exam Topic 1)

What command displays all aliases defined in the current shell? (Specify the command without any path information)

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

alias, alias -p

NEW QUESTION 2

- (Exam Topic 1)

After issuing:

```
function myfunction { echo $1 $2 ; }
```

in Bash, which output does:

```
myfunction A B C
```

Produce?

- A. A B
- B. A B C
- C. A C
- D. B C
- E. C B A

Answer: A

NEW QUESTION 3

- (Exam Topic 1)

What word is missing from the following SQL statement?

```
insert into tablename _____ (909, 'text');
```

(Please specify the missing word using lower-case letters only.)

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

VALUES, values

NEW QUESTION 4

- (Exam Topic 1)

Which of the following is the best way to list all defined shell variables?

- A. env
- B. set
- C. env -a
- D. echo \$ENV

Answer: B

NEW QUESTION 5

- (Exam Topic 1)

What is the difference between the commands test -e path and test -f path?

- A. They are equivalent options with the same behaviour.
- B. The -f option tests for a regular fil
- C. The -e option tests for an empty file.
- D. Both options check the existence of the pat
- E. The -f option also confirms that it is a regular file.
- F. The -f option tests for a regular fil
- G. The -e option tests for an executable file.

Answer: C

NEW QUESTION 6

- (Exam Topic 1)

Which command allows you to make a shell variable visible to subshells?

- A. export \$VARIABLE
- B. export VARIABLE
- C. set \$VARIABLE
- D. set VARIABLE
- E. env VARIABLE

Answer: B

NEW QUESTION 7

- (Exam Topic 1)

What output will the command `seq 10` produce?

- A. A continuous stream of numbers increasing in increments of 10 until stopped.
- B. The numbers 1 through 10 with one number per line.
- C. The numbers 0 through 9 with one number per line.
- D. The number 10 to standard output.

Answer: B

NEW QUESTION 8

- (Exam Topic 1)

What keyword is missing from this code sample of a shell script?

```
_____ i in *.txt; do  
echo $i  
done
```

- A. for
- B. loop
- C. until
- D. while

Answer: A

NEW QUESTION 9

- (Exam Topic 1)

You are looking into a new script you received from your senior administrator. In the very first line you notice a `#!` followed by a file path. This indicates that:

- A. The file at that location was used to make the script.
- B. This script provides identical functionality as the file at that location.
- C. This script will self-extract into a file at that location.
- D. The program at that location will be used to process the script.

Answer: D

NEW QUESTION 10

- (Exam Topic 1)

When the command `echo $` outputs 1, which of the following statements is true?

- A. It is the process ID of the `echo` command.
- B. It is the process ID of the current shell.
- C. It is the exit value of the command executed immediately before `echo`.
- D. It is the exit value of the `echo` command.

Answer: C

NEW QUESTION 10

- (Exam Topic 1)

Which command makes the shell variable named `VARIABLE` visible to subshells?

- A. `export $VARIABLE`
- B. `export VARIABLE`
- C. `set $VARIABLE`
- D. `set VARIABLE`
- E. `env VARIABLE`

Answer: B

NEW QUESTION 11

- (Exam Topic 1)

What benefit does an alias in `bash` provide?

- A. It provides faster lookups for commands in the system directory.
- B. It creates a local copy of a file from another directory.
- C. It hides what command you are running from others.
- D. It allows a string to be substituted for the first word of a simple command.

Answer: D

NEW QUESTION 13

- (Exam Topic 1)

Which of the following SQL queries counts the number of occurrences for each value of the field `order_type` in the table `orders`?

- A. SELECT order_type,COUNT(*) FROM orders WHERE order_type=order_type;
- B. SELECT order_type,COUNT(*) FROM orders GROUP BY order_type;
- C. COUNT(SELECT order_type FROM orders);
- D. SELECT COUNT(*) FROM orders ORDER BY order_type;
- E. SELECT AUTO_COUNT FROM orders COUNT order_type;

Answer: B

NEW QUESTION 17

- (Exam Topic 1)

When the command echo \$\$ outputs 12942, what is the meaning of 12942?

- A. It is the process ID of the echo command.
- B. It is the process ID of the current shell.
- C. It is the process ID of the last command executed.
- D. It is the process ID of the last command which has been placed in the background.

Answer: B

NEW QUESTION 20

- (Exam Topic 1)

What is the purpose of the file /etc/profile?

- A. It contains the welcome message that is displayed after login.
- B. It contains security profiles defining which users are allowed to log in.
- C. It contains environment variables that are set when a user logs in.
- D. It contains default application profiles for users that run an application for the first time.

Answer: C

NEW QUESTION 25

- (Exam Topic 2)

An administrator wants to determine the geometry of a particular window in X, so she issues the_____ -metric command and then clicks on the window.

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

/usr/bin/xwininfo, xwininfo

NEW QUESTION 28

- (Exam Topic 2)

X is running okay but you're concerned that you may not have the right color depth set. What single command will show you the running color depth while in X?

- A. xcd
- B. xcdepth
- C. xwininfo
- D. xcolordepth
- E. cat /etc/X11

Answer: C

NEW QUESTION 33

- (Exam Topic 2)

Which of the following commands shows the current color depth of the X Server?

- A. xcd
- B. xcdepth
- C. xwininfo
- D. xcolordepth
- E. cat /etc/X11

Answer: C

NEW QUESTION 38

- (Exam Topic 2)

The X11 configuration file xorg.conf is grouped into sections. How is the content of the section SectionName associated with that section?

- A. It is placed in curly brackets as in Section SectionName { ... }.
- B. It is placed between a line containing Section "SectionName" and a line containing EndSection.
- C. It is placed between the tags <Section name="SectionName"> and </Section>
- D. It is placed after the row [SectionName].
- E. It is placed after an initial unindented Section "SectionName" and must be indented by exactly one tab character.

Answer:

B

NEW QUESTION 39

- (Exam Topic 2)

What is the name of the simple graphical login manager that comes with a vanilla X11 installation? (Specify ONLY the command without any path or parameters.)

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

xdm

NEW QUESTION 44

- (Exam Topic 2)

How is a display manager started?

- A. It is started by a user using the command startx.
- B. It is started like any other system service by the init system.
- C. It is started by inetd when a remote hosts connects to the X11 port.
- D. It is started automatically when a X11 user logs in to the system console.

Answer: B

NEW QUESTION 46

- (Exam Topic 3)

Which of the following fields are available in both the global /etc/crontab file as well as in user-specific crontab files? (Select TWO correct answers)

- A. Year
- B. Minute
- C. Username
- D. Command

Answer: BD

NEW QUESTION 49

- (Exam Topic 3)

The correct crontab entry to execute the script chklog three times per month between 3 p.m. and 5 p.m.:

- A. * 3,4,5 1 * * chklog
- B. 3 3,4,5 1 * * chklog
- C. 3 15,16,17 * * * chklog
- D. 0 15,16,17 1 * * chklog
- E. * 15,16,17 1 * * chklog

Answer: D

NEW QUESTION 54

- (Exam Topic 3)

Which file specifies the user accounts that can NOT submit jobs via at or batch? (Provide the full path and filename)

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

/etc/at.deny

NEW QUESTION 56

- (Exam Topic 3)

Which of the following crontab entries will execute myscript at 30 minutes past every hour on Sundays?

- A. 0 * * * 30 myscript
- B. 30 * * * 6 myscript
- C. 30 0 * * 0 myscript
- D. 30 0-23 * * 0 myscript
- E. 0 0-23 * * 30 myscript

Answer: D

NEW QUESTION 61

- (Exam Topic 3)

Which TWO statements about crontab are true?

- A. Every user may have their own crontab.
- B. Changing a crontab requires a reload/restart of the cron daemon.
- C. The cron daemon reloads crontab files automatically when necessary.
- D. hourly is the same as "0 * * * *".
- E. A cron daemon must run for each existing crontab.

Answer: AC

NEW QUESTION 65

- (Exam Topic 3)

Which of the following can the chage command NOT change?

- A. The number of days since January 1, 1970 after which the user's account will no longer be accessible.
- B. The number of days since January 1, 1970 after which the password can change.
- C. The number of days since January 1, 1970 since the password was last changed.
- D. The maximum number of days during which a password is valid.
- E. The number of days of inactivity after a password has expired before the account is locked.

Answer: B

NEW QUESTION 66

- (Exam Topic 3)

Of the ways listed, which is the best way to temporarily suspend a single user's ability to interactively login?

- A. Add the user name to /etc/nologin.
- B. Change the user's password.
- C. Change the user name in /etc/passwd.
- D. Use change to expire the user account.
- E. Place the command logout in the user's profile.

Answer: D

NEW QUESTION 67

- (Exam Topic 3)

Which command should be added to /etc/bash_profile to change the language of messages from an internationalised program to Portuguese (pt)? (Select TWO correct answers)

- A. export LANGUAGE="pt"
- B. export MESSAGE="pt"
- C. export LANG="pt"
- D. export LC_MESSAGES="pt"
- E. export ALL_MESSAGES="pt"

Answer: CD

NEW QUESTION 72

- (Exam Topic 3)

Which character in the password field of /etc/passwd is used to indicate that the encrypted password is stored in /etc/shadow?

- A. *
- B. -
- C. s
- D. x

Answer: D

NEW QUESTION 77

- (Exam Topic 3)

Which environment variable should be set in order to change the time zone for the commands run from within the environment variable's scope? (Specify the variable name only.)

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

TZ

NEW QUESTION 80

- (Exam Topic 3)

Each entry in a crontab must end with what character?

- A. Tab
- B. Space
- C. Backslash
- D. Newline

Answer: D

NEW QUESTION 83

- (Exam Topic 3)

The system's timezone may be set by linking /etc/localtime to an appropriate file in which directory? (Provide the full path to the directory, without any country information)

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

/usr/share/zoneinfo/

NEW QUESTION 88

- (Exam Topic 3)

Which commands can be used to change a user's account aging information? (Choose THREE correct answers.)

- A. usermod
- B. passwd
- C. chattr
- D. chage
- E. chsh

Answer: ABD

NEW QUESTION 90

- (Exam Topic 3)

What is true about the file /etc/localtime?

- A. It is a plain text file containing a string such as Europe/Berlin.
- B. It is created and maintained by the NTP service based on the geolocation of the system's IP address.
- C. It is a symlink to /sys/device/clock/lttime and always contains the current local time.
- D. It is either a symlink to or a copy of a timezone information file such as /usr/share/zoneinfo/Europe/Berlin.

Answer: D

NEW QUESTION 91

- (Exam Topic 3)

Which of the following files assigns a user to its primary group?

- A. /etc/pgroup
- B. /etc/shadow
- C. /etc/group
- D. /etc/passwd
- E. /etc/gshadow

Answer: D

NEW QUESTION 95

- (Exam Topic 3)

What is the main difference between the batch and at commands?

- A. The batch command will run multiple times. The at command will only run once.
- B. The batch command will run when system load is low.
- C. The at command runs at a specific time.
- D. The at command reads commands from standard input.
- E. The batch command requires a command line argument.
- F. The at command e-mails results to the user.
- G. The batch command logs results to syslog.

Answer: B

NEW QUESTION 99

- (Exam Topic 3)

Which of the following steps prevents a user from obtaining an interactive login session?

- A. Run the command chsh -s /bin/false with the user name.
- B. Set the UID for the user to 0.
- C. Remove the user from the group staff.
- D. Add the user to /etc/noaccess.
- E. Create a .nologin file in the user's home directory.

Answer: A

NEW QUESTION 102

- (Exam Topic 4)

Which of the following are commonly used Mail Transfer Agent (MTA) applications? (Choose THREE correct answers.)

- A. Postfix
- B. Procmail
- C. Sendmail
- D. Exim
- E. SMTPd

Answer: ACD

NEW QUESTION 105

- (Exam Topic 4)

Which of the following are syslog facilities? (Choose TWO correct answers.)

- A. local7
- B. mail
- C. advanced
- D. postmaster
- E. remote

Answer: AB

NEW QUESTION 107

- (Exam Topic 4)

Which of the following is a legacy program provided by CUPS for sending files to the printer queues on the command line?

- A. lpd
- B. lpp
- C. lpq
- D. lpr

Answer: D

NEW QUESTION 111

- (Exam Topic 4)

After configuring printing on a Linux server, the administrator sends a test file to one of the printers and it fails to print. What command can be used to display the status of the printer's queue? (Specify ONLY the command without any path or parameters.)

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

lpq, /usr/bin/lpq, lpstat, /usr/bin/lpstat

NEW QUESTION 116

- (Exam Topic 4)

What is the purpose of the command mailq?

- A. It fetches new emails from a remote server using POP3 or IMAP.
- B. It is a multi-user mailing list manager.
- C. It is a proprietary tool contained only in the qmail MTA.
- D. It queries the mail queue of the local MTA.
- E. It is a command-line based tool for reading and writing emails.

Answer: D

NEW QUESTION 117

- (Exam Topic 4)

Please specify the top directory containing the configuration files for the CUPS printing system. (Specify the full path to the directory.)

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

/etc/cups, /etc/cups/

NEW QUESTION 118

- (Exam Topic 4)

Which file, when using Sendmail or a similar MTA system, will allow a user to redirect all their mail to another address and is configurable by the user themselves?

- A. /etc/alias
- B. ~/.alias
- C. /etc/mail/forwarders
- D. ~/.forward
- E. ~/.vacation

Answer: D

NEW QUESTION 121

- (Exam Topic 4)

What entry can you add to syslog.conf file to have all syslog messages generated by your system go to virtual console 12?

- A. *.* /dev/tty12
- B. /var/log/messages | /dev/tty12
- C. | /dev/tty12
- D. syslog tty12
- E. mail.* /dev/tty12

Answer: A

NEW QUESTION 124

- (Exam Topic 5)

Which of the following is a valid IPv6 address?

- A. 2001:db8:3241::1
- B. 2001::db8:4581::1
- C. 2001:db8:0g41::1
- D. 2001%db8%9990%%1
- E. 2001.db8.819f..1

Answer: A

NEW QUESTION 125

- (Exam Topic 5)

Which parameter must be passed to ifconfig to activate a previously inactive network interface? (Specify the parameter only without any command, path or additional options)

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

up

NEW QUESTION 127

- (Exam Topic 5)

On a regular users workstation the route command takes a long time before printing out the routing table. Which of the following errors does that indicate?

- A. The local routing information may be corrupted and must be re-validated using a routing protocol.
- B. One of the routers in the routing table is not available which causes the automatic router failure detection mechanism (ARF-D) to wait for a timeout.
- C. There may accidentally be more than one default router in which case a default router election has to be done on the network in order to choose one router as the default.
- D. DNS resolution may not be working as route by default tries to resolve names of routers and destinations and may run into a timeout.

Answer: D

NEW QUESTION 129

- (Exam Topic 5)

Which of the following keywords can be used in the file /etc/nsswitch.conf to specify a source for host name lookups? (Choose TWO correct answers.)

- A. resolv
- B. dns
- C. remote
- D. files
- E. hosts

Answer: BD

NEW QUESTION 132

- (Exam Topic 5)

Which of the following commands will help identify a broken router between the local and the remote machine?

- A. ps
- B. netstat
- C. nslookup
- D. ifconfig

E. traceroute

Answer: E

NEW QUESTION 136

- (Exam Topic 5)

Which of the following programs can be used to determine the routing path to a given destination?

- A. dig
- B. netstat
- C. ping
- D. route
- E. traceroute

Answer: E

NEW QUESTION 139

- (Exam Topic 5)

Which of the following lines are valid in the file /etc/hosts? (Choose TWO correct answers.)

- A. 2001:db8::15 www.example.com www
- B. www.example.com www 203.0.13.15
- C. 203.0.113.15 www.example.com www
- D. www.example.com,www 203.0.13.15,2001:db8::15
- E. 2003.0.113.15,2001:db8::15 www.example.com www

Answer: AC

NEW QUESTION 140

- (Exam Topic 5)

Which port is the default server port for the HTTPS protocol? (Specify the port number using digits.)

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

443

NEW QUESTION 141

- (Exam Topic 6)

What argument to the -type option of find will match files that are symbolic links? (Specify only the argument and no other options or words.)

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

|

NEW QUESTION 145

- (Exam Topic 6)

In an xinetd configuration file, which attribute specifies the network address that will be used to provide the service?

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

bind, interface

NEW QUESTION 147

- (Exam Topic 6)

With X11 forwarding in ssh, what environment variable is automatically set in the remote host shell that is not set when X11 forwarding is not enabled? (Specify only the environment variable without any additional commands or values.)

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

DISPLAY, \$DISPLAY

NEW QUESTION 150

- (Exam Topic 6)

Which command is used to set restrictions on the size of a core file that is created for a user when a program crashes?

- A. core
- B. edquota
- C. ulimit
- D. quota

Answer: C

NEW QUESTION 153

- (Exam Topic 6)

On a Linux system with shadow passwords enabled, which file in the file system contains the password hashes of all local users? (Specify the full name of the file, including path.)

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

/etc/shadow

NEW QUESTION 155

- (Exam Topic 6)

Which of the following find commands will print out a list of files owned by root and with the SUID bit set in /usr?

- A. find /usr -uid 0 -perm +4000
- B. find -user root +mode +s /usr
- C. find -type suid -username root -d /usr
- D. find /usr -ls *s* -u root
- E. find /usr -suid -perm +4000

Answer: A

NEW QUESTION 160

- (Exam Topic 6)

Which of the following commands can be used to limit the amount of memory a user may use?

- A. umask
- B. usermod
- C. ulimit
- D. passwd
- E. chage

Answer: C

NEW QUESTION 163

- (Exam Topic 6)

Which of the following commands connects to the remote host example.com which has OpenSSH listening on TCP port 2222? (Choose TWO correct answers.)

- A. ssh --port 2222 example.com
- B. ssh -p 2222 example.com
- C. ssh -o Port=2222 example.com
- D. ssh -o GatewayPort=2222 example.com
- E. ssh example.com:2222

Answer: BC

NEW QUESTION 164

.....

Thank You for Trying Our Product

* 100% Pass or Money Back

All our products come with a 90-day Money Back Guarantee.

* One year free update

You can enjoy free update one year. 24x7 online support.

* Trusted by Millions

We currently serve more than 30,000,000 customers.

* Shop Securely

All transactions are protected by VeriSign!

100% Pass Your 102-500 Exam with Our Prep Materials Via below:

<https://www.certleader.com/102-500-dumps.html>