

## JavaScript-Developer-I Dumps

### Salesforce Certified JavaScript Developer I

<https://www.certleader.com/JavaScript-Developer-I-dumps.html>



**NEW QUESTION 1**

Refer to the following code:

```
Let sampleText = 'The quick brown foxjumps';
```

A developer needs to determine if a certain substring is part of a string. Which three expressions return true for the given substring ?

Choose 3 answers

- A. sampleText.includes('fox');
- B. sampleText.includes(' quick ', 4);
- C. sampleText.includes('Fox ', 3)
- D. sampleText.includes(' fox ');
- E. sampleText.includes(' quick ') !== -1;

**Answer:** BDE

**NEW QUESTION 2**

A developer is wondering whether to use, Promise.then or Promise.catch, especially when a Promise throws an error?

Which two promises are rejected? Which 2 are correct?

- A. Promise.reject('cool error here').then(error => console.error(error));
- B. Promise.reject('cool error here').catch(error => console.error(error));
- C. New Promise((resolve, reject) => (throw 'cool error here')).catch(error => console.error(error)) ;
- D. New Promise(() => (throw 'cool error here')).then(null, error => console.error(error));

**Answer:** BC

**NEW QUESTION 3**

Refer to the code below: Let str = 'javascript'; Str[0] = 'J';

Str[4] = 'S';

After changing the string index values, the value of str is 'javascript'. What is the reason for this value:

- A. Non-primitive values are mutable.
- B. Non-primitive values are immutable.
- C. Primitive values are mutable.
- D. Primitive values are immutable.

**Answer:** D

**NEW QUESTION 4**

A developer at Universal Containers creates a new landing page based on HTML, CSS, and JavaScript TO ensure that visitors have a good experience, a script named personalizeContext needs to be executed when the webpage is fully loaded (HTML content and all related files ), in order to do some custom initialization. Which statement should be used to call personalizeWebsiteContent based on the above business requirement?

- A. document.addEventListener('onDOMContentLoaded', personalizeWebsiteContext);
- B. window.addEventListener('load',personalizeWebsiteContext);
- C. window.addEventListener('onload', personalizeWebsiteContext);
- D. Document.addEventListener('DOMContentLoaded' , personalizeWebsiteContext);

**Answer:** B

**NEW QUESTION 5**

A team that works on a big project uses npm to deal with projects dependencies. A developer added a dependency does not get downloaded when they execute npm install.

Which two reasons could be possible explanations for this?

Choose 2 answers

- A. The developer missed the option --add when adding the dependency.
- B. The developer added the dependency as a dev dependency, and NODE\_ENV is set to production.
- C. The developer missed the option --save when adding the dependency.
- D. The developer added the dependency as a dev dependency, and NODE\_ENV is set to production.

**Answer:** BCD

**NEW QUESTION 6**

A developer creates an object where its properties should be immutable and prevent properties from being added or modified.

Which method should be used to execute this business requirement ?

- A. Object.const()
- B. Object.eval()
- C. Object.lock()
- D. Object.freeze()

**Answer:** D

**NEW QUESTION 7**

A developer is creating a simple webpage with a button. When a user clicks this button for the first time, a message is displayed.

The developer wrote the JavaScript code below, but something is missing. The message gets displayed every time a user clicks the button, instead of just the first time.

```
01 function listen(event) {  
02  
03   alert('Hey! I am John Doe');  
04  
05 }  
06 button.addEventListener('click', listen);
```

Which two code lines make this code work as required? Choose 2 answers

- A. On line 02, use event.first to test if it is the first execution.
- B. On line 04, use event.stopPropagation ( ),
- C. On line 04, use button.removeEventListener(' click" , listen);
- D. On line 06, add an option called once to button.addEventListener().

**Answer:** CD

#### NEW QUESTION 8

Which function should a developer use to repeatedly execute code at a fixed interval ?

- A. setInterval
- B. setTimeout
- C. setPeriod
- D. setInteria

**Answer:** A

#### NEW QUESTION 9

Which three browser specific APIs are available for developers to persist data between page loads ? Choose 3 answers

- A. IIFEs
- B. indexedDB
- C. Global variables
- D. Cookies
- E. localStorage.

**Answer:** ABE

#### NEW QUESTION 10

A developer is setting up a new Node.js server with a client library that is built using events and callbacks. The library:

- \* Will establish a web socket connection and handle receipt of messages to the server
- \* Will be imported with require, and made available with a variable called we.

The developer also wants to add error logging if a connection fails.

Given this info, which code segment shows the correct way to set up a client with two events that listen at execution time?

- A.

```
04 ws.connect(() => {  
05   console.log('Connected to client');  
06 }).catch((error) => {  
07   console.log('ERROR', error);  
08 });
```
- B.

```
04 ws.on('connect', () => {  
05   console.log('Connected to client');  
06  
07   ws.on('error', (error) => {  
08     console.log('ERROR', error);  
09   });  
10 });
```
- C.

```
04 ws.on('connect', () => {  
05   console.log('Connected to client');  
06 });  
07  
08 ws.on('error', (error) => {  
09   console.log('ERROR', error);  
10 });
```
- D.

```
04 try {
05   ws.connect(() => {
06     console.log('Connected to client');
07   });
08 } catch(error) {
09   console.log('ERROR', error);
10 }
```

Answer: C

#### NEW QUESTION 10

Refer to the code:

```
01 function Vehicle(name, price) {
02   this.name = name;
03   this.price = price;
04 }
05 Vehicle.prototype.priceInfo = function () {
06   return 'Cost of the ${this.name} is ${this.price}$';
07 }
08 var ford = new Vehicle('Ford Fiesta', '20,000');
```

Given the requirement to refactor the code above to JavaScript class format, which class definition is correct?

A)

```
01 class Vehicle {
02   constructor(name, price) {
03     this.name = name;
04     this.price = price;
05   }
06   priceInfo() {
07     return 'Cost of the ${this.name} is ${this.price}$';
08   }
09 }
```

B)

```
01 class Vehicle {
02   vehicle(name, price) {
03     this.name = name;
04     this.price = price;
05   }
06   priceInfo() {
07     return 'Cost of the ${this.name} is ${this.price}$';
08   }
09 }
```

C)

```
01 class Vehicle {
02   constructor(name, price) {
03     name = name;
04     price = price;
05   }
06   priceInfo() {
07     return 'Cost of the ${this.name} is ${this.price}$';
08   }
09 }
```

D)

```
01 class Vehicle {
02   constructor() {
03     this.name = name;
04     this.price = price;
05   }
06   priceInfo() {
07     return 'Cost of the ${this.name} is ${this.price}$';
08   }
09 }
```



A.

**Answer:** B

#### NEW QUESTION 12

Given the following code: `document.body.addEventListener('click', (event) => { if (/* CODE REPLACEMENT HERE */) { console.log('button clicked!'); } });`

Which replacement for the conditional statement on line 02 allows a developer to correctly determine that a button on page is clicked?

- A. `Event.clicked`
- B. `e.nodeTarget == this`
- C. `event.target.nodeName == 'BUTTON'`
- D. `button.addEventListener('click')`

**Answer:** C

#### NEW QUESTION 14

Which javascript methods can be used to serialize an object into a string and deserialize a JSON string into an object, respectively?

- A. `JSON.stringify` and `JSON.parse`
- B. `JSON.serialize` and `JSON.deserialize`
- C. `JSON.encode` and `JSON.decode`
- D. `JSON.parse` and `JSON.serialize`

**Answer:** A

#### NEW QUESTION 17

A developer wrote the following code to test a `sum3` function that takes in an array of numbers and returns the sum of the first three numbers in the array, and the test passes.

A different developer made changes to the behavior of `sum3` to instead sum only the first two numbers present in the array.

```
01 let res = sum3([1, 4, 11]);
02 console.assert(res === 6);
03
04 res = sum3([1, 5, 0, 5]);
05 console.assert(res === 6);
```

Which two results occur when running this test on the updated `sum3` function? Choose 2 answers

- A. The line 05 assertion passes.
- B. The line 02 assertion passes.
- C. The line 02 assertion fails.
- D. The line 05 assertion fails.

**Answer:** BD

#### NEW QUESTION 22

Given the following code: `Let x =null; console.log(typeof x);`  
What is the output of the line 02?

- A. "Null"
- B. "X"
- C. "Object"
- D. "undefined"

**Answer:** C

#### NEW QUESTION 25

Refer to the code below: `Const pi = 3.1415326`, What is the data type of `pi`?

- A. Double
- B. Number
- C. Decimal
- D. Float

**Answer:** B

#### NEW QUESTION 27

Which three actions can be using the JavaScript browser console? Choose 3 answers:

- A. View and change DOM the page.
- B. Display a report showing the performance of a page.
- C. Run code that is not related to page.
- D. view , change, and debug the JavaScript code of the page.
- E. View and change security cookies.

**Answer:** ACD

#### NEW QUESTION 28

Refer to HTML below:

```
<div id = "main">  
<div id = " card-00">This card is smaller.</div>  
<div id = "card-01">The width and height of this card is determined by its contents.</div>  
</div>
```

Which expression outputs the screen width of the element with the ID card-01?

- A. document.getElementById(' card-01 ').getBoundingClientRect().width
- B. document.getElementById(' card-01 ').style.width
- C. document.getElementById(' card-01 ').width
- D. document.getElementById(' card-01 ').innerHTML.lenght\*e

**Answer:** A

#### NEW QUESTION 30

Refer to the code below:

```
01 let greeting = 'Goodbye';  
02 let salutation = 'Hello, Hello, Hello';  
03 try {  
04   greeting = 'Hello';  
05   decodeURI('%44'); // throws error  
06   salutation = 'Goodbye';  
07 } catch(err) {  
08   salutation = 'I say hello';  
09 } finally {  
10   salutation = 'Hello, Hello';  
11 }
```

Line 05 causes an error.

What are the values of greeting and salutation once code completes?

- A. Greeting is Hello and salutation is Hello, Hello.
- B. Greeting is Goodbye and salutation is Hello, Hello.
- C. Greeting is Goodbye and salutation is I say Hello.
- D. Greeting is Hello and salutation is I say hello.

**Answer:** A

#### NEW QUESTION 34

Given the code below:

const copy = JSON.stringify([ new String(' false '), new Boolean( false ), undefined ]); What is the value of copy?

- A. -- [ \"false\" , { } ]-
- B. -- [ false, { } ]-
- C. -- [ \"false\" , false, undefined ]-
- D. -- [ \"false\" ,false, null ]-

**Answer:** D

#### NEW QUESTION 39

Given the code below: Setcurrent URL ();

console.log('The current URL is: ' +url ); function setCurrentUrl() {

Url = window.location.href;

What happens when the code executes?

- A. The url variable has local scope and line 02 throws an error.
- B. The url variable has global scope and line 02 executes correctly.
- C. The url variable has global scope and line 02 throws an error.
- D. The url variable has local scope and line 02 executes correctly.

**Answer:** B

#### NEW QUESTION 41

Refer to code below:

```
01 function Person() {
02   this.firstName = 'John';
03 }
04
05 Person.prototype = {
06   job: x => 'Developer'
07 };
08
09 const myFather = new Person();
10 const result = myFather.firstName + ' ' + myFather.job();
```

What is the value of the result after line 10 executes?

- A. Error: myFather.job is not a function
- B. Undefined Developer
- C. John undefined
- D. John Developer

**Answer:** D

#### NEW QUESTION 43

At Universal Containers, every team has its own way of copying JavaScript objects. The code Snippet shows an implementation from one team:

```
01 function Person() {
02   this.firstName = "John";
03   this.lastName = "Doe";
04   this.name = () => {
05     console.log('Hello ${this.firstName} ${this.lastName}');
06   }
07 }
08
09 const john = new Person();
10 const dan = JSON.parse(JSON.stringify(john));
11 dan.firstName = 'Dan';
12 dan.name();
```

What is the Output of the code execution?

- A. Hello Dan Doe
- B. Hello John DOe
- C. TypeError: dan.name is not a function
- D. TypeError: Assignment to constant variable.

**Answer:** C

#### NEW QUESTION 48

Refer to the code below: `Function Person(firstName, lastName, eyeColor) { this.firstName = firstName; this.lastName = lastName; this.eyeColor = eyeColor; }`

`Person.job = 'Developer';`  
`const myFather = new Person('John', 'Doe'); console.log(myFather.job);`  
What is the output after the code executes?

- A. ReferenceError: eyeColor is not defined
- B. ReferenceError: assignment to undeclared variable "Person"
- C. Developer
- D. Undefined

**Answer:** D

#### NEW QUESTION 51

developer publishes a new version of a package with new features that do not break backward compatibility. The previous version number was 1.1.3. Following semantic versioning format, what should the new package version number be?

- A. 2.0.0
- B. 1.2.3
- C. 1.1.4
- D. 1.2.0

**Answer:** D

**NEW QUESTION 52**

Refer to the code below:

```
01 const exec = (item, delay) =>
02   new Promise(resolve => setTimeout(() => resolve(item), delay));
03
04 async function runParallel() {
05   const [result1, result2, result3] = await Promise.all(
06     [exec('x', '100'), exec('y', '500'), exec('z', '100')]
07   );
08   return 'parallel is done: ${result1}${result2}${result3}';
09 }
```

Which two statements correctly execute the runParallel () function? Choose 2 answers

- A. Async runParallel () .then(data);
- B. runParallel ( ) . done(function(data){ return data;});
- C. runParallel () .then(data);
- D. runParallel ( ) .then(function(data) return data

**Answer: BD**

**NEW QUESTION 56**

Universal Containers (UC) notices that its application that allows users to search for accounts makes a network request each time a key is pressed. This results in too many requests for the server to handle.

Address this problem, UC decides to implement a debounce function on string change handler.

What are three key steps to implement this debounce function? Choose 3 answers:

- A. If there is an existing setTimeout and the search string change, allow the existing setTimeout to finish, and do not enqueue a new setTimeout.
- B. When the search string changes, enqueue the request within a setTimeout.
- C. Ensure that the network request has the property debounce set to true.
- D. If there is an existing setTimeout and the search string changes, cancel the existing setTimeout using the persisted timerId and replace it with a new setTimeout.
- E. Store the timerId of the setTimeout last enqueued by the search string change handle.

**Answer: ABC**

**NEW QUESTION 61**

Universal Containers recently launched its new landing page to host a crowd-funding campaign. The page uses an external library to display some third-party ads. Once the page is fully loaded, it creates more than 50 new HTML items placed randomly inside the DOM, like the one in the code below:

```
<!-- This is an ad -->
<div class="ad-library-item ad-hidden" onload="myFunction()">
  
</div>
```

All the elements includes the same ad-library-item class, They are hidden by default, and they are randomly displayed while the user navigates through the page.

- A. Use the DOM inspector to prevent the load event to be fired.
- B. Use the browser to execute a script that removes all the element containing the class ad-library-item.
- C. Use the DOM inspector to remove all the elements containing the class ad-library-item.
- D. Use the browser console to execute a script that prevents the load event to be fired.

**Answer: B**

**NEW QUESTION 64**

Universal Container(UC) just launched a new landing page, but users complain that the website is slow. A developer found some functions that cause this problem. To verify this, the developer decides to do everything and log the time each of these three suspicious functions consumes.

console.time('Performance'); maybeAHeavyFunction(); thisCouldTakeTooLong(); orMaybeThisOne(); console.endTime('Performance');

Which function can the developer use to obtain the time spent by every one of the three functions?

- A. console.timeLog()
- B. console.getTime()
- C. console.trace()
- D. console.timeStamp()

**Answer: A**

**NEW QUESTION 66**

Refer to the code below: function changeValue(param) { Param =5;

}

Let a =10;

Let b =5; changeValue(b);

Const result = a+ " - "+ b;

What is the value of result when code executes?

- A. 10 -10
- B. 5 -5
- C. 5 - 10



D. 10 - 5

**Answer:** A

#### NEW QUESTION 68

Refer to the code below:

```
const searchText = 'Yay! Salesforce is amazing!';

let result1 = searchText.search(/sales/i);
let result2 = searchText.search(/sales/);

console.log(result1);
console.log(result2);
```

After running this code, which result is displayed on the console?

- A. > true > false
- B. > 5 > undefined
- C. > 5 > -1
- D. >5 > 0

**Answer:** B

**Explanation:**

A screenshot of a code editor with a dark theme. The editor shows 10 lines of JavaScript code. Line 4, which contains the string assignment, is highlighted. Below the code editor, a 'CONSOLE' panel is open, showing two lines of output, both of which are the number '5'.

```
1  import 'bootstrap@4.6.0'
2  import $ from 'jquery'
3
4  const searchText = 'Yay! Salesforce is amazing!';
5
6  let result1 = searchText.search(/sales/i);
7  let result2 = searchText.search(/sales/);
8
9  console.log(result1);
10 console.log(result2);
```

CONSOLE x ... WEBSITE

5  
5

#### NEW QUESTION 73

Given the code below:

```
const delay = async delay => {
  return new Promise((resolve, reject) => {
    setTimeout(resolve, delay);
  });
};

const callDelay = async () => {
  const yup = await delay(1000);
  console.log(1);
};

console.log(2);
callDelay();
console.log(3);
```

What is logged to the console?

- A. 1 2 3
- B. 1 3 2
- C. 2 1 3
- D. 2 3 1

**Answer:** D

#### NEW QUESTION 75

developer removes the HTML class attribute from the checkout button, so now it is simply:

<button>Checkout</button>.

There is a test to verify the existence of the checkout button, however it looks for a button with class= "blue". The test fails because no such button is found.

Which type of test category describes this test?

- A. True positive
- B. True negative
- C. False positive
- D. False negative

**Answer:** D

#### NEW QUESTION 78

Refer to code below:

Let productSKU = '8675309' ;

A developer has a requirement to generate SKU numbers that are always 19 characters long, starting with 'sku', and padded with zeros.

Which statement assigns the values sku0000000008675309 ?

- A. productSKU = productSKU .padStart (19. '0').padstart('sku');
- B. productSKU = productSKU .padEnd (16. '0').padstart('sku');
- C. productSKU = productSKU .padEnd (16. '0').padstart(19, 'sku');
- D. productSKU = productSKU .padStart (16. '0').padstart(19, 'sku');

**Answer:** D

#### NEW QUESTION 83

A developer has an ErrorHandler module that contains multiple functions. What kind of export be leverages so that multiple functions can be used?

- A. Named
- B. All
- C. Multi
- D. Default

**Answer:** A

#### NEW QUESTION 88

Refer to the following code:

```
<html lang="en">
<body>
<div onclick = "console.log('Outer message') ;">
<button id ="myButton">Click me</button>
</div>
</body>
<script>
function displayMessage(ev) { ev.stopPropagation(); console.log('Inner message.')}
const elem =document.getElementById('myButton'); elem.addEventListener('click' , displayMessage);
</script>
</html>
```

What will the console show when the button is clicked?

- A. Outer message
- B. Outer message Inner message
- C. Inner message Outer message
- D. Inner message

**Answer:** D

#### NEW QUESTION 89

A developer is asked to fix some bugs reported by users. Todo that, the developer adds a breakpoint for debugging.

```
Function Car (maxSpeed, color){ This.maxspeed =masSpeed; This.color = color;
```

```
Let carSpeed = document.getElementById(' CarSpeed'); Debugger;
```

```
Let fourWheels =new Car (carSpeed.value, 'red');
```

When the code execution stops at the breakpoint on line 06, which two types of information are available in the browser console ?

Choose 2 answers:

- A. The values of the carSpeed and fourWheels variables
- B. A variable displaying the number of instances created for theCar Object.
- C. The style, event listeners and other attributes applied to the carSpeed DOM element
- D. The information stored in the window.localStorage property

**Answer:** CD

#### NEW QUESTION 94

A developer implements and calls the following code when an application state change occurs: Const onStateChange =innerPageState) => {

```
window.history.pushState(newPageState, ' ', null);
```

```
}
```

If the back button is clicked after this method is executed, what can a developer expect?

- A. A navigate event is fired with a state property that details the previous application state.
- B. The page is navigated away from and the previous page in the browser's history is loaded.
- C. The page reloads and all Javascript is reinitialized.
- D. A popstate event is fired with a state property that details the application's last state.

**Answer:** B

#### NEW QUESTION 97

is below:

```
<input type="file" onchange="previewFile()">
```

```
<img src="" height="200" alt="Image Preview..." /> The JavaScript portion is:
```

```
1 function previewFile(){
```

```
2 const preview = document.querySelector('img');
```

```
3 const file = document.querySelector('input[type=file]').files[0]; 04 //line 4 code
```

```
05 reader.addEventListener("load", () =>{ 06 preview.src = reader.result;
```

```
7 },false);
```

```
8 //line 8 code
```

```
9 }
```

In lines 04 and 08, which code allows the user to select an image from their local computer , and to display the image in the browser?

- A. 04 const reader = new File();08 if (file) URL.createObjectURL(file);
- B. 04 const reader = new FileReader();08 if (file) URL.createObjectURL(file);
- C. 04 const reader = new File();08 if (file) reader.readAsDataURL(file);
- D. 04 const reader = new FileReader();08 if (file) reader.readAsDataURL(file);

**Answer:** D

#### NEW QUESTION 99

Given the code below:

```
01 function GameConsole(name) {
02     this.name = name;
03 }
04
05 GameConsole.prototype.load = function(gamename) {
06     console.log(`${this.name} is loading a game: ${gamename}...`);
07 }
08
09 function Console16bit(name) {
10     GameConsole.call(this, name);
11 }
12
13 Console16bit.prototype = Object.create(GameConsole.prototype);
14
15 //insert code here
16 console.log(`${this.name} is loading a cartridge game: ${gamename}...`);
17 }
18
19 const console16bit = new Console16bit('SNEGeneziz');
20 console16bit.load('Super Monic 3x Force');
```

What should a developer insert at line 15 to output the following message using the method ?  
> SNEGeneziz is loading a cartridgegame: Super Monic 3x Force . . .

- A. Console16bit.prototype.load(gamename) = function() {
- B. Console16bit.prototype.load = function(gamename) {
- C. Console16bit = Object.create(GameConsole.prototype).load = function (gamename) {
- D. Console16bit.prototype.load(gamename) {

**Answer:** B

#### NEW QUESTION 103

A test has a dependency on database.query. During the test the dependency is replaced with an object called database with the method, query, that returns an array. The developer needs to verify how many times the method was called and the arguments used each time. Which two test approaches describe the requirement? Choose 2 answers

- A. Integration
- B. Black box
- C. White box
- D. Mocking

**Answer:** CD

#### NEW QUESTION 104

Refer to the code below:

Let inArray =[ [ 1, 2 ] , [ 3, 4, 5 ] ];

Which two statements result in the array [1, 2, 3, 4, 5] ?

Choose 2 answers

- A. [ ]. Concat.apply ([ ], inArray);
- B. [ ]. Concat (... inArray);
- C. [ ]. concat.apply(inArray, [ ]);
- D. [ ]. concat ( [ ....inArray ] );

**Answer:** AB

#### NEW QUESTION 106

A developer creates a generic function to log custom messages in the console. To do this, the function below is implemented.

```
01 function logStatus(status){
02     console./*Answer goes here*/('Item status is: %s', status);
03 }
```

Which three console logging methods allow the use of string substitution in line 02?

- A. Assert
- B. Log
- C. Message
- D. Info
- E. Error

**Answer:** AD

#### NEW QUESTION 111

A developer wrote a fizzbuzz function that when passed in a number, returns the following:  
‘Fizz’ if the number is divisible by 3. ‘Buzz’ if the number is divisible by 5.



'Fizzbuzz' if the number is divisible by both 3 and 5. Emptystring if the number is divisible by neither 3 or 5.  
Which two test cases will properly test scenarios for the fizzbuzz function? Choose 2 answers

- A. let res = fizzbuzz(5); console.assert ( res === ' ' );
- B. let res = fizzbuzz(15);console.assert ( res === ' fizzbuzz ' )
- C. let res = fizzbuzz(Infinity); console.assert ( res === ' ' )
- D. let res = fizzbuzz(3); console.assert ( res === ' buzz ' )

**Answer:** BCD

#### NEW QUESTION 112

Refer to the following code: 01 function Tiger(){  
02 this.Type = 'Cat'; 03 this.size = 'large'; 04 }  
05  
06 let tony = new Tiger(); 07 tony.roar = () =>{  
8 console.log('They\'re great1');  
9 };  
10  
11 function Lion(){ 12 this.type = 'Cat'; 13this.size = 'large'; 14 }  
15  
16 let leo = new Lion(); 17 //Insert code here  
18 leo.roar();

Which two statements could be inserted at line 17 to enable the function call on line 18? Choose 2 answers.

- A. Leo.roar = () => { console.log('They\'re pretty good:'); };
- B. Object.assign(leo,Tiger);
- C. Object.assign(leo,tony);
- D. Leo.prototype.roar = () => { console.log('They\'re pretty good:'); };

**Answer:** AC

#### NEW QUESTION 117

Why would a developer specify a package.json as a developed forge instead of a dependency ?

- A. It is required by the application in production.
- B. It is only needed for local development and testing.
- C. Other requiredpackages depend on it for development.
- D. It should be bundled when the package is published.

**Answer:** B

#### NEW QUESTION 119

Which three options show valid methods for creating a fat arrowfunction? Choose 3 answers

- A. x => ( console.log(' executed ' ) ; )
- B. [ ] => ( console.log(' executed ' ) ; )
- C. ( ) => ( console.log(' executed ' ) ; )
- D. X,y,z => ( console.log(' executed ' ) ; )
- E. (x,y,z) => ( console.log(' executed ' ) ; )

**Answer:** AE

#### NEW QUESTION 123

A developer is working on an ecommerce website where the delivery date is dynamically calculated based on the current day. The code line below is responsible for this calculation. Const deliveryDate = new Date ();  
Due to changes in the business requirements, the delivery date must now be today's date + 9 days.  
Which code meets thisnew requirement?

- A. deliveryDate.setDate(( new Date ( ) ).getDate () +9);
- B. deliveryDate.setDate( Date.current () + 9);
- C. deliveryDate.date = new Date(+9) ;
- D. deliveryDate.date = Date.current () + 9;

**Answer:** A

#### NEW QUESTION 125

Which two console logs output NaN? Choose 2 answers | |

- A. console.log(10 / Number('5') ) ;
- B. console.log(parseInt ' ("two')) ;
- C. console.log(10 / 0);
- D. console.loeg(10 / 'five');

**Answer:** BD

#### NEW QUESTION 126

Which option is a core Node.js module?

- A. Path
- B. los
- C. Memory
- D. locate

**Answer:** A

#### NEW QUESTION 131

Consider type coercion, what does the following expression evaluate to? True + 3 + '100' + null

- A. 104
- B. 4100
- C. '3100null'
- D. '4100null'

**Answer:** D

#### NEW QUESTION 134

A developer has code that calculates a restaurant bill, but generates incorrect answers while testing the code:

```
function calculateBill ( items ) { let total = 0;  
total += findSubTotal(items); total += addTax(total);  
total += addTip(total); return total;  
}
```

Which option allows the developer to step into each function execution within calculateBill?

- A. Using the debugger command on line 05.
- B. Using the debugger command on line 03
- C. Calling the console.trace (total) method on line 03.
- D. Wrapping findSubtotal in a console.log() method.

**Answer:** A

#### NEW QUESTION 135

A developer has two ways to write a function: Option A:

```
function Monster() { This.growl = () => { Console.log ("Grr!");  
}  
}
```

Option B:

```
function Monster() {}; Monster.prototype.growl =() => { console.log("Grr!");  
}
```

After deciding on an option, the developer creates 1000 monster objects. How many growl methods are created with Option A Option B?

- A. 1 growl method is created for Option
- B. 1000 growl methods are created for Option B.
- C. 1000 growl method is created for Option
- D. 1 growl methods are created for Option B.
- E. 1000 growl methods are created regardless of which option is used.
- F. 1 growl method is created regardless of which option is used.

**Answer:** B

#### NEW QUESTION 140

Which three statements are true about promises ? Choose 3 answers

- A. The executor of a new Promise runs automatically.
- B. A Promise has a .then() method.
- C. A fulfilled or rejected promise will not change states .
- D. A settled promise can become resolved.
- E. A pending promise can become fulfilled, settled, or rejected.

**Answer:** BCE

#### NEW QUESTION 145

Refer to the following code that imports a module named utils:

```
01 import {foo,bar} from '/path/Utils.js';  
02 foo();  
03 bar();
```

Which two implementations of Utils.js export foo and bar such that the code above runs without error?

Choose 2 answers

- A. 

```
//FooUtils.js and BarUtils.js exist  
import {foo} from '/path/FooUtils.js';  
import {bar} from '/path/BarUtils.js';  
export {foo, bar}
```

- B. 

```
const foo = () => { return 'foo'; }  
const bar = () => { return 'bar'; }  
export {foo, bar}
```
- C. 

```
export default class {  
  foo() { return 'foo'; }  
  bar() { return 'bar'; }  
}
```
- D. 

```
const foo = () => { return 'foo'; }  
const bar = () => { return 'bar'; }  
export default foo, bar;
```

**Answer:** BC

#### NEW QUESTION 146

Refer to the code below:

```
Async function functionUnderTest(isOK) {  
  If (isOK) return 'OK' ;  
  Throw new Error('not OK');  
}
```

Which assertion accurately tests the above code?

- A. `Console.assert (await functionUnderTest(true), ' OK ')`  
B. `Console.assert (await functionUnderTest(true), ' not OK ')`  
C. `Console.assert (awaitfunctionUnderTest(true), ' not OK ')`  
D. `Console.assert (await functionUnderTest(true), 'OK')`

**Answer:** D

#### NEW QUESTION 150

Refer to the code snippet below: Let array = [1, 2, 3, 4, 4, 5, 4, 4];

```
For (let i =0; i < array.length; i++) if (array[i] === 4) {  
  array.splice(i, 1);  
}  
}
```

```
let array = [1, 2, 3, 4, 4, 5, 4, 4];  
for (let i =0; i < array.length; i++){  
  if (array[i] === 4) {  
    array.splice(i, 1);  
  }  
}  
console.log(array)
```

► (6) [1, 2, 3, 4, 5, 4] VM1963:7

undefined

What is the value of array after the code executes?

- A. [1, 2, 3, 4, 5, 4, 4]  
B. [1, 2, 3, 4, 4, 5, 4]  
C. [1, 2, 3, 5]  
D. [1, 2, 3, 4, 5, 4]

**Answer:** B

#### NEW QUESTION 154

What is the result of the code block?

```
flag();
anotherFlag();

function flag() {
  console.log('flag');
}

const anotherFlag = () => {
  console.log('another flag');
}
```

- A. The console logs only 'flag'.
- B. The console logs 'flag' and another flag.
- C. An error is thrown.
- D. The console logs 'flag' and then an error is thrown.

**Answer:** D

#### NEW QUESTION 156

Given the JavaScript below:

```
1 function filterDOM (searchString) {
2   const parsedSearchString = searchString && searchString.toLowerCase() ;
03 document.quesrySelectorAll(' .account' ) . forEach(account => (
04   const accountName = account.innerHTML.toLowerCase();
05   account. Style.display = accountName.includes(parsedSearchString) ? /*Insert code*/;
06 ));
07 }
```

Which code should replace the placeholder comment on line 05 to hide accounts that do not match the search string?

- A. ' name ' : ' block '
- B. ' Block ' : ' none '
- C. ' visible ' : ' hidden '
- D. ' hidden ' : ' visible '

**Answer:** B

#### NEW QUESTION 157

developer wants to use a module named universalContainersLib and then call functions from it.

How should a developer import every function from the module and then call the functions foo and bar ?

- A. import \* as lib from '/path/universalContainersLib.js'; lib.foo();lib.bar();
- B. import (foo, bar) from '/path/universalContainersLib.js'; foo();bar();
- C. import all from '/path/universalContainerLib.js'; universalContainersLib.foo(); universalContainersLib.bar();
- D. import \* from '/path/universalContainerLib.js'; universalContainersLib.foo(); universalContainersLib.bar();

**Answer:** A

#### NEW QUESTION 161

Refer to the following array:

Let arr1 = [ 1, 2, 3, 4, 5 ];

```
let arr1 = [ 1, 2, 3, 4, 5 ];
let arr2 = arr1.slice(0, 5);
```

```
console.log(arr2)
```

```
▶ (5) [1, 2, 3, 4, 5]
```

VM1767:4

```
undefined
```

```
let arr1 = [ 1, 2, 3, 4, 5 ];
let arr2 = Array.from(arr1);
console.log(arr2)
```

```
▶ (5) [1, 2, 3, 4, 5]
```

VM1827:3

```
undefined
```

Which two lines of code result in a second array, arr2 being created such that arr2 is not a reference to arr1?

- A. Let arr2 = arr1.slice(0, 5);
- B. Let arr2 = Array.from(arr1);
- C. Let arr2 = arr1;



D. Let arr2 = arr1.sort();

**Answer:** AB

**NEW QUESTION 166**

Which option is true about the strict mode in imported modules?

- A. Add the statement use non-strict, before any other statements in the module to enable not-strict mode.
- B. You can only reference notStrict() functions from the imported module.
- C. Imported modules are in strict mode whether you declare them as such or not.
- D. Add the statement use strict =false; before any other statements in the module to enable not- strict mode.

**Answer:** B

**NEW QUESTION 167**

.....

## Thank You for Trying Our Product

\* 100% Pass or Money Back

All our products come with a 90-day Money Back Guarantee.

\* One year free update

You can enjoy free update one year. 24x7 online support.

\* Trusted by Millions

We currently serve more than 30,000,000 customers.

\* Shop Securely

All transactions are protected by VeriSign!

**100% Pass Your JavaScript-Developer-I Exam with Our Prep Materials Via below:**

<https://www.certleader.com/JavaScript-Developer-I-dumps.html>