

Google

Exam Questions Professional-Cloud-Architect

Google Certified Professional - Cloud Architect (GCP)



NEW QUESTION 1

- (Exam Topic 1)

For this question, refer to the Mountkirk Games case study.

Mountkirk Games wants to set up a real-time analytics platform for their new game. The new platform must meet their technical requirements. Which combination of Google technologies will meet all of their requirements?

- A. Container Engine, Cloud Pub/Sub, and Cloud SQL
- B. Cloud Dataflow, Cloud Storage, Cloud Pub/Sub, and BigQuery
- C. Cloud SQL, Cloud Storage, Cloud Pub/Sub, and Cloud Dataflow
- D. Cloud Dataproc, Cloud Pub/Sub, Cloud SQL, and Cloud Dataflow
- E. Cloud Pub/Sub, Compute Engine, Cloud Storage, and Cloud Dataproc

Answer: B

Explanation:

A real time requires Stream / Messaging so Pub/Sub, Analytics by Big Query.

Ingest millions of streaming events per second from anywhere in the world with Cloud Pub/Sub, powered by Google's unique, high-speed private network. Process the streams with Cloud Dataflow to ensure reliable, exactly-once, low-latency data transformation. Stream the transformed data into BigQuery, the cloud-native data warehousing service, for immediate analysis via SQL or popular visualization tools.

From scenario: They plan to deploy the game's backend on Google Compute Engine so they can capture streaming metrics, run intensive analytics.

Requirements for Game Analytics Platform

Dynamically scale up or down based on game activity
Process incoming data on the fly directly from the game servers
Process data that arrives late because of slow mobile networks
Allow SQL queries to access at least 10 TB of historical data
Process files that are regularly uploaded by users' mobile devices
Use only fully managed services
References: <https://cloud.google.com/solutions/big-data/stream-analytics/>

NEW QUESTION 2

- (Exam Topic 1)

For this question, refer to the Mountkirk Games case study

Mountkirk Games needs to create a repeatable and configurable mechanism for deploying isolated application environments. Developers and testers can access each other's environments and resources, but they cannot access staging or production resources. The staging environment needs access to some services from production.

What should you do to isolate development environments from staging and production?

- A. Create a project for development and test and another for staging and production.
- B. Create a network for development and test and another for staging and production.
- C. Create one subnetwork for development and another for staging and production.
- D. Create one project for development, a second for staging and a third for production.

Answer: D

NEW QUESTION 3

- (Exam Topic 1)

For this question, refer to the Mountkirk Games case study.

Mountkirk Games wants to set up a continuous delivery pipeline. Their architecture includes many small services that they want to be able to update and roll back quickly. Mountkirk Games has the following requirements:

- Services are deployed redundantly across multiple regions in the US and Europe.
- Only frontend services are exposed on the public internet.
- They can provide a single frontend IP for their fleet of services.
- Deployment artifacts are immutable. Which set of products should they use?

- A. Google Cloud Storage, Google Cloud Dataflow, Google Compute Engine
- B. Google Cloud Storage, Google App Engine, Google Network Load Balancer
- C. Google Kubernetes Registry, Google Container Engine, Google HTTP(S) Load Balancer
- D. Google Cloud Functions, Google Cloud Pub/Sub, Google Cloud Deployment Manager

Answer: C

NEW QUESTION 4

- (Exam Topic 5)

One of your primary business objectives is being able to trust the data stored in your application. You want to log all changes to the application data. How can you design your logging system to verify authenticity of your logs?

- A. Write the log concurrently in the cloud and on premises.

- B. Use a SQL database and limit who can modify the log table.
- C. Digitally sign each timestamp and log entry and store the signature.
- D. Create a JSON dump of each log entry and store it in Google Cloud Storage.

Answer: C

Explanation:

<https://cloud.google.com/storage/docs/access-logs>

References: <https://cloud.google.com/logging/docs/reference/tools/gcloud-logging>

NEW QUESTION 5

- (Exam Topic 5)

You need to ensure reliability for your application and operations by supporting reliable task a scheduling for compute on GCP. Leveraging Google best practices, what should you do?

- A. Using the Cron service provided by App Engine, publishing messages directly to a message-processing utility service running on Compute Engine instances.
- B. Using the Cron service provided by App Engine, publish messages to a Cloud Pub/Sub topic
- C. Subscribe to that topic using a message-processing utility service running on Compute Engine instances.
- D. Using the Cron service provided by Google Kubernetes Engine (GKE), publish messages directly to a message-processing utility service running on Compute Engine instances.
- E. Using the Cron service provided by GKE, publish messages to a Cloud Pub/Sub topic
- F. Subscribe to that topic using a message-processing utility service running on Compute Engine instances.

Answer: B

Explanation:

<https://cloud.google.com/solutions/reliable-task-scheduling-compute-engine>

NEW QUESTION 6

- (Exam Topic 5)

Your customer is receiving reports that their recently updated Google App Engine application is taking approximately 30 seconds to load for some of their users. This behavior was not reported before the update. What strategy should you take?

- A. Work with your ISP to diagnose the problem.
- B. Open a support ticket to ask for network capture and flow data to diagnose the problem, then roll back your application.
- C. Roll back to an earlier known good release initially, then use Stackdriver Trace and logging to diagnose the problem in a development/test/staging environment.
- D. Roll back to an earlier known good release, then push the release again at a quieter period to investigate. Then use Stackdriver Trace and logging to diagnose the problem.

Answer: C

Explanation:

Stackdriver Logging allows you to store, search, analyze, monitor, and alert on log data and events from Google Cloud Platform and Amazon Web Services (AWS). Our API also allows ingestion of any custom log data from any source. Stackdriver Logging is a fully managed service that performs at scale and can ingest application and system log data from thousands of VMs. Even better, you can analyze all that log data in real time.

References: <https://cloud.google.com/logging/>

NEW QUESTION 7

- (Exam Topic 5)

You deploy your custom Java application to Google App Engine. It fails to deploy and gives you the following stack trace.

What should you do?

- A. Upload missing JAR files and redeploy your application.
- B. Digitally sign all of your JAR files and redeploy your application
- C. Recompile the CLoakedServlet class using MD5 hash instead of SHA1

Answer: B

NEW QUESTION 8

- (Exam Topic 5)

You are helping the QA team to roll out a new load-testing tool to test the scalability of your primary cloud services that run on Google Compute Engine with Cloud Bigtable. Which three requirements should they include? Choose 3 answers

- A. Ensure that the load tests validate the performance of Cloud Bigtable.
- B. Create a separate Google Cloud project to use for the load-testing environment.
- C. Schedule the load-testing tool to regularly run against the production environment.
- D. Ensure all third-party systems your services use are capable of handling high load.
- E. Instrument the production services to record every transaction for replay by the load-testing tool.
- F. Instrument the load-testing tool and the target services with detailed logging and metrics collection.

Answer: ABF

NEW QUESTION 9

- (Exam Topic 5)

A lead engineer wrote a custom tool that deploys virtual machines in the legacy data center. He wants to migrate the custom tool to the new cloud environment. You want to advocate for the adoption of Google Cloud Deployment Manager. What are two business risks of migrating to Cloud Deployment Manager? Choose 2 answers

- A. Cloud Deployment Manager uses Python.
- B. Cloud Deployment Manager APIs could be deprecated in the future.
- C. Cloud Deployment Manager is unfamiliar to the company's engineers.
- D. Cloud Deployment Manager requires a Google APIs service account to run.
- E. Cloud Deployment Manager can be used to permanently delete cloud resources.
- F. Cloud Deployment Manager only supports automation of Google Cloud resources.

Answer: CF

Explanation:

<https://cloud.google.com/deployment-manager/docs/deployments/deleting-deployments>

NEW QUESTION 10

- (Exam Topic 5)

Your company is using BigQuery as its enterprise data warehouse. Data is distributed over several Google Cloud projects. All queries on BigQuery need to be billed on a single project. You want to make sure that no query costs are incurred on the projects that contain the data. Users should be able to query the datasets, but not edit them.

How should you configure users' access roles?

- A. Add all users to a group
- B. Grant the group the role of BigQuery user on the billing project and BigQuery dataViewer on the projects that contain the data.
- C. Add all users to a group
- D. Grant the group the roles of BigQuery dataViewer on the billing project and BigQuery user on the projects that contain the data.
- E. Add all users to a group
- F. Grant the group the roles of BigQuery jobUser on the billing project and BigQuery dataViewer on the projects that contain the data.
- G. Add all users to a group
- H. Grant the group the roles of BigQuery dataViewer on the billing project and BigQuery jobUser on the projects that contain the data.

Answer: A

Explanation:

Reference: <https://cloud.google.com/bigquery/docs/running-queries>

NEW QUESTION 10

- (Exam Topic 5)

The operations manager asks you for a list of recommended practices that she should consider when migrating a J2EE application to the cloud. Which three practices should you recommend? Choose 3 answers

- A. Port the application code to run on Google App Engine.
- B. Integrate Cloud Dataflow into the application to capture real-time metrics.
- C. Instrument the application with a monitoring tool like Stackdriver Debugger.
- D. Select an automation framework to reliably provision the cloud infrastructure.
- E. Deploy a continuous integration tool with automated testing in a staging environment.
- F. Migrate from MySQL to a managed NoSQL database like Google Cloud Datastore or Bigtable.

Answer: AEF

Explanation:

References: <https://cloud.google.com/appengine/docs/standard/java/tools/uploadinganapp> <https://cloud.google.com/appengine/docs/standard/java/building-app/cloud-sql>

NEW QUESTION 12

- (Exam Topic 5)

You are designing a large distributed application with 30 microservices. Each of your distributed microservices needs to connect to a database back-end. You want to store the credentials securely. Where should you store the credentials?

- A. In the source code
- B. In an environment variable
- C. In a secret management system
- D. In a config file that has restricted access through ACLs

Answer: C

Explanation:

https://cloud.google.com/docs/authentication/production#providing_credentials_to_your_application

NEW QUESTION 14

- (Exam Topic 5)

You have been asked to select the storage system for the click-data of your company's large portfolio of websites. This data is streamed in from a custom website analytics package at a typical rate of 6,000 clicks per minute, with bursts of up to 8,500 clicks per second. It must be stored for future analysis by your data science and user experience teams. Which storage infrastructure should you choose?

- A. Google Cloud SQL
- B. Google Cloud Bigtable
- C. Google Cloud Storage
- D. Google cloud Datastore

Answer: C

Explanation:

<https://cloud.google.com/bigquery/docs/loading-data-cloud-storage>

NEW QUESTION 16

- (Exam Topic 5)

Auditors visit your teams every 12 months and ask to review all the Google Cloud Identity and Access Management (Cloud IAM) policy changes in the previous 12 months. You want to streamline and expedite the analysis and audit process. What should you do?

- A. Create custom Google Stackdriver alerts and send them to the auditor.
- B. Enable Logging export to Google BigQuery and use ACLs and views to scope the data shared with the auditor.
- C. Use cloud functions to transfer log entries to Google Cloud SQL and use ACLS and views to limit an auditor's view.
- D. Enable Google Cloud Storage (GCS) log export to audit logs into a GCS bucket and delegate access to the bucket.

Answer: D

Explanation:

Export the logs to Google Cloud Storage bucket - Archive Storage, as it will not be used for 1 year, price for which is \$0.004 per GB per Month. The price for long term storage in BigQuery is \$0.01 per GB per Month (250% more). Also for analysis purpose, whenever Auditors are there (once per year), you can use BigQuery and use GCS bucket as external data source. BigQuery supports querying Cloud Storage data from these storage classes: Standard Nearline Coldline Archive

NEW QUESTION 19

- (Exam Topic 5)

A small number of API requests to your microservices-based application take a very long time. You know that each request to the API can traverse many services. You want to know which service takes the longest in those cases. What should you do?

- A. Set timeouts on your application so that you can fail requests faster.
- B. Send custom metrics for each of your requests to Stackdriver Monitoring.
- C. Use Stackdriver Monitoring to look for insights that show when your API latencies are high.
- D. Instrument your application with Stackdriver Trace in order to break down the request latencies at each microservice.

Answer: D

Explanation:

<https://cloud.google.com/trace/docs/overview>

NEW QUESTION 21

- (Exam Topic 5)

Your organization has a 3-tier web application deployed in the same network on Google Cloud Platform. Each tier (web, API, and database) scales independently of the others. Network traffic should flow through the web to the API tier and then on to the database tier. Traffic should not flow between the web and the database tier. How should you configure the network?

- A. Add each tier to a different subnetwork.
- B. Set up software based firewalls on individual VMs.
- C. Add tags to each tier and set up routes to allow the desired traffic flow.
- D. Add tags to each tier and set up firewall rules to allow the desired traffic flow.

Answer: D

Explanation:

<https://aws.amazon.com/blogs/aws/building-three-tier-architectures-with-security-groups/>

Google Cloud Platform (GCP) enforces firewall rules through rules and tags. GCP rules and tags can be defined once and used across all regions.

References: <https://cloud.google.com/docs/compare/openstack/> <https://aws.amazon.com/it/blogs/aws/building-three-tier-architectures-with-security-groups/>

NEW QUESTION 22

- (Exam Topic 5)

You have an application deployed on Kubernetes Engine using a Deployment named echo-deployment. The deployment is exposed using a Service called echo-service. You need to perform an update to the application with minimal downtime to the application. What should you do?

- A. Use kubectl set image deployment/echo-deployment <new-image>
- B. Use the rolling update functionality of the Instance Group behind the Kubernetes cluster
- C. Update the deployment yaml file with the new container image
- D. Use kubectl delete deployment/echo-deployment and kubectl create -f <yaml-file>
- E. Update the service yaml file with the new container image
- F. Use kubectl delete service/echoservice and kubectl create -f <yaml-file>

Answer: A

Explanation:

https://cloud.google.com/kubernetes-engine/docs/how-to/updating-apps#updating_an_application

NEW QUESTION 26

- (Exam Topic 5)

You need to design a solution for global load balancing based on the URL path being requested. You need to ensure operations reliability and end-to-end in-transit encryption based on Google best practices. What should you do?

- A. Create a cross-region load balancer with URL Maps.
- B. Create an HTTPS load balancer with URL maps.
- C. Create appropriate instance groups and instance
- D. Configure SSL proxy load balancing.
- E. Create a global forwarding rule
- F. Configure SSL proxy balancing.

Answer: B

Explanation:

Reference <https://cloud.google.com/load-balancing/docs/https/url-map>

NEW QUESTION 27

- (Exam Topic 5)

Your company places a high value on being responsive and meeting customer needs quickly. Their primary business objectives are release speed and agility. You want to reduce the chance of security errors being accidentally introduced. Which two actions can you take? Choose 2 answers

- A. Ensure every code check-in is peer reviewed by a security SME.
- B. Use source code security analyzers as part of the CI/CD pipeline.
- C. Ensure you have stubs to unit test all interfaces between components.
- D. Enable code signing and a trusted binary repository integrated with your CI/CD pipeline.
- E. Run a vulnerability security scanner as part of your continuous-integration /continuous-delivery (CI/CD) pipeline.

Answer: BE

Explanation:

<https://docs.microsoft.com/en-us/vsts/articles/security-validation-cicd-pipeline?view=vsts>

NEW QUESTION 30

- (Exam Topic 5)

Your customer is moving an existing corporate application to Google Cloud Platform from an on-premises data center. The business owners require minimal user disruption. There are strict security team requirements for storing passwords. What authentication strategy should they use?

- A. Use G Suite Password Sync to replicate passwords into Google.
- B. Federate authentication via SAML 2.0 to the existing Identity Provider.
- C. Provision users in Google using the Google Cloud Directory Sync tool.
- D. Ask users to set their Google password to match their corporate password.

Answer: B

Explanation:

<https://cloud.google.com/solutions/authenticating-corporate-users-in-a-hybrid-environment>

NEW QUESTION 33

- (Exam Topic 5)

A news feed web service has the following code running on Google App Engine. During peak load, users report that they can see news articles they already viewed. What is the most likely cause of this problem?

- A. The session variable is local to just a single instance.
- B. The session variable is being overwritten in Cloud Datastore.
- C. The URL of the API needs to be modified to prevent caching.
- D. The HTTP Expires header needs to be set to -1 to stop caching.

Answer: A

Explanation:

<https://stackoverflow.com/questions/3164280/google-app-engine-cache-list-in-session-variable?rq=1>

NEW QUESTION 37

- (Exam Topic 5)

You set up an autoscaling instance group to serve web traffic for an upcoming launch. After configuring the instance group as a backend service to an HTTP(S) load balancer, you notice that virtual machine (VM) instances are being terminated and re-launched every minute. The instances do not have a public IP address.

You have verified the appropriate web response is coming from each instance using the curl command. You want to ensure the backend is configured correctly. What should you do?

- A. Ensure that a firewall rule exists to allow source traffic on HTTP/HTTPS to reach the load balancer.
- B. Assign a public IP to each instance and configure a firewall rule to allow the load balancer to reach the instance public IP.
- C. Ensure that a firewall rule exists to allow load balancer health checks to reach the instances in the instance group.
- D. Create a tag on each instance with the name of the load balance
- E. Configure a firewall rule with the name of the load balancer as the source and the instance tag as the destination.

Answer: C

Explanation:

<https://cloud.google.com/vpc/docs/using-firewalls>

The best practice when configuration a health check is to check health and serve traffic on the same port. However, it is possible to perform health checks on one port, but serve traffic on another. If you do use two different ports, ensure that firewall rules and services running on instances are configured appropriately. If you run health checks and serve traffic on the same port, but decide to switch ports at some point, be sure to update both the backend service and the health check. Backend services that do not have a valid global forwarding rule referencing it will not be health checked and will have no health status.

References: <https://cloud.google.com/compute/docs/load-balancing/http/backend-service>

NEW QUESTION 42

- (Exam Topic 5)

Your web application has several VM instances running within a VPC. You want to restrict communications between instances to only the paths and ports you authorize, but you don't want to rely on static IP addresses or subnets because the app can autoscale. How should you restrict communications?

- A. Use separate VPCs to restrict traffic
- B. Use firewall rules based on network tags attached to the compute instances
- C. Use Cloud DNS and only allow connections from authorized hostnames
- D. Use service accounts and configure the web application particular service accounts to have access

Answer: B

NEW QUESTION 44

- (Exam Topic 5)

Your company's user-feedback portal comprises a standard LAMP stack replicated across two zones. It is deployed in the us-central1 region and uses autoscaled managed instance groups on all layers, except the database. Currently, only a small group of select customers have access to the portal. The portal meets a 99.99% availability SLA under these conditions However next quarter, your company will be making the portal available to all users, including unauthenticated users. You need to develop a resiliency testing strategy to ensure the system maintains the SLA once they introduce additional user load. What should you do?

- A. Capture existing users input, and replay captured user load until autoscale is triggered on all layer
- B. At the same time, terminate all resources in one of the zones.
- C. Create synthetic random user input, replay synthetic load until autoscale logic is triggered on at least one layer, and introduce "chaos" to the system by terminating random resources on both zones.
- D. Expose the new system to a larger group of users, and increase group ' size each day until autoscale logic is triggered on all layer
- E. At the same time, terminate random resources on both zones.
- F. Capture existing users input, and replay captured user load until resource utilization crosses 80%. Also, derive estimated number of users based on existing users usage of the app, and deploy enough resources to handle 200% of expected load.

Answer: A

NEW QUESTION 46

- (Exam Topic 5)

Your organization wants to control IAM policies for different departments independently, but centrally. Which approach should you take?

- A. Multiple Organizations with multiple Folders
- B. Multiple Organizations, one for each department
- C. A single Organization with Folder for each department
- D. A single Organization with multiple projects, each with a central owner

Answer: C

Explanation:

Folders are nodes in the Cloud Platform Resource Hierarchy. A folder can contain projects, other folders, or a combination of both. You can use folders to group projects under an organization in a hierarchy. For example, your organization might contain multiple departments, each with its own set of GCP resources. Folders allow you to group these resources on a per-department basis. Folders are used to group resources that share common IAM policies. While a folder can contain multiple folders or resources, a given folder or resource can have exactly one parent.

References: <https://cloud.google.com/resource-manager/docs/creating-managing-folders>

NEW QUESTION 51

- (Exam Topic 5)

Your customer wants to capture multiple GBs of aggregate real-time key performance indicators (KPIs) from their game servers running on Google Cloud Platform and monitor the KPIs with low latency. How should they capture the KPIs?

- A. Store time-series data from the game servers in Google Bigtable, and view it using Google Data Studio.
- B. Output custom metrics to Stackdriver from the game servers, and create a Dashboard in Stackdriver Monitoring Console to view them.
- C. Schedule BigQuery load jobs to ingest analytics files uploaded to Cloud Storage every ten minutes, and visualize the results in Google Data Studio.
- D. Insert the KPIs into Cloud Datastore entities, and run ad hoc analysis and visualizations of them in Cloud Data

Answer: A

Explanation:

<https://cloud.google.com/monitoring/api/v3/metrics-details#metric-kinds>

NEW QUESTION 56

- (Exam Topic 5)

Your applications will be writing their logs to BigQuery for analysis. Each application should have its own table.

Any logs older than 45 days should be removed. You want to optimize storage and follow Google recommended practices. What should you do?

- A. Configure the expiration time for your tables at 45 days
- B. Make the tables time-partitioned, and configure the partition expiration at 45 days
- C. Rely on BigQuery's default behavior to prune application logs older than 45 days
- D. Create a script that uses the BigQuery command line tool (bq) to remove records older than 45 days

Answer: B

Explanation:

<https://cloud.google.com/bigquery/docs/managing-partitioned-tables>

NEW QUESTION 57

- (Exam Topic 5)

You are using Cloud SQL as the database backend for a large CRM deployment. You want to scale as usage increases and ensure that you don't run out of storage, maintain 75% CPU usage cores, and keep replication lag below 60 seconds. What are the correct steps to meet your requirements?

- A. 1) Enable automatic storage increase for the instance.2) Create a Stackdriver alert when CPU usage exceeds 75%, and change the instance type to reduce CPU usage.3) Create a Stackdriver alert for replication lag, and shard the database to reduce replication time.
- B. 1) Enable automatic storage increase for the instance.2) Change the instance type to a 32-core machine type to keep CPU usage below 75%.3) Create a Stackdriver alert for replication lag, and shard the database to reduce replication time.
- C. 1) Create a Stackdriver alert when storage exceeds 75%, and increase the available storage on the instance to create more space.2) Deploy memcached to reduce CPU load.3) Change the instance type to a 32-core machine type to reduce replication lag.
- D. 1) Create a Stackdriver alert when storage exceeds 75%, and increase the available storage on the instance to create more space.2) Deploy memcached to reduce CPU load.3) Create a Stackdriver alert for replication lag, and change the instance type to a 32-core machine type to reduce replication lag.

Answer: A

NEW QUESTION 61

- (Exam Topic 5)

Your company runs several databases on a single MySQL instance. They need to take backups of a specific database at regular intervals. The backup activity needs to complete as quickly as possible and cannot be allowed to impact disk performance. How should you configure the storage?

- A. Configure a cron job to use the gcloud tool to take regular backups using persistent disk snapshots.
- B. Mount a Local SSD volume as the backup location
- C. After the backup is complete, use gsutil to move the backup to Google Cloud Storage.
- D. Use gcsfuse to mount a Google Cloud Storage bucket as a volume directly on the instance and write backups to the mounted location using mysqldump
- E. Mount additional persistent disk volumes onto each virtual machine (VM) instance in a RAID10 array and use LVM to create snapshots to send to Cloud Storage.

Answer: B

Explanation:

<https://cloud.google.com/compute/docs/instances/sql-server/best-practices>

NEW QUESTION 64

- (Exam Topic 5)

You need to upload files from your on-premises environment to Cloud Storage. You want the files to be encrypted on Cloud Storage using customer-supplied encryption keys. What should you do?

- A. Supply the encryption key in a .boto configuration file
- B. Use gsutil to upload the files.
- C. Supply the encryption key using gcloud config
- D. Use gsutil to upload the files to that bucket.
- E. Use gsutil to upload the files, and use the flag --encryption-key to supply the encryption key.
- F. Use gsutil to create a bucket, and use the flag --encryption-key to supply the encryption key
- G. Use gsutil to upload the files to that bucket.

Answer: A

Explanation:

<https://cloud.google.com/storage/docs/encryption/customer-supplied-keys#gsutil>

NEW QUESTION 67

- (Exam Topic 5)

You need to develop procedures to verify resilience of disaster recovery for remote recovery using GCP. Your production environment is hosted on-premises. You need to establish a secure, redundant connection between your on-premises network and the GCP network.

What should you do?

- A. Verify that Dedicated Interconnect can replicate files to GC
- B. Verify that direct peering can establish a secure connection between your networks if Dedicated Interconnect fails.
- C. Verify that Dedicated Interconnect can replicate files to GC

- D. Verify that Cloud VPN can establish a secure connection between your networks if Dedicated Interconnect fails.
- E. Verify that the Transfer Appliance can replicate files to GC
- F. Verify that direct peering can establish a secure connection between your networks if the Transfer Appliance fails.
- G. Verify that the Transfer Appliance can replicate files to GC
- H. Verify that Cloud VPN can establish a secure connection between your networks if the Transfer Appliance fails.

Answer: B

Explanation:

<https://cloud.google.com/interconnect/docs/how-to/direct-peering>

NEW QUESTION 71

- (Exam Topic 5)

You are running a cluster on Kubernetes Engine to serve a web application. Users are reporting that a specific part of the application is not responding anymore. You notice that all pods of your deployment keep restarting after 2 seconds. The application writes logs to standard output. You want to inspect the logs to find the cause of the issue. Which approach can you take?

- A. Review the Stackdriver logs for each Compute Engine instance that is serving as a node in the cluster.
- B. Review the Stackdriver logs for the specific Kubernetes Engine container that is serving the unresponsive part of the application.
- C. Connect to the cluster using gcloud credentials and connect to a container in one of the pods to read the logs.
- D. Review the Serial Port logs for each Compute Engine instance that is serving as a node in the cluster.

Answer: B

NEW QUESTION 73

- (Exam Topic 5)

As part of implementing their disaster recovery plan, your company is trying to replicate their production MySQL database from their private data center to their GCP project using a Google Cloud VPN connection. They are experiencing latency issues and a small amount of packet loss that is disrupting the replication. What should they do?

- A. Configure their replication to use UDP.
- B. Configure a Google Cloud Dedicated Interconnect.
- C. Restore their database daily using Google Cloud SQL.
- D. Add additional VPN connections and load balance them.
- E. Send the replicated transaction to Google Cloud Pub/Sub.

Answer: B

NEW QUESTION 77

- (Exam Topic 5)

One of the developers on your team deployed their application in Google Container Engine with the Dockerfile below. They report that their application deployments are taking too long.

You want to optimize this Dockerfile for faster deployment times without adversely affecting the app's functionality. Which two actions should you take? Choose 2 answers.

- A. Remove Python after running pip.
- B. Remove dependencies from requirements.txt.
- C. Use a slimmed-down base image like Alpine linux.
- D. Use larger machine types for your Google Container Engine node pools.
- E. Copy the source after the package dependencies (Python and pip) are installed.

Answer: CE

Explanation:

The speed of deployment can be changed by limiting the size of the uploaded app, limiting the complexity of the build necessary in the Dockerfile, if present, and by ensuring a fast and reliable internet connection.

Note: Alpine Linux is built around musl libc and busybox. This makes it smaller and more resource efficient than traditional GNU/Linux distributions. A container requires no more than 8 MB and a minimal installation to disk requires around 130 MB of storage. Not only do you get a fully-fledged Linux environment but a large selection of packages from the repository.

References: <https://groups.google.com/forum/#!topic/google-appengine/hZMEkmmObDU> <https://www.alpinelinux.org/about/>

NEW QUESTION 81

- (Exam Topic 5)

Your company has successfully migrated to the cloud and wants to analyze their data stream to optimize operations. They do not have any existing code for this analysis, so they are exploring all their options. These options include a mix of batch and stream processing, as they are running some hourly jobs and live-processing some data as it comes in. Which technology should they use for this?

- A. Google Cloud Dataproc
- B. Google Cloud Dataflow
- C. Google Container Engine with Bigtable
- D. Google Compute Engine with Google BigQuery

Answer: B

Explanation:

Dataflow is for processing both the Batch and Stream.

Cloud Dataflow is a fully-managed service for transforming and enriching data in stream (real time) and batch (historical) modes with equal reliability and expressiveness -- no more complex workarounds or compromises needed.

References: <https://cloud.google.com/dataflow/>

NEW QUESTION 83

- (Exam Topic 5)

You are designing a mobile chat application. You want to ensure people cannot spoof chat messages, by providing a message were sent by a specific user. What should you do

- A. Tag messages client side with the originating user identifier and the destination user.
- B. Encrypt the message client side using block-based encryption with a shared key.
- C. Use public key infrastructure (PKI) to encrypt the message client side using the originating user's private key.
- D. Use a trusted certificate authority to enable SSL connectivity between the client application and the server.

Answer: C

NEW QUESTION 85

- (Exam Topic 5)

You have been engaged by your client to lead the migration of their application infrastructure to GCP. One of their current problems is that the on-premises high performance SAN is requiring frequent and expensive upgrades to keep up with the variety of workloads that are identified as follows: 20TB of log archives retained for legal reasons; 500 GB of VM boot/data volumes and templates; 500 GB of image thumbnails; 200 GB of customer session state data that allows customers to restart sessions even if off-line for several days.

Which of the following best reflects your recommendations for a cost-effective storage allocation?

- A. Local SSD for customer session state dat
- B. Lifecycle-managed Cloud Storage for log archives, thumbnails, and VM boot/data volumes.
- C. Memcache backed by Cloud Datastore for the customer session state dat
- D. Lifecycle- managed Cloud Storage for log archives, thumbnails, and VM boot/data volumes.
- E. Memcache backed by Cloud SQL for customer session state dat
- F. Assorted local SSD-backed instances for VM boot/data volume
- G. Cloud Storage for log archives and thumbnails.
- H. Memcache backed by Persistent Disk SSD storage for customer session state dat
- I. Assorted local SSDbacked instances for VM boot/data volume
- J. Cloud Storage for log archives and thumbnails.

Answer: D

Explanation:

<https://cloud.google.com/compute/docs/disks>

NEW QUESTION 87

- (Exam Topic 5)

Your BigQuery project has several users. For audit purposes, you need to see how many queries each user ran in the last month.

- A. Connect Google Data Studio to BigQuer
- B. Create a dimension for the users and a metric for the amount of queries per user.
- C. In the BigQuery interface, execute a query on the JOBS table to get the required information.
- D. Use 'bq show' to list all job
- E. Per job, use 'bq ls' to list job information and get the required information.
- F. Use Cloud Audit Logging to view Cloud Audit Logs, and create a filter on the query operation to get the required information.

Answer: C

Explanation:

<https://cloud.google.com/bigquery/docs/managing-jobs>

NEW QUESTION 88

- (Exam Topic 5)

An application development team believes their current logging tool will not meet their needs for their new cloud-based product. They want a better tool to capture errors and help them analyze their historical log data. You want to help them find a solution that meets their needs, what should you do?

- A. Direct them to download and install the Google StackDriver logging agent.
- B. Send them a list of online resources about logging best practices.
- C. Help them define their requirements and assess viable logging tools.
- D. Help them upgrade their current tool to take advantage of any new features.

Answer: C

Explanation:

Help them define their requirements and assess viable logging tools. They know the requirements and the existing tools' problems. While it's true StackDriver Logging and Error Reporting possibly meet all their requirements, there might be other tools also meet their need. They need you to provide expertise to make assessment for new tools, specifically, logging tools that can "capture errors and help them analyze their historical log data".

References: <https://cloud.google.com/logging/docs/agent/installation>

NEW QUESTION 89

- (Exam Topic 5)

A development team at your company has created a dockerized HTTPS web application. You need to deploy the application on Google Kubernetes Engine (GKE) and make sure that the application scales automatically.

How should you deploy to GKE?

- A. Use the Horizontal Pod Autoscaler and enable cluster autoscalin
- B. Use an Ingress resource to loadbalance the HTTPS traffic.
- C. Use the Horizontal Pod Autoscaler and enable cluster autoscaling on the Kubernetes cluste
- D. Use a Service resource of type LoadBalancer to load-balance the HTTPS traffic.
- E. Enable autoscaling on the Compute Engine instance grou
- F. Use an Ingress resource to load balance the HTTPS traffic.
- G. Enable autoscaling on the Compute Engine instance grou
- H. Use a Service resource of type LoadBalancer to load-balance the HTTPS traffic.

Answer: B

Explanation:

<https://cloud.google.com/kubernetes-engine/docs/tutorials/http-balancer> <https://cloud.google.com/kubernetes-engine/docs/concepts/network-overview#ext-lb>

NEW QUESTION 93

- (Exam Topic 5)

You have a Python web application with many dependencies that requires 0.1 CPU cores and 128 MB of memory to operate in production. You want to monitor and maximize machine utilization. You also to reliably deploy new versions of the application. Which set of steps should you take?

- A. Perform the following:1) Create a managed instance group with f1-micro type machines.2) Use a startup script to clone the repository, check out the production branch, install the dependencies, and start the Python app.3) Restart the instances to automatically deploy new production releases.
- B. Perform the following:1) Create a managed instance group with n1-standard-1 type machines.2) Build a Compute Engine image from the production branch that contains all of the dependencies and automatically starts the Python app.3) Rebuild the Compute Engine image, and update the instance template to deploy new production releases.
- C. Perform the following:1) Create a Kubernetes Engine cluster with n1-standard-1 type machines.2) Build a Docker image from the production branch with all of the dependencies, and tag it with the version number.3) Create a Kubernetes Deployment with the imagePullPolicy set to "IfNotPresent" in the staging namespace, and then promote it to the production namespace after testing.
- D. Perform the following:1) Create a Kubernetes Engine cluster with n1-standard-4 type machines.2) Build a Docker image from the master branch will all of the dependencies, and tag it with "latest".3) Create a Kubernetes Deployment in the default namespace with the imagePullPolicy set to "Always". Restart the pods to automatically deploy new production releases.

Answer: D

Explanation:

<https://cloud.google.com/compute/docs/instance-templates>

NEW QUESTION 96

- (Exam Topic 5)

Your company pushes batches of sensitive transaction data from its application server VMs to Cloud Pub/Sub for processing and storage. What is the Google-recommended way for your application to authenticate to the required Google Cloud services?

- A. Ensure that VM service accounts are granted the appropriate Cloud Pub/Sub IAM roles.
- B. Ensure that VM service accounts do not have access to Cloud Pub/Sub, and use VM access scopes to grant the appropriate Cloud Pub/Sub IAM roles.
- C. Generate an OAuth2 access token for accessing Cloud Pub/Sub, encrypt it, and store it in Cloud Storage for access from each VM.
- D. Create a gateway to Cloud Pub/Sub using a Cloud Function, and grant the Cloud Function service account the appropriate Cloud Pub/Sub IAM roles.

Answer: A

NEW QUESTION 100

- (Exam Topic 5)

The development team has provided you with a Kubernetes Deployment file. You have no infrastructure yet and need to deploy the application. What should you do?

- A. Use gcloud to create a Kubernetes cluste
- B. Use Deployment Manager to create the deployment.
- C. Use gcloud to create a Kubernetes cluste
- D. Use kubectl to create the deployment.
- E. Use kubectl to create a Kubernetes cluste
- F. Use Deployment Manager to create the deployment.
- G. Use kubectl to create a Kubernetes cluste
- H. Use kubectl to create the deployment.

Answer: B

Explanation:

<https://cloud.google.com/kubernetes-engine/docs/how-to/creating-a-cluster>

NEW QUESTION 102

- (Exam Topic 5)

Your customer wants to do resilience testing of their authentication layer. This consists of a regional managed instance group serving a public REST API that reads from and writes to a Cloud SQL instance. What should you do?

- A. Engage with a security company to run web scrapes that look your users' authentication data om malicious websites and notify you if any if found.
- B. Deploy intrusion detection software to your virtual machines to detect and log unauthorized access.
- C. Schedule a disaster simulation exercise during which you can shut off all VMs in a zone to see how your application behaves.
- D. Configure a red replica for your Cloud SQL instance in a different zone than the master, and then manually trigger a failover while monitoring KPIs for our REST API.

Answer: C

NEW QUESTION 104

- (Exam Topic 5)

You are deploying a PHP App Engine Standard service with SQL as the backend. You want to minimize the number of queries to the database. What should you do?

- A. Set the memcache service level to dedicate
- B. Create a key from the hash of the query, and return database values from memcache before issuing a query to Cloud SQL.
- C. Set the memcache service level to dedicate
- D. Create a cron task that runs every minute to populate the cache with keys containing query results.
- E. Set the memcache service level to share
- F. Create a cron task that runs every minute to save all expected queries to a key called "cached-queries".
- G. Set the memcache service level to share
- H. Create a key called "cached-queries", and return database values from the key before using a query to Cloud SQL.

Answer: A

Explanation:

<https://cloud.google.com/appengine/docs/standard/php/memcache/using>

NEW QUESTION 106

- (Exam Topic 5)

Your company is running a stateless application on a Compute Engine instance. The application is used heavily during regular business hours and lightly outside of business hours. Users are reporting that the application is slow during peak hours. You need to optimize the application's performance. What should you do?

- A. Create a snapshot of the existing dis
- B. Create an instance template from the snapsho
- C. Create an autoscaled managed instance group from the instance template.
- D. Create a snapshot of the existing dis
- E. Create a custom image from the snapsho
- F. Create an autoscaled managed instance group from the custom image.
- G. Create a custom image from the existing dis
- H. Create an instance template from the custom image.Create an autoscaled managed instance group from the instance template.
- I. Create an instance template from the existing dis
- J. Create a custom image from the instance template.Create an autoscaled managed instance group from the custom image.

Answer: B

Explanation:

<https://cloud.google.com/compute/docs/instance-templates/create-instance-templates>

NEW QUESTION 109

- (Exam Topic 5)

Your web application must comply with the requirements of the European Union's General Data Protection Regulation (GDPR). You are responsible for the technical architecture of your web application. What should you do?

- A. Ensure that your web application only uses native features and services of Google Cloud Platform,because Google already has various certifications and provides "pass-on" compliance when you use native features.
- B. Enable the relevant GDPR compliance setting within the GCPConsole for each of the services in use within your application.
- C. Ensure that Cloud Security Scanner is part of your test planning strategy in order to pick up any compliance gaps.
- D. Define a design for the security of data in your web application that meets GDPR requirements.

Answer: D

Explanation:

<https://cloud.google.com/security/gdpr/?tab=tab4>

Reference: <https://www.mobiloud.com/blog/gdpr-compliant-mobile-app/>

NEW QUESTION 112

- (Exam Topic 5)

The database administration team has asked you to help them improve the performance of their new database server running on Google Compute Engine. The database is for importing and normalizing their performance statistics and is built with MySQL running on Debian Linux. They have an n1-standard-8 virtual machine with 80 GB of SSD persistent disk. What should they change to get better performance from this system?

- A. Increase the virtual machine's memory to 64 GB.
- B. Create a new virtual machine running PostgreSQL.
- C. Dynamically resize the SSD persistent disk to 500 GB.
- D. Migrate their performance metrics warehouse to BigQuery.
- E. Modify all of their batch jobs to use bulk inserts into the database.

Answer: C

NEW QUESTION 117

- (Exam Topic 5)

Your company wants to track whether someone is present in a meeting room reserved for a scheduled meeting. There are 1000 meeting rooms across 5 offices on 3 continents. Each room is equipped with a motion sensor that reports its status every second. The data from the motion detector includes only a sensor ID and several different discrete items of information. Analysts will use this data, together with information about account owners and office locations. Which database

type should you use?

- A. Flat file
- B. NoSQL
- C. Relational
- D. Blobstore

Answer: B

Explanation:

Relational databases were not designed to cope with the scale and agility challenges that face modern applications, nor were they built to take advantage of the commodity storage and processing power available today.

NoSQL fits well for:

Developers are working with applications that create massive volumes of new, rapidly changing data types — structured, semi-structured, unstructured and polymorphic data.

NEW QUESTION 122

- (Exam Topic 5)

Your company is building a new architecture to support its data-centric business focus. You are responsible for setting up the network. Your company's mobile and web-facing applications will be deployed on-premises, and all data analysis will be conducted in GCP. The plan is to process and load 7 years of archived .csv files totaling 900 TB of data and then continue loading 10 TB of data daily. You currently have an existing 100-MB internet connection.

What actions will meet your company's needs?

- A. Compress and upload both archived files and files uploaded daily using the gsutil –m option.
- B. Lease a Transfer Appliance, upload archived files to it, and send it, and send it to Google to transfer archived data to Cloud Storage
- C. Establish a connection with Google using a Dedicated Interconnect or Direct Peering connection and use it to upload files daily.
- D. Lease a Transfer Appliance, upload archived files to it, and send it, and send it to Google to transfer archived data to Cloud Storage
- E. Establish one Cloud VPN Tunnel to VPC networks over the public internet, and compress and upload files daily using the gsutil –m option.
- F. Lease a Transfer Appliance, upload archived files to it, and send it to Google to transfer archived data to Cloud Storage
- G. Establish a Cloud VPN Tunnel to VPC networks over the public internet, and compress and upload files daily.

Answer: B

Explanation:

<https://cloud.google.com/interconnect/docs/how-to/direct-peering>

NEW QUESTION 125

.....

Thank You for Trying Our Product

We offer two products:

1st - We have Practice Tests Software with Actual Exam Questions

2nd - Questions and Answers in PDF Format

Professional-Cloud-Architect Practice Exam Features:

- * Professional-Cloud-Architect Questions and Answers Updated Frequently
- * Professional-Cloud-Architect Practice Questions Verified by Expert Senior Certified Staff
- * Professional-Cloud-Architect Most Realistic Questions that Guarantee you a Pass on Your First Try
- * Professional-Cloud-Architect Practice Test Questions in Multiple Choice Formats and Updates for 1 Year

100% Actual & Verified — Instant Download, Please Click
[Order The Professional-Cloud-Architect Practice Test Here](#)