

Databricks-Certified-Data-Engineer-Associate Dumps

Databricks Certified Data Engineer Associate Exam

<https://www.certleader.com/Databricks-Certified-Data-Engineer-Associate-dumps.html>



NEW QUESTION 1

Which of the following approaches should be used to send the Databricks Job owner an email in the case that the Job fails?

- A. Manually programming in an alert system in each cell of the Notebook
- B. Setting up an Alert in the Job page
- C. Setting up an Alert in the Notebook
- D. There is no way to notify the Job owner in the case of Job failure
- E. MLflow Model Registry Webhooks

Answer: B

Explanation:

<https://docs.databricks.com/en/workflows/jobs/job-notifications.html>

NEW QUESTION 2

A data organization leader is upset about the data analysis team's reports being different from the data engineering team's reports. The leader believes the siloed nature of their organization's data engineering and data analysis architectures is to blame.

Which of the following describes how a data lakehouse could alleviate this issue?

- A. Both teams would autoscale their work as data size evolves
- B. Both teams would use the same source of truth for their work
- C. Both teams would reorganize to report to the same department
- D. Both teams would be able to collaborate on projects in real-time
- E. Both teams would respond more quickly to ad-hoc requests

Answer: B

Explanation:

A data lakehouse is designed to unify the data engineering and data analysis architectures by integrating features of both data lakes and data warehouses. One of the key benefits of a data lakehouse is that it provides a common, centralized data repository (the "lake") that serves as a single source of truth for data storage and analysis. This allows both data engineering and data analysis teams to work with the same consistent data sets, reducing discrepancies and ensuring that the reports generated by both teams are based on the same underlying data.

NEW QUESTION 3

Which of the following must be specified when creating a new Delta Live Tables pipeline?

- A. A key-value pair configuration
- B. The preferred DBU/hour cost
- C. A path to cloud storage location for the written data
- D. A location of a target database for the written data
- E. At least one notebook library to be executed

Answer: E

Explanation:

<https://docs.databricks.com/en/delta-live-tables/tutorial-pipelines.html>

NEW QUESTION 4

A data engineer is working with two tables. Each of these tables is displayed below in its entirety.

sales

customer_id	spend	units
a1	28.94	7
a3	874.12	23
a4	8.99	1

favorite_stores

customer_id	store_id
a1	s1
a2	s1
a4	s2

The data engineer runs the following query to join these tables together:

```
SELECT
    sales.customer_id,
    sales.spend,
    favorite_stores.store_id
FROM sales
LEFT JOIN favorite_stores
ON sales.customer_id = favorite_stores.customer_id;
```

Which of the following will be returned by the above query?

A.

customer_id	spend	store_id
a1	28.94	s1
a4	8.99	s2

B.

customer_id	spend	units	store_id
a1	28.94	7	s1
a4	8.99	1	s2

C.

customer_id	spend	store_id
a1	28.94	s1
a3	874.12	NULL
a4	8.99	s2

D.

customer_id	spend	store_id
a1	28.94	s1
a2	NULL	s1
a3	874.12	NULL
a4	8.99	s2

E.

customer_id	spend	store_id
a1	28.94	s1
a2	NULL	s1
a4	8.99	s2

- A. Option A
- B. Option B
- C. Option C
- D. Option D
- E. Option E

Answer: C

NEW QUESTION 5

A data engineering team has noticed that their Databricks SQL queries are running too slowly when they are submitted to a non-running SQL endpoint. The data engineering team wants this issue to be resolved.

Which of the following approaches can the team use to reduce the time it takes to return results in this scenario?

- A. They can turn on the Serverless feature for the SQL endpoint and change the Spot Instance Policy to "Reliability Optimized."
- B. They can turn on the Auto Stop feature for the SQL endpoint.
- C. They can increase the cluster size of the SQL endpoint.
- D. They can turn on the Serverless feature for the SQL endpoint.
- E. They can increase the maximum bound of the SQL endpoint's scaling range

Answer: C

Explanation:

<https://www.databricks.com/blog/2022/03/10/top-5-databricks-performance-tips.html>

NEW QUESTION 6

Which of the following can be used to simplify and unify siloed data architectures that are specialized for specific use cases?

- A. None of these
- B. Data lake
- C. Data warehouse
- D. All of these
- E. Data lakehouse

Answer: E

NEW QUESTION 7

A data engineer only wants to execute the final block of a Python program if the Python variable `day_of_week` is equal to 1 and the Python variable `review_period` is True.

Which of the following control flow statements should the data engineer use to begin this conditionally executed code block?

- A. `if day_of_week = 1 and review_period:`
- B. `if day_of_week = 1 and review_period = "True":`
- C. `if day_of_week == 1 and review_period == "True":`
- D. `if day_of_week == 1 and review_period:`
- E. `if day_of_week = 1 & review_period: = "True":`

Answer: D

Explanation:

This statement will check if the variable `day_of_week` is equal to 1 and if the variable `review_period` evaluates to a truthy value. The use of the double equal sign (`==`) in the comparison of `day_of_week` is important, as a single equal sign (`=`) would be used to assign a value to the variable instead of checking its value. The use of a single ampersand (`&`) instead of the keyword `and` is not valid syntax in Python. The use of quotes around `True` in options B and C will result in a string comparison, which will not evaluate to `True` even if the value of `review_period` is `True`.

NEW QUESTION 8

Which of the following is a benefit of the Databricks Lakehouse Platform embracing open source technologies?

- A. Cloud-specific integrations
- B. Simplified governance
- C. Ability to scale storage
- D. Ability to scale workloads
- E. Avoiding vendor lock-in

Answer: E

Explanation:

<https://double.cloud/blog/posts/2023/01/break-free-from-vendor-lock-in-with-open-source-tech/>

NEW QUESTION 9

A new data engineering team has been assigned to an ELT project. The new data engineering team will need full privileges on the table `sales` to fully manage the project.

Which of the following commands can be used to grant full permissions on the database to the new data engineering team?

- A. `GRANT ALL PRIVILEGES ON TABLE sales TO team;`
- B. `GRANT SELECT CREATE MODIFY ON TABLE sales TO team;`
- C. `GRANT SELECT ON TABLE sales TO team;`
- D. `GRANT USAGE ON TABLE sales TO team;`
- E. `GRANT ALL PRIVILEGES ON TABLE team TO sales;`

Answer: A

NEW QUESTION 10

Which of the following describes the relationship between Bronze tables and raw data?

- A. Bronze tables contain less data than raw data files.
- B. Bronze tables contain more truthful data than raw data.
- C. Bronze tables contain aggregates while raw data is unaggregated.
- D. Bronze tables contain a less refined view of data than raw data.
- E. Bronze tables contain raw data with a schema applied.

Answer: E

Explanation:

The Bronze layer is where we land all the data from external source systems. The table structures in this layer correspond to the source system table structures "as-is," along with any additional metadata columns that capture the load date/time, process ID, etc. The focus in this layer is quick Change Data Capture and the ability to provide an historical archive of source (cold storage), data lineage, auditability, reprocessing if needed without rereading the data from the source system.
<https://www.databricks.com/glossary/medallion-architecture#:~:text=Bronze%20layer%20%28raw%20data%29>

NEW QUESTION 10

A data engineer is using the following code block as part of a batch ingestion pipeline to read from a composable table:

```
transactions_df = (spark.read
    .schema(schema)
    .format("delta")
    .table("transactions")
)
```

Which of the following changes needs to be made so this code block will work when the transactions table is a stream source?

- A. Replace predict with a stream-friendly prediction function
- B. Replace schema(schema) with option ("maxFilesPerTrigger", 1)
- C. Replace "transactions" with the path to the location of the Delta table
- D. Replace format("delta") with format("stream")
- E. Replace spark.read with spark.readStream

Answer: E

Explanation:

<https://docs.databricks.com/en/structured-streaming/delta-lake.html>

NEW QUESTION 14

A dataset has been defined using Delta Live Tables and includes an expectations clause:

CONSTRAINT valid_timestamp EXPECT (timestamp > '2020-01-01') ON VIOLATION DROP ROW

What is the expected behavior when a batch of data containing data that violates these constraints is processed?

- A. Records that violate the expectation are dropped from the target dataset and loaded into a quarantine table.
- B. Records that violate the expectation are added to the target dataset and flagged as invalid in a field added to the target dataset.
- C. Records that violate the expectation are dropped from the target dataset and recorded as invalid in the event log.
- D. Records that violate the expectation are added to the target dataset and recorded as invalid in the event log.
- E. Records that violate the expectation cause the job to fail.

Answer: C

Explanation:

With the defined constraint and expectation clause, when a batch of data is processed, any records that violate the expectation (in this case, where the timestamp is not greater than '2020-01-01') will be dropped from the target dataset. These dropped records will also be recorded as invalid in the event log, allowing for auditing and tracking of the data quality issues without causing the entire job to fail. <https://docs.databricks.com/en/delta-live-tables/expectations.html>

NEW QUESTION 15

A data engineer needs to apply custom logic to identify employees with more than 5 years of experience in array column employees in table stores. The custom logic should create a new column exp_employees that is an array of all of the employees with more than 5 years of experience for each row. In order to apply this custom logic at scale, the data engineer wants to use the FILTER higher-order function.

Which of the following code blocks successfully completes this task?

```
SELECT
    store_id,
    employees,
    FILTER (employees, i -> i.years_exp > 5) AS exp_employees
FROM stores;

SELECT
    store_id,
    employees,
    FILTER (exp_employees, years_exp > 5) AS exp_employees
FROM stores;

SELECT
    store_id,
    employees,
    FILTER (employees, years_exp > 5) AS exp_employees
FROM stores;

SELECT
    store_id,
    employees,
    CASE WHEN employees.years_exp > 5 THEN employees
    ELSE NULL
    END AS exp_employees
FROM stores;

SELECT
    store_id,
    employees,
    FILTER (exp_employees, i -> i.years_exp > 5) AS exp_employees
FROM stores;
```

- A. Option A
- B. Option B
- C. Option C
- D. Option D
- E. Option E

Answer: A

NEW QUESTION 17

A data engineer runs a statement every day to copy the previous day's sales into the table transactions. Each day's sales are in their own file in the location "/transactions/raw".

Today, the data engineer runs the following command to complete this task:

```
COPY INTO transactions
FROM "/transactions/raw"
FILEFORMAT = PARQUET;
```

After running the command today, the data engineer notices that the number of records in table transactions has not changed. Which of the following describes why the statement might not have copied any new records into the table?

- A. The format of the files to be copied were not included with the FORMAT_OPTIONS keyword.
- B. The names of the files to be copied were not included with the FILES keyword.
- C. The previous day's file has already been copied into the table.
- D. The PARQUET file format does not support COPY INTO.
- E. The COPY INTO statement requires the table to be refreshed to view the copied rows.

Answer: C

Explanation:

<https://docs.databricks.com/en/ingestion/copy-into/index.html> The COPY INTO SQL command lets you load data from a file location into a Delta table. This is a re- triable and idempotent operation; files in the source location that have already been loaded are skipped. if there are no new records, the only consistent choice is C no new files were loaded because already loaded files were skipped.

NEW QUESTION 18

A data engineer wants to schedule their Databricks SQL dashboard to refresh once per day, but they only want the associated SQL endpoint to be running when it is necessary.

Which of the following approaches can the data engineer use to minimize the total running time of the SQL endpoint used in the refresh schedule of their dashboard?

- A. They can ensure the dashboard's SQL endpoint matches each of the queries' SQL endpoints.
- B. They can set up the dashboard's SQL endpoint to be serverless.
- C. They can turn on the Auto Stop feature for the SQL endpoint.
- D. They can reduce the cluster size of the SQL endpoint.
- E. They can ensure the dashboard's SQL endpoint is not one of the included query's SQL endpoint.

Answer: C

NEW QUESTION 23

Which of the following describes the relationship between Gold tables and Silver tables?

- A. Gold tables are more likely to contain aggregations than Silver tables.
- B. Gold tables are more likely to contain valuable data than Silver tables.
- C. Gold tables are more likely to contain a less refined view of data than Silver tables.
- D. Gold tables are more likely to contain more data than Silver tables.
- E. Gold tables are more likely to contain truthful data than Silver tables.

Answer: A

Explanation:

In some data processing pipelines, especially those following a typical "Bronze-Silver-Gold" data lakehouse architecture, Silver tables are often considered a more refined version of the raw or Bronze data. Silver tables may include data cleansing, schema enforcement, and some initial transformations. Gold tables, on the other hand, typically represent a stage where data is further enriched, aggregated, and processed to provide valuable insights for analytical purposes. This could indeed involve more aggregations compared to Silver tables.

NEW QUESTION 25

A data engineer has been using a Databricks SQL dashboard to monitor the cleanliness of the input data to an ELT job. The ELT job has its Databricks SQL query that returns the number of input records containing unexpected NULL values. The data engineer wants their entire team to be notified via a messaging webhook whenever this value reaches 100.

Which of the following approaches can the data engineer use to notify their entire team via a messaging webhook whenever the number of NULL values reaches 100?

- A. They can set up an Alert with a custom template.
- B. They can set up an Alert with a new email alert destination.
- C. They can set up an Alert with a new webhook alert destination.
- D. They can set up an Alert with one-time notifications.
- E. They can set up an Alert without notifications.

Answer: C

Explanation:

To achieve this, the data engineer can set up an Alert in the Databricks workspace that triggers when the query results exceed the threshold of 100 NULL values. They can create a new webhook alert destination in the Alert's configuration settings and provide the necessary messaging webhook URL to receive notifications. When the Alert is triggered, it will send a message to the configured webhook URL, which will then notify the entire team of the issue.

NEW QUESTION 30

Which of the following describes a scenario in which a data engineer will want to use a single-node cluster?

- A. When they are working interactively with a small amount of data
- B. When they are running automated reports to be refreshed as quickly as possible
- C. When they are working with SQL within Databricks SQL
- D. When they are concerned about the ability to automatically scale with larger data
- E. When they are manually running reports with a large amount of data

Answer: A

Explanation:

A Single Node cluster is a cluster consisting of an Apache Spark driver and no Spark workers. A Single Node cluster supports Spark jobs and all Spark data sources, including Delta Lake. A Standard cluster requires a minimum of one Spark worker to run Spark jobs.

NEW QUESTION 31

A data engineer needs to determine whether to use the built-in Databricks Notebooks versioning or version their project using Databricks Repos. Which of the following is an advantage of using Databricks Repos over the Databricks Notebooks versioning?

- A. Databricks Repos automatically saves development progress
- B. Databricks Repos supports the use of multiple branches
- C. Databricks Repos allows users to revert to previous versions of a notebook
- D. Databricks Repos provides the ability to comment on specific changes
- E. Databricks Repos is wholly housed within the Databricks Lakehouse Platform

Answer: B

Explanation:

An advantage of using Databricks Repos over the built-in Databricks Notebooks versioning is the ability to work with multiple branches. Branching is a fundamental feature of version control systems like Git, which Databricks Repos is built upon. It allows you to create separate branches for different tasks, features, or experiments within your project. This separation helps in parallel development and experimentation without affecting the main branch or the work of other team members. Branching provides a more organized and collaborative development environment, making it easier to merge changes and manage different development efforts. While Databricks Notebooks versioning also allows you to track versions of notebooks, it may not provide the same level of flexibility and collaboration as branching in Databricks Repos.

NEW QUESTION 34

A data engineer has a Python variable `table_name` that they would like to use in a SQL query. They want to construct a Python code block that will run the query using `table_name`.

They have the following incomplete code block:

```
(f"SELECT customer_id, spend FROM {table_name}")
```

Which of the following can be used to fill in the blank to successfully complete the task?

- A. `spark.delta.sql`
- B. `spark.delta.table`
- C. `spark.table`
- D. `dbutils.sql`
- E. `spark.sql`

Answer: E

NEW QUESTION 37

A data engineer needs to apply custom logic to string column `city` in table `stores` for a specific use case. In order to apply this custom logic at scale, the data engineer wants to create a SQL user-defined function (UDF).

Which of the following code blocks creates this SQL UDF?

A.

```
CREATE FUNCTION combine_nyc(city STRING)
RETURNS STRING
RETURN CASE
  WHEN city = "brooklyn" THEN "new york"
  ELSE city
END;
```

B.

```
CREATE UDF combine_nyc(city STRING)
RETURNS STRING
CASE
  WHEN city = "brooklyn" THEN "new york"
  ELSE city
END;
```

C.

```
CREATE UDF combine_nyc(city STRING)
RETURN CASE
  WHEN city = "brooklyn" THEN "new york"
  ELSE city
END;
```

D.

```
CREATE FUNCTION combine_nyc(city STRING)
RETURN CASE
  WHEN city = "brooklyn" THEN "new york"
  ELSE city
END;
```

E.

```
CREATE UDF combine_nyc(city STRING)
RETURNS STRING
RETURN CASE
  WHEN city = "brooklyn" THEN "new york"
  ELSE city
END;
```

A.

Answer: A

Explanation:

<https://www.databricks.com/blog/2021/10/20/introducing-sql-user-defined-functions.html>

NEW QUESTION 41

A single Job runs two notebooks as two separate tasks. A data engineer has noticed that one of the notebooks is running slowly in the Job's current run. The data engineer asks a tech lead for help in identifying why this might be the case.

Which of the following approaches can the tech lead use to identify why the notebook is running slowly as part of the Job?

- A. They can navigate to the Runs tab in the Jobs UI to immediately review the processing notebook.
- B. They can navigate to the Tasks tab in the Jobs UI and click on the active run to review the processing notebook.
- C. They can navigate to the Runs tab in the Jobs UI and click on the active run to review the processing notebook.
- D. There is no way to determine why a Job task is running slowly.
- E. They can navigate to the Tasks tab in the Jobs UI to immediately review the processing notebook.

Answer: C

Explanation:

The job run details page contains job output and links to logs, including information about the success or failure of each task in the job run. You can access job run details from the Runs tab for the job. To view job run details from the Runs tab, click the link for the run in the Start time column in the runs list view. To return to the Runs tab for the job, click the Job ID value.

If the job contains multiple tasks, click a task to view task run details, including: the cluster that ran the task
the Spark UI for the task logs for the task
metrics for the task

<https://docs.databricks.com/en/workflows/jobs/monitor-job-runs.html#job-run-details>

NEW QUESTION 46

A data engineer has been given a new record of data:

id STRING = 'a1'

rank INTEGER = 6 rating FLOAT = 9.4

Which of the following SQL commands can be used to append the new record to an existing Delta table my_table?

- A. INSERT INTO my_table VALUES ('a1', 6, 9.4)
- B. my_table UNION VALUES ('a1', 6, 9.4)
- C. INSERT VALUES ('a1' , 6, 9.4) INTO my_table
- D. UPDATE my_table VALUES ('a1', 6, 9.4)
- E. UPDATE VALUES ('a1', 6, 9.4) my_table

Answer: A

NEW QUESTION 48

A data engineer has left the organization. The data team needs to transfer ownership of the data engineer's Delta tables to a new data engineer. The new data engineer is the lead engineer on the data team.

Assuming the original data engineer no longer has access, which of the following individuals must be the one to transfer ownership of the Delta tables in Data Explorer?

- A. Databricks account representative
- B. This transfer is not possible
- C. Workspace administrator
- D. New lead data engineer
- E. Original data engineer

Answer: C

Explanation:

<https://docs.databricks.com/sql/admin/transfer-ownership.html>

NEW QUESTION 52

A data engineer and data analyst are working together on a data pipeline. The data engineer is working on the raw, bronze, and silver layers of the pipeline using Python, and the data analyst is working on the gold layer of the pipeline using SQL. The raw source of the pipeline is a streaming input. They now want to migrate their pipeline to use Delta Live Tables.

Which of the following changes will need to be made to the pipeline when migrating to Delta Live Tables?

- A. None of these changes will need to be made
- B. The pipeline will need to stop using the medallion-based multi-hop architecture
- C. The pipeline will need to be written entirely in SQL
- D. The pipeline will need to use a batch source in place of a streaming source
- E. The pipeline will need to be written entirely in Python

Answer: A

NEW QUESTION 53

A dataset has been defined using Delta Live Tables and includes an expectations clause:

CONSTRAINT valid_timestamp EXPECT (timestamp > '2020-01-01') ON VIOLATION FAIL UPDATE

What is the expected behavior when a batch of data containing data that violates these constraints is processed?

- A. Records that violate the expectation are dropped from the target dataset and recorded as invalid in the event log.
- B. Records that violate the expectation cause the job to fail.
- C. Records that violate the expectation are dropped from the target dataset and loaded into a quarantine table.
- D. Records that violate the expectation are added to the target dataset and recorded as invalid in the event log.
- E. Records that violate the expectation are added to the target dataset and flagged as invalid in a field added to the target dataset.

Answer: B

Explanation:

<https://docs.databricks.com/en/delta-live-tables/expectations.html> Action

Result

warn (default)

Invalid records are written to the target; failure is reported as a metric for the dataset. drop

Invalid records are dropped before data is written to the target; failure is reported as a metrics for the dataset.

fail

Invalid records prevent the update from succeeding. Manual intervention is required before re-processing.

NEW QUESTION 56

An engineering manager uses a Databricks SQL query to monitor ingestion latency for each data source. The manager checks the results of the query every day, but they are manually rerunning the query each day and waiting for the results.

Which of the following approaches can the manager use to ensure the results of the query are updated each day?

- A. They can schedule the query to refresh every 1 day from the SQL endpoint's page in Databricks SQL.
- B. They can schedule the query to refresh every 12 hours from the SQL endpoint's page in Databricks SQL.
- C. They can schedule the query to refresh every 1 day from the query's page in Databricks SQL.
- D. They can schedule the query to run every 1 day from the Jobs UI.
- E. They can schedule the query to run every 12 hours from the Jobs UI.

Answer: C

NEW QUESTION 57

In which of the following scenarios should a data engineer use the MERGE INTO command instead of the INSERT INTO command?

- A. When the location of the data needs to be changed
- B. When the target table is an external table
- C. When the source table can be deleted
- D. When the target table cannot contain duplicate records
- E. When the source is not a Delta table

Answer: D

Explanation:

With merge , you can avoid inserting the duplicate records. The dataset containing the new logs needs to be deduplicated within itself. By the SQL semantics of merge, it matches and deduplicates the new data with the existing data in the table, but if

there is duplicate data within the new dataset, it is inserted.<https://docs.databricks.com/en/delta/merge.html#:~:text=With%20merge%20%2C%20you%20can%20avoid%20inserting%20the%20duplicate%20records.&text=The%20dataset%20containing%20the%20new,new%20dataset%2C%20it%20is%20inserted.>

NEW QUESTION 59

A data engineer has developed a data pipeline to ingest data from a JSON source using Auto Loader, but the engineer has not provided any type inference or schema hints in their pipeline. Upon reviewing the data, the data engineer has noticed that all of the columns in the target table are of the string type despite some of the fields only including float or boolean values.

Which of the following describes why Auto Loader inferred all of the columns to be of the string type?

- A. There was a type mismatch between the specific schema and the inferred schema
- B. JSON data is a text-based format
- C. Auto Loader only works with string data
- D. All of the fields had at least one null value
- E. Auto Loader cannot infer the schema of ingested data

Answer: B

Explanation:

JSON data is a text-based format that uses strings to represent all values. When Auto Loader infers the schema of JSON data, it assumes that all values are strings. This is because Auto Loader cannot determine the type of a value based on its string representation. <https://docs.databricks.com/en/ingestion/auto-loader/schema.html> Forexample, the following JSON string represents a value that is logically a boolean: JSON "true" Use code with caution. Learn more However, Auto Loader would infer that the type of this value is string. This is because Auto Loader cannot determine that the value is a boolean based on its string representation. In order to get Auto Loader to infer the correct types for columns, the data engineer can provide type inference or schema hints. Type inference hints can be used to specify the types of specific columns. Schema hints can be used to provide the entire schema of the data. Therefore, the correct answer is B. JSON data is a text-based format.

NEW QUESTION 60

A data engineer wants to create a relational object by pulling data from two tables. The relational object does not need to be used by other data engineers in other sessions. In order to save on storage costs, the data engineer wants to avoid copying and storing physical data.

Which of the following relational objects should the data engineer create?

- A. Spark SQL Table
- B. View
- C. Database
- D. Temporary view
- E. Delta Table

Answer: D

Explanation:

Temp view : session based Create temp view view_name as query All these are termed as session ended: Opening a new notebook Detaching and reattaching a cluster Installing a python package Restarting a cluster

NEW QUESTION 65

A data engineer has a Job with multiple tasks that runs nightly. Each of the tasks runs slowly because the clusters take a long time to start.

Which of the following actions can the data engineer perform to improve the start up time for the clusters used for the Job?

- A. They can use endpoints available in Databricks SQL
- B. They can use jobs clusters instead of all-purpose clusters
- C. They can configure the clusters to be single-node
- D. They can use clusters that are from a cluster pool
- E. They can configure the clusters to autoscale for larger data sizes

Answer: D

Explanation:

Cluster pools are a way to pre-provision clusters that are ready to use. This can reduce the start up time for clusters, as they do not have to be created from scratch. All-purpose clusters are not pre-provisioned, so they will take longer to start up. Jobs clusters are a type of cluster pool, but they are not the best option for this use case. Jobs clusters are designed for long-running jobs, and they can be more expensive than other types of cluster pools. Single-node clusters are the smallest type of cluster, and they will start up the fastest. However, they may not be powerful enough to run the Job's tasks. Autoscaling clusters can scale up or down based on demand. This can help to improve the start up time for clusters, as they will only be created when they are needed. However, autoscaling clusters can also be more expensive than other types of cluster pool <https://docs.databricks.com/en/clusters/pool-best-practices.html>

NEW QUESTION 69

In which of the following file formats is data from Delta Lake tables primarily stored?

- A. Delta
- B. CSV
- C. Parquet
- D. JSON
- E. A proprietary, optimized format specific to Databricks

Answer: C

Explanation:

<https://docs.delta.io/latest/delta-faq.html>

NEW QUESTION 73

A data engineer has realized that the data files associated with a Delta table are incredibly small. They want to compact the small files to form larger files to improve performance.

Which of the following keywords can be used to compact the small files?

- A. REDUCE
- B. OPTIMIZE
- C. COMPACTION
- D. REPARTITION
- E. VACUUM

Answer: B

Explanation:

OPTIMIZE can be used to club small files into 1 and improve performance.

NEW QUESTION 76

A data engineer has joined an existing project and they see the following query in the project repository:

```
CREATE STREAMING LIVE TABLE loyal_customers AS SELECT customer_id -  
FROM STREAM(LIVE.customers) WHERE loyalty_level = 'high';
```

Which of the following describes why the STREAM function is included in the query?

- A. The STREAM function is not needed and will cause an error.
- B. The table being created is a live table.
- C. The customers table is a streaming live table.
- D. The customers table is a reference to a Structured Streaming query on a PySpark DataFrame.
- E. The data in the customers table has been updated since its last run.

Answer: C

Explanation:

<https://docs.databricks.com/en/sql/load-data-streaming-table.html> Load data into a streaming table

To create a streaming table from data in cloud object storage, paste the following into the query editor, and then click Run:

SQL

Copy to clipboardCopy

/* Load data from a volume */

CREATE OR REFRESH STREAMING TABLE <table-name> AS SELECT * FROM STREAM

read_files('/Volumes/<catalog>/<schema>/<volume>/<path>/<folder>')

/* Load data from an external location */

CREATE OR REFRESH STREAMING TABLE <table-name> AS

SELECT * FROM STREAM read_files('s3://<bucket>/<path>/<folder>')

NEW QUESTION 78

A data engineer has configured a Structured Streaming job to read from a table, manipulate the data, and then perform a streaming write into a new table.

The code block used by the data engineer is below:

```
(spark.readStream
  .table("sales")
  .withColumn("avg_price", col("sales") / col("units"))
  .writeStream
  .option("checkpointLocation", checkpointPath)
  .outputMode("complete")
  ._____
  .table("new_sales")
)
```

If the data engineer only wants the query to process all of the available data in as many batches as required, which of the following lines of code should the data engineer use to fill in the blank?

- A. processingTime(1)
- B. trigger(availableNow=True)
- C. trigger(parallelBatch=True)
- D. trigger(processingTime="once")
- E. trigger(continuous="once")

Answer: B

Explanation:

<https://stackoverflow.com/questions/71061809/trigger-availablenow-for-delta-source-streaming-queries-in-pyspark-databricks>

NEW QUESTION 82

.....

Thank You for Trying Our Product

* 100% Pass or Money Back

All our products come with a 90-day Money Back Guarantee.

* One year free update

You can enjoy free update one year. 24x7 online support.

* Trusted by Millions

We currently serve more than 30,000,000 customers.

* Shop Securely

All transactions are protected by VeriSign!

100% Pass Your Databricks-Certified-Data-Engineer-Associate Exam with Our Prep Materials Via below:

<https://www.certleader.com/Databricks-Certified-Data-Engineer-Associate-dumps.html>