



Network-Appliance

Exam Questions NS0-184

NetApp Certified Storage Installation Engineer - ONTAP

NEW QUESTION 1

Which logical interface has a fixed firewall policy?

- A. data LIF
- B. cluster management LIF
- C. cluster LIF
- D. intercluster LIF

Answer: C

Explanation:

Reference: https://docs.netapp.com/usen/ontap/networking/configure_firewall_policies_for_lifs.html#create-a-firewall-policy-andassigning-it-to-a-lif

NEW QUESTION 2

You have a 2-node FAS8300 ONTAP 9.8 cluster that serves SMB shares. You are configuring interface groups for higher performance and resiliency.

Which two NetApp best practices should you follow to satisfy these performance and resiliency requirements? (Choose two.)

- A. Use ports from different NICs.
- B. Use ports from the same NICs.
- C. Use ports with different chipsets.
- D. Use ports with the same chipsets.

Answer: AD

Explanation:

Reference: <https://www.netapp.com/media/19900-tr-4847.pdf> (7)

NEW QUESTION 3

You are preparing for the installation of a new 2-node switchless AFF A250 ONTAP 9.8 cluster and need to obtain the preinstallation information from the customer.

In this scenario, what are three examples of data required from the customer? (Choose three.)

- A. management IP addresses
- B. cluster switch name
- C. gateway IP address
- D. BMC IP addresses
- E. cluster name

Answer: ABD

Explanation:

Reference: <https://docs.netapp.com/us-en/ontap-systems/a250/install-detailed-guide.html#step-1-prepare-for-installation>

NEW QUESTION 4

You installed two separate clusters in an isolated data center without outbound network access. The customer wants to troubleshoot issues locally and also create custom Excel reports for capacity utilization from a local server.

In this scenario, which NetApp tool would satisfy this requirement?

- A. Active IQ Digital Advisor
- B. Cloud Insights
- C. ONTAP System Manager
- D. Active IQ Unified Manager

Answer: D

NEW QUESTION 5

You are preparing for the installation of a new ONTAP 9.8 cluster and need to get the preinstallation information from the customer.

In this scenario, which NetApp tool would you use to create a configuration spreadsheet template for the deployment?

- A. ConfigBuilder
- B. Interoperability Matrix Tool
- C. Active IQ Config Advisor
- D. Active IQ Unified Manager


Answer: B

Explanation:

Reference: https://docs.netapp.com/us-en/ontap-select/pdfs/fullsitesidebar/ONTAP_Select_documentation.pdf

NEW QUESTION 6

Click the Exhibit button.



The screenshot displays four widgets from the NetApp Support website:

- Active IQ:** A widget with a dropdown arrow and the text "Active IQ".
- Contracts and Warranties:** A widget with a dropdown arrow and the text "Contracts and Warranties". Below it, there is a section titled "Most Recent" with a table showing "Serial Number", "Contracts Expiring in 1-90 Days", and "Renewals". At the bottom, there is a link "ALL CONTRACTS AND WARRANTIES →".
- Systems:** A widget with a dropdown arrow and the text "Systems". Below it, there is a section titled "Manage installed systems, contracts and software licenses." with a "Register a System" button. Below that, there is a search bar "Type or select systems for My Company" with a dropdown arrow. At the bottom, there is a link "MY SYSTEMS →".
- Product Support:** A widget with a dropdown arrow and the text "Product Support". Below it, there is a section titled "Select a Product for associated documentation, articles, downloads, tools and community support." with a search bar "Type or select a product" with a dropdown arrow. At the bottom, there is a link "ALL PRODUCTS →".

While you are introducing the customer to the NetApp Support website, they ask you to ensure that the new ONTAP storage array is covered by support before you complete the knowledge transfer procedure. Referring to the exhibit, which two widgets would you select to accomplish this task? (Choose two.)

- A. Active IQ
- B. Product Support
- C. Systems
- D. Contracts and Warranties

Answer: CD

NEW QUESTION 7

Which two functions does the management network provide? (Choose two.)

- A. to provide access to the system console of any node in the cluster
- B. to collect diag log files
- C. to replicate the cluster configuration to all nodes
- D. to transfer SVMs between the cluster nodes

Answer: AB

NEW QUESTION 8

You are deploying a new AFF All SAN Array A250 into a customer's existing data fabric.

In this scenario, which two tools would give insight into their existing Cisco MDS fabric configuration?

(Choose two.)

- A. Brocade SAN Health
- B. Cisco Data Center Network Manager (DCNM)
- C. Active IQ
- D. Active IQ Config Advisor

Answer: BC

Explanation:

Explanation\:

Reference: <https://www.cisco.com/c/en/us/products/collateral/storage-networking/mds-9700-seriesmultilayerdirectors/cisco-ucs-mds.html>

<https://www.cisco.com/c/en/us/products/collateral/servers-unified-computing/ucs-x-series-modularsystem/flexpod-datacenter-ucs-intersight.html>

NEW QUESTION 9

After the successful installation of a NetApp ONTAP cluster, the customer wants to know how to view Telemetry data. The customer also wants to receive online information about any risks with the cluster and potential bestpractice gaps.

Which tool satisfies the customer's requirements?

- A. Active IQ Digital Advisor
- B. Interoperability Matrix Tool
- C. Spot by NetApp
- D. Cloud Manager

Answer: A

Explanation:

Reference: http://docs.netapp.com/us-en/ontap/pdfs/sidebar/Cluster_administration.pdf

NEW QUESTION 10

Data ONTAP 9 supports which three features? (Choose three.)

- A. SMB 3.0
- B. NFSv2
- C. SnapMirror
- D. Infinite Volumes

Answer: ACD

NEW QUESTION 10

You are adding new controllers to an existing cluster. As part of the upgrade process, you have updated the BES-53248 cluster switches. In this scenario.

Which two commands would you use to verify a healthy cluster after the upgrade? (Choose two.)

- A. network port show -ipspace Cluster
- B. network interface show -vserver Cluster
- C. network device-discovery show -protocol cdp
- D. network interface show -vserver Cluster -fields auto-revert

Answer: AB

NEW QUESTION 15

You configured AutoSupport and are trying to send a full AutoSupport message to NetApp. You use the autosupport history show command and see the output shown in the exhibit. The customer confirms that the AutoSupport settings are correct.

```
cluster::> system node autosupport history show -node node1
```

Node	Seq Num	Destination	Status	Attempt Count
node1	1	smtp	re-queued	13
		http	ignored	15
		https	failed	15

Which two actions will solve this issue? (Choose two.)

- A. The customer needs to enable AutoSupport for both nodes.
- B. The customer needs to exclude the two nodes from the attachment-size limitation.
- C. The customer needs to change the transport protocol to HTTP.
- D. The customer needs to white-list the two nodes on their mail server.

Answer: AC

NEW QUESTION 19

Upon finishing the Installation of a new system for a customer, they request that you train them on how to administer the system. In this scenario, which two responses are appropriate? (Choose two.)

- A. Visit the NetApp MySupport Site and look for the Express Guides, they will guide you through the dailytasks and provide input and output examples.
- B. If you have a specific issue, you can visit the Knowledge Base Web site (<https://kb.netapp.com>).
- C. The answers to any of your questions can be found on the NetApp SmartSolve site(<http://smartsolve.netapp.com>).
- D. You should open a case with NetApp Support for all future questions with low priority and include thekeyword "Training" in the title.

Answer: AC

NEW QUESTION 23

You are expanding an existing cluster that uses BES-53248 cluster interconnect switches. You connected the new controllers to ports 0/17 through 0/20. However, you are unable to join the new nodes to the cluster.

Which action must be taken to solve the problem?

- A. Install the license file.
- B. Install the CSHM configuration file.
- C. Install the reference configuration file.
- D. Reboot the controllers.

Answer: C

NEW QUESTION 25

You want to enable secure communication with the SP or BMC through CA-signed certificates.

Which two certificate types must be installed in this scenario? (Choose two.)

- A. cluster certificate
- B. server certificate
- C. root CA certificate
- D. ONTAP certificate

Answer: BC

Explanation:

Reference:

[https://kb.netapp.com/Advice_and_Troubleshooting/Data_Storage_Software/ONTAP_OS/How_to_configure_communication_between_ONTAP_and_Service_Processor_\(SP\)_or_BMC_with_Certificate_Authority_\(CA\)_signed_certificates](https://kb.netapp.com/Advice_and_Troubleshooting/Data_Storage_Software/ONTAP_OS/How_to_configure_communication_between_ONTAP_and_Service_Processor_(SP)_or_BMC_with_Certificate_Authority_(CA)_signed_certificates)

NEW QUESTION 29

After the installation of a new ONTAP 9.8 cluster, you have to verify if AutoSupport works. In this scenario, which two commands would you use to accomplish this task? (Choose two.)

- A. system node autosupport history show
- B. system node autosupport check show
- C. system node autosupport destination show
- D. system node autosupport invoke

Answer: AB

NEW QUESTION 34

You are setting up a peer relationship between two ONTAP clusters. In this scenario, which two statements are true regarding authentication?

- A. Peering authentication status can be verified with the cluster peer show command.
- B. Peering authentication can be configured using LDAP users and groups.
- C. Peering authentication is required before enabling peering encryption.
- D. Peering authentication can use an ONTAP generated passphrase.

Answer: AD

NEW QUESTION 36

You want to use the NetAppDocs tool to collect information on a newly configured ONTAP 9.8 cluster and to generate a Word document with the details of the cluster configuration. Which two data sources would you use to collect the necessary data? (Choose two.)

- A. Active IQ Digital Advisor
- B. Active IQ Unified Manager
- C. ONTAP Cluster
- D. AutoSupport packages

Answer: BC

NEW QUESTION 41

You have a new 2-node FAS8700 ONTAP 9.8 cluster. One of the nodes has 24x16 TB NL-SAS disks assigned and available for a new aggregate. You created the aggregate with one RAID group and two spare disks. In this scenario, how many data drives are in the aggregate?

- A. 20
- B. 18
- C. 17
- D. 19

Answer: A

NEW QUESTION 44

You are preparing to install a new 2-node AFF A250 system at a customer site with an existing cluster that uses NetApp CN1610 cluster interconnect switches. In this scenario, what are two valid actions for this installation? (Choose two.)

- A. Add the new nodes to the existing cluster and switches.
- B. Create a new 2-nodes switched cluster that uses the CN1610 cluster switches.
- C. Create a new 2-nodes switchless cluster.
- D. Migrate the existing cluster to new switches and add the new nodes.

Answer: BD

Explanation:

Reference:

https://kb.netapp.com/Advice_and_Troubleshooting/Flash_Storage/AFF_Series/Controller_Hardware/Upgrade3A_Adding_AFF_A250_nodes_to_existing_cluster_report_HA_interconnect_errors_and_cannot_perform_takeover

NEW QUESTION 48

Your customer wants to know more about the network configuration within the cluster.
In this scenario, which statement is correct about a LIF?

- A. A LIF is a port that provides physical connections.
- B. A LIF is created within a broadcast domain and contains a pool of IP address.
- C. A LIF is an IP address or a WWPN that is associated with a port.
- D. A LIF separates network domains to access cluster data.

Answer: C

NEW QUESTION 49

Your customer currently has a 4-node AFF A400 cluster that runs ONTAP 9.8, with two NS224 shelves that are connected to each HA pair. The customer needs to add additional capacity to the cluster.
Which two actions would enable the customer to accomplish this task? (Choose two.)

- A. Connect the new NS224 shelves to the existing NS224 shelves and adjust the shelf IDs.
- B. Connect the new NS224 shelves to the existing Cisco Nexus 3232C switches
- C. Deploy a new AFF A400 to the cluster.
- D. Deploy new, dedicated, storage switches for the new NS224 shelves.

Answer: AC

Explanation:

Reference: <https://docs.netapp.com/us-en/ontap-systems/ns224/hot-add-shelf.html#prepare-an-ffa700-aff-a800-or-aff-a400-ha-pair-to-hot-add-a-second-shelf>

NEW QUESTION 51

.....

Thank You for Trying Our Product

We offer two products:

1st - We have Practice Tests Software with Actual Exam Questions

2nd - Questions and Answers in PDF Format

NS0-184 Practice Exam Features:

- * NS0-184 Questions and Answers Updated Frequently
- * NS0-184 Practice Questions Verified by Expert Senior Certified Staff
- * NS0-184 Most Realistic Questions that Guarantee you a Pass on Your FirstTry
- * NS0-184 Practice Test Questions in Multiple Choice Formats and Updatesfor 1 Year

100% Actual & Verified — Instant Download, Please Click
[Order The NS0-184 Practice Test Here](#)