

SC-400 Dumps

Microsoft Information Protection Administrator

<https://www.certleader.com/SC-400-dumps.html>



NEW QUESTION 1

- (Topic 1)

You need to protect documents that contain credit card numbers from being opened by users outside your company. The solution must ensure that users at your company can open the documents.

What should you use?

- A. a sensitivity label policy
- B. a sensitivity label
- C. a retention policy
- D. a data loss prevention (DLP) policy

Answer: D

Explanation:

Reference:

<https://docs.microsoft.com/en-us/microsoft-365/compliance/dlp-learn-about-dlp?view=o365-worldwide>

NEW QUESTION 2

- (Topic 1)

You are implementing a data classification solution.

The research department at your company requires that documents containing programming code be labeled as Confidential. The department provides samples of the code from its document library.

The solution must minimize administrative effort. What should you do?

- A. Create a custom classifier.
- B. Create a sensitive info type that uses Exact Data Match (EDM).
- C. Use the source code classifier.
- D. Create a sensitive info type that uses a regular expression.

Answer: C

Explanation:

Reference:

<https://docs.microsoft.com/en-us/microsoft-365/compliance/classifier-learn-about?view=o365-worldwide>

NEW QUESTION 3

- (Topic 1)

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You are configuring a file policy in Microsoft Cloud App Security.

You need to configure the policy to apply to all files. Alerts must be sent to every file owner who is affected by the policy. The policy must scan for credit card numbers, and alerts must be sent to the Microsoft Teams site of the affected department.

Solution: You use the Build-in DLP inspection method and send alerts to Microsoft Power Automate.

Does this meet the goal?

- A. Yes
- B. No

Answer: B

Explanation:

Reference:

<https://docs.microsoft.com/en-us/cloud-app-security/dcs-inspection> <https://docs.microsoft.com/en-us/cloud-app-security/data-protection-policies>

NEW QUESTION 4

HOTSPOT - (Topic 1)

You have a Microsoft 365 E5 subscription that contains the groups shown in the following table.

| Name | Type | Primary email address |
|--------|---------------|-----------------------|
| Group1 | Microsoft 365 | Group1@contoso.com |
| Dist1 | Distribution | Dist1@contoso.com |

The subscription contains the users shown in the following table.

| Name | Member of |
|-------|-----------|
| User1 | Group1 |
| User2 | Dist1 |
| User3 | None |

You create the mail flow rules shown in the following table.

| Name | Apply this rule if | Do the following |
|-------|---|---|
| Rule1 | The recipient is a member of group1@contoso.com | Apply Office 365 Message Encryption and rights protection |
| Rule2 | The sender is dist1@contoso.com | Apply Office 365 Message Encryption and rights protection |

For each of the following statements, select Yes if the statement is true. Otherwise, select No. NOTE: Each correct selection is worth one point.

Answer Area

| Statements | Yes | No |
|---|-----------------------|-----------------------|
| If User2 sends an email message to User3, the message is encrypted automatically. | <input type="radio"/> | <input type="radio"/> |
| If User2 sends an email message to User1, the message is encrypted automatically. | <input type="radio"/> | <input type="radio"/> |
| If User3 sends an email message to Group1, the message delivered to User1 is encrypted automatically. | <input type="radio"/> | <input type="radio"/> |

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Answer Area

| Statements | Yes | No |
|---|----------------------------------|----------------------------------|
| If User2 sends an email message to User3, the message is encrypted automatically. | <input type="radio"/> | <input checked="" type="radio"/> |
| If User2 sends an email message to User1, the message is encrypted automatically. | <input checked="" type="radio"/> | <input type="radio"/> |
| If User3 sends an email message to Group1, the message delivered to User1 is encrypted automatically. | <input type="radio"/> | <input checked="" type="radio"/> |

NEW QUESTION 5

HOTSPOT - (Topic 1)

You have a Microsoft 365 E5 subscription.

You receive the data loss prevention (DIP) alert shown in the following exhibit.

☰
Contoso Electronics
Microsoft Purview

Sensitive info in email with subject 'Message1'

Details Sensitive info types Metadata

Event details

| | |
|---|-----------------------------|
| ID 173fe9ac-3a65-41b0-9914-1db451bba639 | Location Exchange |
| Time of activity Jun 6, 2022 8:22 PM | |

Impacted entities

| | |
|--|--|
| User M Megan Bowen | Email recipients v victoria@fabrikam.com |
| Email subject Message1 | |

Policy details

| | |
|--|--|
| DLP policy matched Policy1 | Rule matched Rule1 |
| Sensitive info types detected Credit Card Number (19, 85%) | Actions taken GenerateAlert |
| User override policy Yes | Override justification text Manager approved |
| Sensitive info detected in Document1.docx | |

Use the drop-down menus to select the answer choice that completes each statement based on the information presented in the graph.
NOTE: Each correct selection is worth one point.

Answer Area

The email was [answer choice]..

sent to a manager for approval

delivered immediately

quarantined and undelivered

sent to a manager for approval

The sender's manager [answer choice]..

override Rule1

approved the email by using a workflow

override Rule1

was uninvolved in the override process

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Answer Area

The email was [answer choice]..

sent to a manager for approval

delivered immediately

quarantined and undelivered

sent to a manager for approval

The sender's manager [answer choice]..

override Rule1

approved the email by using a workflow

override Rule1

was uninvolved in the override process

NEW QUESTION 6

- (Topic 1)

You have a Microsoft 365 tenant that uses the following sensitivity labels:

- Confidential:
- Internal
- External

The labels are published by using a label policy named Policy1.

Users report that Microsoft Office for the web apps do not display the Sensitivity button. The Sensitivity button appears in Microsoft 365 Apps that are installed

locally.
You need to ensure that the users can apply sensitivity labels to content when they use Office for the web apps.
What should you do?

- A. Modify the scope of the confidential label.
- B. Modify the publishing settings of Policy1.
- C. Enable sensitivity label support for Office files in Microsoft SharePoint Online and OneDrive.
- D. Run the Execute-AzureAdiabelSync cmdlet.

Answer: A

NEW QUESTION 7

HOTSPOT - (Topic 1)

You need to recommend an information governance solution that meets the HR requirements for handling employment applications and resumes.
What is the minimum number of information governance solution components that you should create? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Minimum number of retention labels:

| | |
|---|---|
| | ▼ |
| 1 | |
| 2 | |
| 3 | |
| 4 | |

Minimum number of auto-labeling policies:

| | |
|---|---|
| | ▼ |
| 1 | |
| 2 | |
| 3 | |
| 4 | |

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Minimum number of retention labels:

| | |
|---|---|
| | ▼ |
| 1 | |
| 2 | |
| 3 | |
| 4 | |

Minimum number of auto-labeling policies:

| | |
|---|---|
| | ▼ |
| 1 | |
| 2 | |
| 3 | |
| 4 | |

NEW QUESTION 8

HOTSPOT - (Topic 1)

You have a Microsoft SharePoint Online site named Site1 that contains the files shown in the following table.

| Name | Number of IP addresses in the file |
|------------|------------------------------------|
| File1.txt | 2 |
| File2.docx | 6 |
| File3.dat | 4 |

You have a data loss prevention (DLP) policy named DLP1 that has the advanced DIP rules shown in the following table.

| Name | Content contains | Policy tip | Priority |
|-------|------------------------|------------|----------|
| Rule1 | 1 or more IP addresses | Tip1 | 0 |
| Rule2 | 2 or more IP addresses | Tip2 | 1 |
| Rule3 | 6 or more IP addresses | Tip3 | 2 |

You apply DLP1 to Site1.

For each of the following statements, select Yes if the statement is true. Otherwise, select No,

NOTE: Each correct selection is worth one point.

Answer Area

| Statements | Yes | No |
|-------------------------------------|-----------------------|-----------------------|
| File1.txt has the Tip1 policy tip. | <input type="radio"/> | <input type="radio"/> |
| File2.docx has the Tip3 policy tip. | <input type="radio"/> | <input type="radio"/> |
| File3.dat has the Tip2 policy tip. | <input type="radio"/> | <input type="radio"/> |

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Answer Area

| Statements | Yes | No |
|-------------------------------------|----------------------------------|----------------------------------|
| File1.txt has the Tip1 policy tip. | <input checked="" type="radio"/> | <input type="radio"/> |
| File2.docx has the Tip3 policy tip. | <input type="radio"/> | <input checked="" type="radio"/> |
| File3.dat has the Tip2 policy tip. | <input checked="" type="radio"/> | <input type="radio"/> |

NEW QUESTION 9

HOTSPOT - (Topic 1)

You have a Microsoft 365 subscription.

In Microsoft Exchange Online, you configure the mail flow rule shown in the following exhibit.

Protect with OMEv2

Edit rule conditions Edit rule settings

Status: Enabled

Enable or disable rule

Enabled

Rule settings

Rule name

Protect with OMEv2

Mode

Enforce

Severity

Not Specified

Set date range

Specific date range is not set

Senders address

Matching Header

Priority

0

Rule description

Apply this rule if

*Is sent to 'Outside the organization'
and Includes these words in the message subject: '[Encrypt]'*

Do the following

rights protect message with RMS template: 'Encrypt'

Rule comments

Use the drop-down menus to select the answer choice that completes each statement based on the information presented in the graphic.
NOTE: Each correct selection is worth one point.

Answer Area

Recipients, who use Gmail, [answer choice].
 must sign in to the Office 365 Message Encryption (OME) portal to read messages
 will be unable to read messages
 will have messages decrypted automatically

Recipients from an external Microsoft 365 subscription [answer choice].
 will be unable to read messages
 must sign in to the Office 365 Message Encryption (OME) portal to read message
 will be unable to read messages
 will have messages decrypted automatically

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Answer Area

Recipients, who use Gmail, [answer choice].
 must sign in to the Office 365 Message Encryption (OME) portal to read messages
 will be unable to read messages
 will have messages decrypted automatically

Recipients from an external Microsoft 365 subscription [answer choice].
 will be unable to read messages
 must sign in to the Office 365 Message Encryption (OME) portal to read message
 will be unable to read messages
 will have messages decrypted automatically

NEW QUESTION 10

HOTSPOT - (Topic 1)

You have a Microsoft 365 ES subscription.


You plan to create a custom trainable classifier by uploading 1,000 machine-generated files as seed content.

The files have sequential names and are uploaded in one-minute intervals as shown in the following table.

| Number | Name | Upload time |
|---------------------------|--------------|-------------|
| 1 | File001.docx | 3:01 AM |
| 2 | File002.docx | 3:02 AM |
| 3 | File003.docx | 3:03 AM |
| <i>994 rows not shown</i> | | |
| 998 | File998.docx | 7:38 PM |
| 999 | File999.docx | 7:39 PM |
| 1000 | File000.docx | 7:40 PM |

Which files were processed first and last when you created the custom trainable classifier? To answer, select the appropriate options in the answer area.
NOTE: Each correct selection is worth one point.

Answer Area



- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Answer Area



NEW QUESTION 10

- (Topic 1)

You have a Microsoft 365 tenant that uses 100 data loss prevention (DLP) policies.

A Microsoft Exchange administrator frequently investigates emails that were blocked due to DLP policy violations.

You need to recommend which DLP report the Exchange administrator can use to identify how many messages were blocked based on each DLP policy.

Which report should you recommend?

- A. False positive and override
- B. Third-party DLP policy matches
- C. DLP policy matches
- D. DLP incidents

Answer: C

NEW QUESTION 13

- (Topic 1)

You receive an email that contains a list of words that will be used few a sensitive information type.

You need to create a file that can be used as the source of a keyword dictionary. In which format should you save the list?

- A. an XLSX file that contains one word in each cell of the first row
- B. a ISV file that contains words separated by tabs
- C. a JSON file that that an element for each word
- D. a text file that has one word on each line

Answer: D

Explanation:

Keyword dictionaries can be created either from a text file or from csv file. Note:

There are several versions of this question in the exam. The question has two possible correct answers:

- ? a CSV file that contains words separated by commas
- ? a text file that has one word on each line

Other incorrect answer options you may see on the exam include the following:

- ? a TSV file that contains words separated by tabs
- ? a DOCX file that has one word on each line
- ? an XML file that contains a keyword tag for each word

Reference:

<https://docs.microsoft.com/en-us/microsoft-365/compliance/create-a-keyword-dictionary?view=o365-worldwide>

NEW QUESTION 16

HOTSPOT - (Topic 1)

You have a Microsoft 365 E5 tenant that contains the users shown in the following table.

| Name | Role |
|-------|----------------------|
| User1 | Global Administrator |
| User2 | Compliance admin |

You have a retention policy that has the following configurations:

? Name: Policy1

? Retain items for a specific period: 5 years

? Locations to apply the policy: Exchange email, SharePoint sites

You place a Preservation Lock on Policy1.

For each of the following statements, select Yes if the statement is true. Otherwise, select No.

NOTE: Each correct selection is worth one point.

| Statements | Yes | No |
|--|-----------------------|-----------------------|
| User1 can remove Exchange email from the locations | <input type="radio"/> | <input type="radio"/> |
| User2 can increase the retention period to seven years | <input type="radio"/> | <input type="radio"/> |
| User1 can decrease the retention period to three years | <input type="radio"/> | <input type="radio"/> |

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

When a retention policy is locked:

? No one, including the global admin, can disable the policy or delete it

? Locations can be added but not removed

? You can extend the retention period but not decrease it

NEW QUESTION 20

HOTSPOT - (Topic 1)


At the end of a project you upload project documents to a Microsoft SharePoint Online library that contains many files. Files that have the following naming format must be labeled

as Project I

- aei_AA989.docx
- bd_WSOgadocx
- cei_DLF112.docx
- ebc_QQ4S4.docx
- ecc_BB565.docx

You plan to create an auto-apply retention label policy.

What should you use to identify the files, and which regular expression should you use? To answer, select the appropriate options in the answer area.



- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Box 1 = a retention label
Box 2 = [a-z]{3}[A-Z]{2}[d]{3}.docx

NEW QUESTION 25

- (Topic 1)

You have a Microsoft 365 E3 subscription.

You plan to audit all Microsoft Exchange Online user and admin activities.

You need to ensure that all the Exchange audit log records are retained for one year. What should you do?

- A. Modify the record type of the default audit retention policy.
- B. Modify the retention period of the default audit retention policy.
- C. Create a custom audit retention pol
- D. Assign Microsoft 365 Enterprise E5 licenses to all users.

Answer: D

NEW QUESTION 28

HOTSPOT - (Topic 1)

You have a Microsoft 365 E5 tenant that contains three groups named Group1, Group2, and Group3.

You have the users shown in the following table.

| Name | Member of |
|-------|----------------|
| User1 | Group1 |
| User2 | Group1, Group3 |
| User3 | Group2, Group3 |

You have the sensitivity labels shown in the following exhibit.

+ Create a label Publish labels Refresh

| Name | Order |
|----------------|-------------|
| General | 0 – lowest |
| ∨ Confidential | 1 |
| Low | 2 |
| Medium | 3 |
| High | 4 |
| ∨ Top Secret | 5 |
| Low | 6 |
| Medium | 7 |
| High | 8 – highest |

You have the label policies shown in the following table.

| Name | Labels to publish | Group | Apply this default label to documents |
|---------|--|--------|---------------------------------------|
| Policy1 | Confidential Confidential – Low Confidential – Medium Confidential – High | Group1 | Confidential |
| Policy2 | All labels | Group2 | Confidential – Medium |
| Policy3 | Confidential Confidential – Low Confidential – Medium Confidential – High Top Secret | Group3 | Top Secret |

For each of the following statements, select Yes if the statement is true. Otherwise, select No.

NOTE: Each correct selection is worth one point.

| Statements | Yes | No |
|---|-----------------------|-----------------------|
| The Confidential label will be applied to all the documents created by User1. | <input type="radio"/> | <input type="radio"/> |
| User2 can apply the General label to all the documents created by User2. | <input type="radio"/> | <input type="radio"/> |
| User3 can change the label applied to a document created by User1. | <input type="radio"/> | <input type="radio"/> |

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

| Statements | Yes | No |
|---|-------------------------------------|-------------------------------------|
| The Confidential label will be applied to all the documents created by User1. | <input checked="" type="checkbox"/> | <input type="checkbox"/> |
| User2 can apply the General label to all the documents created by User2. | <input type="checkbox"/> | <input checked="" type="checkbox"/> |
| User3 can change the label applied to a document created by User1. | <input checked="" type="checkbox"/> | <input type="checkbox"/> |

NEW QUESTION 33

- (Topic 1)

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You recently discovered that the developers at your company emailed Azure Storage keys in plain text to third parties.

You need to ensure that when Azure Storage keys are emailed, the emails are encrypted. Solution: You create a data loss prevention (DLP) policy that has only the Exchange email location selected.

Does this meet the goal?

- A. Yes
- B. No

Answer: B

NEW QUESTION 38

- (Topic 1)

You have a Microsoft 365 E5 subscription.

You plan to use insider risk management to collect and investigate forensic evidence. You need to enable forensic evidence capturing.

What should you do first?

- A. Enable Adaptive Protection.
- B. Configure the information protection scanner.
- C. Create priority user groups.
- D. Claim capacity.

Answer: D

NEW QUESTION 40

HOTSPOT - (Topic 1)

You need to implement an information compliance policy to meet the following requirements:

? Documents that contain passport numbers from the United States, Germany, Australia, and Japan must be identified automatically.

? When a user attempts to send an email or an attachment that contains a passport number, the user must receive a tooltip in Microsoft Outlook.

? Users must be blocked from using Microsoft SharePoint Online or OneDrive for Business to share a document that contains a passport number.

What is the minimum number of sensitivity labels and auto-labeling policies you should create? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Sensitivity labels: ▼

| |
|---|
| 1 |
| 2 |
| 3 |
| 4 |

Auto-labeling policies: ▼

| |
|---|
| 1 |
| 2 |
| 3 |
| 4 |

- A. Mastered

B. Not Mastered

Answer: A

Explanation:

Sensitivity labels:

| | |
|---|---|
| | ▼ |
| 1 | |
| 2 | |
| 3 | |
| 4 | |

Auto-labeling policies:

| | |
|---|---|
| | ▼ |
| 1 | |
| 2 | |
| 3 | |
| 4 | |

NEW QUESTION 44

- (Topic 1)

You need to recommend a solution that meets the executive requirements. What should you recommend?

- A. From the Microsoft 365 compliance center, create a retention policy.
- B. From the Exchange admin center, enable archive mailboxes.
- C. From the Microsoft 365 compliance center, create a retention label.
- D. From the Microsoft 365 compliance center, create a DLP policy.

Answer: C

Explanation:

Reference:

<https://docs.microsoft.com/en-us/microsoft-365/compliance/create-apply-retention-labels?view=o365-worldwide>

NEW QUESTION 49

- (Topic 1)

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You have a Microsoft 365 subscription.

You have a user named User1. Several users have full access to the mailbox of User1. Some email messages sent to User1 appear to have been read and deleted before the user viewed them.

When you search the audit log in the Microsoft Purview compliance portal to identify who signed in to the mailbox of User1, the results are blank.

You need to ensure that you can view future sign-ins to the mailbox of User1. Solution: You run the Set-AuditConfig -Workload Exchange command.

Does that meet the goal?

- A. Yes
- B. No

Answer: A

NEW QUESTION 52

- (Topic 1)

You have a Microsoft 365 tenant that uses the following sensitivity labels:

- * Confidential
- * Internal
- * External

The labels are published by using a label policy named Policy1.

Users report that Microsoft Office for the web apps do not display the Sensitivity button. The Sensitivity button appears in Microsoft 365 Apps that are installed locally.

You need to ensure that the users can apply sensitivity labels to content when they use Office for the web apps.

Solution: You modify the publishing settings of Policy1. Does the meet the goal?

- A. Yes
- B. No

Answer: B

NEW QUESTION 55

- (Topic 1)

You have a Microsoft 365 tenant that uses trainable classifiers. You are creating a custom trainable classifier.

You collect 300 sample file types from various geographical locations to use as seed content. Some of the file samples are encrypted.

You organize the files into categories as shown in the following table.

| Category | Type | Language | Encryption status |
|-----------|-------|----------|-------------------|
| Category1 | .docx | French | Not encrypted |
| Category2 | .xlsx | English | Encrypted |
| Category3 | .pptx | German | Encrypted |
| Category4 | .docx | English | Not encrypted |
| Category5 | .mht | English | Not encrypted |
| Category6 | .htm | English | Not encrypted |

Which file categories can be used as seed content?

- A. Category4 and Category5 only
- B. Category4 and Category6 only
- C. Category3. and Category5 only
- D. Category1 and Category3 only

Answer: C

Explanation:

Reference:

<https://docs.microsoft.com/en-us/microsoft-365/compliance/classifier-get-started-with?view=o365-worldwide>

<https://docs.microsoft.com/en-us/sharepoint/technical-reference/default-crawled-file-name-extensions-andparsed-file-types>

NEW QUESTION 60

- (Topic 1)

You have a new Microsoft 365 tenant.

You need to ensure that custom trainable classifiers can be created in the tenant. To which role should you be assigned to perform the configuration?

- A. Security administrator
- B. Security operator
- C. Global administrator
- D. Compliance administrator

Answer: D

Explanation:

Reference:

<https://docs.microsoft.com/en-us/microsoft-365/compliance/classifier-get-started-with?view=o365-worldwide>

NEW QUESTION 64

- (Topic 1)

You have a Microsoft 365 E5 subscription that contains a Microsoft SharePoint Online site named Site1.

You need to implement Microsoft Purview data lifecycle management. What should you create first?

- A. a sensitivity label policy
- B. a retention label
- C. a data loss prevention (DLP) policy
- D. an auto-labeling policy

Answer: B

NEW QUESTION 66

- (Topic 1)

You have a Microsoft 365 E5 subscription that uses Microsoft Purview. The subscription contains two groups named Group1 and Group2.

You need to implement a policy to detect messages that present a conflict of interest between the users in Group1 and the users in Group2.

What should you use in the Microsoft Purview compliance portal?

- A. Insider risk management
- B. Privacy risk management
- C. Information barriers
- D. Communication compliance

Answer: C

NEW QUESTION 69

- (Topic 1)

You have a Microsoft 365 subscription.

You have a team named Team1 in Microsoft Teams. You plan to place all the content in Team1 on hold.

You need to identify which mailbox and which Microsoft SharePoint site collection are associated to Team1.

Which cmdlet should you use?

- A. Get-UnifiedGroup
- B. Get-MailUser
- C. Get-TeamChannel
- D. Get-Team

Answer: D

NEW QUESTION 73

HOTSPOT - (Topic 1)

You enable archive mailboxes for all the users at your company. The Default MRM Policy is shown in the MRM exhibit.

Default MRM Policy

This policy contains the following retention tags

- 1 Month Delete
- 1 Week Delete
- 1 Year Delete
- 5 Year Delete
- 6 Month Delete
- Default 2 year move to archive
- Junk Email
- Never Delete
- Personal 1 year move to archive
- Personal 5 year move to archive
- Personal never move to archive
- Recoverable items 14 days move to archive

A Microsoft 365 retention label policy is shown in the Label Policy exhibit.

Exchange Label Policy

Status

Enabled (Pending)

Policy name

Exchange Label Policy

Description

Label policy for Exchange

Applies to content in these locations

Exchange email

Settings

Publish labels for your users

- 10 Year – Do not Delete
- 2 Year Delete

Preservation lock

No

You need to identify the following:

? How many years until an email is archived?

? What should you modify to change the retention period for archiving?

What should you identify? To answer, select the appropriate options in the answer area. NOTE: Each correct selection is worth one point.

By default, email is:

| |
|--|
| Deleted after two years |
| Deleted after one month |
| Retained in the mailbox for 10 years |
| Moved to the archive mailbox after two years |

To change the retention period for archiving, modify:

| |
|---------------------------------------|
| The Default MRM Policy |
| The Exchange Label Policy |
| The properties of the archive mailbox |

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

By default, email is:

| |
|--|
| Deleted after two years |
| Deleted after one month |
| Retained in the mailbox for 10 years |
| Moved to the archive mailbox after two years |

To change the retention period for archiving, modify:

| |
|---------------------------------------|
| The Default MRM Policy |
| The Exchange Label Policy |
| The properties of the archive mailbox |

NEW QUESTION 75

HOTSPOT - (Topic 1)

You have a data loss prevention (DLP) policy that has the advanced DLP rules shown in the following table.

| Name | Priority | Actions |
|-------|----------|--|
| Rule1 | 0 | <ul style="list-style-type: none"> • Notify users with email and policy tips • User overrides: Off |
| Rule2 | 1 | <ul style="list-style-type: none"> • Notify users with email and policy tips • Restrict access to the content • User overrides: Off |
| Rule3 | 2 | <ul style="list-style-type: none"> • Notify users with email and policy tips • Restrict access to the content • User overrides: On |
| Rule4 | 3 | <ul style="list-style-type: none"> • Notify users with email and policy tips • Restrict access to the content • User overrides: Off |

You need to identify which rules will apply when content matches multiple advanced DLP rules.

Which rules should you identify? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

If content matches Rule1, Rule2, and Rule3:

| |
|-------------------------------------|
| ▼ |
| Only Rule1 takes effect |
| Only Rule2 takes effect |
| Only Rule3 takes effect |
| Rule1, Rule2, and Rule3 take effect |

If content matches Rule2, Rule3, and Rule4:

| |
|-------------------------------------|
| ▼ |
| Only Rule2 takes effect |
| Only Rule3 takes effect |
| Only Rule4 takes effect |
| Only Rule2 and Rule4 take effect |
| Rule2, Rule3, and Rule4 take effect |

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Graphical user interface, text Description automatically generated

NEW QUESTION 79

- (Topic 1)

You have a Microsoft 365 E5 subscription that contains a Microsoft SharePoint Online site named Site1. You create an information barrier segment named Segment1. You need to add Segment 1 to Site1. What should you do first?

- A. Run the Set-SPOSite cmdlet.
- B. Run the Set-SPOTenant cmdlet.
- C. Create an information barrier policy.
- D. Modify the permissions of Site1.

Answer: D

NEW QUESTION 82

HOTSPOT - (Topic 1)

You have a Microsoft 365 tenant named contoso.com that contains two users named User1 and User2. The tenant uses Microsoft Office 365 Message Encryption (OME).

User1 plans to send emails that contain attachments as shown in the following table.

| Subject | To | Attachment type | Message size |
|---------|-------------------|-----------------|--------------|
| Mail1 | User2@contoso.com | .docx | 40 MB |
| Mail2 | User4@outlook.com | .doc | 3 MB |
| Mail3 | User3@gmail.com | .xlsx | 7 MB |

User2 plans to send emails that contain attachments as shown in the following table.

| Subject | To | Attachment type | Message size |
|---------|-------------------|-----------------|--------------|
| Mail4 | User1@contoso.com | .pptx | 4 MB |
| Mail5 | User4@outlook.com | .jpg | 6 MB |
| Mail6 | User3@gmail.com | .docx | 3 MB |

For which emails will the attachments be protected? To answer, select the appropriate options in the answer area. NOTE: Each correct selection is worth one point.

User1: ▼

| |
|-------------------------|
| Mail1 only |
| Mail3 only |
| Mail1 and Mail2 only |
| Mail2 and Mail3 only |
| Mail1, Mail2, and Mail3 |

User2: ▼

| |
|-------------------------|
| Mail5 only |
| Mail6 only |
| Mail4 and Mail5 only |
| Mail4 and Mail6 only |
| Mail1, Mail2, and Mail3 |

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

User1: ▼

| |
|-------------------------|
| Mail1 only |
| Mail3 only |
| Mail1 and Mail2 only |
| Mail2 and Mail3 only |
| Mail1, Mail2, and Mail3 |

User2: ▼

| |
|-------------------------|
| Mail5 only |
| Mail6 only |
| Mail4 and Mail5 only |
| Mail4 and Mail6 only |
| Mail1, Mail2, and Mail3 |

NEW QUESTION 85

- (Topic 1)

At the end of a project, you upload project documents to a Microsoft SharePoint Online library that contains many files. The following is a sample of the project document file names:

- ? aei_AA989.docx
- ? bci_WS098.docx
- ? cei_DF112.docx
- ? ebc_QQ454.docx
- ? ecc_BB565.docx

All documents that use this naming format must be labeled as Project Documents: You need to create an auto-apply retention label policy. What should you use to identify the files?

- A. A sensitive info type
- B. A retention label
- C. A trainable classifier

Answer: C

Explanation:

Reference:

<https://docs.microsoft.com/en-us/microsoft-365/compliance/classifier-get-started-with?view=o365-worldwide>

NEW QUESTION 86

HOTSPOT - (Topic 1)

You have a Microsoft 365 E5 subscription that uses Microsoft Purview.

You need to deploy a compliance solution that will detect the accidental oversharing of information outside of an organization. The solution must minimize administrative effort.

What should you use? To answer, select the appropriate options in the answer area. NOTE: Each correct selection is worth one point.

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Answer Area



NEW QUESTION 90

- (Topic 1)

You have a Microsoft 365 E5 subscription that contains the adaptive scopes shown in the following table.

| Name | Type | Query |
|--------|-------------------------|----------------------------|
| Scope1 | Users | FirstName starts with User |
| Scope2 | SharePoint Online sites | SiteTitle starts with Site |

You create the retention policies shown in the following table.

| Name | Type | Location |
|----------|----------|----------------------|
| RPolicy1 | Adaptive | Scope1 |
| RPolicy2 | Adaptive | Scope2 |
| RPolicy3 | Static | Microsoft 365 groups |

Which retention policies support a preservation lock?

- A. RPolicy2only
- B. RPolicy3only
- C. RPolicy1I and RPolicy2 only
- D. RPolicy1 and RPolicy3 only
- E. RPolicy1, RPolicy2, and RPolicy3

Answer: D

NEW QUESTION 94

- (Topic 1)

You have a Microsoft 365 E5 tenant.

You need to add a new keyword dictionary. What should you create?

- A. a trainable classifier
- B. a sensitivity label E3
- C. a sensitive info type
- D. a retention policy

Answer: C

NEW QUESTION 97

HOTSPOT - (Topic 1)

You have a Microsoft 365 E5 tenant.

You create sensitivity labels as shown in the Sensitivity Labels exhibit.

+ Create a label Publish labels Refresh

| Name | Order | Scope |
|--------------|-------------|-------------|
| Public | 0 – lowest | File, Email |
| General | 1 | File, Email |
| Confidential | 2 | File, Email |
| Internal | 3 | File, Email |
| External | 4 – highest | File, Email |

The Confidential/External sensitivity label is configured to encrypt files and emails when applied to content. The sensitivity labels are published as shown in the Published exhibit.

Sensitivity Policy1

Edit policy

Delete policy

Name

Sensitivity Policy1

Description

Published labels

Public
General
External/External
Internal/Internal
Confidential

Published to

All

Policy settings

Users must provide justification to remove a label or lower its classification

For each of the following statements, select Yes if the statement is true. Otherwise, select No.
NOTE: Each correct selection is worth one point.

| Statements | Yes | No |
|---|-----------------------|-----------------------|
| The Internal sensitivity label inherits all the settings from the Confidential label. | <input type="radio"/> | <input type="radio"/> |
| Users must provide justification if they change the label of content from Confidential/Internal to Confidential/External. | <input type="radio"/> | <input type="radio"/> |
| Content that has the Confidential/External label applied will retain the encryption settings if the sensitivity label is removed from the label policy. | <input type="radio"/> | <input type="radio"/> |

A. Mastered

B. Not Mastered

Answer: A

Explanation:

| Statements | Yes | No |
|---|----------------------------------|----------------------------------|
| The Internal sensitivity label inherits all the settings from the Confidential label. | <input type="radio"/> | <input checked="" type="radio"/> |
| Users must provide justification if they change the label of content from Confidential/Internal to Confidential/External. | <input type="radio"/> | <input checked="" type="radio"/> |
| Content that has the Confidential/External label applied will retain the encryption settings if the sensitivity label is removed from the label policy. | <input checked="" type="radio"/> | <input type="radio"/> |

NEW QUESTION 101

- (Topic 1)

You have a Microsoft 365 E5 subscription that uses Microsoft Defender for Cloud Apps. You need to ensure that you receive an alert when a user uploads a document to a third-party cloud storage service. What should you use?

- A. an insider risk policy
- B. a file policy
- C. a sensitivity label
- D. an activity policy

Answer: D

NEW QUESTION 105

HOTSPOT - (Topic 1)

You create a retention label policy named Contoso_policy that contains the following labels.

- ? 10 years then delete
- ? 5 years then delete
- ? Do not retain

Contoso_Policy is applied to content In Microsoft Sharepoint Online sites.


After a couple of days, you discover the following messages on the Properties page of the label policy.

* Statue Off (Error)

* It's taking longer than expected to deploy the policy You need to reinitiate the policy.

How should you complete the command? To answer, select the appropriate options in the; answer area.


NOTE: Each correct selection is worth one point.



- A. Mastered
- B. Not Mastered

Answer: A

Explanation:



NEW QUESTION 108

- (Topic 1)

In Microsoft Exchange Online, you have a retention policy named Policy1 that applies a retention tag named Tag1.

You plan to remove Tag1 from Policy1.

What will occur when you remove the tag from Policy1?

- A. The content will remain tagged and the Managed Folder Assistant will process Tag1.
- B. Tag1 will be removed if Policy1 applied the tag to the content.

C. The content will remain tagged, but the Managed Folder Assistant will ignore Tag1.

Answer: A

Explanation:

Reference:

<https://docs.microsoft.com/en-us/exchange/security-and-compliance/messaging-records-management/retention-tags-and-policies#removing-or-deleting-a-retention-tag-from-a-retention-policy>

NEW QUESTION 109

- (Topic 1)

You need to recommend a solution to configuration the Microsoft 365 Records management settings by using the CSV file must meet the compliance requirements.

What should you recommend?

- A. From the Microsoft 365 compliance center, import the CSV file to a file plan.
- B. Use EdmUploadAgent.exe to upload a hash of the CSV to a datastore.
- C. Use a PowerShell command that pipes the import csv cmdlet to the New- RetentionPolicy cmdlet.
- D. Use a PowerShell command that pipes the import-csv cmdlet to the New-Label cmdlet.

Answer: A

Explanation:

Reference:

<https://docs.microsoft.com/en-us/microsoft-365/compliance/file-plan-manager?view=o365-worldwide#import-retention-labels-into-your-file-plan>

NEW QUESTION 112

HOTSPOT - (Topic 1)

You create a data loss prevention (DLP) policy that meets the following requirements:

? Prevents guest users from accessing a sensitive document shared during a Microsoft Teams chat

? Prevents guest users from accessing a sensitive document stored in a Microsoft Teams channel

Which location should you select for each requirement? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Prevents guest users from accessing a sensitive document shared during a Microsoft Teams chat:

| |
|---------------------------------|
| ▼ |
| Exchange email |
| OneDrive accounts |
| SharePoint sites |
| Teams chat and channel messages |

Prevents guest users from accessing a sensitive document stored in a Microsoft Teams channel:

| |
|---------------------------------|
| ▼ |
| Exchange email |
| OneDrive accounts |
| SharePoint sites |
| Teams chat and channel messages |

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Prevents guest users from accessing a sensitive document shared during a Microsoft Teams chat:

| |
|---------------------------------|
| ▼ |
| Exchange email |
| OneDrive accounts |
| SharePoint sites |
| Teams chat and channel messages |

Prevents guest users from accessing a sensitive document stored in a Microsoft Teams channel:

| |
|---------------------------------|
| ▼ |
| Exchange email |
| OneDrive accounts |
| SharePoint sites |
| Teams chat and channel messages |

NEW QUESTION 113

HOTSPOT - (Topic 1)

You have a Microsoft 365 E5 subscription.

You are evaluating Data Protection Baseline compliance by using Compliance Manager. You need to identify improvement actions that meet the following requirements:

- Provide data loss prevention (DLP) policy recommendations.
- Provide Data Protection Baseline recommendations.

Which filter should you use for each requirement? To answer, select the appropriate options in the answer area.

Answer Area



- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Answer Area



NEW QUESTION 114

- (Topic 1)

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You recently discovered that the developers at your company emailed Azure Storage keys in plain text to third parties.

You need to ensure that when Azure Storage keys are emailed, the emails are encrypted. Solution: You create a data loss prevention (DLP) policy that has all locations selected. Does this meet the goal?

- A. Yes
- B. No


Answer: B

NEW QUESTION 115

DRAG DROP - (Topic 1)

You need to recommend a solution that meets the sales requirements.


Which three actions should you perform in sequence? To answer, move the appropriate actions from the list of actions to the answer area and arrange them in the correct order.



- A. Mastered
- B. Not Mastered

Answer: A

Explanation:



NEW QUESTION 118

- (Topic 1)

You have a Microsoft 365 subscription.

You need to be notified by email whenever an administrator starts an eDiscovery search. What should you do from the Microsoft Purview compliance portal?

- A. From eDiscovery, create an eDiscovery case.
- B. From Policies, create an alert policy.
- C. From Records management, create event type.
- D. From Content search, create a new search.

Answer: B

NEW QUESTION 119

- (Topic 1)

You have a Microsoft 365 ES subscription.

You need to create a Microsoft Defender for Cloud Apps policy that will detect data loss prevention (DLP) violations.

What should you create?

- A. an activity policy
- B. a session policy
- C. a Cloud Discovery
- D. a file policy

Answer: D

NEW QUESTION 124

- (Topic 1)

You have a Microsoft 365 tenant.

You discover that email does NOT use Microsoft Office 365 Message Encryption (OME). You need to ensure that OME can be applied to email.

What should you do first?

- A. Enable Microsoft Defender for Office 365.
- B. Activate Azure Information Protection.
- C. Activate Azure Rights Management (Azure RMS).
- D. Create an Azure key vault.

Answer: C

Explanation:

Reference:

<https://docs.microsoft.com/en-us/microsoft-365/compliance/set-up-new-message-encryption-capabilities?view=o365-worldwide>

NEW QUESTION 128

- (Topic 1)

You are creating a custom trainable classifier to identify organizational product codes referenced in Microsoft 365 content.

You identify 300 files to use as seed content. Where should you store the seed content?

- A. a Microsoft SharePoint Online folder
- B. a Microsoft OneDrive for Business folder
- C. an Azure file share
- D. Microsoft Exchange Online shared mailbox

Answer: A

Explanation:

Reference:

<https://docs.microsoft.com/en-us/microsoft-365/compliance/classifier-get-started-with?view=o365-worldwide>

NEW QUESTION 129

DRAG DROP - (Topic 1)

You need to create a trainable classifier that can be used as a condition in an auto-apply retention label policy.

Which three actions should you perform in sequence? To answer, move the appropriate actions from the list of actions to the answer area and arrange them in the correct order.

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

NEW QUESTION 133

HOTSPOT - (Topic 1)

You plan to implement Microsoft 365 Endpoint data loss prevention (Endpoint DLP).

You need to identify which end user activities can be audited on the endpoints, and which activities can be restricted on the endpoints.

What should you identify for each activity? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Print a protected document: Can be audited only Can be restricted only Can be audited and restricted

Create a document in a monitored location: Can be audited only Can be restricted only Can be audited and restricted

Copy a protected document to USB removable media: Can be audited only Can be restricted only Can be audited and restricted

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Print a protected document:

- Can be audited only
- Can be restricted only
- Can be audited and restricted

Create a document in a monitored location:

- Can be audited only
- Can be restricted only
- Can be audited and restricted

Copy a protected document to USB removable media:

- Can be audited only
- Can be restricted only
- Can be audited and restricted

NEW QUESTION 137

- (Topic 1)

You have a Microsoft 365 tenant that contains a Microsoft SharePoint Online site named Site1. You have the users shown in the following table.

| Name | Group/role |
|-------|-------------------------------|
| User1 | Site1 member group |
| User2 | Site1 member group |
| User3 | Site1 owner group |
| User4 | Sharepoint administrator role |

You create a data loss prevention (DLP) policy for Site1 that detects credit card number information. You configure the policy to use the following protection action:
? When content matches the policy conditions, show policy tips to users and send them an email notification. You use the default notification settings.

To Site1, User1 uploads a file that contains a credit card number. Which users receive an email notification?

- A. User1 and User2 only
- B. User1 and User4 only
- C. User1, User2, User3, and User4
- D. User1 only
- E. User1 and User3 only

Answer: D

Explanation:

Reference:

<https://docs.microsoft.com/en-us/microsoft-365/compliance/get-started-with-the-default-dlp-policy?view=o365-worldwide>

NEW QUESTION 139

HOTSPOT - (Topic 1)

You have a Microsoft 365 E5 subscription.

You need to deploy a compliance solution that meets the following requirements:

- Prevents users from performing data transfers that breach local regulations
- Minimizes effort to respond to requests for a user's personal data

What should you use in the Microsoft Purview compliance portal? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Answer Area

To prevent users from performing data transfers that breach local regulations:

- Information barriers
- Communication compliance
- Information barriers
- Insider risk management
- Privacy risk management

To minimize effort to respond to requests for a user's personal data:

- Subject rights request
- Data loss prevention (DLP)
- eDiscovery
- Records management
- Subject rights request

- A. Mastered
- B. Not Mastered

Answer: A


Explanation:

Answer Area

To prevent users from performing data transfers that breach local regulations:



To minimize effort to respond to requests for a user's personal data:



NEW QUESTION 143

- (Topic 1)

You have a Microsoft 365 E5 subscription that contains a Microsoft SharePoint Online site named Site1. Site1 contains a file named File1. You have a retention policy named Retention1 that has the following settings:

- Retain items for a specific period
 - o Retention period: 5 years
 - o At the end of the retention period: Delete items automatically
- Retention1 is applied to Site. You need to ensure that File1 is deleted automatically after seven years. The solution must NOT affect the retention of other files on Site1. What should you do first?

- A. Move File1 to a new folder and list the excluded locations for Retention1.
- B. Create a new retention policy.
- C. Create and publish a new retention label
- D. Move File1 to a new folder and configure the access control list (ACL) entries for File1.

Answer: C

NEW QUESTION 147

- (Topic 1)

You have a Microsoft SharePoint Online site named Site1 that contains a document library. The library contains more than 1,000 documents. Some of the documents are job applicant resumes. All the documents are in the English language.

You plan to apply a sensitivity label automatically to any document identified as a resume. Only documents that contain work experience, education, and accomplishments must be labeled automatically.

You need to identify and categorize the resumes. The solution must minimize administrative effort.

What should you include in the solution?

- A. a trainable classifier
- B. a keyword dictionary OC.
- C. a function
- D. an exact data match (EDM) classifier

Answer: A

NEW QUESTION 149

DRAG DROP - (Topic 1)

You have a Microsoft 365 tenant that uses data loss prevention (DLP). You have a custom employee information form named Template 1.docx.

You need to create a classification rule package based on the document fingerprint of Template1.docx.

Which three actions should you perform in sequence? To answer, move the appropriate actions from the list of actions to the answer area and arrange them in the correct order.

Actions

- Run the Set-DlpSensitiveInformationType cmdlet.
- Create a variable that contains the result of the New-DlpFingerprint cmdlet.
- Run the New-DlpSensitiveInformationType cmdlet.
- Create a variable that contains the result of the Get-Content cmdlet.
- Create a variable that contains the result of the Get-ContentFilterPhrase cmdlet.

Answer Area



- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Actions

- Run the Set-DlpSensitiveInformationType cmdlet.
- Create a variable that contains the result of the New-DlpFingerprint cmdlet.
- Run the New-DlpSensitiveInformationType cmdlet.
- Create a variable that contains the result of the Get-Content cmdlet.
- Create a variable that contains the result of the Get-ContentFilterPhrase cmdlet.

Answer Area

- Create a variable that contains the result of the Get-Content cmdlet.
- Create a variable that contains the result of the New-DlpFingerprint cmdlet.
- Run the New-DlpSensitiveInformationType cmdlet.

NEW QUESTION 150

- (Topic 1)

You need to implement a solution that meets the compliance requirements for the Windows 10 computers.

Which two actions should you perform? Each correct answer presents part of the solution. NOTE: Each coned selection is worth one point.

- A. Deploy a Microsoft 365 Endpoint data loss prevention (Endpoint DLP) configuration package to the computers.
- B. Configure hybrid Azure AD join for all the computers.
- C. Configure the Microsoft Intune device enrollment settings.
- D. Configure a compliance policy in Microsoft Intune.
- E. Enroll the computers in Microsoft Defender for Endpoint protection.

Answer: BE

Explanation:

Reference:

<https://docs.microsoft.com/en-us/microsoft-365/compliance/endpoint-dlp-getting-started?view=o365-worldwide>

NEW QUESTION 153

- (Topic 1)

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some

question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You have a Microsoft 365 subscription.

You have a user named User1. Several users have full access to the mailbox of User1. Some email messages sent to User1 appear to have been read and deleted before the user viewed them.

When you search the audit log in the Microsoft Purview compliance portal to identify who signed in to the mailbox of User1, the result are blank.

You need to ensure that you can view future sign-ins to the mailbox of User1. Solution: You run the Set-MailboxFolderPermission -Identity "User1" -User User1@contoso.com -AccessRights Owner command.

Does that meet the goal?

- A. Yes
- B. NO

Answer: B

NEW QUESTION 157

- (Topic 1)

You have a Microsoft 365 subscription.

You have a user named User1. Several users have full access to the mailbox of User1. Some email messages sent to User1 appear to have been read and deleted before the user viewed them.

When you search the audit log in the Microsoft Purview compliance portal to identify who signed in to the mailbox of User1, the results are blank.

You need to ensure that you can view future sign-ins to the mailbox of User1. YOU run the Set-AdminAuditLogConfig -AdminAuditLogEnabled \$true -AdminiAuditLogCmdlets "Mailbox*" command.

Does that meet the goal?

- A. Yes
- B. No

Answer: B

NEW QUESTION 159

- (Topic 1)

You have a data loss prevention (DLP) policy that applies to the Devices location. The policy protects documents that contain States passport numbers.

Users reports that they cannot upload documents to a travel management website because of the policy.

You need to ensure that the users can upload the documents to the travel management website. The solution must prevent the protected content from being uploaded to other locations.

Which Microsoft 365 Endpoint data loss prevention (Endpoint DLP) setting should you configure?

- A. Unallowed apps
- B. File path exclusions

- C. Service domains
- D. Unallowed browsers

Answer: C

Explanation:

You can control whether sensitive files protected by your policies can be uploaded to specific service domains from Microsoft Edge.

? If the list mode is set to Block, then user will not be able to upload sensitive items to those domains. When an upload action is blocked because an item matches a DLP policy, DLP will either generate a warning or block the upload of the sensitive item.

? If the list mode is set to Allow, then users will be able to upload sensitive items only to those domains, and upload access to all other domains is not allowed.

Reference:

<https://docs.microsoft.com/en-us/microsoft-365/compliance/endpoint-dlp-using?view=o365-worldwide>

NEW QUESTION 164

- (Topic 1)

You implement Microsoft 365 Endpoint data loss prevention (Endpoint DLP).

You have computers that run Windows 10 and have Microsoft 365 Apps installed. The computers are joined to Azure Active Directory (Azure AD).

You need to ensure that Endpoint DLP policies can protect content on the computers. Solution: You enroll the computers in Microsoft Intune.

Does this meet the goal?

- A. Yes
- B. No

Answer: B

Explanation:

Reference:

<https://docs.microsoft.com/en-us/microsoft-365/compliance/endpoint-dlp-getting-started?view=o365-worldwide>

NEW QUESTION 166

- (Topic 1)

Each product group at your company must show a distinct product logo in encrypted emails instead of the standard Microsoft Office 365 logo.

What should you do to create the branding templates?

- A. Create a Transport rule.
- B. Create an RMS template.
- C. Run the Set-IRMConfiguration cmdlet.
- D. Run the New-OMEConfiguration cmdlet.

Answer: D

Explanation:

Reference:

<https://docs.microsoft.com/en-us/microsoft-365/compliance/add-your-organization-brand-to-encryptedmessages?view=o365-worldwide>

NEW QUESTION 169

- (Topic 1)

You need to provide a user with the ability to view data loss prevention (DLP) alerts in the Microsoft 365 compliance center. The solution must use the principle of least privilege.

Which role should you assign to the user?

- A. Compliance data administrator
- B. Security operator
- C. Security reader
- D. Compliance administrator

Answer: C

Explanation:

Reference:

<https://docs.microsoft.com/en-us/microsoft-365/compliance/dlp-configure-view-alerts-policies?view=o365-worldwide>

NEW QUESTION 170

HOTSPOT - (Topic 1)

You have a Microsoft 365 tenant.

A retention hold is applied to all the mailboxes in Microsoft Exchange Online.

A user named User1 leaves your company, and the account of User1 is deleted from Azure Active Directory (Azure AD).

You need to create a new user named User2 and provide User2 with access to the mailbox of User1.

How should you complete the PowerShell command? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

```
$InactiveMailbox = Get-Mailbox -InactiveMailboxOnly -Identity <distinguished name>
```

| | \$InactiveMailbox.DistinguishedName |
|---------------------------|-------------------------------------|
| New-Mailbox | -InactiveMailbox |
| New-MailboxRestoreRequest | -LitigationHoldEnabled |
| Restore-RecoverableItems | -RetentionHoldEnabled |
| Set-Mailbox | -SourceMailbox |

```
-Name User2 -DisplayName User2 -MicrosoftOnlineServicesID user2@contoso.com
-Password (ConvertTo-SecureString -String 'RdFGFfhjjhgff$^^7' -AsPlainText -Force)
-ResetPasswordOnNextLogon $true
```

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

```
$InactiveMailbox = Get-Mailbox -InactiveMailboxOnly -Identity <distinguished name>
```

| | \$InactiveMailbox.DistinguishedName |
|---------------------------|-------------------------------------|
| New-Mailbox | -InactiveMailbox |
| New-MailboxRestoreRequest | -LitigationHoldEnabled |
| Restore-RecoverableItems | -RetentionHoldEnabled |
| Set-Mailbox | -SourceMailbox |

```
-Name User2 -DisplayName User2 -MicrosoftOnlineServicesID user2@contoso.com
-Password (ConvertTo-SecureString -String 'RdFGFfhjjhgff$^^7' -AsPlainText -Force)
-ResetPasswordOnNextLogon $true
```

NEW QUESTION 172

- (Topic 2)

You need to meet the technical requirements for the creation of the sensitivity labels. Which administrative users are currently missing the Sensitivity label administrator role?

- A. Admin1 only
- B. Admm1, Admin2, Admin4, and Admin5 only
- C. Admin 1, Admin2, and Admin3 only
- D. Admin 1 and Admin5 only
- E. Admin 1 and Admin4 only

Answer: C

NEW QUESTION 177

- (Topic 2)

You are evaluating the technical requirements for the DLP reports. Which user can currently view the DLP reports?

- A. Admin4
- B. Admin1
- C. Admin5
- D. Admin2
- E. Admin3


Answer: E

NEW QUESTION 181

HOTSPOT - (Topic 2)

For each of the following statements, select Yes if the statement is true. Otherwise, select No.

NOTE: Each correct selection is worth is worth one point.



- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Answer Area

| Statements | Yes | No |
|---|----------------------------------|----------------------------------|
| If a user creates a file in Site4 on January 1, 2021, users will be able to access the file on January 15, 2023. | <input checked="" type="radio"/> | <input type="radio"/> |
| If a user deletes a file from Site4 that was created on January 1, 2021, an administrative user will be able to recover the file on April 15, 2023. | <input checked="" type="radio"/> | <input type="radio"/> |
| If a user deletes a file from Site4 that was created on January 1, 2021, an administrative user will be able to recover the file on April 15, 2026. | <input type="radio"/> | <input checked="" type="radio"/> |

NEW QUESTION 182

.....

Thank You for Trying Our Product

* 100% Pass or Money Back

All our products come with a 90-day Money Back Guarantee.

* One year free update

You can enjoy free update one year. 24x7 online support.

* Trusted by Millions

We currently serve more than 30,000,000 customers.

* Shop Securely

All transactions are protected by VeriSign!

100% Pass Your SC-400 Exam with Our Prep Materials Via below:

<https://www.certleader.com/SC-400-dumps.html>