

# Google

## Exam Questions Professional-Cloud-Security-Engineer

Google Cloud Certified - Professional Cloud Security Engineer



#### NEW QUESTION 1

You want to evaluate GCP for PCI compliance. You need to identify Google's inherent controls. Which document should you review to find the information?

- A. Google Cloud Platform: Customer Responsibility Matrix
- B. PCI DSS Requirements and Security Assessment Procedures
- C. PCI SSC Cloud Computing Guidelines
- D. Product documentation for Compute Engine

**Answer: C**

#### NEW QUESTION 2

While migrating your organization's infrastructure to GCP, a large number of users will need to access GCP Console. The Identity Management team already has a well-established way to manage your users and want to keep using your existing Active Directory or LDAP server along with the existing SSO password. What should you do?

- A. Manually synchronize the data in Google domain with your existing Active Directory or LDAP server.
- B. Use Google Cloud Directory Sync to synchronize the data in Google domain with your existing Active Directory or LDAP server.
- C. Users sign in directly to the GCP Console using the credentials from your on-premises Kerberoscompliant identity provider.
- D. Users sign in using OpenID (OIDC) compatible IdP, receive an authentication token, then use that token to log in to the GCP Console.

**Answer: B**

#### NEW QUESTION 3

A DevOps team will create a new container to run on Google Kubernetes Engine. As the application will be internet-facing, they want to minimize the attack surface of the container. What should they do?

- A. Use Cloud Build to build the container images.
- B. Build small containers using small base images.
- C. Delete non-used versions from Container Registry.
- D. Use a Continuous Delivery tool to deploy the application.

**Answer: D**

#### NEW QUESTION 4

A website design company recently migrated all customer sites to App Engine. Some sites are still in progress and should only be visible to customers and company employees from any location. Which solution will restrict access to the in-progress sites?

- A. Upload an .htaccess file containing the customer and employee user accounts to App Engine.
- B. Create an App Engine firewall rule that allows access from the customer and employee networks and denies all other traffic.
- C. Enable Cloud Identity-Aware Proxy (IAP), and allow access to a Google Group that contains the customer and employee user accounts.
- D. Use Cloud VPN to create a VPN connection between the relevant on-premises networks and the company's GCP Virtual Private Cloud (VPC) network.

**Answer: C**

#### NEW QUESTION 5

You are the Security Admin in your company. You want to synchronize all security groups that have an email address from your LDAP directory in Cloud IAM.

- A. Configure Google Cloud Directory Sync to sync security groups using LDAP search rules that have "user email address" as the attribute to facilitate one-way sync.
- B. Configure Google Cloud Directory Sync to sync security groups using LDAP search rules that have "user email address" as the attribute to facilitate bidirectional sync.
- C. Use a management tool to sync the subset based on the email address attribut
- D. Create a group in the Google domai
- E. A group created in a Google domain will automatically have an explicit Google Cloud Identity and Access Management (IAM) role.
- F. Use a management tool to sync the subset based on group object class attribut
- G. Create a group in the Google domai
- H. A group created in a Google domain will automatically have an explicit Google Cloud Identity and Access Management (IAM) role.

**Answer: C**

#### NEW QUESTION 6

Your team needs to make sure that a Compute Engine instance does not have access to the internet or to any Google APIs or services. Which two settings must remain disabled to meet these requirements? (Choose two.)

- A. Public IP
- B. IP Forwarding
- C. Private Google Access
- D. Static routes
- E. IAM Network User Role

**Answer: CD**

#### NEW QUESTION 7

Which two implied firewall rules are defined on a VPC network? (Choose two.)

- A. A rule that allows all outbound connections
- B. A rule that denies all inbound connections
- C. A rule that blocks all inbound port 25 connections
- D. A rule that blocks all outbound connections
- E. A rule that allows all inbound port 80 connections

**Answer:** AB

#### NEW QUESTION 8

Your team needs to configure their Google Cloud Platform (GCP) environment so they can centralize the control over networking resources like firewall rules, subnets, and routes. They also have an on-premises environment where resources need access back to the GCP resources through a private VPN connection. The networking resources will need to be controlled by the network security team. Which type of networking design should your team use to meet these requirements?

- A. Shared VPC Network with a host project and service projects
- B. Grant Compute Admin role to the networking team for each engineering project
- C. VPC peering between all engineering projects using a hub and spoke model
- D. Cloud VPN Gateway between all engineering projects using a hub and spoke model

**Answer:** A

#### NEW QUESTION 9

A customer wants to move their sensitive workloads to a Compute Engine-based cluster using Managed Instance Groups (MIGs). The jobs are bursty and must be completed quickly. They have a requirement to be able to manage and rotate the encryption keys. Which boot disk encryption solution should you use on the cluster to meet this customer's requirements?

- A. Customer-supplied encryption keys (CSEK)
- B. Customer-managed encryption keys (CMEK) using Cloud Key Management Service (KMS)
- C. Encryption by default
- D. Pre-encrypting files before transferring to Google Cloud Platform (GCP) for analysis

**Answer:** B

#### Explanation:

Reference <https://cloud.google.com/kubernetes-engine/docs/how-to/dynamic-provisioning-cmek>

#### NEW QUESTION 10

An organization is evaluating the use of Google Cloud Platform (GCP) for certain IT workloads. A well-established directory service is used to manage user identities and lifecycle management. This directory service must continue for the organization to use as the "source of truth" directory for identities. Which solution meets the organization's requirements?

- A. Google Cloud Directory Sync (GCDS)
- B. Cloud Identity
- C. Security Assertion Markup Language (SAML)
- D. Pub/Sub

**Answer:** B

#### NEW QUESTION 10

You will create a new Service Account that should be able to list the Compute Engine instances in the project. You want to follow Google-recommended practices. What should you do?

- A. Create an Instance Template, and allow the Service Account Read Only access for the Compute Engine Access Scope.
- B. Create a custom role with the permission compute.instances.list and grant the Service Account this role.
- C. Give the Service Account the role of Compute Viewer, and use the new Service Account for all instances.
- D. Give the Service Account the role of Project Viewer, and use the new Service Account for all instances.

**Answer:** A

#### NEW QUESTION 15

A company is running workloads in a dedicated server room. They must only be accessed from within the private company network. You need to connect to these workloads from Compute Engine instances within a Google Cloud Platform project. Which two approaches can you take to meet the requirements? (Choose two.)

- A. Configure the project with Cloud VPN.
- B. Configure the project with Shared VPC.
- C. Configure the project with Cloud Interconnect.
- D. Configure the project with VPC peering.
- E. Configure all Compute Engine instances with Private Access.

**Answer:** DE

#### NEW QUESTION 19

In order to meet PCI DSS requirements, a customer wants to ensure that all outbound traffic is authorized. Which two cloud offerings meet this requirement without additional compensating controls? (Choose two.)

- A. App Engine
- B. Cloud Functions
- C. Compute Engine
- D. Google Kubernetes Engine
- E. Cloud Storage

**Answer:** AC

#### NEW QUESTION 22

A customer terminates an engineer and needs to make sure the engineer's Google account is automatically deprovisioned. What should the customer do?

- A. Use the Cloud SDK with their directory service to remove their IAM permissions in Cloud Identity.
- B. Use the Cloud SDK with their directory service to provision and deprovision users from Cloud Identity.
- C. Configure Cloud Directory Sync with their directory service to provision and deprovision users from Cloud Identity.
- D. Configure Cloud Directory Sync with their directory service to remove their IAM permissions in Cloud Identity.

**Answer:** C

#### NEW QUESTION 27

When creating a secure container image, which two items should you incorporate into the build if possible? (Choose two.)

- A. Ensure that the app does not run as PID 1.
- B. Package a single app as a container.
- C. Remove any unnecessary tools not needed by the app.
- D. Use public container images as a base image for the app.
- E. Use many container image layers to hide sensitive information.

**Answer:** BC

#### NEW QUESTION 31

For compliance reasons, an organization needs to ensure that in-scope PCI Kubernetes Pods reside on “in- scope” Nodes only. These Nodes can only contain the “in-scope” Pods.

How should the organization achieve this objective?

- A. Add a nodeSelector field to the pod configuration to only use the Nodes labeled inscope: true.
- B. Create a node pool with the label inscope: true and a Pod Security Policy that only allows the Pods to run on Nodes with that label.
- C. Place a taint on the Nodes with the label inscope: true and effect NoSchedule and a toleration to match in the Pod configuration.
- D. Run all in-scope Pods in the namespace “in-scope-pci”.

**Answer:** C

#### NEW QUESTION 33

A company is running their webshop on Google Kubernetes Engine and wants to analyze customer transactions in BigQuery. You need to ensure that no credit card numbers are stored in BigQuery

What should you do?

- A. Create a BigQuery view with regular expressions matching credit card numbers to query and delete affected rows.
- B. Use the Cloud Data Loss Prevention API to redact related infoTypes before data is ingested into BigQuery.
- C. Leverage Security Command Center to scan for the assets of type Credit Card Number in BigQuery.
- D. Enable Cloud Identity-Aware Proxy to filter out credit card numbers before storing the logs in BigQuery.

**Answer:** D

#### NEW QUESTION 36

An organization's security and risk management teams are concerned about where their responsibility lies for certain production workloads they are running in Google Cloud Platform (GCP), and where Google's responsibility lies. They are mostly running workloads using Google Cloud's Platform-as-a-Service (PaaS) offerings, including App Engine primarily.

Which one of these areas in the technology stack would they need to focus on as their primary responsibility when using App Engine?

- A. Configuring and monitoring VPC Flow Logs
- B. Defending against XSS and SQLi attacks
- C. Manage the latest updates and security patches for the Guest OS
- D. Encrypting all stored data

**Answer:** D

#### NEW QUESTION 39

You are on your company's development team. You noticed that your web application hosted in staging on GKE dynamically includes user data in web pages without first properly validating the inputted data. This could allow an attacker to execute gibberish commands and display arbitrary content in a victim user's browser in a production environment.

How should you prevent and fix this vulnerability?

- A. Use Cloud IAP based on IP address or end-user device attributes to prevent and fix the vulnerability.
- B. Set up an HTTPS load balancer, and then use Cloud Armor for the production environment to prevent the potential XSS attack.
- C. Use Web Security Scanner to validate the usage of an outdated library in the code, and then use a secured version of the included library.
- D. Use Web Security Scanner in staging to simulate an XSS injection attack, and then use a templating system that supports contextual auto-escaping.

**Answer:** D

#### NEW QUESTION 44

An organization adopts Google Cloud Platform (GCP) for application hosting services and needs guidance on setting up password requirements for their Cloud Identity account. The organization has a password policy requirement that corporate employee passwords must have a minimum number of characters. Which Cloud Identity password guidelines can the organization use to inform their new requirements?

- A. Set the minimum length for passwords to be 8 characters.
- B. Set the minimum length for passwords to be 10 characters.
- C. Set the minimum length for passwords to be 12 characters.
- D. Set the minimum length for passwords to be 6 characters.

**Answer:** C

#### NEW QUESTION 47

A large e-retailer is moving to Google Cloud Platform with its ecommerce website. The company wants to ensure payment information is encrypted between the customer's browser and GCP when the customers checkout online. What should they do?

- A. Configure an SSL Certificate on an L7 Load Balancer and require encryption.
- B. Configure an SSL Certificate on a Network TCP Load Balancer and require encryption.
- C. Configure the firewall to allow inbound traffic on port 443, and block all other inbound traffic.
- D. Configure the firewall to allow outbound traffic on port 443, and block all other outbound traffic.

**Answer:** A

#### NEW QUESTION 49

How should a customer reliably deliver Stackdriver logs from GCP to their on-premises SIEM system?

- A. Send all logs to the SIEM system via an existing protocol such as syslog.
- B. Configure every project to export all their logs to a common BigQuery DataSet, which will be queried by the SIEM system.
- C. Configure Organizational Log Sinks to export logs to a Cloud Pub/Sub Topic, which will be sent to the SIEM via Dataflow.
- D. Build a connector for the SIEM to query for all logs in real time from the GCP RESTful JSON APIs.

**Answer:** C

#### NEW QUESTION 51

A customer is collaborating with another company to build an application on Compute Engine. The customer is building the application tier in their GCP Organization, and the other company is building the storage tier in a different GCP Organization. This is a 3-tier web application. Communication between portions of the application must not traverse the public internet by any means. Which connectivity option should be implemented?

- A. VPC peering
- B. Cloud VPN
- C. Cloud Interconnect
- D. Shared VPC

**Answer:** B

#### NEW QUESTION 56

A business unit at a multinational corporation signs up for GCP and starts moving workloads into GCP. The business unit creates a Cloud Identity domain with an organizational resource that has hundreds of projects. Your team becomes aware of this and wants to take over managing permissions and auditing the domain resources. Which type of access should your team grant to meet this requirement?

- A. Organization Administrator
- B. Security Reviewer
- C. Organization Role Administrator
- D. Organization Policy Administrator

**Answer:** C

#### NEW QUESTION 61

You are in charge of migrating a legacy application from your company datacenters to GCP before the current maintenance contract expires. You do not know what ports the application is using and no documentation is available for you to check. You want to complete the migration without putting your environment at risk. What should you do?

- A. Migrate the application into an isolated project using a "Lift & Shift" approach
- B. Enable all internal TCP traffic using VPC Firewall rule
- C. Use VPC Flow logs to determine what traffic should be allowed for the application to work properly.
- D. Migrate the application into an isolated project using a "Lift & Shift" approach in a custom network. Disable all traffic within the VPC and look at the Firewall logs to determine what traffic should be allowed for the application to work properly.
- E. Refactor the application into a micro-services architecture in a GKE cluster
- F. Disable all traffic from outside the cluster using Firewall Rule
- G. Use VPC Flow logs to determine what traffic should be allowed for the application to work properly.
- H. Refactor the application into a micro-services architecture hosted in Cloud Functions in an isolated project. Disable all traffic from outside your project using Firewall Rule



I. Use VPC Flow logs to determine what traffic should be allowed for the application to work properly.

**Answer: C**

#### NEW QUESTION 64

A customer wants to run a batch processing system on VMs and store the output files in a Cloud Storage bucket. The networking and security teams have decided that no VMs may reach the public internet.  
How should this be accomplished?

- A. Create a firewall rule to block internet traffic from the VM.
- B. Provision a NAT Gateway to access the Cloud Storage API endpoint.
- C. Enable Private Google Access on the VPC.
- D. Mount a Cloud Storage bucket as a local filesystem on every VM.

**Answer: B**

#### NEW QUESTION 67

You need to provide a corporate user account in Google Cloud for each of your developers and operational staff who need direct access to GCP resources. Corporate policy requires you to maintain the user identity in a third-party identity management provider and leverage single sign-on. You learn that a significant number of users are using their corporate domain email addresses for personal Google accounts, and you need to follow Google recommended practices to convert existing unmanaged users to managed accounts.  
Which two actions should you take? (Choose two.)

- A. Use Google Cloud Directory Sync to synchronize your local identity management system to Cloud Identity.
- B. Use the Google Admin console to view which managed users are using a personal account for their recovery email.
- C. Add users to your managed Google account and force users to change the email addresses associated with their personal accounts.
- D. Use the Transfer Tool for Unmanaged Users (TTUU) to find users with conflicting accounts and ask them to transfer their personal Google accounts.
- E. Send an email to all of your employees and ask those users with corporate email addresses for personal Google accounts to delete the personal accounts immediately.

**Answer: BE**

#### NEW QUESTION 68

A customer needs to prevent attackers from hijacking their domain/IP and redirecting users to a malicious site through a man-in-the-middle attack.  
Which solution should this customer use?

- A. VPC Flow Logs
- B. Cloud Armor
- C. DNS Security Extensions
- D. Cloud Identity-Aware Proxy

**Answer: C**

#### NEW QUESTION 71

As adoption of the Cloud Data Loss Prevention (DLP) API grows within the company, you need to optimize usage to reduce cost. DLP target data is stored in Cloud Storage and BigQuery. The location and region are identified as a suffix in the resource name.  
Which cost reduction options should you recommend?

- A. Set appropriate rowsLimit value on BigQuery data hosted outside the US and set appropriate bytesLimitPerFile value on multiregional Cloud Storage buckets.
- B. Set appropriate rowsLimit value on BigQuery data hosted outside the US, and minimize transformation units on multiregional Cloud Storage buckets.
- C. Use rowsLimit and bytesLimitPerFile to sample data and use CloudStorageRegexFileSet to limit scans.
- D. Use FindingLimits and TimespanConfig to sample data and minimize transformation units.

**Answer: C**

#### NEW QUESTION 75

A customer's internal security team must manage its own encryption keys for encrypting data on Cloud Storage and decides to use customer-supplied encryption keys (CSEK).  
How should the team complete this task?

- A. Upload the encryption key to a Cloud Storage bucket, and then upload the object to the same bucket.
- B. Use the gsutil command line tool to upload the object to Cloud Storage, and specify the location of the encryption key.
- C. Generate an encryption key in the Google Cloud Platform Console, and upload an object to Cloud Storage using the specified key.
- D. Encrypt the object, then use the gsutil command line tool or the Google Cloud Platform Console to upload the object to Cloud Storage.

**Answer: D**

#### NEW QUESTION 77

An organization is starting to move its infrastructure from its on-premises environment to Google Cloud Platform (GCP). The first step the organization wants to take is to migrate its ongoing data backup and disaster recovery solutions to GCP. The organization's on-premises production environment is going to be the next phase for migration to GCP. Stable networking connectivity between the on-premises environment and GCP is also being implemented.  
Which GCP solution should the organization use?

- A. BigQuery using a data pipeline job with continuous updates via Cloud VPN
- B. Cloud Storage using a scheduled task and gsutil via Cloud Interconnect
- C. Compute Engines Virtual Machines using Persistent Disk via Cloud Interconnect
- D. Cloud Datastore using regularly scheduled batch upload jobs via Cloud VPN

**Answer: B**

**NEW QUESTION 82**

An organization receives an increasing number of phishing emails.  
Which method should be used to protect employee credentials in this situation?

- A. Multifactor Authentication
- B. A strict password policy
- C. Captcha on login pages
- D. Encrypted emails

**Answer: D**

**NEW QUESTION 85**

An organization is migrating from their current on-premises productivity software systems to G Suite. Some network security controls were in place that were mandated by a regulatory body in their region for their previous on-premises system. The organization's risk team wants to ensure that network security controls are maintained and effective in G Suite. A security architect supporting this migration has been asked to ensure that network security controls are in place as part of the new shared responsibility model between the organization and Google Cloud.  
What solution would help meet the requirements?

- A. Ensure that firewall rules are in place to meet the required controls.
- B. Set up Cloud Armor to ensure that network security controls can be managed for G Suite.
- C. Network security is a built-in solution and Google's Cloud responsibility for SaaS products like G Suite.
- D. Set up an array of Virtual Private Cloud (VPC) networks to control network security as mandated by the relevant regulation.

**Answer: B**

**NEW QUESTION 88**

A customer implements Cloud Identity-Aware Proxy for their ERP system hosted on Compute Engine. Their security team wants to add a security layer so that the ERP systems only accept traffic from Cloud Identity- Aware Proxy.  
What should the customer do to meet these requirements?

- A. Make sure that the ERP system can validate the JWT assertion in the HTTP requests.
- B. Make sure that the ERP system can validate the identity headers in the HTTP requests.
- C. Make sure that the ERP system can validate the x-forwarded-for headers in the HTTP requests.
- D. Make sure that the ERP system can validate the user's unique identifier headers in the HTTP requests.

**Answer: A**

**NEW QUESTION 92**

An engineering team is launching a web application that will be public on the internet. The web application is hosted in multiple GCP regions and will be directed to the respective backend based on the URL request.  
Your team wants to avoid exposing the application directly on the internet and wants to deny traffic from a specific list of malicious IP addresses  
Which solution should your team implement to meet these requirements?

- A. Cloud Armor
- B. Network Load Balancing
- C. SSL Proxy Load Balancing
- D. NAT Gateway

**Answer: A**

**NEW QUESTION 95**

You are part of a security team that wants to ensure that a Cloud Storage bucket in Project A can only be readable from Project B. You also want to ensure that data in the Cloud Storage bucket cannot be accessed from or copied to Cloud Storage buckets outside the network, even if the user has the correct credentials.  
What should you do?

- A. Enable VPC Service Controls, create a perimeter with Project A and B, and include Cloud Storage service.
- B. Enable Domain Restricted Sharing Organization Policy and Bucket Policy Only on the Cloud Storage bucket.
- C. Enable Private Access in Project A and B networks with strict firewall rules to allow communication between the networks.
- D. Enable VPC Peering between Project A and B networks with strict firewall rules to allow communication between the networks.

**Answer: B**

**NEW QUESTION 97**

A company migrated their entire data/center to Google Cloud Platform. It is running thousands of instances across multiple projects managed by different departments. You want to have a historical record of what was running in Google Cloud Platform at any point in time.  
What should you do?

- A. Use Resource Manager on the organization level.
- B. Use Forseti Security to automate inventory snapshots.
- C. Use Stackdriver to create a dashboard across all projects.
- D. Use Security Command Center to view all assets across the organization.

**Answer: C**

**NEW QUESTION 102**

What are the steps to encrypt data using envelope encryption?

- A. Generate a data encryption key (DEK) locally. Use a key encryption key (KEK) to wrap the DE
- B. Encrypt data with the KE
- C. Store the encrypted data and the wrapped KEK.
- D. Generate a key encryption key (KEK) locally. Use the KEK to generate a data encryption key (DEK). Encrypt data with the DE
- E. Store the encrypted data and the wrapped DEK.
- F. Generate a data encryption key (DEK) locally. Encrypt data with the DEK. Use a key encryption key (KEK) to wrap the DE
- G. Store the encrypted data and the wrapped DEK.
- H. Generate a key encryption key (KEK) locally. Generate a data encryption key (DEK) locally
- I. Encrypt data with the KE
- J. Store the encrypted data and the wrapped DEK.

**Answer:** C

**NEW QUESTION 105**

A retail customer allows users to upload comments and product reviews. The customer needs to make sure the text does not include sensitive data before the comments or reviews are published.

Which Google Cloud Service should be used to achieve this?

- A. Cloud Key Management Service
- B. Cloud Data Loss Prevention API
- C. BigQuery
- D. Cloud Security Scanner

**Answer:** D

**NEW QUESTION 110**

You want data on Compute Engine disks to be encrypted at rest with keys managed by Cloud Key Management Service (KMS). Cloud Identity and Access Management (IAM) permissions to these keys must be managed in a grouped way because the permissions should be the same for all keys.

What should you do?

- A. Create a single KeyRing for all persistent disks and all Keys in this KeyRing
- B. Manage the IAM permissions at the Key level.
- C. Create a single KeyRing for all persistent disks and all Keys in this KeyRing
- D. Manage the IAM permissions at the KeyRing level.
- E. Create a KeyRing per persistent disk, with each KeyRing containing a single Key
- F. Manage the IAM permissions at the Key level.
- G. Create a KeyRing per persistent disk, with each KeyRing containing a single Key
- H. Manage the IAM permissions at the KeyRing level.

**Answer:** C

**NEW QUESTION 111**

Your team needs to prevent users from creating projects in the organization. Only the DevOps team should be allowed to create projects on behalf of the requester.

Which two tasks should your team perform to handle this request? (Choose two.)

- A. Remove all users from the Project Creator role at the organizational level.
- B. Create an Organization Policy constraint, and apply it at the organizational level.
- C. Grant the Project Editor role at the organizational level to a designated group of users.
- D. Add a designated group of users to the Project Creator role at the organizational level.
- E. Grant the billing account creator role to the designated DevOps team.

**Answer:** BD

**NEW QUESTION 112**

An organization is starting to move its infrastructure from its on-premises environment to Google Cloud Platform (GCP). The first step the organization wants to take is to migrate its current data backup and disaster recovery solutions to GCP for later analysis. The organization's production environment will remain on-premises for an indefinite time. The organization wants a scalable and cost-efficient solution.

Which GCP solution should the organization use?

- A. BigQuery using a data pipeline job with continuous updates
- B. Cloud Storage using a scheduled task and gsutil
- C. Compute Engine Virtual Machines using Persistent Disk
- D. Cloud Datastore using regularly scheduled batch upload jobs

**Answer:** A

**NEW QUESTION 115**

.....



## Thank You for Trying Our Product

### We offer two products:

1st - We have Practice Tests Software with Actual Exam Questions

2nd - Questions and Answers in PDF Format

### Professional-Cloud-Security-Engineer Practice Exam Features:

- \* Professional-Cloud-Security-Engineer Questions and Answers Updated Frequently
- \* Professional-Cloud-Security-Engineer Practice Questions Verified by Expert Senior Certified Staff
- \* Professional-Cloud-Security-Engineer Most Realistic Questions that Guarantee you a Pass on Your FirstTry
- \* Professional-Cloud-Security-Engineer Practice Test Questions in Multiple Choice Formats and Updatesfor 1 Year

**100% Actual & Verified — Instant Download, Please Click**  
**[Order The Professional-Cloud-Security-Engineer Practice Test Here](#)**